DAILY RAINFALL BUCKINGHAMSHIRE 1911 - 1920

ADDINGTON SCH	1914, 1916-1920
ADSTOCK FIELD	1911 - 1919.
AMERSHAM ST MARY'S BOYS SCH	1911 - 1920
AMERSHAM WINCHMORE HILL	1911 - 1913
AMERSHAM THE PLANTATION	1911 - 1920
AYLESBURY CHARSLEY HILL	1911 - 1913
BEACONSFIELD BISHOPSTONE COTTAGE	1912.
BLEDLOW RIDGE	1911 - 1912
BOURNE END THE BOURNE	1911 - 1920
BRADENHAM BRADENHAM HSE	1911 - 1916
BUCKINGHAM MARKET HILL	1920.
BURCOTT HALL	1914 - 1917
BURNHAM	1911.
BURNHAM BEDFORD VILLA	1911.
BURNHAM WOODLEA	1915
BUCKINGHAM THE VICARAGE	1911.
CHALFONT ST GILES THE STONE	1911 - 1919
CHALFONT ST GILES WOODLANDS	1911 - 1915
CHALFONT ST GILES ROUGHWOOD PK	1914 - 15, 1919 - 20
CHALFONT ST PETER CHALFONT PARK GDNS	1911 - 1919

FLACKWELL HEATH	1920
CHESHAM BOIS RECTORY	1911-1914, 1916 - 1920
COLESHILL C. OF E. SCHOOL	1914.
DATCHET VICARAGE	1916, 1918, 1919.
EATON W. W. TANGIER IS.	1911, 1915-1920
FARNHAM ROYAL THE CHASE	1911
* GERRARDS CROSS CHALFONT COTT.	1913 -1915
GT. HAMPDEN HAMPDEN HSE	1911 - 1920
GT HORWOOD	1919 - 1920
GREENLANDS GDNS.	1913- 1920
HALTON GDNS	1911 - 1918
HEDSOR	1911 - 1920
HIGH WYCOMBE	1911 - 1920
HIGH WYCOMBE ROYAL GRAMMAR SCH.	1917 - 1920
HITCHAM GRANGE	1915 - 1920
IVER	1911 - 1912
LANGLEY THE FIRS	1911 - 1920
LATIMER HSE.	1912 - 1919.
MARLOW MILLS	1911 - 1920
NEWPORT PAGNELL THE CROFT	1911 - 1920
NEWPORT PAGNELL LOVAT BANK.	1911 - 1916
NORTH CRAWLEY RECTORY	1911 - 1913
MURSLEY OBSERVATORY	1920.

LL

OVING HOUSE	1911 - 1920
PENN RAYNERS	1914 - 1920
SLOUGH AMERSHAM LODGE	1917 - 1918
SLOUGH M.T. REPAIR DEPOT	1919.
SLOUGH UPTON	1911 - 1920
SPEEN RED GABLES	1911 - 1914
STOKE POGES STOKE COURT	1911 - 1920
STONY STRATFORD CALVERTON LIMES	1912 - 1917
SWANBOURNE HSE SCH.	1911-12, 1918-1920
TAPLOW COURT	1911 - 1914
TRING BULBOURNE WORKS	1911-12, 1917- 1919
WENDOVER "LANSCOMBE"	1912 -1914
WESTON TURVILLE YAXLEY LODGE.	1912. 1918 1920.
WESTON TURVILLE	1919 - 1920
WINSLOW MARKET SQUARE	1911 - 1912
WINSLOW NORDEN HSE	1911 - 1918
WOLVERTON THE SCHOOL HSE	1911 - 1920
WOLVERTON ST GEORGES VICARAGE	1911 - 1920
WOLVERTON BOYS SCHOOL	1912 - 1920
WRAYSBURY ELMSLEA	1911 - 1912

From original ret. to observer
19·II·15

BUCKS
ADDINGTON SCHOOL
1914; 1916—1920

REGI 14

FORM A.
BRITISH RAINFALL.

20 FEB 1915

Kept at Addington C
ng. 0·55"W
9 am
in the County of Buck
n Verney Junction
e 5 in.
by School Child
above Ground ft. 8 in.
„ Sea Level 350 ft.

IMPORTANT NOTE. measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·03	-	-	·06		-	-	-	·28	1
2	-	-	-	-	-	-	-		-	-	·40	·23	2
3	-	-	-	-	-	·05	·35		-	-	·32	-	3
4	30	-	·04	·30	·19	-	-		-	-	-	-	4
5	-	-	·06	·25	·02	-	-		-	-	-	-	5
6	-	·06	-	·01	-	·19	·79		-	-	-	·45	6
7	-	·15	·32	·03	·05	-	·18		-	-	·09	·23	7
8	·06	·08	·44	·03	·16	·08	-		-	-	-	-	8
9	·20	-	·39	·09	-	·64	-		-	-	-	·01	9
10	·06	·18	·01	·05	-	59	-		·16	-	-	-	10
11	-	·09	·38	-	·09	-	-		-	-	·20	-	11
12	-	-	·37	-	·05	·63	·17		-	-	-	·57	12
13	-	·25	·25	-	-	-	-		-	-	-	·13	13
14	-	·04	·32	-	-	-	-		29	1·13	-	·04	14
15	·03	·09	·09	-	-	-	·15		-	·02	-	-	15
16	·06	-	·06	-	-	-	-		·12	-	-	-	16
17	-	·31	·05	-	-	-	-		·07	-	-	-	17
18	·01	-	-	-	-	-	-		·11	-	-	-	18
19	-	-	·15	-	-	-	-		-	-	·09	-	19
20	-	·05	·26	-	-	-	·12		-	-	-	·90	20
21	-	·26	·04	-	-	-	·08		-	·08	-	·06	21
22	-	-	-	-	-	-	-		-	·40	-	-	22
23	-	·09	·07	-	-	-	·63		-	-	-	-	23
24	-	-	·09	-	-	·02	·05		-	·12	·13	-	24
25	·09	-	·14	-	·49	-	-		-	·75	·01	-	25
26	-	-	·08	-	-	-	·11		-	·04	·16	-	26
27	·04	-	-	-	-	-	-		-	-	-	-	27
28	-	·09	·07	-	-	-	-		-	-	-	-	28
29	·04		·14	-	-	-	-		-	32	·47	-	29
30	·03	×	·03	-	·03	-	-		-	-	-		30
31	-	×	-	×	-	×	-		×	-	×	2·32	31
Total	·92	1·74	3·85	·79	1·08	~~2·18~~ 2·20	2·09		·75	2·86	1·87	5·22	YEAR'S TOTAL m/s
Rain Days.	11	13	23	8	8	7	11		5	8	9	11?	m/s

From original ret. to Brewer
19·II·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
20 FEB 1915

Kept at Addington C.P. School
in the County of Bucks
by School Children
(Miss F. Palmer)

Lat. 57°57 N Long. 0·55" W
Time of Observation 9 am
Nearest Railway Station Verney Junction
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·03	-	-	·06		-	-	-	·28	1
2	-	-	-	-	-	-	-		-	-	·40	·23	2
3	-	-	-	-	-	·05	·35		-	-	·32	-	3
4	·30	-	·04	·30	·19	-	-		-	-	-	-	4
5	-	-	·06	·25	·02	-	-		-	-	-	-	5
6	-	·06	-	·01	-	·19	·79		-	-	-	·45	6
7	-	·15	·32	·03	·05	-	·18		-	-	·09	·23	7
8	·06	·08	·44	·03	·16	·08	-		-	-	-	-	8
9	·20	-	·39	·09	-	·64	-		-	-	-	·01	9
10	·06	·18	·01	·05	-	·59	-		·16	-	-	-	10
11	-	·09	·38	-	·09	-	-		-	-	·20	-	11
12	-	-	·37	-	·05	·63	·17		-	-	-	·57	12
13	-	·25	·25	-	-	-	-		-	-	-	·13	13
14	-	·04	·32	-	-	-	-		·29	1·13	-	·04	14
15	·03	·09	·09	-	-	-	·15		-	·02	-	-	15
16	·06	-	·06	-	-	-	-		·12	-	-	-	16
17	-	·31	·05	-	-	-	-		·07	-	-	-	17
18	·01	-	-	-	-	-	-		·11	-	-	-	18
19	-	-	·15	-	-	-	-		-	-	·09	-	19
20	-	·05	·26	-	-	-	·12		-	-	-	·90	20
21	-	·26	·04	-	-	-	·08		-	·08	-	·06	21
22	-	-	-	-	-	-	-		-	·40	-	-	22
23	-	·09	·07	-	-	-	·63		-	-	-	-	23
24	-	-	·09	-	-	·02	·05		-	·12	·13	-	24
25	·09	-	·14	-	·49	-	-		-	·75	·01	-	25
26	-	-	·08	-	-	-	·11		-	·04	·16	-	26
27	·04	-	-	-	-	-	-		-	-	-		27
28	-	·09	·07	-	-	-	-		-	-	-		28
29	·04		·14	-	-	-	-		-	·32	·47	-	29
30	·03	X	·03	-	·03	-	-		-	-	-		30
31	-	X	-	X	-	X	-		X	-	X	2·32	31
Total	·92	1·74	3·85	·79	1·08	2·20 ~~2·18~~	2·09		·75	2·86	1·87	5·22	YEAR'S TOTAL [illegible]
Rain Days.	11	13	23	8	8	7	11		5	8	9	11?	[illegible]

W. 8,000. X. 14.

8f ✓ Eoe Dt

REGISTER OF RAINFALL IN 1916

BRITISH RAINFALL.

Kept at Addington School

in the County of Buckinghamshire

by J. H. Webster

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge — in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07						·11		·01	·04	·73		1
2	·41	·08	·14		·13		·01		·01	·45			2
3		·55							·02	·28	·07		3
4	·19	·07			·04	·17	·01			·09	·17		4
5	·06			·03	·09	·19				·07	·26		5
6		·12	·14	·17	·02	·14	·59			·15	·37		6
7	·01	·01	·22		·05	·01	·17			·19	·31		7
8	·02		·09		·21					·01		19	8
9			·03		·24	·12						·04	9
10		·14	·07	·03		·16	13						10
11	·11	·07	·11	·20		·25						·10	11
12	·03	·04	·08	·04	29	·06	·21		·03	·17			12
13		·37	·13	·04		·03	·62	·06		·01			13
14		·43		·05	·02								14
15		·31	·31		·02		·13	·04		·04			15
16	·02	·04	·38	·01	·15		·19	·25					16
17	·07	·08	01	·14			·03	·11	·30	·33			17
18		·07	·06	·22				·50	·04	·02	·80		18
19	·06	·03	·25	·12				·01	·10		·60	·06	19
20	·17		·29					·01			·05	·45	20
21			·52				·27					·64	21
22	·02	·06	·01		·17	·02				·04		·49	22
23	·01	·42				·15		·05			·02	·12	23
24		·12	·01			·40		·02		·16	·03	·22	24
25		·43	·14		·05			·23			·06		25
26			·06			·04		·01		·06			26
27	·04	·32	1·31			·03	·02	·08		·30			27
28		·25	·81			·03		·01	·09	·03		·24	28
29		·15				·19		1·08		·24		·15	29
30		X	·02			·03		·02		·25		·03	30
31		X		X		X		·02	X	·17	X	·12	31
Total	1·29	4·16	5·19	1·05	1·48	2·02	2·49	2·50	·60	3·10	3·47	2·85	YEAR'S TOTAL 30·20
Rain Days.	15	22	23	11 ~~12~~	13 ~~14~~	17	13	16	8	21	12	13	184

W. 8,000. X. 15.

81 Exe 81 1033 ~~146~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Addington

in the County of Buckinghamshire

by J. H. Webster

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·14				1·09	·08		·17	·04	1
2	·02					·02		·07		·03	·02		2
3				·03				·36		·40	·05		3
4		·44	·22	·12				·41		·43			4
5	·23		·02					·01	·05	·06	·08		5
6			·08						·02	·03	·04		6
7	·30						·24			·54	·01	·04	7
8	·41			·08			·82	·08		·29	·12	·15	8
9	·03		·07	·15	·08		·04	·26			·05		9
10	·29		·25	·25	·08			·02			·02		10
11	·11		·24	·18				·01	·01	·30			11
12	·10	·03		·01	·03			·19		·18	·01		12
13	·03		·03					·22	·06	·01		·02	13
14	·04			·03				·11				·02	14
15	·02							·01		·05			15
16	·04	·17		·13	·10	·11	·04			·83			16
17		·01		·12	·93	·07	·30	·03	·45	·25			17
18	·05			·07	·06	·03	·36	·05	·82	·04			18
19	·02	·16	·09		·01				·11				19
20		·17	·06		·43		·01	·02	·02		·06		20
21		·01	·08	·01	·05	·21					·01		21
22			·06			·01		·12		·13			22
23		·12			·05			·35		·01			23
24		·05				·38		·07		·23		·20	24
25		·06	·09						·01				25
26			·01					·44	·12		·24		26
27					·05	·03		·84					27
28			·05			·61		·12					28
29			·03		·03	·47	·35	·38		·35		·23	29
30	·03	✕	·05				·79	·15					30
31		✕	·13	✕		✕	·07		✕		✕	·11	31
													YEAR'S TOTAL
Total	1·73	1·22	1·56	1·32	1·90	1·94	3·02	5·41	1·75	4·16	·88	·81	25·70
Rain Days.	16	10											
	15	9	17	13	12	10	10	24	11	18	13	8	162

W. 8,000, VIII. 16

81

Eng 81

35
~~143~~

FORM A.
BRITISH RAINFALL.
27.1.19

REGISTER OF RAINFALL IN 1918

Kept at Addington

in the County of Buckinghamshire

by J. H. Webster

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·01			·22	·04	1
2		·15		·17				·12	·01		·11	·13	2
3		·03	·01		·22			·12	·18		·36	·02	3
4			·03	·01	·01		·01	·03	·09		·48	·05	4
5		·21			·13			·06	·06	·09	·01	·01	5
6		·14		·22					·02	·01		·03	6
7		·11		·06	·06	·01			·09	·17	·18		7
8		·03		·01					·18	·09	·01	·04	8
9	·07	·13		·07		·10	·13		·64	·16		·10	9
10	·07			·11		·04	·50		·02	·11		·15	10
11				·03	·04		·16		·03	·23	·02	·06	11
12		·05			·11		·25		·01				12
13		·01		·03	·24		·07		·20	·03		·21	13
14	·26					·12	·30		·42	·15		·11	14
15	1·07			1·00			·10		·01			·14	15
16	·25			·59		·02			·26			·02	16
17	·14			·06			·78	·01				·12	17
18	·64					·17	·12		·17	·02		·31	18
19	·05			·01			·06			·06		·11	19
20		·20		·40		·07			·17	·13		·01	20
21	·05			·68		·03	·01		·73	·01		·01	21
22	·10				·37		·07		·11			·25	22
23	·05				·52		·25	·02	·07			·01	23
24		·15				·01	·05		·02		·22		24
25						·14	·03	·38		·02			25
26							·20	·04		·02	·07	·33	26
27		·08		·02			·05	·22	·18		·10	·09	27
28		·06	·23	·06				·07			·15	·06	28
29									1·40		·01		29
30		X	·27						·05		·04	·13	30
31		X	·05	X		X			X	·07	X		31
Total	2·75	1·35	·59	3·53	1·70	·71	3.14	1·08	5·12	1·37	1·98	2·54	YEAR'S TOTAL 25·86
Rain Days.	11	13	5	17	9	10	18	11	24	18	14	25	173

W. 8,000, IX. 17.

81

[illegible] april wkly obs.

974

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Addington

in the County of Buckinghamshire

by J. H. Webster

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·04	·02	·03	·03		·26			·04	·02	·97	1
2	·17		·01		·03		·10	·01	·14	·13	·23	·10	2
3	·78		·13				·16		·45		·09	·23	3
4	·05	·03	·38			·05	·02	·06	·10		·01	·24	4
5	·01	·29	·36						·69			·21	5
6	·01		·06	·02	·25						·02	·26	6
7	·03		·38										7
8	·10		·06	·19									8
9	·01		·06	·10									9
10	·02		·45	·04						·01		·09	10
11	·09		·28	·10	·01		·40					·03	11
12			·32	·04		·23	·05				·06	·01	12
13	·05			·28						·23		·01	13
14	·29			·17			·07		·14	·02			14
15	·11	·04	·08	·18								·68	15
16	·08	·52		·07							·19		16
17		·40		·01							·16	·02	17
18		·03	·23					·22			·04	·12	18
19	·03	·19	·56			·15	·38	·17	·01		·07	·03	19
20	·47	·07	·32			·21	·20	·39	·01		·07	·01	20
21	·07	·44	·18				·28				·03	·10	21
22		·21					·07		·12		·03	·32	22
23						·02	·01	·01		·29	·02	·02	23
24				·08						·48			24
25	·07			·03				·22					25
26	·15	·01	·14	·03				·01	·09			·33	26
27	·35		·01	·70				·35				·06	27
28			·08	–				·65			·09	·26	28
29				·02				·12		·29		·09	29
30		×	·16	·24		·18		·07		·05	·28	·29	30
31	·11	×		×		×			×		×	·01	31
Total	3·42	2·27	4·27	2·33 ~~2·09~~	·32	·84	2·00	2·28	1·75	1·54	1·41	4·49	YEAR'S TOTAL 26·92 ~~26·66~~
Rain Days.	22	12	21	~~16~~ 18	4	6	12	12	9	9	16	24	165

W, 6,500, VII. 18. w w c

162 Kept 925

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Addington

in the County of Buckinghamshire

by J. H. Webster

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·35	·23		·26	·05	·03	·09		·22	1
2				·01			·01	·23	·09	·14		·13	2
3		·05		·01			·45		·17	·05		·02	3
4			·09	·08			·08	·36		·31			4
5			·08	·07	·11		·39	·04	·05				5
6			·22		·19		·31					·03	6
7				·10	·01		·10						7
8	·13	·04		·40	·03		·05						8
9	·26			·16				·03					9
10	·16	·10	·05	·01		·06	·31					·02	10
11	·34		·04	·20	·24	·03	·09					·01	11
12	·03	·01		·17		·78	·02				·03		12
13		·01	·08	·15					·03			·02	13
14			·26	·32		·22			·23	·16	·23		14
15			·34	·13					·04	·03	·10		15
16			·01	·06	·21	·53			·21	·06	·03		16
17	·01		·01	·03	·14				·25			·03	17
18	·11			·01	·05		·02	·18	·18			·06	18
19	·04			·24	·01				·03				19
20	·07	·21		·20		·45						·10	20
21				·01			·09	·04	·08			·04	21
22	·01			·18				·10	·50				22
23	·01			·01			·30	·01				·41	23
24	·12		·21									·05	24
25		·05	·05		·02		·33						25
26	·17		·04	·02	·21	·10	·10					·07	26
27	·29	·06		·19		·29	·01				·69	·11	27
28	·33	·01	·06		·13		·07				·04	·01	28
29	·10		·12		·21		·10				·07	·31	29
30	·02	✕	·28	·02		·16	·10		·19		·13	·18	30
31	·02	✕	·05	✕	·01	✕	·01		✕	·25	✕	·14	31
TOTAL	2·22	·54	2·00	3·13	1·80	2·62	3·20	1·04	2·08	1·09	1·32	1·96	YEAR'S TOTAL 23·00
Days with ·01 in. or more	18	9	18	25	15	9	21	9	14	8	8	19	173
·04	12	6	15	16	10	8	16	7	11	7	6	12	126

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~ADSTOCK~~

FIELD

BUCKINGHAMSHIRE

1911 - 1919

REGIS

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Adstock

in the County of Buc

by William W

in.

nd ft. 9 in.

Level 352 ft.

a. m

ne Padbury

ance 2½ mil Direction West

IMPORTANT NOTE.— result entered to the previous day. If an Observe l rule, he is earnestly requested to add the reading in the space provided for it at the end of this pa t of rain, the selection and placing of n Rainfall Organization are given in "R lication to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01	·30	—	—	·05	·02	—	—	·02	·03	1
2	—	—	—	·32	·16	—	—	·02	—	·02	·14	·16	2
3	—	·01	—	—	·20	—	—	—	—	—	·12	·02	3
4	·02	·03	—	·02	—	—	—	—	·01	·41	·12	·32	4
5	·02	—	—	·01	—	—	—	·29	—	·02	—	—	5
6	·31	—	·01	·01	—	—	—	·01	—	—	·01	·39	6
7	·03	—	·01	·03	—	—	—	—	—	—	·30	·07	7
8	·15	—	·21	—	—	—	—	—	—	·02	—	·13	8
9	·12	—	—	·04	—	—	—	—	—	—	·03	·05	9
10	·03	·14	·28	—	—	—	—	—	—	—	·03	·27	10
11	·20	—	—	—	—	·01	—	—	—	—	·56	·02	11
12	—	—	·45	—	—	—	—	—	·01	·05	·41	—	12
13	—	·02	·10	—	·06	—	—	—	·34	·43	·02	·46	13
14	·01	·10	·02	—	·02	—	—	—	—	—	—	·26	14
15	—	—	·04	—	—	—	—	—	—	·02	·12	·02	15
16	—	—	·04	—	—	—	—	—	—	—	·35	·06	16
17	—	—	·03	—	—	—	—	—	—	—	·08	·23	17
18	—	·13	·02	—	—	—	—	—	—	—	·01	·08	18
19	—	—	—	—	·02	·28	—	—	·25	·06	10.[illegible]	·11	19
20	—	·08	·04	—	—	·04	—	·16	·25	·07	—	·49	20
21	—	·04	·06	—	—	·01	—	·10	—	·20	—	·04	21
22	—	·04	·10	—	—	·04	—	—	—	·18	·01	·49	22
23	—	·08	·28	—	—	·13	·07	—	·12	—	—	·18	23
24	—	·12	·01	—	—	·04	·01	·01	—	·53	—	·16	24
25	—	·08	·01	·01	1·60	—	—	·49	—	—	—	·04	25
26	—	·04	—	·18	11	—	·06	—	—	·14	·10	·14	26
27	—	·30	·17	·07		—	—	—	·16	—	·01	·13	27
28	—	·28	—	·29	—	—	—	·20	—	—	·08	—	28
29	—		—	·01	—	·10	·24	—	·23	·22	—	—	29
30	—		·01	·11	·06	·17	—	·30	—	·09	—	—	30
31	—		—		·06		—	—		·05		—	31
Total	·89	1·49	1·90	1·40	2·29	·82	·43	1·60	1·37	2·51	2·62	4·35	TOTAL for year 21·6
No. of Rain Days.	9	15	20	13	9	9	5	10	8	16	20	25	159

W. 8,000, X. '11.

REGIS

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Adstock Fields

in the County of Bucks 5

by William Weston

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 352 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Padbury
Distance 2½ mls Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·30	—	—	·05	·02	—	—	·02	·03	1
2	—	—	—	·32	·16	—	—	·02	—	·02	·14	·16	2
3	—	·01	—	—	·20	—	—	—	—	—	·12	·02	3
4	·02	·03	—	·02	—	—	—	—	·01	·41	·12	·32	4
5	·02	—	—	·01	—	—	—	·29	—	·02	—	—	5
6	·31	—	·01	·01	—	—	—	·01	—	—	·01	·39	6
7	·03	—	·01	·03	—	—	—	—	—	—	·30	·07	7
8	·15	—	·21	—	—	—	—	—	—	·02	—	·13	8
9	·12	—	—	·04	—	—	—	—	—	—	·03 ~~[illegible]~~	·05	9
10	·03	·14	·28	—	—	—	—	—	—	—	·03	·27	10
11	·20	—	—	—	—	·01	—	—	—	—	·56	·02	11
12	—	—	·45	—	—	—	—	—	·01	·05	·41	—	12
13	—	·02	·10	—	·06	—	—	—	·34	·43	·02	·46	13
14	·01	·10	·02	—	·02	—	—	—	—	—	—	·26	14
15	—	—	·04	—	—	—	—	—	—	·02	·12	·02	15
16	—	—	·04	—	—	—	—	—	—	—	·35	·06	16
17	—	—	·03	—	—	—	—	—	—	—	·08	·23	17
18	—	·13	·02	—	—	—	—	—	—	—	·01	·08	18
19	—	—	—	—	·02	·28	—	—	·25	·06	10·[illegible]	·11	19
20	—	·08	·04	—	—	·04	—	·16	·25	·07	—	·49	20
21	—	·04	·06	—	—	·01	—	·10	—	·20	—	·04	21
22	—	·04	·10	—	—	·04	—	—	—	·18	·01	·49	22
23	—	·08	·28	—	—	·13	·07	—	·12	—	—	·18	23
24	—	·12	·01	—	—	·04	·01	·01	—	·53	—	·16	24
25	—	·08	·01	·01	1·60	—	—	·49	—	—	—	·04	25
26	—	·04	—	·18	11	—	·06	—	—	·14	·10	·14	26
27	—	·30	·17	·07		—	—	—	·16	—	·01	·13	27
28	—	·28	—	·29	—	—	—	·20	—	—	·08	—	28
29	—	✕	—	·01	—	·10	·24	—	·23	·22	—	—	29
30	—	✕	·01	·11	·06	·17	—	·30	—	·09	—	—	30
31	—	✕	—	✕	·06	✕	—	—	✕	·05	✕	—	31
Total	·89	1·49	1·90	1·40	2·29	·82	·43	1·60	1·34	2·51	2·62	4·35	TOTAL for year 21·6
No. of Rain Days.	9	15	20	13	9	9	5	10	8	16	20	25	159

W. 8,000, X. '11.

Form A.
British Rainfall.

8 - JAN 1913

REGISTER Eos 85 OF RAINFALL IN 1912

Kept at Adstock Fields

in the County of Bucks 5

by William Weston

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Padbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	·02	—	—	·02	—	·01	—	·30	—	·13	1
2	—	—	·11	—	—	·33	·44	—	·02	—	—	·12	2
3	·10	—	—	—	·02	·01	·04	·31	·03	—	—	—	3
4	·21	—	·73	—	16 ~~·14~~	·28	—	05 ~~·04~~	—	—	·25	—	4
5	·20	·08	·15	—	·02	·11	—	·25	·01	—	·02	·01	5
6	·18	·06	·01	—	—	—	·20	·94	—	—	—	·05	6
7	—	·04	—	—	·03	·52	—	·40	—	—	—	·05	7
8	·27	·20	·23	—	—	·01	·04	·22	·03	—	—	—	8
9	·04	·13	·05	·04	—	·63	—	·01	—	—	—	·31	9
10	—	·02	—	—	—	·01	—	·32	—	—	·09	·02	10
11	·09	·10	—	—	—	—	—	·03	—	—	·07	·19	11
12	·08	·24	·14	—	·02	·02	·07	—	—	—	·05	—	12
13	—	·03	—	—	—	·01	·01	—	—	—	·06	·01	13
14	—	—	—	—	·10	—	—	·16	—	—	—	—	14
15	·04	·05	·16	—	·12	·18	—	·05	—	—	—	·13	15
16	·39	—	·10	—	·01	—	—	·04	—	·08	·05	—	16
17	·50	—	·18	—	—	—	—	·26	—	—	—	·08	17
18	·12	—	·23	—	—	—	—	·12	—	·02	·01	·02	18
19	·10	·09	·04	—	—	·08	·08	·29	—	—	·01	—	19
20	·04	—	·13	—	—	·04	·20	·48	—	·29	—	—	20
21	—	·02	·40	—	·46	—	—	·35	—	·17	·02	—	21
22	·65	·16	·01	—	·09	—	·16	·23	—	·04	—	·04	22
23	·22	50 ~~·10~~	·33	—	—	—	·13	·32	—	—	·18	·30	23
24	·28	·01	—	—	—	·05	·01	·15	—	—	—	·12	24
25	·03	—	—	—	—	·19	—	·34	—	—	·26	·29	25
26	—	·03	·01	—	—	·01	·15	·48	—	·36	·23	·17	26
27	—	—	·02	—	—	·07	—	—	—	·41	—	·21	27
28	—	·04	—	—	—	·03	·05	·36	·09	·34	·17	·93	28
29	—	·02	·01	—	—	—	·14	·04	·88	·36	—	—	29
30	—		—	—	·37	—	—	·06	·32	·29	—	—	30
31	—		·02		·02		·35	·22		—		—	31
Total	3.54	1.82	3.08	·04	1.42	2.60	2.07	6.49	1.38	2.66	1.47	3.18	YEAR'S TOTAL 29.75
Rain Days.	18	18	21	1	12	19	15	27	7	11	14	9	182

W. 7,500, XI. ·12

Ex Dl

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

Kept at Adstock Fields

in the County of Bucks 5

by William Weston

Lat. .... Long. —

Time of Observation 9 a.m

Nearest Railway Station Padbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. 9 in.

" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	·27	·17	·07	·15	—	—	—	·98	—	·10	·08	1
2	·01	·13	—	—	—	—	·09	—	·29	·45	·02	—	2
3	·01	—	·16	—	·68	—	—	—	—	—	—	·23	3
4	·37	—	·02	—	·07	—	—	—	—	·58	·05	·09	4
5	—	—	—	—	·01	—	·11	—	—	·32	·01	·03	5
6	—	·08	·05	—	·31	·20	·07	—	—	·18	—	·07	6
7	—	·28	—	—	·09	—	·16	—	—	·07	·07	—	7
8	—	·03	—	—	·10	·22	—	—	—	·03	·03	·01	8
9	—	·26	—	—	·02	·08	·01	·01	·17	—	·06	·02	9
10	—	—	—	·07	·05	—	·28	·06	—	—	·58	—	10
11	·63	—	—	·35	·02	—	·02	·15	—	56 ·56	·17	—	11
12	—	—	—	—	·13	—	—	—	—	—	·42	—	12
13	—	—	—	·02	—	—	—	·01	·03	—	·23	—	13
14	·11	—	·17	·04	—	—	—	·03	—	·12	·02	—	14
15	·13	—	·17	·28	—	—	·20	—	·08	—	·01	—	15
16	·05	—	·42	·17	—	—	·01	—	·02	—	—	—	16
17	·10	—	·08	·15	—	·09	·04	—	—	—	·01	·05	17
18	·03	—	·08	·13	—	—	·05	—	—	—	·01	·02	18
19	·30	—	·08	·01	—	·01	·15	—	·18	—	—	·06	19
20	·19	—	·14	·01	·08	·22	—	—	—	·37	·04	—	20
21	·02	—	·15	·09	·01	—	·07	—	—	—	·23	—	21
22	·50	—	·27	·03	—	—	—	·11	·23	—	—	—	22
23	—	—	—	—	—	·07	·01	·01	·03	—	—	·04	23
24	·35	—	—	·14	—	—	—	—	—	—	—	—	24
25	—	·02	—	·14	—	—	—	—	—	—	·01	—	25
26	—	·07	·14	·12	—	—	—	—	—	·37	—	·16	26
27	—	—	—	·07	—	—	—	—	—	·02	—	—	27
28	·34	—	·19	·17	—	—	—	—	—	·13	—	·04	28
29	·19		·09	·45	·19	—	—	·05	—	·08	—	·04	29
30	—		—	—	—	—	—	—	—	·08	—	—	30
31	—		·01		·06		—	·09		—		—	31
Total	3.58	1.14	2.39	2·51	1·97	·89	1·27	·52	2·01	3.36	2.07	·94	YEAR'S TOTAL 22·65
Rain Days.	17	8	17	19	15	7	14	9	9	14	18	14	161

W.7,000, XI. 13

Exc. MQ.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

11 JAN 1915

Kept at Adstock Fields

in the County of Bucks 5

by William Weston

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Padbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·07	—	—	·06	·32	—	—	·05	·01	1
2	—	—	—	·01	—	—	·28	—	—	—	·28	·23	2
3	—	—	—	—	·18	—	·37	·04	—	—	·01	·01	3
4	—	—	·01	·27	·05	—	—	·47	—	—	·31	·20	4
5	·16	—	·07	·27	—	·19	·42	·10	—	—	·03	—	5
6	—	08	—	—	·06	·05	—	·06	—	—	·05	·09	6
7	—	·14	·33	·05	·15	·01	·17	·04	—	—	—	·18	7
8	·08	·06	·37	·10	·03	·60	·05	·11	—	—	—	·01	8
9	·21	—	·42	·23	·01	·60	—	—	·02	—	—	·02	9
10	·04	·18	·05	·05	·05	—	—	·04	·21	—	—	—	10
11	—	·08	·38	·02	·02	·55	—	—	·01	—	·11	·20	11
12	—	·03	·08	—	—	·01	·09	—	·42	—	·02	·15	12
13	—	·22	·29	—	—	—	—	—	·13	·07	·03	·19	13
14	—	·05	·32	—	—	—	·16	—	—	1·36	·08	·16	14
15	·02	·06	·12	—	—	—	—	—	·12	·01	·07	·06	15
16	·03	—	·06	—	—	—	·03	—	·07	—	—	—	16
17	·03	·33	·05	—	—	—	—	—	·13	—	—	·25	17
18	·01	—	·03	—	—	—	·09	—	—	—	—	·41	18
19	—	·02	·16	—	—	·02	·04	—	—	—	·06	·02	19
20	—	·34	·30	—	—	—	—	—	—	·01	—	·25	20
21	—	·27	·02	—	—	—	—	·45	—	·08	·01	·03	21
22	—	·01	—	—	·21	·01	·05	·04	—	·40	—	·01	22
23	—	08	·07	·01	·04	·04	·11	·01	—	·13	—	·02	23
24	—	—	·12	·01	—	—	·02	·01	—	·45	·11	—	24
25	·09	—	·14	—	—	—	—	·15	—	·27	·02	·17	25
26	—	—	·08	—	—	—	·01	·13	—	·04	·13	·33	26
27	·04	—	·01	—	—	—	—	—	—	—	·01	·23	27
28	—	·09	—	—	·01	—	—	—	—	·03	·28	·97	28
29	·03	✕	·23	—	·03	—	—	—	—	·31	·16	—	29
30	·03	✕	·03	—	—	—	—	—	—	·08	·28	·30	30
31	·01	✕	—	✕	·05	✕	·04	—	✕	—	✕	·02	31
Total	·78	2·04	3·74	1·09	·89	2·08	1·99	1·97	1·11	3·24	2·10	4·52	YEAR'S TOTAL 25·55
Rain Days.	13	16	24	11	13	10	16	14	8	13	20	26	184

W. 8,000. X. 14.

1098

FORM A.
BRITISH RAINFALL.
7 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Adstock Fields
in the County of Bucks 5
by William Weston

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Padbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·44	·14	·06	—	·08	—	·03	·01	·08	·03	·15	·18	1
2	·05	·17	·28	·10	—	·02	—	·63	·05	·13	—	·03	2
3	·29	·01	·04	·09	—	—	·07	·56	·11	—	—	·18	3
4	·05	—	—	—	—	—	1·01	·06	—	—	—	·62	4
5	·04	·23	—	—	—	—	—	·07	—	—	—	·26	5
6	·20	·05	—	—	—	—	·71	·01	—	·01	—	·08	6
7	·03	·31	·07	·01	—	—	·21	·02	—	—	—	·18	7
8	·01	·25	·01	·01	—	—	·01	—	—	—	—	—	8
9	—	·01	—	·08	—	—	—	—	—	—	·18	·41	9
10	·23	—	·02	—	—	—	—	—	—	—	·05	·02	10
11	·01	—	·03	·01	·34	—	—	—	—	—	·74	·01	11
12	·04	·02	—	—	1·03	—	—	·17	—	—	1·11	—	12
13	—	·45	—	—	—	—	—	·48	—	—	—	—	13
14	·02	·04	—	—	·02	—	·15	·15	·05	—	—	·60	14
15	·12	·01	—	—	—	—	·01	·13	—	—	·09	·17	15
16	·01	·42	—	—	·02	—	·61	·12	—	—	—	·12	16
17	—	·27	—	—	·35	—	—	·01	—	—	—	·01	17
18	—	·13	·10	—	—	—	—	—	—	—	·03	—	18
19	—	·01	·02	—	·01	—	·37	—	—	—	—	—	19
20	·36	—	—	—	—	—	—	—	—	—	—	·19	20
21	·07	—	—	—	·05	—	·12	—	—	·05	—	·07	21
22	·29	·06	·42	·02	—	—	·81	—	—	—	—	·22	22
23	·01	·14	·10	—	—	—	·61	—	·09	·30	—	·35	23
24	·01	—	·17	—	—	·03	·25	—	·84	·13	—	·07	24
25	—	—	·01	·02	—	·03	·28	—	—	—	—	·19	25
26	—	·12	—	—	—	—	·15	—	·03	—	—	·21	26
27	—	·01	—	—	—	·02	·01	—	—	·35	—	·03	27
28	—	·06	·01	—	—	—	·01	·07	·57	·06	—	—	28
29	—	X	—	—	—	—	·11	·15	—	—	·09	·02	29
30	·02	X	—	—	—	·11	·25	—	—	·07	·04	·05	30
31	·01	X	—	X	—	X	·01	·02	X	·61	X	·18	31
Total	2.31	2.91	1·34	·34	1.90	·21	5.79	2.66	1·82	1·74	2.48	4·45	YEAR'S TOTA 27·95
Rain Days.	21	21	14	8	8	5	21	16	8	10	9	25	166

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Adstock Fields
in the County of Bucks
by William Weston

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Padbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	·01	·01	—	·01	·11	—	—	·07	·78	—	1
2	·38	·08	·13	—	·12	—	—	—	·01	·46	·01	—	2
3	·01	·52	·02	—	·01	·01	—	—	·03	·29	·06	—	3
4	·18	·09	—	—	·04	·18	·04	—	·01	·09	·13	—	4
5	·06	·01	—	—	·10	·08	·01	—	—	·06	·22	—	5
6	·01	·10	·10	·17	·02	·10	·66	—	—	·12	·30	—	6
7	—	—	·30	—	·05	·01	·34	—	—	·12	·20	·06	7
8	—	—	·05	—	·14	—	—	—	—	·01	—	·13	8
9	·01	—	·03	—	·24	·12	—	—	—	—	·01	·05	9
10	—	·13	·08	·06	·01	·23	·09	—	·01	—	·01	—	10
11	·07	·08	·09	·15	·02	·17	·01	—	—	—	—	·10	11
12	·01	·05	·06	·02	·28	·08	·22	·01	—	·16	—	—	12
13	—	·36	·12	·02	—	·03	1·17	·17	·01	·02	—	—	13
14	—	·33	—	·09	·01	—	—	—	—	—	—	—	14
15	—	·13	·36	—	·01	—	·13	·07	—	·02	—	—	15
16	·02	·03	·39	·16	·15	—	·20	·40	—	—	—	—	16
17	·06	·07	—	·13	—	—	·02	·04	·28	·30	—	—	17
18	·01	·06	·07	·03	—	—	—	·16	·05	·01	·81	—	18
19	·05	·03	·21	·10	—	—	—	·01	·13	—	·61	·05	19
20	·14	—	·25	·01	—	—	—	—	—	—	·13	·45	20
21	·01	—	·60	—	—	—	·24	·01	—	—	—	·64	21
22	—	·07	·01	—	·16	—	—	—	—	·03	—	·53	22
23	·01	·33	—	—	—	·05	—	·05	—	·01	·03	·11	23
24	—	·10	·01	—	·04	·83	—	·02	—	·11	·02	·25	24
25	—	·20	·12	—	·01	·03	—	·23	—	·06	·04	—	25
26	—	·12	·04	—	—	·05	—	·01	—	·05	—	—	26
27	·03	·15	·70	—	—	·05	·06	·07	—	·29	—	—	27
28	—	·25	·51	·03	—	·03	—	·02	·06	·03	—	·20	28
29	—	·12	—	—	—	·19	—	·97	—	·22	—	·11	29
30	—	×	—	—	—	·02	—	·02	—	·31	—	·02	30
31	—	×	—	×	—	×	—	·02	×	·08	×	·06	31
Total	1·11	3.61	4·26	·98	1·41	2·27	3·30	2·28	·59	2·92	3·36	2·46	YEAR'S TOTAL 28·85
Rain Days.	17	23	23	13	17	19	14	17	9	23	15	14	204

W. 8,000, VIII. 16

1035

FORM A.
BRITISH RAINFALL.

9 JAN

REGISTER OF RAINFALL IN 1917

Kept at Adstock Fields
in the County of Bucks
by William Weston

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Padbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ...... ft. 9 in.
" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·09	—	—	—	1·00	·10	—	·20	·05	1
2	·02	—	—	—	—	·05	—	·06	—	·05	·02	—	2
3	—	—	·01	·03	—	—	—	·40	—	·36	·04	—	3
4	—	·75	·30	—	—	—	—	·25	—	·39	—	—	4
5	·21	—	·02	·18	—	—	—	—	·04	·06	·05	—	5
6	—	—	·07	—	—	·01	—	—	·03	·04	·03	—	6
7	·24	—	—	·05	—	—	·27	—	—	·48	—	—	7
8	·37	—	·02	—	—	—	·80	·06	—	·32	·10	·21	8
9	·04	—	·10	·12	·06	—	·02	·22	—	—	·04	—	9
10	·22	—	·19	·13	·06	—	—	·20	—	—	·02	—	10
11	·15	—	·24	·18	·04	—	—	·15	·01	·30	—	—	11
12	·09	·07	·02	—	—	—	—	·19	—	·17	·01	—	12
13	·04	—	·02	—	—	—	—	·22	·08	—	—	—	13
14	·04	—	·01	·03	—	—	—	·18	—	—	—	·03	14
15	·03	·01	—	—	—	—	—	—	—	·06	—	—	15
16	·01	·15	—	·12	·23	·05	·03	—	—	·74	—	·14	16
17	·02	·01	—	·13	·05	·05	·32	·10	·42	·27	—	—	17
18	·04	—	—	·04	·05	·03	·36	—	·77	·04	—	—	18
19	·03	·17	·07	—	—	·03	—	—	·05	—	—	—	19
20	·04	·15	·06	—	·56	—	·02	·02	·02	—	·04	—	20
21	·02	·02	·10	·02	·03	·13	—	—	—	—	·01	—	21
22	—	—	·04	—	·02	·01	—	·14	—	·10	—	—	22
23	—	·09	—	—	·04	—	—	·39	—	—	—	—	23
24	·01	·05	—	—	—	·42	—	·07	—	·20	—	·03	24
25	—	—	·10	—	—	·02	—	—	·05	·01	·14	—	25
26	—	—	·01	—	—	—	—	·47	·10	—	·16	—	26
27	—	—	—	—	·15	·06	—	·85	—	—	—	—	27
28	—	—	·05	—	—	·68	—	·13	—	—	—	·03	28
29	—	×	·02	—	—	·41	·40	·15	—	·33	—	·27	29
30	·02	×	·05	—	—	—	·85	·15	—	—	·01	·01	30
31	—	×	·10	×	—	×	·18	·02	×	·02	×	·04	31
Total	1·64	1·47	1·60	1·12	2·19	1·95	3·25	5·42	1·67	3·94	·87	·81	YEAR'S TOTAL 25·93
Rain Days.	19	10	21	12	11	13	10	22	11	18	14	9	170

W. 8,000, IX. 17.

W ong cnd for anth

37

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
13 JAN 1919

Kept at Adstock Fields
in the County of Bucks
by William Weston

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Padbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	—	·02	—	—	—	—	—	—	·20	·03	1
2	—	·15	—	·10	—	—	—	·17	—	—	·11	·18	2
3	—	·03	·02	—	·29	—	—	·16	·19	—	·40	·03	3
4	—	·02	·03	—	—	—	·01	·03	·16	—	·44	·04	4
5	—	·21	—	—	·19	—	—	·05	·04	·06	—	·01	5
6	·18	·11	—	·26	—	—	—	—	—	—	—	·02	6
7	—	·10	—	·08	·08	·03	—	—	·12	·09	·18	—	7
8	—	·04	—	·02	—	—	—	—	·19	·09	—	·03	8
9	—	·14	—	·03	—	·09	·13	—	·59	·15	·01	·11	9
10	·03	—	—	·05	—	—	·56	—	·01	·12	—	·15	10
11	·01	—	—	—	·07	—	·32	—	·01	·24	·02	·03	11
12	—	·05	—	·03	·19	—	·15	—	·01	—	—	·01	12
13	—	·02	—	·04	—	—	·11	—	·20	·03	—	·13	13
14	·25	—	—	·01	—	·15	·22	—	·37	·18	—	·11	14
15	·75	—	—	1·08	—	·01	·10	—	·02	·01	—	·14	15
16	·35	—	—	·51	—	·02	—	—	·26	—	—	·02	16
17	·07	—	—	·08	—	—	·76	·01	·02	—	—	·13	17
18	·62	—	·02	—	—	·18	·08	—	·15	·01	—	·25	18
19	·05	·02	—	·03	—	—	·05	—	·01	·07	—	·16	19
20	·01	·18	—	·49	—	·04	—	—	·20	·15	—	·01	20
21	·04	—	—	·56	—	·04	·01	—	·73	·01	—	·02	21
22	·11	—	—	·01	·88	—	·10	—	·13	—	—	·24	22
23	·05	—	—	—	·35	·03	·17	·02	·03	—	—	·02	23
24	—	·14	—	—	—	—	·04	—	·03	·01	·22	—	24
25	—	—	—	—	·06	·04	·02	·41	·01	·01	·01	—	25
26	—	·02	—	—	—	—	·14	·01	·01	·02	·07	·34	26
27	—	·09	·03	·03	—	—	·04	·48	·21	—	·11	·08	27
28	—	·04	—	·02	—	—	—	·04	—	—	·12	·06	28
29	—		·16	—	—	—	—	—	1·54	—	—	—	29
30	—		·25	—	—	—	—	—	·08	—	·03	·16	30
31	—		·04		—		—	—		·06		·01	31
Total	2·52	1·37	·55	3·45	2·11	·63	3·01	1·38	5·32	~~1·41~~ 1·31	1·92	2·52	YEAR'S TOTAL 26·19
Rain Days	13	17	7	19	8	10	18	10	26	17	13	27	185

26·09

W, 6,500, VII. 18. w w c

~~H~~ RR [illegible] 976

15 JAN

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Adstock Field & Gt Horwood
in the County of Bucks
by William Weston

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Winslow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Gt Horwood

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	—	·01	—	·03	·05	·14	—	—	—	·06	1·10	1
2	·17	·04	·01	—	·04	—	·17	·04	·15	·18	·14	·20	2
3	·86	·03	·14	—	·01	—	·08	—	·53	—	·10	·19	3
4	·07	·02	·39	—	—	·03	·25	·05	·14	—	—	·10	4
5	·01	·46	·36	·02	—	—	·02	·02	·76	—	—	·26	5
6	·01	—	·07	—	·30	—	—	—	—	·02	·04	·10	6
7	·04	—	·38	—	·01	—	—	—	—	—	—	—	7
8	·08	—	·06	·18	—	—	—	—	—	—	—	—	8
9	·12	—	·03	·14	—	—	—	—	—	—	—	—	9
10	·02	—	·45	·03	—	—	—	—	—	·01	—	·10	10
11	·08	—	·24	·10	·03	—	·52	—	—	—	·10	—	11
12	·02	—	·52	·02	—	·22	·02	—	—	·13	·05	·01	12
13	·05	—	—	·33	—	—	—	—	—	—	—	—	13
14	·29	—	—	·11	—	—	·11	—	·20	·09	—	—	14
15	·12	·04	·08	·07	—	—	—	—	—	·01	·09	·50	15
16	·05	·59	—	·06	—	—	—	—	—	—	·16	—	16
17	—	·42	—	·01	—	—	—	—	—	—	·20	—	17
18	—	·04	·22	—	—	—	—	·11	—	—	·05	·21	18
19	·03	·27	·78	—	—	·18	·35	·32	·03	—	·03	·05	19
20	·41	·06	·15	—	—	·20	·16	·37	—	—	—	—	20
21	·07	·39	·02	—	—	·01	·30	—	—	—	·08	·20	21
22	—	·19	—	—	—	—	·02	—	·10	—	—	·24	22
23	—	—	—	—	—	·01	—	—	—	·33	—	·02	23
24	—	—	—	·11	—	—	—	·04	·01	·47	·04	—	24
25	·08	·01	—	·02	·01	·01	—	·20	—	—	—	·01	25
26	·08	·02	·14	·10	—	—	—	·01	·08	—	—	·34	26
27	·53	—	·01	·80	—	·01	·02	·43	—	—	—	·08	27
28	·03	—	·15	·02	—	—	—	·56	—	—	10	·20	28
29	·17		·12	·03	—	—	·01	·14	—	·30	·03	·14	29
30	·01		—	·25	—	·30	—	·08	—	·06	·28	·25	30
31	—		—		—		—	—		·05		·01	31
TOTAL	~~3·52~~ 3·72	2·58	4·33	2·40	·43	1·02	2·17	2·37	2.00	~~1·75~~ 1·65	~~1·55~~	~~4·31~~	YEAR'S TOTAL 28·53 ~~28·43~~
Days with ·01 in. or more	25	14	21	18	7	10	14	13	9	11	~~16~~	~~21~~	~~179~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~28·53~~

Form A2. British Rainfall.
1912

REGI 11

BUCKS.
AMERSHAM—
ST. MARY'S BOYS' SCHOOL
1911–1920

Kept at Amersham St.
in the County of Buck
by W. Gaston (Hd. Teac

tional Supply Co. (Holborn Viaduct)
5 in.
ve Ground 1 ft. — in.
Sea Level 400 ft.
·45
Name Amersham Met. & G.C.
Distance ¾ m. Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·41		·20						·20	·20	1
2				·51	·23						·10	·06	2
3				·20						·67	·18	·44	3
4		showery for 3 days, but not enough to measure. Included in 6th.						·05		·04			4
5				·10						·25	·03	·47	5
6	to the 10th inclusive 4 rainy days totalling	·07									·20	·25	6
7			·19								·16	·21	7
8			·01								·04	·16	8
9			·19								·07	·55	9
10	·94		·23		·67						·65	·02	10
11	·06	·12									·36	·07	11
12	·35				·28				·50		·01	·80	12
13			·58		·16							·34	13
14			·05							·10	·13	·05	14
15		·04				·16				·07	·34	·10	15
16			·18			·28					·18	·33	16
17						·38					·30	·40	17
18		·01	·13			·20		One or two showery days not enough to measure included in 20th Aug.	·12	·09	·30	·13	18
19									·43	·65	·01	·72	19
20		·14						·42		·03	·01	·13	20
21		·09				·19						·61	21
22		·10				·36						·16	22
23	·06		·02			·16			·19	·78	·01	·16	23
24		·07	·13		·16	·19			·04			·25 ~~·16~~	24
25		·18		·08	·05	·05				·13	·04	·15	25
26		·06		·13					·61		·07	·17	26
27		·22	·10	·33 (·03)							·05	~~·17~~	27
28		·40		30 ~~·11~~				·26	·23	·32	·01		28
29				·01	·05	·21	Bosham ·01			·21		·01	29
30													30
31					·06								31
Total	1·41	1·50	2·22	1·36	1·86	2·18	—	·73	2·12	3·34	3·45	6·88	TOTAL for year 27·05
No. of Rain Days.	7	12	12	8	9	10	0	3	7	12	23	26	129

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

Form A2.
British Rainfall.

Kept at Amersham St. Mary's Boys' School.
in the County of Buckingham 4
by Wm Gaston (Hd Teacher) & Scholars.

RAIN GAUGE
Pattern V. S. S. (Holborn Viaduct) Educational Supply Co. Symons Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 400 ft.
Time of Observation 9 to 9·45
Nearest Railway Station
Name Amersham Met. & G.C.
Distance ¾ m. Direction N. E.

1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·41		·20						·20	·20	1
2				·51	·23						·10	·06	2
3				·20						·67	·18	·44	3
4		showery for 3 days, but not enough to measure. Included in 6th.						·05		·04			4
5	to the 10th inclusive 4 rainy days totalling			·10						·25	·03	·47	5
6		·07									·20	·25	6
7			·19								·16	·21	7
8			·01								·04	·16	8
9			·19								·07	·55	9
10	·94		·23		·67						·65	·02	10
11	·06	·12									·36	·07	11
12	·35				·28				·50		·01	·80	12
13			·58		·16							·34	13
14			·05							·10	·13	·05	14
15		·04				·16				·07	·34	·10	15
16			·18			·28					·18	·33	16
17						·38					·30	·40	17
18		·01	·13			·20		One or two showery days not enough to measure included in 20th Aug.	·12	·09	·30	·13	18
19									·43	·65	·01	·72	19
20		·14						·42		·03	·01	·13	20
21		·09				·19						·61	21
22		·10				·36						·16	22
23	·06		·02			·16			·19	·78	·01	·16	23
24		·07	·13		·16	·19			·04			·25 ~~·26~~	24
25		·18		·08	·05	·05				·13	·04	·25	25
26		·06		·13					·61		·07	·17	26
27		·22	·10	·13 (·03)							·05	~~·17~~	27
28		·40		·30 ~~·17~~				·26	·23	·32	·01		28
29				·01	·05	·21	Beesham ·01			·21		·01	29
30													30
31					·06								31
Total	·141	1·50	2·22	1·36	1·86	2·18	—	·73	2·12	3·34	3·45	6·88	TOTAL for year 27·05
No. of Rain Days.	7	12	12	8	9	10	0	3	7	12	23	26	~~129~~

W. 8,000, X. '11.

Ex Mx

FORM A2.
BRITISH RAINFALL.

6- JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Amersham St. Mary's Boys School

in the County of Bucks 4

by William Garton and Scholars

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 400 ft.

Time of Observation 10 a.m.

Nearest Railway Station
Name Amersham Met R.C
Distance 1 m. Direction N.E. of School

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·06

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04	·01		·10	·01		·07	·24		·16	1
2			·07			·06	·36	·08					2
3	·07		·12		·03	·24	·01	·33	·02			·15	3
4	·40		·60		·35	·18		·05			·27		4
5	·55	·09	·23			·01		·40			·02	·02	5
6	·36	·06	·01					·21	·03			·08	6
7					·04	·54	·03	·07				·13	7
8	·63	·30	·24				·01	·53	·01			·07	8
9	·07	·23	·11	·04		·16	·02	·05				·30	9
10		·04		·02		·08		·38	·03		·09	·15	10
11	·12	·21				·01		·02	·01		·04	·18	11
12	·07	·23	·15		·02	·09					·10		12
13		·01	·01			·02	·06				·15	·01	13
14	·02		·05		·01			·04		·05			14
15	·04	·04	·16		·23	·49		·02				·26	15
16	·29		·13		·05	·02		·12		·15	·08		16
17	·55		·21			·10		·14				·02	17
18	·04		·21					·13				·09	18
19		·11	·25		·01		·36	·32		·02			19
20	·14	·01	·59				·05	·31		·36	·02		20
21	·02	·08	·43		·83			·15		·14	·08		21
22	·29	·21	·13		·01		·08	·31	·02	·03	·03	·03	22
23	·40	·34	·40				·02	·32			·15	37 ~~·03~~	23
24	·23	·07				·07		·15			·02	10 ~~·37~~	24
25						·27		·33			·27	·50	25
26		·05				·01	·07	·27		·54	·45	·24	26
27			·05			·10	·16			·23		·23	27
28		·11				·12	·08	·07	·10	·56	·55	·39	28
29		·03		·13		·13	·05	·55	1·98	·25	·01	·02	29
30					·43	·03	·12	·07	·75	·13			30
31			·14		·10		·36	·14		·02		·05	31
Total	4·29	2·16	4·33	·20	2·11	2·83	1·85	5·56	3·02	2·72	2·33	3·55	TOTAL for year ✓ 34·95
No. of Rain Days.	18	18	22	4	12	21	17	27	10	13	16	22	200 ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Amersham St Mary's School
in the County of Buckingham 4
by Head Master and Scholars

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 340 ft.

Time of Observation 9·45 a.m.

Nearest Railway Station
Name Amersham
Distance 1 mi. Direction N.E. of School

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. None

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	.20	.13	.05					.17		.20	.02	1
2	.17	.10	.07	.02			.11			.42	.12	.03	2
3	.09		.04	.06	.53					.04		.12	3
4	.45		.02		.05		.08			.02	.05	.40	4
5	.14					.04	.09		.14	.02		.03	5
6		.10	.04		.18	.14	.25			.61		.14	6
7		.16			.20	.05		.04		.23	.16	.01	7
8		.01			.17	.08				.25			8
9		.16			.02	.02	.07		.05		.03	.02	9
10			.02	.06			.20	.08			.40		10
11	.63			.43	.10					.81	.39		11
12		.01			.03						.44		12
13									.07		.32		13
14	.15		.11	.09			.12	.09	.10	.15			14
15	.26	.02	.29	.54			.16		.04				15
16	.10		.41	.08			.01		.09				16
17	.03		.05	.04			.12				.02	.02	17
18	.04		.14	.26	.02						.07		18
19	.68		.02		.01		.12		.58			.02	19
20	.13		.04	.07						.30	.04		20
21			.13	.05	.06		.01			.07	.49		21
22	.53		.24	.01				.07	.23		.01		22
23						.04			.01			.19	23
24			.03	.08				.03			.01		24
25		.04		.25						.02			25
26		.01	.12	.20				.07		.42		.19	26
27		.03	.01	.09						.03			27
28	.37		.21	.18						.11		(Snow) .02	28
29	.02		.09	.45	.37			.10		.15		" .01	29
30	.31							.03		.22	.15		30
31	.01		.09					.54					31
Total	4.17	.84	2.24	3.01	1.74	.37	1.34	1.05	1.48	3.87	2.90	1.22	TOTAL for year ✓ 24.23
No. of Rain Days.	18	11	21	19	12	6	12	9	10	17	16	14	165

W. 8,000, X. '11.

Ex. D.J.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
2 - JAN 1914

Kept at Amersham St. Mary's School
in the County of Bucks. 4
by Head Master and Scholars

Lat. Long.
Time of Observation 9·45 a.m.
Nearest Railway Station Amersham
Diameter of Rain Gauge 5 in. (Symons Pattern)
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. None

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·20	·13	·06 ×					·17	·42	·20	·02	1
2	·18 ×	·10	·01	·02			·12 ×			·04	·11 ×	·02 ×	2
3	·09		·04	·07 ×	·52 ×					·02		72	3
4	·45		·02		·05		·08			·02	·06 ×	·40	4
5	·14					×	·09		·14	·61		·03	5
6		·11 ×	·04		·18	·14	·25			·23		·14	6
7		·16			·20	·05		·04		·25	·16	·01	7
8		·07			·17	·07 ×							8
9		·16			·02	·02	·07	·08	·06 ×		·03	·02	9
10			·02	·07 ×			·20				·40		10
11	·65 ×			·43	·10					·78 ×	·39		11
12		·02 ×			·03						·44		12
13									·03 ×		·32		13
14	·15	·03 ×	·11	·09			~~·29~~ ·12	·09	·10	·15			14
15	·26		·29	·46 ×			·16		·04				15
16	·10		·39 ×	·08			×		·09				16
17	·03		·05	·05 ×			·12				·02	·02	17
18	·05 ×		·14	·30 ×	·02						·07		18
19	·72 ×		·01 ×		·07		·12		·58			·02	19
20	·13		·04	·07		·01 ×				·30	·04		20
21			·13	·06 ×	·06		×			·07	·49		21
22	·57 ×		·26 ×	·02 ×			~~·07~~	·07	·23		·01		22
23						·04			×			·19	23
24			·03	·08			~~·03~~	·03			·01		24
25		·04		·25						·02			25
26		·01	·12	·20			~~·07~~	·07		·42		·19	26
27		·03	·01	·09						·03 ×			27
28	·37		·22 ×	·18						·11		(Snow) ·02	28
29	·02		·09	·45	·36 ×		~~·10~~	·10		·15		" ·01	29
30	·31		·01 ×				~~·03~~	·03		·22	·14 ×	" ·07 ×	30
31	×		·09				~~·54~~	·54					31
Total	4·28	·87	2·25	3·03	1·72	·33	1·33	1·05	1·44	3·84	2·89	1·22	YEAR'S TOTAL 24·25
Rain Days.	17	11	22	19	12	6	10	9	9	17	16	15	163

W. 7,500, XI. ·12

× Differs slightly from Snowdon gauge. Total nearly alike for year. Snowdon 24·23 Symons 24·25

Ex ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Amersham St. Mary's Boys' School
in the County of Buckingham 4
by Wm. Gorton (Hd. Teacher) and Scholars

Lat. 51° 40" Long. 1° W.
Time of Observation 10 a.m.
Nearest Railway Station Amersham
Diameter of Rain Gauge 5 in. Symons's Pattern
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. See Dec: 31st below. No rain between 9 and 10 a.m. on Jan: 1st. 1915.

·04 below, Dec: 31st, is to 10 am. Jan: 1st 1915

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·06			·[illegible]0		1
2				·01		·01	·31	·13			·08	·10	2
3			·02	·35	·26		·21	·07			·05	·05	3
4	·21		·01	·21	·02						·41	·56	4
5			·12	·06	·06	·09	·38	·54			·01		5
6		·15		·04	·07	·20	·03	·06			·03	·28	6
7		·41	·39	·13	·41		·05	·07				·26	7
8	·06	·14	·78	·14	·07	·31	·27	·10				·01	8
9	·21		·53			·39			·05			1·21	9
10	·02	·18	·01		·10				·25				10
11		·22	·60		·04	·46			·01		·25	·35	11
12	·01	·06	·13				·15		·33		·05	·38	12
13		·42	·1[illegible]						·18	·05	·03	·32	13
14		·19	·43				·07			·30	·18	·33	14
15	·04	·01	·23				·07		·03	·01	·05	·02	15
16			·03				·01		·27		·03		16
17		·53	·11						·04			·60	17
18			·08									·23	18
19		·10	·32			·08	·16				·14	·08	19
20		·29	·11						·07		·01	·15	20
21		·47	·11							·06		·07	21
22		·04	·14		·04	·08	·03	·02		·71		·01	22
23		·14	·02		·08	·01				·07			23
24		·01	·14		·06			·01		·15	·12		24
25	·05		·06				·02	·20		·47	·02		25
26							·05	·02		·04	·17	·73	26
27	·04										·05	·32	27
28		·07								·05	·31	1·23	28
29	·07	~~·07~~	·18		·10					·24	·13		29
30			·04							·07	·41	·44	30
31	·03				·04		·07					·04	31
Total	·74	3·43	4·70	·94	1·35	1·63	1·88	1·31	1·23	2·22	2·63	7·77	YEAR'S TOTAL 29·83
Rain Days.	10	17	24	7	13	9	15	11	9	12	21	23	171 ✓

W. 8,000. X. 14.

EX ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Amersham St. Mary's Boys' School
in the County of Buckingham 4
by Wm Garton (Hd Teacher) and Scholars.

Lat. 51° 40" Long. 1° W.
Time of Observation 10 a.m.
Nearest Railway Station Amersham
Diameter of Rain Gauge 5 in. Snowdon Pattern
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
See Dec: 31st below. No rain between 9 and 10 a.m. on Jan: 1st, 1915

·04 below, Dec: 31st, is to 10 a.m. Jan 1st 1915

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·06			·09		1
2				·01		·01	·31	·13			·07	·10	2
3			·02		·26		·29	·07			·05	·04	3
4	·21		·01	·35	·02						·36	·55	4
5			·12	·21	·06	·09	·38	·57			·01		5
6		·15			·07	·23	·03	·06			·02	·29	6
7		·41	·39	·06	·41		·04	·07				·28	7
8	·06	·14	·78	·04	·07	·34	·18	·10				·01	8
9	·21		·53	·13		·38			·04			1·36	9
10	·02	·18	·01	·14	·10				·24				10
11		·22	·60		·04	·51			·01		·28	·35	11
12	·01	·05	·13				·15		·32		·05	·38	12
13		·42	·10						·19	·05	·03	·32	13
14		·19	·40				·07			·32	·18	·35	14
15	·04	·01	·23				·07		·03	·01	·05	·03	15
16			·02				·01		·27		·03		16
17		·53	·11						·04			·61	17
18			·08									·23	18
19		·10	·32			·08	·16				·15	·08	19
20		·28	·11						·09			·16	20
21		·49	·11							·06	·01	·07	21
22		·03			·04	·07	·03	·02		·71		·03	22
23		·14	·13		·08	·01				·07			23
24			·02	·01	·06			·01		·16	·12		24
25	·05		·14				·02	·20		·46	·02		25
26			·05				·05	·02		·04	·17	·75	26
27	·04										·04	·30	27
28		·07								·05	·31	1·29	28
29	·08	~~·07~~	·18		·10					·24	·14		29
30	·01	×	·04							·06	·40	·45	30
31	·03	×		×	·04	×	·07		×		×	·04	31
Total	·76	3·41	4·63	·95	1·35	1·72	1·86	1·31	1·23	2·23	2·58	8·07	YEAR'S TOTAL 30·10
Rain Days.	11	16	24	8	13	9	15	11	9	12	21	23	172

W. 8,000. X. 14.

Symons's Pattern gauge

Exd. Lst.

1088

FORM A.
BRITISH RAINFALL.

5 JAN.

REGISTER OF RAINFALL IN 1915

Kept at St. Mary's Boys' School, Amersham

in the County of Buckingham 4

by Head Master (W. Garton) and Scholars

Lat. 51°40' Long. 1 W.

Time of Observation 10 a.m.

Nearest Railway Station Amersham Met. G.C.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Recorded below for rainfall for Dec: 31st to 9 am Jan 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·51	·17	·19		·03		·04		·05		·02	·11	1
2	·19	·23	·41	·08		·01		1·11	·04	·15		·18	2
3	·53		·06	·10			·14	·86	·04			·29	3
4	·08											·44	4
5	·03	·37		·07				·03				·31	5
6	·23	·08	·01	·18			·51	·02				·12	6
7	·03	·39					·26	·05				·27	7
8	·05	·48	·05				·03						8
9	·01	·02		·16				·12			·24	·75	9
10	·35							·08				·07	10
11	·03										1·03		11
12	·08			·26	·51			·63		·03	·43	·01	12
13		·55			1·21								13
14		·04					·70	·04	·07			·96	14
15	·21	·05			·04			·02			·16	·09	15
16		·08					·77	·12				·17	16
17		1·00			·71		·02						17
18		·20	·08								·02		18
19		·02					·15						19
20	·39			·05								·22	20
21	·10	·06			·18		·08					·10	21
22	·65	·18	·42				·87					·15	22
23		·24	·05				·22		·14	·59		·32	23
24			·05				·05		·85	·21		·30	24
25				·01		·02	·17			·04		·10	25
26		·19				·05	·15		·10			·64	26
27						·05	·23			·55		·01	27
28		·05				·03			1·22	·03			28
29						·12		·14			·13		29
30	·03	X				*1·26					·35	·08	30
31	·01	X		X		X		·04	X	1·64	X	·23	31
Total	3·51	4·40	1·32	·91	2·68	1·54	4·39	3·26	2·51	3·24	2·38	5·92	YEAR'S TOTAL 36·06
Rain Days.	18	19	9	8	6	7	16	13	8	8	8	23	143

*In 24 hrs.

W. 8,000. X. 15.

Snowdon Pattern Gauge

1089

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5 JAN 1916

Kept at St. Mary's Boys' School, Amersham
in the County of Buckingham 4
by Head Master (W. Garton) and scholars

Lat. 51°40' Long. 1 W.
Time of Observation 10 am.
Nearest Railway Station Amersham, Met. & G.C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Recorded below for rainfall for Dec 31st to 9 am Jan 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·51	·17	·19		·03		·06		·06		·02	·13	1
2	·18	·23	·41	·07		·01		1·09	·04	·15		·18	2
3	·60		·06	·10			·14	·86	·04			·29	3
4	·05											·45	4
5	·03	·37		·07				·03				·31	5
6	·23	·08	·01	·17			·51	·02				·12	6
7	·03	·39					·26	·05				·28	7
8	·05	·47	·06				·04						8
9		·02		·16				·12			·24	·75	9
10	·36							·08				·06	10
11	·03										1·10		11
12	·08			·28	·51			·63		·03	·42	·02	12
13		·57			1·14								13
14	·01	·03					·70	·04	·08			1·01	14
15	·21	·04			·04		·01	·02			·15	·09	15
16		·08					·77	·12				·18	16
17		1·00			·74		·03						17
18		·20	·10								·03		18
19		·02					·15						19
20	·39			·05	·01							·23	20
21	·10	·06			·18		·07					·10	21
22	·72	·19	·40				·87					·16	22
23		·25	·05				·22		·14	·62		·33	23
24			·05				·05		·81	·21		·29	24
25				·01		·02	·18			·04		·10	25
26		·19				·05	·15		·10			·64	26
27						·05	·23			·57		·02	27
28		·07				·03			1·18	·03			28
29						·12		·15			·15		29
30	·03	X	·01			*1·25					·36	·07	30
31	·01	X		X		X		·05	X	1·61	X	·23	31
Total	3·62	4·43	1·34	·91	2·65	1·53	4·44	3·26	2·45	3·26	2·47	6·04	YEAR'S TOTAL 36·40
Rain Days.	18	19	10	8	7	7	17	13	8	8	8	23	146

* In 2½ hrs

W. 8,000. X. 15.

Ex'd C.T.E.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN

Kept at St. Mary's Boys' School, Amersham
in the County of Bucks
by Master and Scholars

Lat. 51°40' Long. 1° W
Time of Observation 10 a.m.
Nearest Railway Station Amersham, Met. & G.C.
Diameter of Funnel of Rain Gauge 5 in. (Snowdon)
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
'03 Included below in December.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	'03				'22	'02			'19	'08	·38		1
2	'51	'10	'20		'15				'13	'50	·06		2
3		'71	'02						'03	'33	'17		3
4	'29	'05	'01			'67	'03		'07	'16	'57		4
5	'04		Snow		'06	'22				'13	·49		5
6		'11	'23	'20	'02	'19	·50			·10	'61		6
7	'11		'23		'15		'19				·79	'02	7
8					'35	'09				'01	'01	'43	8
9		'29			'31					'11		'08	9
10		'02	'02	'06		'15				'01		Snow '07	10
11	'10	'04	'13	'19	'01	'32			'02			'05	11
12	'04	'42	'02	'02	'25	'13	'12	'06		'12			12
13	·03		'38	'15		1·0	·37	·47	'02	'01			13
14		'49	'01	'02	'12		·01	·56		'14		Snow '05	14
15		·20	·26				'15	·22		'04			15
16	'02	'01	·45	'18	'02		'19	·25					16
17	·12	'13	'07	'07				'12	'36	'57			17
18	·11	'07	'04	'25				'41	'14	'14	Snow '77	Snow '07	18
19	·21		'24	'37				'02	'13	'01	'61		19
20			'30	'06							'02	'80	20
21	·02		·61				'05				'01	30	21
22		'05	'02		'05					'03		'61	22
23	·03	'29				·19				'03	'04	'08	23
24		'02	'01		'10	'49		'04		'35	'04	Snow '42	24
25		'60	·06					·05		* '11	'14		25
26		Snow '11				·10	'01	'18		'10		'01	26
27	'10	'02	1'20					·05	'06	·35			27
28	·02	33	Snow '13					'64	'07	·11		·23	28
29		'12				'37		1·04		·65	'04	·19	29
30		✕			'04	'11		·05		·32			30
31		✕		✕	'02	✕			✕	·18	✕	'03	31
Total	1·78	4·18	4·58	1·57	1·87	3·15	1·62	4·16	1·22	4·69	4·75	3·44	YEAR'S TOTAL 37·01
Rain Days.	16	21	22	11	15	14	10	15	11	26	16	16	193

W. 8,000, VIII. 16

* Lightning & Thunder
Rain, Hail
70° in Sun – Night, frost – 32°

1056

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at St Mary's Boys' School, Amersham
in the County of Bucks
by Master & Scholars

Lat. 51°40' Long. 1°W
Time of Observation 10 a.m.
Nearest Railway Station Amersham Met & G.
Diameter of Funnel of Rain Gauge 5 in. (Snowdon)
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03 Included below in December.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·10			·22	·07			·19	·08	·37		1
2	·50	·66	Snow ·20		·14				·13	·48	·07		2
3		·07							·02	·32	·17		3
4	·29		·01			·67	·03		·07	·17	·57		4
5	·03	·11			·06	·21				·12	·49		5
6			·24	·20	·02	·19	·50			·10	·60		6
7	·10		·25		·14		·19				·78	·02	7
8					·35	·09				·01	·02	·41	8
9					·31					·10		·08	9
10		·29		·05		·15				·02		Snow ·07	10
11	·10	·02	·16	·19	·01	·30			·02			·04	11
12	·02	·03	·02	·01	·24	·13	·11	·06		·12			12
13		·42	·40	·14		·11	·37	·45	·02	·01			13
14		·45	·01	·02	·12		·01	·56		·14		Snow ·06	14
15		·20	·28				·15	·21		·05			15
16	·01	·07	·45	·18	·07		·19	·26					16
17	·12	·14	·01	·06				·12	·36	·57			17
18		·06	·04	·25				·43	·14	·14	Snow ·77	Snow ·08	18
19	·11		·24	·37				·02	·14	·01	·62		19
20	·22		·32	·06							·02	·79	20
21	·02		·60				·05					·29	21
22		Snow ·05	·02		·04					·03		·56	22
23	·03	·30				·18		·03		·02	·03	·08	23
24		·01			·09	·47		·05		·34	·04	Snow ·41	24
25		·60	·06					·18		-x- ·12	·14		25
26		·11				·10		·05		·11		·07	26
27	·10	·02	Snow 1·10					·64	·06	·33			27
28	·01	·36	·14						·07	·11		·22	28
29		·11				·36		1·09		·63	·04	·18	29
30		✕			·04	·11		·05		·32			30
31		✕		✕	·01	✕			✕	·18	✕	·03	31
Total	1·68	4·12	4·55	1·53	1·80	3·08	1·60	4·20	1·22	4·63	4·73	3·33	YEAR'S TOTAL 36·47
Rain Days.	15	21	19	11	15	14	9	15	11	26	15	16	187

W. 8,000, VIII. 16

-x- Lightning & Thunder
Rain & Hail
70° in Sun – night, frost 32°

1024

FORM A.
BRITISH RAINFALL.

12 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Amersham St. Mary's Boys' School
in the County of Buckingham
by Head Master & Boy

Lat. 51° 40' Long. 1° W
Time of Observation 10 a.m.
Nearest Railway Station Amersham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	S ·28				·84	·08		·11	S ·04	1
2				S ·10		·04		·14			·02		2
3				S ·08				·51		·49	·11		3
4		S ·41	·20					·15		·29		·03	4
5	·33		S ·06	S ·18					T ·10	·17	·15		5
6	·28		·22						·09		·07		6
7	·50					~~·02~~	·35			·39	·02	·02	7
8			·07	S ·12			1·00	·35		·37	·18	·11	8
9	S ·04		S ·04	S ·10				·20	·03		·11	·04	9
10	S ·38		·20	S ·34				·10		D ·01	·05	~~·0~~	10
11	·12		·42	S ·07						·44		D ·01	11
12	·08			S ·02	T ·03			·22		·60	~~·07~~	~~·0~~	12
13	S ·16		·09					·19	·04				13
14				·19				·02		·01			14
15	S ·04						·07	·04		·07			15
16	S ·03	·12		·27	·22	T ·49				1·00		S ·48	16
17	S ·02	·03		·17	·62	·02	·28	·14	·52	·40		S ·02	17
18	·05	·06		·14	·17	·12	·22		·90	·05			18
19		·28	·08			·01			·14				19
20	S ·04	·12	S ·04		T ·69		·04	·03	·08		·10		20
21	S ·03		S ·03		·01				·02	·04	·01		21
22			S ·07			·11		·07		·05			22
23		·18			·04	·02		·19		·01		·01	23
24		·05				·04		·02		·25		·02	24
25		·02	S ·09				·03			·02	S ·14		25
26			S ·03					·44	·10		·25		26
27			S ·01					·95			·02	·03	27
28			·01			1·63		·20	D ·02			·02	28
29			·01		·14	·01	T ·78			·38		S ·13	29
30		X	S ·10				1·50	·28					30
31	S ·02	X	S ·07	X		X	·50		X	·01	X		31
Total	2·12	1·27	1·85	2·06	1·92	2·49	4·77	5·08	2·12	5·05	1·34	·96	YEAR'S TOTAL 31·03
Rain Days.	15	9	20	13	8	10	10	20	12	20	14	13	164

W. 8,000, IX. 17.

S = Snow
T = Thunder
D = Dew

4·27

1025

FORM A.
BRITISH RAINFALL.
12 JAN

REGISTER OF RAINFALL IN 1917

[illegible]

Kept at Amersham St. Marys Boys' School
in the County of Buckingham
by Head Master and Boys

Lat. 51°40' Long. 1° W
Time of Observation 10 a.m.
Nearest Railway Station Amersham.
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	~~April.~~ May	~~May.~~ April	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02		S ·26			·82	·09		·11	S ·04	1
2					S ·10	·05		·16			·02		2
3					S ·08			·47		·51	·11		3
4		S ·41	·20		S ·01			·15		·30		·03	4
5	·33		S ·05		S ·18				T ·10	·19	·15		5
6	·30		·23						·09		·07		6
7	·31					D ·02	·35			·39	·02	·03	7
8			·01		S ·16		1·00	·35		·39	·18	·11	8
9	S ·04		S ·05		S ·10			·20	·03		·13	·03	9
10	S ·46		·21		S ·32			·10		D ·07	·05		10
11	·13	S ·03	·50		S ·08					·45		D ·07	11
12	·09			T ·03	S ·03			·19		·60			12
13	S ·15		·09					·20	·05				13
14					·20			·02		·01	D ·01		14
15	S ·03						·06	·04		·07			15
16	S ·03	·13		·22	·29	T ·49				1·04		S ·44	16
17	S ·01	·02		·82	·18	·02	·29	·14	·52	·42		S ·03	17
18	·05	·06		·17	·14	·12	·22		·88	·05			18
19	·01	·28	·06			·01	·01		·13				19
20	S ·04	·12	S ·03	T ·69		~~·2~~	·04	·04	·09		·11		20
21	S ·03		S ·01	·01					D ·02	·04	·02		21
22			S ·05			·11		·08		·09	·01		22
23	S ·01	·19		·05		·02		·21		·01		·01	23
24		·05				·05		·03		·32		·03	24
25		·02	S ·05				·04		·01	·02	S ·16		25
26			S ·03					·45	·10		·25		26
27			S ·01					·95			·02	·03	27
28			·02			1·57		·20	D ·02		·01	·02	28
29	~~·01~~		·01	·14			T ·80			·48		S ·13	29
30	S ·01	X	S ·10				1·40	·25		D ·01			30
31	S ·02	X	S ·08	X	X	X	·47		X	·02	X		31
Total	2·05	1·31	1·83	~~Ap~~ May 2·13	April 2·13	2·46	4·68	5·05	2·13	5·42	1·43	·94	YEAR'S TOTAL 31·56
Rain Days.	18	10	20	8	14	10	11	20	13	21	14	13	175

S = Snow
T = Thunder
D = Dew.

W. 8,000, IX. 17.

~~W~~ E.F.E. 26

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

7. 1. 19

Kept at St Mary's School, (Boys' Dept) Amersham,
in the County of Buckingham
by Head Master and Boys

Lat. 51° 40' Long. 1 W
Time of Observation 10 am.
Nearest Railway Station Amersham, G.C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
			~~·01~~	~~·77~~								·13	
1			·01	·14								·26	1
2	·02	·14		·14 ~~·05~~				·25			·60	·04	2
3		·04	·02	·05	·61			·01	·10	·02	·38	·04	3
4		·08	·05					·03	·41		·55	·02	4
5		·14			·11			·22	·08	·18		·10	5
6	·15	·20		·25	·16			·04					6
7	·02	·16		·21	·08	·01		·01	·23	·12	·22	·01	7
8	·02	·03							·05			·26	8
9		·06		·08		·30	·42		·42	·30		·15	9
10	·05			·07			·42		·07	·05		·15	10
11				·02	·08		·39		·05	·37	·04	·05	11
12		·11			·30		·60						12
13	·02 S				·07		·24		·30			·35	13
14	·25					·14	·06		·33	·23		·14	14
15	1·17 S			1·21 S			·28					[illegible]	15
16	·17 S			·38 S			·01		1·01			·01	16
17	·25		·01	·22	·14		·25	·08	·23			·07	17
18	·60			·03		·25	·34		·30	·10		·11	18
19	·06	·02	·04			·26	·24	·03	·03	·05	·02 D	·14	19
20	·02	·19		·30 S		·03	·05		·30	·16			20
21	·09	·02		1·50 S					·40	·04			21
22	·13				·38		·49		·05			(·03) ~~·02~~	22
23	·08				·43		·40	·05	·06			·20 ~~·18~~	23
24		·23				·01	·04		·05			·07 ~~·08~~	24
25							·18	·55				·20	25
26					·04		·05	·08		·03	·19		26
27							·15	·36	·09		·20	·23	27
28		·09 S	·22	·07				·09			·16	·24	28
29	·01 D								1·30		·14		29
30		X	·41						·42			·15	30
31		X	·13	X		X		·02	X	·15	X	·20	31
Total	3·11 ✓	1·51 ✓	·89 ✓	4·67 ✓	2·40 ✓	1·00 ✓	4·11 ✓	1·82 ✓	5·98 ✓	1·79 ✓	2·50 ✓	3·45 ✓	YEAR'S TOTAL 33·23
Rain Days.	17 ✓	14 ✓	8 ✓	15 ✓	11 ✓	7 ✓	18 ✓	14 ✓	22 ✓	13 ✓	10 ✓	25 ✓	174 ✓

S = Snow
D = Dew

~~W.~~ E.F.E.

27

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
7. 1. 19

Kept at St. Mary's School (Boys' Dept.) Amersham
in the County of Buckingham
by Head Master and Boys

Lat. 51°40' Long. 1 W
Time of Observation 10 a.m.
Nearest Railway Station Amersham, G. C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01^{S}	·14								·13	1
2	·02^{S}	·15		·13				·25			·60	·26	2
3	~~·75~~	·03	·02	·05	·61			·01	·10	·02	·38	·04	3
4	~~·02~~	·10	·05					·03	·39		·55	·04	4
5		·14			·11			·22	·08	·18		·02	5
6	·13	·21		·25	·15			·04	~~·23~~			·10	6
7	·02^{S}	·17		·21	·11	·01		·01	23 ~~·03~~	·13	·22		7
8	·02^{S}	·02							·05			·01	8
9		·06		·08		·30	·42		·42	·30		·26	9
10	·05			·07			·44		·07	·05		·15	10
11				·02	·08		·40		·05	·35	·04	·15	11
12		·12			·30		·10					·05	12
13	·02^{S}				·07		·25		·30				13
14	·25	·01				·14	·07		·36	·23		·35	14
15	1·17^{S}			1·51^{S}			·29					·13	15
16	·20^{S}			·36			·07		1·01			·07	16
17	·25		·03	·25	·15		·26	·08	·23			·17	17
18	·60			·02		·25	·38		·30	·11		·12	18
19	·07	·03	·04			·25	·26	·03	·03	·05	·02^{D}	·14	19
20	·02	·19		·40^{S}		·03	·05		·29	·16		~~·05~~	20
21	·10	·03		1·50^{S}					·40	·04		~~·18~~	21
22	·10				·40		·49		·05			·05 ~~·08~~	22
23	·08				·43		·40	·05	·06			·18 ~~·20~~	23
24		·21				·01	·04		·05			·08	24
25							·18	·55		·04		·20	25
26					·04		·05	·08			·21		26
27							·15	·36	·08		·18	·23	27
28		·08^{S}	·19	·08			·05^{D}	·09			·17	·23	28
29	·01^{D}								1·30		·15		29
30		X	·41						·12			·15	30
31		X	·13	X		X		·02	X	·15	X	(·20)	31
Total	3·13 ✓	1·55 ✓	·88 ✓	5·07 ✓	2·45 ✓	·99 ✓	4·29 ✓	1·82 ✓	5·91 ✓	1·81 ✓	2·52 ✓	3·45 ✓	YEAR'S TOTAL 33·93 ✓
Rain Days.	17 ✓	15 ✓	8 ✓	15 ✓	11 ✓	7 ✓	19 ✓	14 ✓	22 ✓	13 ✓	10 ✓	25 ✓	176 ✓

S = Snow
D = Dew.

965

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Amersham St. Mary's Boys' School

in the County of Buckingham

by Head Teacher and Scholars

Lat. 51° 40 Long. 1 W.

Time of Observation 10 a.m. (11 a.m. Summer Time)

Nearest Railway Station Amersham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Given below for 31-12-19

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	✻ ·04			·12		·15			·04	·07	1·76	1
2			·03		·09		·13	·01	·20	·09	·16	·14	2
3	·53		·36				·18		·02		⊗ ·03	·32	3
4	·10	✻ ·09	·45			·08	·06	·02	·10		⊗ ·02	·16	4
5	·03	✻ ·43	⊗ ·62				·11		·62 (Thunder)		·02	·29	5
6	·06	✻ ·02	·16		·03							·05	6
7	·07		·69								·03		7
8	·17		·06	·07									8
9	·01		·02	·05							·06		9
10	·05		·38	·03						·03	·03	·17	10
11	·04		·17	·22	·02		·39				✻ ·03	·04	11
12	·10		⊗ ·12	·02		·11				·05	✻ ·04	·02	12
13	·01	⊗ ·03		·49						·06		·06	13
14	·39	·02		·33			·07		·22 (Thunder)	·01		·02	14
15	·40	·05	⊗ ·22	·32						·03	✻ ·02	·51	15
16	·02	·79		·08							✻ ·13	·07	16
17	·02	·34		·01				·06			·24	·03	17
18		·05	⊗ ·23						·04		·16	·08	18
19	·13	·23	⊗ 1·23			·34	·32	·20			·17	·02	19
20	·38	·09	⊗ ·04			·46	·07	·35	·03		·03	·04	20
21	·27	·62	⊗ ·04			·05	·10				·03	·03	21
22	·03	·12				·01	·13		·41		·02	·39	22
23						·01		·07	·06	·11	·03		23
24				·10		·02	·12	·06		·39	·11	·03	24
25	⊗ ·15			·03		·02	·02 (Dew)	·71			·01	·05	25
26	·07	·22	·39 (Hail)	·18					·07			·55	26
27	✻ ·74	·07	·07	✻ 1·00				1·11					27
28			✻ ·55					·13			✻ ·35	·32	28
29	✻ ·03			·17				·21		·22	✻ ·02		29
30		✕		·25		·15	·01	·11		·05	·50	·65	30
31	✻ ·03	✕		✕		✕			✕		✕	·01	31
TOTAL	4·23	3·21	5·83	3·35	·26	1·25	1·86	3·04	1·77	1·08	2·31	5·75	YEAR'S TOTAL 33·94
Days with ·01 in. or more	25	16	19	16	4	10	14	12	10	11	24	25	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W. ✻ Snow ⊗ Part snow

966

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Amersham St Mary's Boys' School
in the County of Buckingham
by Head Master and Scholars

Lat. 51° 40' Long. 1 W
Time of Observation 10 a.m. (11 a.m. Summer time)
Nearest Railway Station Amersham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
Given below
for 31.12.19

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	※ ·02			·12		·15			·05	·07	1·76	1
2			·05		·10		·13	·01	·20	·09	·15	·13	2
3	·53		·36				·18		·02		⊗ ·03	·31	3
4	·10	※ ·08	·45			·09	·06	·03	·10		⊗ ·02	·16	4
5	·03	※ ·43	⊗ ·58				·11		·65 (Thunder)		·02	·31	5
6	·06	※ ·01	·18		·03							·05	6
7	·07		·69								·02		7
8	·17		·06	·11									8
9	·01		·02	·06							·05		9
10	·05		·38	·04						·02	·04	·19	10
11	·04		·17	·23	·02	·11	·37				※ ·03	·02	11
12	·10		⊗ ·12	·03						·06	※ ·04	·01	12
13	·01	⊗ ·03		·49						·07		·06	13
14	·39	·02		·33			·07		·22 (Thunder)	·01		·01	14
15	·40	·05	⊗ ·23	·32						·02	※ ·02	·52	15
16	·03	·79		·08							※ ·12	·01	16
17	·02	·31		·01				·06			·26	·03	17
18		·03	⊗ ·20						·04		·16	·09	18
19	·11	·24	⊗ 1·20			·34	·32	·20			·17	·02	19
20	·40	·12	⊗ ·04			·46	·07	·35	·03		·02	·04	20
21	·28	·61	⊗ ·06			·05	·11				·03	·03	21
22	·01	·13				·01	·13		·42		·02	·39	22
23	·01 (Dew)					·01	·01	·06	·04	·11	·02		23
24	·01 (Dew)			·11		·02	·13	·06	·01	·37	·11	·03	24
25	⊗ ·14			·03		·02	·02 (Dew)	·71			·02	·05	25
26	·08	·22	·29 (Hail)	·18					·07			·55	26
27	※ ·74	·08	·14	※ 1·00				1·12					27
28			※ ·55				·01	·13			※ ·37	·32	28
29	※ ·04			·17				·20		·24	※ ·02		29
30		×	·01	·25		·15		·11		·05	·50	·64	30
31	※ ·03	×		×		×	·01		×		×	·01	31
TOTAL	4·26	3·17	5·78	3·44	·27	1·26	1·88	3·04	1·80	1·09	2·31	5·74	YEAR'S TOTAL 34·04
Days with ·01 in. or more	27	16	20	16	4	10	16	12	11	11	24	25	192

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W. ※ Snow ⊗ Part snow

918

3 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Amersham St. Mary's Boys School
in the County of Buckingham
by Head Master and Scholars

Lat. 51° 40' Long. 1 W
Time of Observation 10 a.m. (Summer Time 11 a.m.)
Nearest Railway Station Amersham Met. & Gt. Cent.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·11 Given below

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·71	·21		·43		·04	·42		·29	1
2							·27	·62	·08	·06		·26	2
3		·05		·10			·15		·11	·09		·01	3
4		·03		·14			·29	·19	·02	·33		·04	4
5			·05	·02	·03		·67	·02		Trace		·03	5
6			·16		·18		·65					·03	6
7	·01		·01 Snow	·25	·01		·10						7
8	·09	·07		·17	·04		·13	·02					8
9	·43	·02		·06									9
10	·42	·08	·09			·18	·21					·01	10
11	·12		·09	·32	·04	·10	·25					·02 Snow.	11
12	·08	·01		·22		·77 Thunder.	·03				·10		12
13	·13	·03	·15	·22					·01			·01 Snow.	13
14	·03	·02	·49 Part Snow.	·30		·81 Thunder	·06		·17	·22	·46	·03	14
15	·02	·08	·19 Part Snow	·12			·07		·27	·06	·02		15
16	Trace.		·04	·26		·03 Thunder				·09		·01 Snow	16
17	·03			·01	·17		·05		·40			·02 Snow	17
18	·13				·09			·53	·15			·06 Part Snow	18
19	·14			·34	·06	·12		·01				·02	19
20	·08	·11 Part Snow		·19	·01	·53					·02	·09	20
21							·75	·04	·36			·09	21
22	·03			·32				·02	·14			·28	22
23							1·19	·04				·45	23
24	·02		·14	·02								·08	24
25		·04	·07				·45						25
26	·15		·23		·04 Thunder		·04					·04	26
27	·30	·11		·21		·23	·12				·30	·25	27
28	·56	·01	·31	·16 Thund & Hail	·13	·03					·06	·03	28
29	·23		·03		·11		·04				·23	·26	29
30	·05	╳		·04		·15	·40		·31		·22	·23	30
31	·03	╳		╳		╳			╳	·46	╳	·11	31
Total	3·08	·66	2·05	4·18	1·12	2·95	6·35	1·49	2·06	1·73	1·41	2·75	Year's Total 29·83
Days with ·01 in. or more	21	13	14	21	13	10	21	9	12	8	8	25	145
Days with ·04 in. or more	14	7	12	18	10	8	20	5	10	8	6	14	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

919

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

ck

9 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Amersham St. Mary's Boys School
in the County of Buckingham
by Head Master (W. Garton) and Scholars

Lat. 51° 40' Long. 1 W.
Time of Observation 10 a.m all year round (i.e. 11 am. summer time)
Nearest Railway Station Amersham, Met + Gt. Central
Diameter of Funnel of Rain Gauge 5 in. (Snowdon)
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·13 (Given below)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·73	·20		·43		·04	·42		·29	1
2							·27	·62	·08	·06		·26	2
3		·05		·10			·12		·11	·09		·01	3
4		·02		·14			·27	·20	·02	·33		·04	4
5			·05	·02	·03		·67	·02		·02		·03	5
6			·16		·19		·65					·03	6
7	·02		·01 (Snow)	·26	·01		·09						7
8	·10	·06		·16	·04		·16	·02		·02 Dew			8
9	·44	·02		·06									9
10	·43	·08	·09			·18	·21					·01	10
11	·12		·09	·32	·05	·10	·25					·02 Snow.	11
12	·08	·01		·22		·76 Thunder	·02				·10		12
13	·13	·03	·16	·22					·01			·01 Snow	13
14	·03	·01	·49 (Part Snow)	·21		·81 Thunder	·07		·16	·22	·48	·02	14
15	·02	·07	·15 (Part Snow)	·12			·08		·27	·06	·02		15
16	Trace		·03	·27		·03 Thunder				·09		·01 Snow	16
17	·02			·01	·18		·07		·40			·02 Snow	17
18	·13				·09			·53	·14			·05 Part Snow	18
19	·16 (Hail+Snow)			·34	·08	·12		·01				·02	19
20	·08	·11 (Part Snow)		·20	·01	·54					·01 Dew	·09	20
21							·75	·04	·36			·09	21
22	·03			·32				·02	·14			·27	22
23							1·19	·04				·45	23
24	·02		·14	·02								·09	24
25		·04	·09				·45						25
26	·15		·23		·04 Thunder		·03					·04	26
27	·29	·11		·23		·25	·12				·30	·25	27
28	·57	·01	·31	·16 Thund.&Hail	·13	·03					·05	·03	28
29	·22		·03		·11		·04				·23	·27	29
30	·06			·04		·15	·40		·32		·22	·23	30
31	·03									·48		·13	31
TOTAL	3·13	·62	2·03	4·25	1·16	2·97	6·34	1·50	2·05	1·79	1·41	2·76	YEAR'S TOTAL 30·01
Days with ·01 in. or more	21	13	14	21	13	10	21	9	12	10	8	25	177
Days with ·04 in. or more	14	7	11	18	11	8	19	5	10	8	6	14	131

BUCKS

AMERSHAM – WINCHMORE HILL

1911–1913

FORM A2.
BRITISH RAINFALL.

1 JAN 1912

REGI 11

Kept at Winchmore- 5 in.

ve Ground 1 ft. in.

in the County of Buckin

Sea Level 494 ft.

by A Morley Da

a.m.

Name Beaconsfield

Distance 2½ m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·03	—	—	0·47	—	—	—	0·03	—	—	—	0·01	1
2	0·05	—	—	0·36	0·18	—	—	—	—	—	0·20	0·18	2
3	0·01	0·01	—	—	0·25	—	—	0·02	—	—	0·14	0·06	3
4	0·06	0·03	0·11	0·09	—	—	—	—	—	0·25	0·22	0·41	4
5	0·02	0·01	—	—	—	—	—	0·04	—	0·07	0·02	0·03	5
6	0·43	—	0·09	—	—	—	—	—	—	0·01	—	0·35	6
7	0·06	—	0·01	—	—	—	—	—	—	0·22	0·27	0·31	7
8	0·16	—	0·22	—	—	—	—	—	—	—	0·16	0·24	8
9	0·11	—	0·05	0·01	—	—	—	—	—	—	0·04	0·07	9
10	0·05	0·13	0·23	0·01	0·01	—	—	—	—	—	0·03	0·59	10
11	0·37	—	0·02	—	0·46	—	—	—	—	—	0·64	0·02	11
12	0·01	—	0·53	—	0·33	—	—	—	0·02	—	0·40	—	12
13	—	—	0·12	—	0·24	—	—	—	0·47	0·40	0·01	0·63	13
14	—	0·06	0·02	—	0·21	—	—	—	—	—	—	0·34	14
15	—	0·08	0·19	—	—	—	—	—	—	0·02	0·09	0·05	15
16	—	—	—	—	—	0·16	—	—	—	—	0·37	0·09	16
17	—	0·01	0·01	—	—	0·23	—	—	—	—	0·18	0·32	17
18	—	0·17	0·01	—	—	0·40	—	—	—	—	0·32	0·38	18
19	—	—	—	—	—	0·66	—	—	0·12	0·09	0·30	0·07	19
20	0·02	0·07	0·01	—	—	—	—	0·34	0·28	0·05	—	0·72	20
21	0·02	0·08	—	—	—	—	—	0·10	—	0·50	—	0·15	21
22	0·03	—	—	—	—	0·21	—	—	—	0·08	—	0·60	22
23	—	0·11	0·13	—	—	0·32	—	—	0·23	0·01	0·01	0·16	23
24	—	0·17	0·01	—	—	0·14	—	0·03	—	0·77	—	0·22	24
25	—	0·09	0·01	0·09	0·11	0·18	—	—	0·04	0·03	—	0·01	25
26	—	0·04	—	0·17	0·07	0·05	—	0·03	—	0·12	0·03	0·37	26
27	—	0·42	0·10	0·02	—	—	0·10	0·05	0·12	—	—	0·18	27
28	—	0·55	—	0·29	0·10	—	—	0·12	—	—	0·10	—	28
29	—		—	0·07	—	0·25	0·09	—	0·25	0·43	0·01	—	29
30	—		—	0·01	0·09	0·02	—	0·16	0·03	0·24	—	0·01	30
31	—		—		0·08		0·01	—		—		—	31
Total	1·43	2·03	1·87	1·59	3·13	2·62	0·20	0·92	1·56	3·29	3·54	6·57	TOTAL for year 28·75
No. of Rain Days.	15	16	18	11	12	11	3	10	9	16	20	27	168.

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Winchmore Hill, Amersham

in the County of Buckingham

by A. Morley Davies

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 494 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Beaconsfield
Distance 2½ m. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03	—	—	0.47	—	—	—	0.03	—	—	—	0.01	1
2	0.05	—	—	0.36	0.18	—	—	—	—	—	0.20	0.18	2
3	0.01	0.01	—	—	0.25	—	—	0.02	—	—	0.14	0.06	3
4	0.06	0.03	0.11	0.09	—	—	—	—	—	0.25	0.22	0.41	4
5	0.02	0.01	—	—	—	—	—	0.04	—	0.07	0.02	0.03	5
6	0.43	—	0.09	—	—	—	—	—	—	0.01	—	0.35	6
7	0.06	—	0.01	—	—	—	—	—	—	0.22	0.27	0.31	7
8	0.16	—	0.22	—	—	—	—	—	—	—	0.16	0.24	8
9	0.11	—	0.05	0.01	—	—	—	—	—	—	0.04	0.07	9
10	0.05	0.13	0.23	0.01	0.01	—	—	—	—	—	0.03	0.59	10
11	0.37	—	0.02	—	1.46	—	—	—	—	—	0.64	0.02	11
12	0.01	—	0.53	—	0.33	—	—	—	0.02	—	0.40	—	12
13	—	—	0.12	—	0.24	—	—	—	0.47	0.40	0.01	0.63	13
14	—	0.06	0.02	—	0.21	—	—	—	—	—	—	0.34	14
15	—	0.08	0.19	—	—	—	—	—	—	0.02	0.09	0.05	15
16	—	—	—	—	—	0.16	—	—	—	—	0.37	0.09	16
17	—	0.01	0.01	—	—	0.23	—	—	—	—	0.18	0.32	17
18	—	0.17	0.01	—	—	0.40	—	—	—	—	0.32	0.38	18
19	—	—	—	—	—	0.66	—	—	0.12	0.09	0.30	0.07	19
20	0.02	0.07	0.01	—	—	—	—	0.34	0.28	0.05	—	0.72	20
21	0.02	0.08	—	—	—	—	—	0.10	—	0.50	—	0.15	21
22	0.03	—	—	—	—	0.21	—	—	—	0.08	—	0.60	22
23	—	0.11	0.13	—	—	0.32	—	—	0.23	0.01	0.01	0.16	23
24	—	0.17	0.01	—	—	0.14	—	0.03	—	0.77	—	0.22	24
25	—	0.09	0.01	0.09	0.11	0.18	—	—	0.04	0.03	—	0.01	25
26	—	0.04	—	0.17	0.07	0.05	—	0.03	—	0.12	0.03	0.37	26
27	—	0.42	0.10	0.02	—	—	0.10	0.05	0.12	—	—	0.18	27
28	—	0.55	—	0.29	0.10	—	—	0.12	—	—	0.10	—	28
29	—		—	0.07	—	0.25	0.09	—	0.25	0.43	0.01	—	29
30	—		—	0.01	0.09	0.02	—	0.16	0.03	0.24	—	0.01	30
31	—		—		0.08		0.01	—		—		—	31
Total	1.43	2.03	1.87	1.59	3.13	2.62	0.20	0.92	1.56	3.29	3.54	6.57	TOTAL for year 28.75
No. of Rain Days.	15	16	18	11	12	11	3	10	9	16	20	27	168.

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

Kept at Winchmore Hill, Amersham

in the County of Bucks 4

by A. Morley Davies

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Beaconsfield
Distance 2½ m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

?15

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·04	0·02	—	0·07	0·04	—	0·06	0·32	—	0·13	1
2	—	0·01	0·06	—	—	0·11	0·38	0·10	—	—	—	0·01	2
3	0·08	—	0·10	—	0·05	0·23	0·02	0·33	0·02	—	0·02	0·14	3
4	0·43	—	0·59	—	0·30	0·20	—	0·09	—	—	0·32	—	4
5	0·23	0·10	0·23	—	—	0·01	—	0·37	0·01	—	0·01	0·02	5
6	0·63	0·06	—	—	0·01	—	—	0·27	0·02	—	—	0·11	6
7	0·01	—	0·01	—	0·04	0·50	0·06	0·11	—	—	—	0·13	7
8	0·49	0·28	0·20	—	—	—	0·01	0·14	0·01	—	—	0·08	8
9	0·06	0·24	0·08	0·11	—	0·24	0·02	0·06	—	—	0·01	0·35	9
10	0·01	0·04	—	—	—	—	—	0·30	0·01	0·03	0·12	0·16	10
11	0·13	0·21	0·07	—	—	0·02	—	0·03	0·01	—	0·03	0·19	11
12	0·06	0·25	0·18	—	0·04	0·25	0·02	—	—	—	0·12	—	12
13	—	—	0·01	—	—	0·03	0·01	—	—	—	0·12	0·03	13
14	0·02	—	0·04	—	0·02	—	—	0·01	—	0·03	0·01	0·03	14
15	0·03	0·05	0·24	—	0·25	0·46	—	0·04	—	—	—	0·27	15
16	0·32	0·01	0·12	—	0·07	0·05	—	0·14	—	0·15	0·10	—	16
17	0·07	—	0·19	—	—	0·09	—	0·12	—	—	—	0·01	17
18	0·52	—	0·20	—	—	—	—	0·13	—	0·02	—	0·10	18
19	0·10	0·13	0·26	—	—	—	0·34	0·33	—	0·01	—	—	19
20	0·05	0·01	0·19	—	—	—	0·05	0·28	—	0·37	0·01	—	20
21	0·02	0·09	0·83	—	0·67	—	—	0·16	—	0·10	0·08	—	21
22	0·34	0·24	0·23	—	0·02	—	0·08	0·22	—	0·01	0·01	0·03	22
23	0·35	0·34	0·42	—	0·01	—	0·11	0·57	—	0·01	0·16	0·33	23
24	0·26	0·01	0·01	—	—	0·01	—	0·14	—	—	0·01	0·12	24
25	—	—	—	—	—	0·25	—	0·34	—	0·01	0·30	0·46	25
26	—	0·06	—	—	—	0·01	0·13	0·31	—	0·59	0·57	0·28	26
27	—	—	0·05	—	—	0·10	0·18	—	—	0·25	—	0·25	27
28	—	0·04	—	—	—	0·10	0·04	0·14	0·14	0·59	0·48	0·39	28
29	—	0·10	—	0·01	—	0·27	0·14	0·46	1·74	0·27	0·04	0·01	29
30	—		0·01	—	0·33	—	0·03	0·01	0·81	0·09	—	—	30
31	—		0·14		0·29		0·34	0·22		0·02		0·06	31
Total	4·21	2·27	4·44	0·14	2·10	3·00	2·00	5·36	2·83	2·87	2·46	3·69	TOTAL for year
No. of Rain Days.	21	19	25	3	13	19	18	27	10	17	19	24	35·37 215

W. 8,000, X. '11.

169

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Winchmore Hill, Amersham

in the County of Buckinghamshire 4

by Dr. A. Morley Davies

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·19	·08	·11									1
2	·12	·10	·02	·02	·02		·11		·21	·80			2
3	·04		·04	·09	·52				·01	·02			3
4	·44		·01		·05		·09			·05			4
5	·14					·03	·16		·28	·02			5
6	·01	·13	·05		·14	·13	·22			·47			6
7		·18			·26	·06		·06		·37			7
8		·01	·01		·13	·11				·12			8
9		·19			·03	·02	·05		·06				9
10	·01	·01	·09	·05			·22	·13					10
11	·61	·01		·46	·11			·12		·77			11
12		·01			·06					·01			12
13	·03		·01	·02					·05				13
14	·10	·01	·16	·13			·09	·09		·14			14
15	·27	·04	·32	·47			·14		·26				15
16	·12		·38	·21					·08				16
17	·03		·16	·04			·11	·01					17
18	·05		·16	·27									18
19	·65		·10	·02	·05		·13		·67				19
20	·11		·07	·05						·29			20
21	·02		·15	·04	·07		·02			·07			21
22	·47		·23	·04				·05	·22	·01			22
23			·02			·05		·02	·01				23
24	·01		·01	·08		·02		·20					24
25		·01		·22						·02			25
26		·04	·13	·17				·08		·45			26
27		·01	·01	·10	·01					·06			27
28	·38		·29	·22						·09			28
29	·02		·09	·39	·39			·08		·13			29
30	·32							·05		·19			30
31	·01		·07					·42					31
Total	4·05	·94	2·66	3·20	1·84	·42	1·34	1·31	1·85	4·08	2·86	1·20	YEAR'S TOTAL 25·75
Rain Days.	23	14	24	21	13	7	11	12	10	19			

no daily obs. taken

W. 7,500, XI. 12

AMERSHAM

THE PLANTATION

BUCKS

1911 - 1920

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

REG

Kept at The Planta

in the County of Bu

by G. Wel

8 in.

round 1 ft. - in.

ea Level 464 ft.

All as before

ame

stance Direction

IMPORTANT NOTE.- the result entered to the previous day. If an Obse rsal rule, he is earnestly requested to add the readin in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	-	-	43	-	-	-	03	-	-	-	-	1
2	07	.	-	39	19	-	02	01	.	.	20	17	2
3	.	·02	.	01	25	-	-	03	-	-	10	04	3
4	07	04	10	15	-	-	-	.	-	23	15	38	4
5	03	02	-	02	.	-	.	03	-	03	-	02	5
6	52	-	14	05	-	-	.	-	.	.	01	37	6
7	09	.	02	01	-	-	-	-	-	20	29	32	7
8	15	.	18	-	.	-	.	-	.	-	14	24	8
9	08	.	03	01	-	-	-	-	-	.	03	05	9
10	05	12	22	-	-	-	.	-	-	.	07	54	10
11	32	.	01	-	91	-	-	.	-	.	66	01	11
12	01	-	43	-	05	-	.	.	02	-	40	.	12
13	-	.	12	-	09	-	-	-	45	02	01	73	13
14	.	04	06	-	15	-	-	.	-	-	-	34	14
15	.	07	20	-	-	-	-	-	.	02	07	05	15
16	-	-	.	.	-	13	.	-	.	-	38	08	16
17	-	-	07	-	-	22	-	-	-	-	18	31	17
18	-	12	03	.	.	18	-	-	.	.	33	37	18
19	.	01	.	-	.	54	-	-	11	04	26	08	19
20	·03	07	-	-	-	.	-	19	21	06	-	85	20
21	02	22	.	.	-	02	-	12	.	47	02	14	21
22	02	.	04	-	-	17	.	-	-	05	-	71	22
23	.	15	18	-	.	39	-	-	19	01	02	15	23
24	.	15	02	-	.	12	-	03	-	78	-	19	24
25	.	05	02	07	16	17	02	06	04	.	-	·01	25
26	-	02	.	14	02	04	.	02	-	12	04	36	26
27	.	66	07	02	-	-	06	03	13	-	03	17	27
28	.	66	-	34	03	-	.	11	-	-	10	-	28
29	.		-	02	-	20	08	-	24	30	01	-	29
30	.		-	-	07	.	-	70	02	24	-	-	30
31	.		.		11		01	-		-		-	31
Total	1·50	2·42	1·94	1·66	2·03	2·18	·19	1·36	1·41	2·57	3·50	6·68	TOTAL for year 27·44
No. of Rain Days	14	16	18	13	11	11	5	12	9	14	22	25	170

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
JAN 1912

Kept at *The Plantation - Amersham*

in the County of *Bucks* 4

by *G. Weller. F.R. Met: Soc.*

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 464 ft.

Time of Observation *All as before*

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	-	-	43	-	-	-	03	-	-	-	-	1
2	07	-	-	39	19	-	02	01	-	-	20	17	2
3	.	·02	.	01	25	-	-	03	-	-	10	04	3
4	07	04	10	15	-	-	-	-	-	23	15	38	4
5	03	02	-	02	.	-	.	03	-	03	-	02	5
6	52	-	14	05	-	-	-	-	.	-	01	37	6
7	09	-	02	01	-	-	-	-	-	20	29	32	7
8	15	-	18	-	.	-	-	-	-	-	14	24	8
9	08	.	03	01	-	-	-	-	-	-	03	05	9
10	05	12	22	-	-	-	.	-	-	-	07	54	10
11	32	-	01	-	91	-	-	-	-	-	66	01	11
12	01	-	43	-	05	-	-	-	02	-	40	.	12
13	-	.	12	-	09	-	-	-	45	02	01	73	13
14	.	04	06	-	15	-	-	.	-	-	-	34	14
15	.	07	20	-	-	-	-	-	.	02	07	05	15
16	-	-	.	-	-	13	-	-	.	-	38	08	16
17	-	-	07	-	-	22	-	-	-	-	18	31	17
18	-	12	03	.	-	18	-	-	.	-	33	37	18
19	.	01	.	-	.	54	-	-	11	04	26	08	19
20	·03	07	-	-	-	.	-	19	21	06	-	85	20
21	02	22	.	.	-	02	-	12	.	47	02	14	21
22	02	-	04	-	-	17	-	-	-	05	-	71	22
23	.	15	18	-	-	39	-	-	19	01	02	15	23
24	.	15	02	-	.	12	-	03	-	78	-	19	24
25	.	05	02	07	16	17	02	06	04	.	-	·01	25
26	-	02	-	14	02	04	-	02	-	12	04	36	26
27	.	66	07	02	-	-	06	03	13	-	03	17	27
28	.	66	-	34	03	-	.	11	-	-	10	-	28
29	.		-	02	-	20	08	-	24	30	01	-	29
30	.		-	-	07	-	-	70	02	24	-	-	30
31	.		-		11		01	-		-		-	31
Total	1·50	2·42	1·94	1·66	2·03	2·18	·19	1·36	1·41	2·57	3·50	6·68	TOTAL for year 27·44
No. of Rain Days	14	16	18	13	11	11	5	12	9	14	22	25	170

[illegible] 10.11.13 W DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
2 JAN 1913

Kept at The Plantation Amersham

in the County of Bucks 4

by George Waller.

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" Sea Level ... ft.

Time of Observation All as before.

Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		-	·05	·02		·09	·04	-	·06	·25	-	·18	1
2		·02	·08			·08	·39	·10	·			·	2
3	·08	-	·09		~~3·35~~ ·03	·24	·01	·32	·02		-	·13	3
4	·35	·01	·63		·35	·15		·05	-		·31	-	4
5	·31	·12	·23		-			·42	·02		·02	·01	5
6	·75	·03	·62		-	-	-	·24	·04			·08	6
7		-	·01		·04	·65	·05	·13	-			·10	7
8	·53	·28	·21			·01	·02	·50	·01			·07	8
9	·07	·29	·07	·05		·15	·02	·04	-		-	·34	9
10	·02	·03	-			·06		·30	-		·10	·15	10
11	·11	·19	-		-	·02		·01	·03	-	·02	·19	11
12	·05	·23	·04		·02	·11	-			·02	·11	-	12
13	·01	·02	·02		-	·02	·07	-		·01	·16	·02	13
14	·01	-	·05		·02	-		·05		·03	·02	·01	14
15	·02	·03	·15		·25	·45		·02		-	·01	·27	15
16	·29	·01	·12		·04	·03		·11		·16	·09	-	16
17	·25	-	·22			·09		·11		-		·01	17
18	·05	-	·16				-	·16		·02		·10	18
19	·48	·10	·24				·66	·36		·01		-	19
20	·05	-	·15		-		·04	·20		·39	-		20
21	·02	·06 ·06	·97		·74		-	·15		·12	·13	-	21
22	·24	·21	·15		·05		·07	·17		·01	-	·02	22
23	·34	·34	·38		·01	-	·02	·43		·01	·16	·35	23
24	·20	·01	-			·05		·15			-	·11	24
25	-	-	-			·22	-	·38		-	·26	·40	25
26	-	·05	-			-	·25	·30		·50	·62	·43	26
27	-	-	·05			·09	·13	-	-	·25	-	·24	27
28	-	·03	-			·05	·05	·09	·08	·64	·46	·40	28
29	-	·07	-		-	·11	·18	·50	1·77	·20	·02	·01	29
30	-		-		·41	-	·09	·07	·86	·12	-	-	30
31	-		·15		·02		·30	·12		-	-	·05	31
Total	4·20	2·13 ✓	4·24	·07	1·98	2·67	2·39	5·48	2·89	2·~~45~~74	2·49	3·67	TOTAL for year
No. of Rain Days.	27	20	23	2	12	19	17	27	9	~~15~~ 16	15	23.	34·95 ✓ 204

W. 8,000, X. '11.

29th year. # REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

Kept at The Plantation. Amersham

in the County of Bucks 4

by George Wallers. F.R.Met.Soc.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Amersham

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 464 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·16	·13	·06	-	·04	-	-	·23	-	·17	·15	1
2	·10	·14	·01	·02	-	-	·10	-	·01	·19	·10	-	2
3	·40	-	·03	·07	·53	-	.	-	-	·04	-	·16	3
4	·13	.	·03	-	·05	.	·08	-	-	·02	·05	·15	4
5	-	.	-	-	-	·05	·20	-	·10	·02	-	·12	5
6	-	·11	·04	-	·13	·15	·27	-	-	·32	-	·18	6
7	-	·16	-	-	·13	·04	·02	·03	-	·49	·06	·02	7
8	-	·02	.	-	·10	·07	-	-	-	·28	·08	-	8
9	·02	·17	·02	.	·01	·03	·03	-	·05	-	·03	-	9
10	·76	-	·03	·10	-	.	·26	·06	-	-	·38	-	10
11	.	.	-	·45	·12	-	-	.	-	·83	·32	-	11
12	.	·02	-	-	·04	-	-	-	-	·01	·45	-	12
13	·12	·01	·01	·01	-	-	.	·01	·08	.	·26	-	13
14	·27	·01	·10	·07	-	-	·13	·08	-	·17	·06	-	14
15	·08	·04	·38	·46	-	-	·28	.	·09	-	·01	-	15
16	·02	-	·35	·17	-	-	-	-	·11	-	-	-	16
17	·05	-	·10	·05	-	-	·14	-	-	-	·01	·04	17
18	-	-	·14	·30	-	-	-	-	-	-	·04	·02	18
19	·77	-	·01	·03	-	-	·12	-	·52	-	-	·01	19
20	·12	-	·07	·08	-	·02	-	-	-	·31	-	-	20
21	·02	-	·18	·05	·10	-	·02	-	-	·08	·74	-	21
22	·48	-	·22	·03	-	.	.	·03	·22	-	-	-	22
23	-	-	·02	-	-	·04	-	·04	·02	-	·02	·16	23
24	·01	-	·01	·07	-	.	.	·03	-	-	-	-	24
25	-	·02	-	·23	-	.	-	-	-	·02	-	·05	25
26	.	·03	·14	·16	-	-	-	·09	-	·48	·02	·24	26
27	.	·04	·02	·07	·01	.	-	-	-	·02	·01	-	27
28	·33	-	·23	·18	-	.	-	-	-	·13	-	·01	28
29	·03		·08	·40	·36	-	-	·10	.	·19	-	·07	29
30	·32		·01	-	-	.	-	·07	-	·26	-	·01	30
31	-		·07		.		-	·42		-		.	31
Total	4·15	93 5·08	2·43 7·51	3·06 10·57	1·58 12·15	·44 12·59	1·65 14·24	·96 15·20	1·43 16·63	3·86 20·49	2·81 23·30	1·39 24·69	YEAR'S TOTAL 24·69
Rain Days.	19	13	25	21	11	8	12	11	10	18	18	15	181

W. 7,500, XI. 12

30th Year.

Ex. M.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at The Plantation, Amersham

in the County of Bucks. 4

by George Webber. F.R. Met. Soc.

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Amersham -

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. · in.

" " " " Sea Level 464 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·10			·08	·01	1
2						·02	·15	·05			·12	·12	2
3			·03	·02	·24		·38	·07			·06	·03	3
4	·25		·02	·33	·02			·14			·39	·62	4
5	·05		·13	·26	·09	·11	·44	·53					5
6		·18			·07	·14	·11	·05				·30	6
7		·29	·35	·05	·43	·23	·03	·02				·28	7
8	·08	·20	·79	·03	·08	·28	·26	·16				·03	8
9	·37		·53	·10	·03	·38		·02	·05			1·48	9
10	·04	·11	·04	·08	·08				·21			·02	10
11		·30	·52		·04	·55			·07		·29	·33	11
12	·02	·05	·15				·18		·33		·03	·42	12
13		·38	·12						·19	·04	·05	·38	13
14		·15	·42				·07			·38	·14	·33	14
15	·07	·02	·23				·04	·01	·03	·03	·10	·07	15
16			·09				·02		·04		·03		16
17		·55	·18						·26	·01		·29	17
18			·10									·52	18
19		·09	·20			·04	·14			·01	·20	·04	19
20		·37	·24			·02			·02			·19	20
21		·52	·08			·04				·08	·01	·07	21
22		·04			·03	·08	·04	·03		·90			22
23		·14	·12		·12	·03				·08			23
24			·05		·05		·02	·01		·19	·10		24
25	·04		·12					·16		·44	·02	·08	25
26			·05				·05	·10		·05	·20	·64	26
27	·03		·04								·04	·29	27
28		·06								·07	·37	1·21	28
29	·03		·15		·07					·39	·12	·	29
30	·02		·09							·05	·46	·43	30
31	·01				·05		·05					·03	31
Total	1·01	3·45	4·84	·87	1·40	1·92	1·98	1·45	1·20	2·72	2·81	8·21	YEAR'S TOTAL 31·86
Rain Days.	12	16	25	7	14	12	15	14	9	14	19	25	182

W.7,000, XI. '13

1090

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at The Plantation Amersham
in the County of Bucks 4
by George Weller F.R.Met.Soc.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Amersham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 464 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·66	·20	·10	-	·04	-	·05	·12	·07	·08	·16	·42	1
2	·11	·29	·40	·10	-	·02	-	1·00	·03	·08	-	·17	2
3	·45	-	·10	·10	·02	-	·14	·78	·03	-	-	·30	3
4	·23	-	-	-	-	-	-	-	-	-	-	·49	4
5	·03	·45	-	·04	-	-	-	·02	-	·01	-	·33	5
6	·26	·09	·03	·39	-	-	·50	·03	-	-	-	·15	6
7	·10	·38	·06	-	-	-	·29	·06	-	-	·02	·30	7
8	·05	·48	·01	·03	-	-	·05	·08	-	-	-	-	8
9	-	·01	-	·14	-	·02	-	·07	-	-	·26	·69	9
10	·38	-	·02	-	-	-	-	·05	-	-	-	·08	10
11	·02	-	·02	-	-	-	-	-	-	-	·88	-	11
12	·09	·03	-	·27	·39	-	-	·64	-	·04	·69	·05	12
13	-	·50	-	-	1·35	-	-	~~·05~~	-	-	-	-	13
14	-	·06	-	-	-	-	·72	·03	·07	-	-	·92	14
15	·25	·01	-	-	·04	-	-	·03	-	-	·15	·24	15
16	-	·67	-	-	~~·66~~	-	·80	·18	-	-	-	·12	16
17	-	·46	-	-	·66	-	·07	-	-	-	-	·02	17
18	-	·28	·30	-	·08	-	-	-	-	-	·02	-	18
19	-	·03	·01	-	·02	-	·20	-	-	-	-	-	19
20	·40	-	-	·07	-	-	-	-	-	-	-	·26	20
21	·20	·03	-	-	·29	-	·02	-	-	-	-	·11	21
22	·85	·12	·45	-	-	-	·70	-	·03	-	-	·18	22
23	·02	·35	·04	-	-	-	·48	-	·12	·60	-	·33	23
24	-	-	·04	-	-	·02	·06	-	·85	·21	-	·35	24
25	-	-	-	·03	-	·03	·14	-	-	·03	-	·21	25
26	-	·15	-	-	-	·03	·14	-	·07	-	-	·61	26
27	-	-	-	-	-	·07	·34	-	·01	·38	-	·06	27
28	-	·10	-	-	-	-	·01	-	1·21	·20	-	-	28
29	-	X	-	-	-	·04	·02	·16	-	~~[illegible]~~	·20	-	29
30	·03	X	-	-	-	1·45 +	-	-	-	·11	·15	·06	30
31	·02	X	-	X	-	X	-	·04	X	1·05	X	·15	31
Total	4·15	4·69	1·58	1·17	2·89	1·68	4·73	3·29	2·49	2·79	2·53	6·60	YEAR'S TOTAL 38·59
Rain Days.	18	20	13	9	9	8	18	15	10	11	9	24	164

W. 8,000. X. 14.

+7.5

1058

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Plantation. Amersham
in the County of Bucks
by George Weller. F.R.Met.Soc.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Amersham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 464 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	-	-	-	·21	·04	·01	-	·11	·02	·39	-	1
2	·51	·06	·13	-	·13	-	-	-	·09	·52	·06	-	2
3	·02	·68	·02	-	·04	-	-	-	·10	·29	·16	-	3
4	·27	·06	·01	-	-	·64	·23	-	·05	·18	·52	-	4
5	·02	·03	·01	·04	·06	·16	·01	-	-	·14	·55	-	5
6	-	·10	·50	·19	·03	·17	·42	-	-	·09	·54	-	6
7	·11	·01	·40	-	·16	·03	·40	-	-	·03	·67	·05	7
8	-	-	·01	-	·34	·07	-	-	-	-	·03	·40	8
9	-	-	-	-	·40	-	-	-	-	·09	-	·09	9
10	-	·17	·05	·05	-	·20	·01	-	-	·03	·02	·03	10
11	·10	·15	·10	·19	·01	·45	-	-	-	-	-	·09	11
12	·04	·03	·06	·03	·24	·15	·11	·10	·01	·09	-	-	12
13	·01	·41	·37	·11	[illegible] -	·11	·19	·34	-	·03	-	-	13
14	-	·30	·02	·01	·76	-	-	·77	-	·18	-	·20	14
15	-	·35	·28	-	[illegible]	-	·13	·22	-	·03	-	-	15
16	·01	·03	·49	·15	·02	-	·23	·38	-	-	-	-	16
17	·10	·07	-	·07	-	-	·01	·22	·35	·58	-	-	17
18	·01	·10	·05	·23	-	-	-	·35	·09	·08	·67	-	18
19	·14	·02	·21	·38	-	-	-	·03	·25	-	·69	·20	19
20	·18	-	·20	·07	-	-	-	-	-	-	·03	·50	20
21	·02	-	·64	-	-	-	·04	-	-	-	-	·48	21
22	-	·10	·03	-	·05	-	-	-	-	·03	-	·53	22
23	·02	·50	·02	-	-	·13	-	·06	-	-	·05	·08	23
24	-	·10	·02	·01	·04	·45	-	·04	-	·11	·05	·30	24
25	-	·50	·06	-	·06	—	-	·20	-	·60	·14	-	25
26	-	·05	-	-	-	·13	-	·07	-	·09	-	-	26
27	·16	·03	·57	-	-	·03	-	·67	·08	·20	-	-	27
28	-	·23	·30	-	-	·16	-	-	·06	·12	·02	-	28
29	-	·13	-	-	-	·32	-	·98	·02	·45	·03	·22	29
30	-	╳	-	-	·05	·15	-	·03	-	·49	-	-	30
31	-	╳	-	╳	-	╳	-	·04	╳	·15	╳	·02	31
Total	1·81	4·21	4·55	1·53	2·00	3·39	1·79	4·50	1·21	4·62	4·62	3·19	YEAR'S TOTAL 37·42
Rain Days.	17	24	24	13	16	17	12	16	11	24	17	14	205

W. 8,000. X. 15. May 22 · taken at 8 o'c. Sun Time. Oct. 1 taken at 9 a.m. Sun Time.

FORM A.
BRITISH RAINFALL.
4 JAN 1919

1026

REGISTER OF RAINFALL IN 1917

[illegible]

Kept at The Plantation - Amersham
in the County of Bucks.
by George Weller

Lat. Long.
Time of Observation 9 a.m. Summer Time
Nearest Railway Station Amersham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 464 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following: ✕

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	·02	·40	-	-	-	·90	·06	-	·14	·03	1
2	-	·02	.	·10	-	·09	-	·12	.	-	·07	-	2
3	-	-	-	·03	-	-	-	·52	-	·35	·06	-	3
4	-	·60	·20	. .	-	-	.	·30	.	·50	-	-	4
5	·28	-	·02	·25	-	.	-	·01	·10	·10	·10	-	5
6	.	-	·13	-	-	·06	-	.	·11	·02	·10	·03	6
7	32	.	·02	.	-	-	·18	.	-	·37	·03	·01	7
8	39	-	-	·11	-	.	·91	·19	-	·36	·17	·09	8
9	·02	.	·10	·25	-	.	·08	·29	·02	-	·10	·10	9
10	·40	-	·26	·35	-	-	-	·18	-	-	·07	-	10
11	·10	.	·56	·10	-	-	-	·03	·04	·38	.	-	11
12	·09	.	·06	·04	·05	·03	-	·11	.	·61	·02	-	12
13	·15	.	·08	.	-	.	-	·12	·04	·02	-	·01	13
14	-	.	-	·27	-	-	-	·03	-	·01	-	.	14
15	·15	.	-	·01	-	-	·06	·04	-	·03	-	.	15
16	·10	·17	-	·32	·09	·82	·02	-	.	1·03	.	·25	16
17	.	·04	-	·13	·82	-	·30	·07	·47	·33	-	-	17
18	·02	·06	-	·21	·10	·12	·18	·06	·60	·04	.	-	18
19	.	·15	·11	-	·02	·07	-	. .	·35	.	.	-	19
20	·02	·25	·03	-	·44	-	·03	·09	·10	.	·09	-	20
21	-	·01	·02	-	·12	.	.	.	-	·03	·03	-	21
22	·01	-	·10	-	.	·09	.	·05	.	·07	·03	-	22
23	-	·15	-	-	·07	·02	-	·17	.	·01	-	-	23
24	-	·06	-	-	-	·03	.	·05	.	·26	·03	-	24
25	-	·04	·12	-	-	-	·15	-	.	·01	·10	-	25
26	-	-	·05	-	-	.		·52	·09	.	·24	-	26
27	-	.	·02	-	.	·20		·73	-	-	-	·01	27
28	-	-	·02	.	.	1·53	.	·30	-	-	-	·05	28
29	.	✕	.	-	·29	·07	1·21	·09	-	·48	-	·08	29
30	·05	✕	·08	-	.	-	1·23	·22	.	·01	·01	·01	30
31	·03	✕	·08	✕	-	✕	·54	·02	✕	·01	✕	·02	31
Total	2·13 ✓	1·56 ✓	2·08 ✓	2·57 ✓	2·00	3·13 ✓	4·89 ✓	5·21 ✓	1·98 ✓	5·03 ✓	1·39 ✓	·69 ✓	YEAR'S TOTAL 32·66 ✓
Rain Days. and Snow.	15 ✓	12 ✓	20 ✓	14 ✓	9 ✓	12 ✓	12 ✓	25 ✓	11 ✓	22 ✓	17 ✓	12 ✓	181 ✓

W. 8,000, VIII. 16

Exd E F E

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
6 . 1 . 19

Kept at The Plantation Amersham -

in the County of Bucks -

by George Weller -

Lat. 51·40 Long. 0·36

Time of Observation 9 am.

Nearest Railway Station Amersham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 464 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·05	-	·16	-	-	-	·01	-	-	·25	·08	1
2	-	·10	-	·17	-	-	-	·23	-	·01	·19	·25	2
3	-	·06	·01	·07	·50	-	-	·01	·08	-	·54	·02	3
4	-	·10	·03	·01	-	-	-	-	·40	-	·50	·03	4
5	-	·11	-	-	·10	-	-	·22	·09	·15	-	·01	5
6	·12	·20	-	·29	·03	-	-	-	-	-	-	·10	6
7	·07	·11	-	·20	·20	-	-	-	·12	·11	·15	-	7
8	-	·02	-	·01	-	-	-	-	·11	·04	·12	·02	8
9	·03	·05	-	·05	-	·26	·52	-	·40	·25	-	·20	9
10	·02	-	-	·06	-	·01	·39	-	·03	·01	-	·25	10
11	·02	-	-	·05	·05	-	·43	-	·09	·44	·04	·16	11
12	-	·15	-	-	·18	-	·05	-	-	-	-	·01	12
13	·05	·01	-	-	·24	-	·05	-	·14	-	-	·12	13
14	·20	-	·02	-		·12	·14	-	·40	·24	-	·29	14
15	·50	-	-	·40		·01	·41	-	·90	-	-	·15	15
16	·35	-	-	·60		·01	-	-	·10	·02	-	·02	16
17	·55	-	-	·26		·01	·20	·08	·34	-	-	·20	17
18	·61	-	-	·01		·26	·30	-	·02	·10	-	·12	18
19	·05	·02	·05	·02		·10	·26	·02	·30	·03	-	·13	19
20	·02	·17	-	·67		·04	·04	-	·40	·20	-	·02	20
21	·08	·02	-	1·07		-	-	-	·05	·03	-	·01	21
22	·10	-	-	-	·64	-	·09	-	·02	-	-	·24	22
23	·07	-	-	·01	·48	-	·56	·05	·09	-	-	·04	23
24	-	·27	-	-	-	·03	·01	-	-	-	·33	-	24
25	-	-	-	-	·03	·01	·16	·53	-	-	·04	-	25
26	-	-	-	-	·03	-	·18	·07	-	·02	·18	·18	26
27	-	·01	-	·02	-	-	·10	·35	·09	-	·10	·06	27
28	·04	·06	·20	·05	-	-	-	·05	-	-	·23	·26	28
29	-		-	-	-	-	-	-	1·18	-	-	·01	29
30	-		·39	-	-	-	-	-	·17	-	·04	·02	30
31	-		·17		-		-	·01		·16		·01	31
Total	2·88	1·51	·87	4·18	2·48	·86	3·89	1·63	5·52	1·81	2·61	3·01	YEAR'S TOTAL 31·25
Rain Days.	17	17	7	20	11	11	17	12	22	15	18	28	190

W. 8,000, IX. 17.

3-RL

967

FORM A.
BRITISH RAINFALL
3 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at The Plantation · Amersham ·

in the County of Bucks

by George Weller · F.R. Met: Soc.

Lat. 51·40 Long. 0·36

Time of Observation 9 a.m.

Nearest Railway Station Amersham · 3/4 m. W.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ' in.

" " " " Sea Level 464 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·62	·05	·01	-	·06	-	·29	-	-	·04	·05	1·25	1
2	·25	-	·02	-	·10	-	·18	·02	·14	·15	·17	·63	2
3	·51	-	·31	-	·03	-	·18	-	·03	-	·05	·36	3
4	·09	·02	·40	-	-	·10	·07	·04	·06	-	·01	·11	4
5	·02	·35	·66	-	-	-	·09	-	·57	-	·02	·31	5
6	·06	-	·13	-	·03	-	-	-	-	-	·01	·06	6
7	·08	-	·81	-	-	-	-	-	-	-	·04	-	7
8	·20	-	·06	·14	-	-	-	-	-	-	·02	-	8
9	·01	-	·01	·04	-	-	-	-	-	-	·04	-	9
10	·04	-	·25	·05	-	-	-	-	-	·02	·05	·16	10
11	·06	-	·16	·24	·02	-	·26	-	-	-	·04	·05	11
12	-	-	·11	·05	-	·09	·15	-	-	·06	·05	·01	12
13	·02	·04	-	·35	-	-	-	-	-	·05	-	·06	13
14	·40	·01	-	·50	-	-	·07	-	·25	-	-	·02	14
15	·45	·05	·16	·29	-	-	-	-	-	·01	·02	·54	15
16	·01	·74	-	·02	-	-	-	-	-	-	·14	-	16
17	-	·35	-	·01	-	-	-	-	-	-	·27	·04	17
18	-	·05	·13	-	-	-	-	·07	·04	-	·11	·06	18
19	·06	·22	1·00	-	-	·12	·35	·13	·02	-	·21	·01	19
20	·48	·12	·05	-	-	·61	·08	·44	·01	-	·04	-	20
21	·26	·50	·06	-	-	·11	·12	-	-	-	·03	·07	21
22	-	·32	-	-	-	-	·15	-	·35	-	·02	·41	22
23	-	-	-	-	-	·02	-	·07	·10	·09	·03	·02	23
24	-	-	·01	·13	-	·01	·08	·06	-	·43	·12	·02	24
25	·09	-	-	·06	·02	·03	-	·61	-	-	·01	·07	25
26	·19	·24	·17	·09	-	-	-	·05	·09	-	-	·50	26
27	·80	·04	·05	1·00	-	-	-	·40	-	-	·01	·02	27
28	-	-	·35	-	-	-	-	·84	-	·01	·15	·30	28
29	·02	×	-	·09	-	-	-	·24	-	·26	-	·03	29
30	-	×	·04	·26	-	·15	-	·14	-	·05	·70	·64	30
31	·05	×	·02	×	-	×	-	-	×	·01	×	·03	31
Total	4·76	3·10	4·97	3·32	·26	1·24	2·07	3·11	1·66	1·18	2·41	5·78	YEAR'S TOTAL 33·86
Rain Days.	23	15	23	16	6	9	13	13	11	12	26	26	193

W, 6,500, VII. 18. w w c

Esc Dh

920

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

sent for 1919.

5 JAN 1921

Kept at The Plantation Amersham

in the County of Bucks

by George Weller.

Lat. 51 40 Long. 0 36

Time of Observation 9 am

Nearest Railway Station Amersham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 464 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·76	·18	-	·30	-	·01	·34	-	·25	1
2	-	-	-	·02	.	.	·28	·56	·07	·03	-	·09	2
3	-	·06	-	·05	-	·01	·19	-	·10	·06	-	·08	3
4	-	·04	.	·16	-	.	·01	·16	-	·30	-	·03	4
5	-	-	·03	·02	·04	.	·82	·03	-	-	-	·03	5
6	-	-	·27	.	·17	-	·43	·01	-	-	-	·01	6
7	·02	-	·02	·24	-	-	·15	-	-	-	-	-	7
8	·09	·08	-	·21	·04	-	·20	·01	-	-	-	-	8
9	·38	-	.	·05	-	-	-	-	-	-	-	-	9
10	·36	-	·07	-	-	·10	·17	-	-	.	-	-	10
11	·18	-	·07	·41	·05	·09	·17	-	-	-	-	·03	11
12	·07	·01	·02	·21	-	1·10	·01	-	-	-	·01	-	12
13	·17	·02	·18	·20	-	-	.	-	·01	-	·04	-	13
14	·02	·03	·40	·23	-	1·09	·05	-	·10	·40	·35	-	14
15	·02	·09	·20	·15	-	.	·04	-	·23	·04	·05	·04	15
16	·01	·01	·01	·28	-	·03	.	-	·12	·06	-	-	16
17	·02	.	-	·01	·18	-	·05	-	·30	.	-	·08	17
18	·06	.	-	.	·02	-	.	·4~~8~~7	·11	.	-	·03	18
19	·20	-	-	·35	·07	·06	.	-	.	-	-	-	19
20	·08	·11	.	·21	-	·58	.	-	-	-	-	·08	20
21	-	-	-	·01	-	-	·50	·04	·28	-	-	·10	21
22	·01	-	-	·30	-	-	-	-	·18	-	-	·23	22
23	.	-	-	-	-	-	·90	·06	-	-	-	·48	23
24	·02	-	·16	·01	-	-	-	-	-	.	.	·06	24
25	~~32~~	·06	·09	·01	-	-	·37	-	-	-	.	-	25
26	·1~~3~~2	.	·22	·01	·11	-	·03	-	-	-	-	·03	26
27	·32	·10	-	·20	.	·23	.	-	-	-	·32	·20	27
28	·52	·01	·25	·07	·11	·02	·10	.	-	-	·03	-	28
29	·21	.	·04	-	·11	-	·02	-	-	-	·22	·26	29
30	·05		-	·04	·01	·08	·35	-	·28	.	·22	·17	30
31	·04		-		-		-	.		·40		·12	31
TOTAL	2·97	·62	2·03	4·21	1·09	3·39	5·14	1·34	1·79	1·63	1·24	2·40	YEAR'S TOTAL
Days with ·01 in. or more	22	12	15	25	12	11	21	8	12	8	8	20	27·85
	15	7	11	16	10	8	17	5	10	7	6	14	12 174 8

made

RE 9 11

BUCKS

AYLESBURY - CHARSLEY HILL

1911-1913

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

Kept at Chea

top in.

above Ground ft. 6 in.

in the County of

„ Sea Level 390 ft.

by Mr. B

9.30 A.M.

on { Name Haddenham
Distance 4 Direction East

IMPORTANT NOTE. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.28	.60		.80				.01			1
2	.02			.20	.17			·01			.25	.23	2
3					.20	·40				.03	.15	.03	3
4											.10	.35	4
5	.03			0.5				·23	.05				5
6	.02		.12									·28	6
7			.09								.30		7
8										.15			8
9	.10			.03								.32	9
10	.08											.10	10
11	.02	.11	.22								.44	.08	11
12	.20		.46								.29		12
13			.04		·29				.26	.13			13
14			.02							.20		.54	14
15			.03								.08	.10	15
16		.04										.07	16
17			.10			·10					.29		17
18					.09							.26	18
19		.05			.02	10		.09	·12		.11	.10	19
20						17			·18	.20		.32	20
21		.05					.01			.29		.10	21
22	.01	.04	.19									.66	22
23		.01	.20				.01					.96	23
24		·03					.19	.03					24
25				.05	1.80		.21	.16					25
26				.16			.15	.16		.08		.36	26
27			.14				.13	·09				·13	27
28				.26				·08					28
29							·35			.15			29
30			.03				.16	·42	.40				30
31												·02	31
Total	·48	·33	1·92	1·35	2·57	1·57	1·11	1·27	1·01	1·24	2·01	4·31	TOTAL for year 19·17
No. of Rain Days	9	7	13	7	6	5	8	9	5	9	9	19	105

9,000, IX. '10.

made

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Chearsley Hill Aylesbury
in the County of Bucks
by W. Bernard

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. 6 in.
" " " Sea Level 390 ft.
Time of Observation 9.30 A.M.
Nearest Railway Station
Name Haddenham
Distance 4 Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.28	.60		.80				.01			1
2	.02			.20	.17			.01			.25	.23	2
3					.20	.40				.03	.15	.03	3
4											.10	.35	4
5	.03			0.5				.23	.05				5
6	.02		.12									.28	6
7			.09								.30		7
8										.15			8
9	.10			.03								1.32	9
10	.08											.10	10
11	.02	.11	.22								.44	.08	11
12	.20		.46								.29		12
13			.04		.29				.26	.13			13
14			.02							.20		.54	14
15			.03								.08	.10	15
16		.04										.07	16
17			.10			.10					.29		17
18					.09							.26	18
19		.05			.02	10		.09	.12		.11	.10	19
20						17			.18	.20		.32	20
21		.05					.01			.29		.10	21
22	.01	.04	.19									.66	22
23		.01	.20				.01					.96	23
24		.03					.19	.03					24
25				.05	1.80		.21	.16					25
26				.16			.15	.16		.08		.36	26
27			.14				.03	.09				.13	27
28				.26				.08					28
29							.35			.15			29
30			.03				.16	.42	.40				30
31												.02	31
Total	.48	.33	1.92	1.35	2.57	1.57	1.11	1.27	1.01	1.24	2.01	4.31	TOTAL for year 19.17
No. of Rain Days	8	7	13	7	6	5	8	9	5	9	9	19	105

9,000, IX. '10.

[illegible] 10.11.13 130

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
11 JAN 1913

Kept at Chearsley Hill
in the County of Bucks 2
by W. P. Bernard

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level 395 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Haddenham
Distance 4 Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·21	·01		.06	·		.27	1
2			.26			·28	·59						2
3					12			·91					3
4	.21	Frost	.50		.27	·09				.22			4
5	.34		.15		.02	·31		·78					5
6						·25							6
7	.09					·29	·01						7
8			.10					.18	.05			.15	8
9						·19		.08				.20	9
10								.03			.21		10
11	.30		.0					.16			.04	.28	11
12	.15				.04	·07		.15					12
13											.07	.02	13
14		.95			.16								14
15		.05	.16		.33	·26						·17	15
16	.71		.10		.08			.22		.12	.04		16
17			.18			·18							17
18			.25					.13					18
19		.19					·11	.39					19
20	.82		.28				·21	.11		.18		·9	20
21		·05			.62			.13		.16			21
22	.32	.10	.11				·15						22
23	32	.56	.26				·35	.25					23
24	·17							.14			.18	.31	24
25						·10		.30			.27	.41	25
26								.37		.49	.30	.08	26
27		.05				·03				.36			27
28								.30			.25	.15	28
29	Frost	.04				·09				·70		~~.75~~	29
30						·02				.17			30
31					·20			.10					31
Total	3·43	1·90 1·90	2·43	·00	1·84	2·37	1·43	4·73	·11	2·40	1·36	2·94	TOTAL for year 24·94
No. of Rain Days	0	8	12	–	9	14	7	18	2	8	8	11	24·94

9,000, IX. '10.

Inside √

cod for anthy 23.1.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 JAN 1914

Kept at Chearsley Hill

in the County of Bucks 2

by W. Bernard

Lat. Long.

Time of Observation 9.30

Nearest Railway Station Haddenham

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	.40	·14	.17							.17		1
2		.8					.09		60				2
3					.85				03	·17			3
4	.02						.09				.05	.43	4
5	.29						.02			24			5
6		.18	.12		.30	.99			07	10			6
7						.04	.07	.10		.45			7
8		.02											8
9		·21							12		·14	.12	9
10					.13			07			·60		10
11	.38						32	.13			.17		11
12					.13					63			12
13											.85		13
14	06								05	7			14
15			.29	1.07			12						15
16			.31										16
17	.18		.04	.15			10						17
18			·09	.17									18
19	43						·07		34				19
20	.13		.11			.20				50			20
21			·10.				.06			05	·58		21
22	.46		.25						21				22
23								·13					23
24													24
25				.26									25
26		·18						.10		45		·34	26
27				.09						17			27
28				.15									28
29	.31		.39	.46	.47					12			29
30				.15									30
31								·14					31
Total	2·35	1·07	1·84	2·67	1·88	·46	·94	·67	1·42	2·95	2·56	·95	YEAR'S TOTAL 19·76
Rain Days.													19·76

FORM A.
BRITISH RAINFALL.

-9 MAY 1913

REG 12

Kept at Bishopst
B

in the County of

by A. G.

Long.

tion

uge 5 in.

ge above Ground 1 ft. — in.

„ Sea Level 350 ft.

Bucks
Beaconsfield – Bishopstone Cottage

1912 only

IMPORTANT NOT . and the result entered to the previous day. If an Ol t universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.04	.01			.09		.04				1
2		.01	.08			.16	.35	.07					2
3	.08		.13		.08	.22	.04	.31					3
4	.38		.62		.14	.24		.06					4
5	.38	.14	.16					.34					5
6	.46	.02			.01			.25	.01				6
7					.06	.49	.11	.15					7
8	.59	.29	.22			.17	.02	.22					8
9	.03	.24	.08	.06		.08	.03	.04					9
10		.03				.02		.52	.01				10
11	.11	.24				.28		.01					11
12	.06	.18	.15		.04		.02		.01				12
13		.01											13
14			.04		.01			.05					14
15	.04		.22		.27			.01					15
16	.34	.05	.12		.05	.52		.10					16
17	.30		.19			.09		.10					17
18	.32		.24					.14					18
19	.11	.13	.21				.31	.32					19
20	.02		.26				.01	.11					20
21	.01	.08	.39		.70			.14					21
22	.29	.18	.16		.07		.07	.24					22
23	.40	.30	.43					.41					23
24	.24					.01		.13					24
25						.25		.33					25
26		.04					.07	.33					26
27			.03			.10	.02						27
28		.02				.03	.10	.37	.16				28
29		.04		.01			.20	.19	1.60	{This all fell in 17 hours			29
30					.31	.15	.04	.01	.78				30
31			.19		.22		.32	.14					31
Total	4.16	2.00	3.96	.08	1.96	2.81	1.80	5.09	2.61				YEAR'S TOTAL
Rain Days.	18	17	20	3	12	15	16	27	7				

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
-9 MAY 1913

REG 12

Kept at Bishopstone Cottage Beaconsfield
in the County of Bucks
by A. G. Robins.

Lat. Long.
Time of Observation
Nearest Railway Station
4
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04	.01			.09		.04				1
2		.01	.08			.16	.35	.07					2
3	.08		.13		.08	.22	.04	.31					3
4	.38		.62		.14	.24		.06					4
5	.38	.14	.16					.34					5
6	.46	.02			.01			.25	.01				6
7					.06	.49	.11	.15					7
8	.59	.29	.22			.17	.02	.22					8
9	.03	.24	.08	.06		.08	.03	.04					9
10		.03				.02		.52	.01				10
11	.11	.24				.28		.01					11
12	.06	.18	.15		.04		.02		.01				12
13		.01											13
14			.04		.01			.05					14
15	.04		.22		.27			.01					15
16	.34	.05	.12		.05	.52		.10					16
17	.30		.19			.09		.10					17
18	.32		.24					.14					18
19	.11	.13	.21				.31	.32					19
20	.02		.26				.01	.11					20
21	.01	.08	.39		.70			.14					21
22	.29	.18	.16		.07		.07	.24					22
23	.40	.30	.43					.41					23
24	.24					.01		.13					24
25						.25		.33					25
26		.04					.07	.33					26
27			.03			.10	.02						27
28		.02				.03	.10	.37	.16				28
29		.04		.01			.20	.19	1.60	{This all fell in 17 hours			29
30					.31	.15	.04	.01	.78				30
31			.19		.22		.32	.14					31
Total	4.16	2.00	3.96	.08	1.96	2.81	1.80	5.09	2.61				YEAR'S TOTAL
Rain Days.	18	17	20	3	12	15	16	27	7				

W. 7,500, XI. 12

Dk ✓

REG 911

FORM A2. BRITISH RAINFALL.

23 JAN 1912

167

BUCKS

BLEDLOW RIDGE

1911 + 1912 ONLY

Kept at Bledlow

in the County of Buck

by L. R. Shorter

p in.

bove Ground ft. in.

„ Sea Level ft.

n { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·47				·01				·01	1
2	·02			·34	·20						·18	·18	2
3					·23			·03			·09	·07	3
4	·04	·03	·16							·06	·13	·73	4
5	·03							·14		·07	·02		5
6	·42		·04									·44	6
7	·03									·17	·33	·28	7
8	·13		·19								·23	·38	8
9	·15		·02	·01								·07	9
10	·06	·12	·28									·76	10
11	·32		·04		·55						·73	·02	11
12			·48		·19					·18	·52		12
13			·05		·12				·40	·01		·67	13
14		·08			·11							·44	14
15		·08	·06								·10		15
16						·17					·41	·16	16
17		·01				·14					·13	·39	17
18		·16	·02			·49					·21	·34	18
19						·49			·04	·17	·16	·16	19
20	·01	·08	·01					·13	·21	·03		·85	20
21		·20	·01					·07		·36		·12	21
22	·01		·01			·10				·04		·72	22
23		·16	·14			·35			·24			·20	23
24	·01	·15				·13		·08		·48		·12	24
25		·07		·10	1·15	·17		·10	·05				25
26		·03		·21	·26	·08				·14	·01	·35	26
27		·44	·15	·05			·14	·03	·15		·04	·16	27
28	·01	·39		·37				·07			·06		28
29				·01		·27	·40		·23	·34	·01		29
30			·01	·07	·07	·01			·04	·15		·02	30
31					·20								31
Total	1·24	2·00	1·67	1·63	3·08	2·40	·54	·66	1·36	2·20	3·36	7·64	TOTAL for year 27·78
No. of Rain Days	13	14	16	9	10	11	2	9	8	13	17	24	146

9,000, IX. '10.

Dk

167

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bledlow Ridge

in the County of Bucks 3

by L. R. Shorter

RAIN GAUGE	Pattern
	Diameter of top ... in.
	Height of top above Ground ... ft. ... in.
	„ „ „ Sea Level ... ft.

Time of Observation

Nearest Railway Station: Name ... Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·47				·01				·01	1
2	·02			·34	·20						·18	·18	2
3					·23			·03			·09	·07	3
4	·04	·03	·16							·06	·13	·73	4
5	·03							·14		·07	·02		5
6	·42		·04									·44	6
7	·03									·17	·33	·28	7
8	·13		·19								·23	·38	8
9	·15		·02	·01								·07	9
10	·06	·12	·28									·76	10
11	·32	—	·04		·55						·73	·02	11
12			·48		·19					·18	·52		12
13			·05		·12				·40	·01		·67	13
14		·08			·11							·44	14
15		·08	·06								·10		15
16						·17					·41	·16	16
17		·01				·14					·13	·39	17
18		·16	·02			·49					·21	·34	18
19						·49			·04	·17	·16	·16	19
20	·01	·08	·01					·13	·21	·03		·85	20
21		·20	·01					·07		·36		·12	21
22	·01		·01			·10				·04		·72	22
23		·16	·14			·35			·24			·20	23
24	·01	·15				·13		·08		·48		·12	24
25		·07		·10	1·15	·17		·10	·05				25
26		·03		·21	·26	·08				·14	·01	·35	26
27		·44	·15	·05			·14	·03	·15		·04	·16	27
28	·01	·39		·37				·07	—		·06		28
29				·01		·27	·40		·23	·34	·01		29
30			·01	·07	·07	·01			·04	·15		·02	30
31					·20								31
Total	1·24	2·00	1·67	1·63	3·08	2·40	·54	·66	1·36	2·20	3·36	7·64	TOTAL for year 27·78
No. of Rain Days	13	14	16	9	10	11	2	9	8	13	17	24	146

9,000, IX. '10.

8L

St BN

16-2

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

24 JAN 1913

Kept at Bledlow Ridge

in the County of Buckinghamshire 3

by GHP R. Shorter

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05										1
2		·01	·11										2
3	·14		·29		·23								3
4	·39		·64		·38								4
5	·24	·01	·28										5
6	·69	·10											6
7			·01		·04								7
8	·50	·34	·36										8
9	·08	·17	·04	·04									9
10		·04											10
11	·31	·26											11
12	·07	·28	·22		·01								12
13													13
14	·03		·08		·04								14
15	·03	·06	·26		·46								15
16	·32		·19		·10								16
17	·76		·25										17
18	·05		·24										18
19	·08	·10	·19										19
20	·06	·01	·35										20
21	·01	·07	·51		·46								21
22	·32	·22	·21		·07								22
23	·35	·45	·41		·01								23
24	·20												24
25													25
26		·08											26
27			·05										27
28		·04											28
29		·07											29
30					·19								30
31			·17		·12								31
Total	4·63	2·31	4·91	·04	2·11								TOTAL for year
No. of Rain Days.	19	17	21	1	12								

W. 8,000, X. '11.

DL

165

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

RE 1911

BUCKS
BUCKINGHAM – THE VICARAGE
1911 ONLY

Kept at Buckin

in the County of Bu

by Rev. P. P.

f top .... in.

p above Ground .... ft. .... in.

,, Sea Level .... ft.

tion { Name .... Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·28									1
2	·03			·38	·17		·02	·02					2
3					·23			·04					3
4	·03	·03											4
5	·03			·04				·22					5
6			·06										6
7	·34												7
8	·15		·15										8
9	·08												9
10	·06	·18	·30										10
11	·24							·01					11
12			·51										12
13			·10		·12								13
14			·04		·03								14
15		·11	·03										15
16						·01							16
17	·02		·09			·11							17
18		·26				·07							18
19		·09	·05			·21							19
20	·01							1·81					20
21		·07	·03					·01					21
22		·01	·01			·06		·08					22
23			·34			·11	·13						23
24		·18				·39		·03					24
25		·10	·02		1·11	·10		·01					25
26		·09		·26	·02	·04		·02					26
27		·28	·14	·01			·11	·09					27
28		·26		·37				·20					28
29				·07		·38	·05						29
30				·06		·05		·15					30
31					·16								31
Total	·99	1·66	1·88	1·47	1·83	1·53	·31	2·69					TOTAL for year
No. of Rain Days	10	12	15	8	7	11	4	13					

9,000, IX. '10.

DL

165

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Buckingham, The Vicarage

in the County of Bucks 5

by Rev. P. P. Goldingham

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·28									1
2	·03			·38	·17		·02	·02					2
3					·23			·04					3
4	·03	·03											4
5	·03			·04				·22					5
6			·06										6
7	·34												7
8	·15		·15										8
9	·08												9
10	·06	·18	·30										10
11	·24							·01					11
12			·51										12
13			·10		·12								13
14			·04		·03								14
15		·11	·03										15
16						·01							16
17	·02		·09			·11							17
18		·26				·07							18
19		·09	·05			·21							19
20	·01							1·81					20
21		·07	·03					·01					21
22		·01	·01			·06		·08					22
23			·34			·11	·13						23
24		·18				·39		·03					24
25		·10	·02		1·11	·10		·01					25
26		·09		·26	·02	·04		·02					26
27		·28	·14	·01			·11	·09					27
28		·26		·37				·20					28
29				·07		·38	·05						29
30				·06		·05		·15					30
31					·15								31
Total	·99	1·66	1·88	1·47	1·83	1·53	·31	2·69					TOTAL for year
No. of Rain Days	10	12	15	8	7	11	4	13					

9,000, IX. '10.

REGI

11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

BUCKS.
CHALFONT ST GILES - THE STONE
1911 - 1919

Kept at The Stone Cha

in the County of Bucks

by Colonel R W Muffy

5 in.

ve Ground 1 ft.

, Sea Level 270 ft.

f.c.

Name Chalfont Road

Distance 3 m. Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·46				·03			·01		1
2	·08			·31	·19						·24	·15	2
3	·01	·01		·01	·18			·01			·12	·08	3
4	·03	·03	·09	·14						·05	·20	·41	4
5	·02	·01		·02				·01		·09	·01	·03	5
6	·40		·10									·38	6
7	07		·06	·02						·20	·30	35	7
8	16		22								·18	·19	8
9	·08		·09	·02							·03	·05	9
10	·04	·06	22								·05	·49	10
11	25		·01		·39						·69	·01	11
12	·01		·53		·07						·37	·01	12
13			·04		·05				·50	·18	·01	·65	13
14		·05	·02		·24							·38	14
15		·06	·14							·04	·07	·02	15
16						·18					·44	·08	16
17		·01	·06			·25					·22	·28	17
18		·16	·01			·23					·32	·37	18
19						·40			12	·05	·27	·07	19
20	·02	·07	·01					·27	·27	·05		25	20
21	·01	·15				·01		72		·49		·11	21
22	·04		·01			·14				·10		67	22
23	·01	·10	·11			·45			·21		·62	·14	23
24		17	·01			·11		·02		72		17	24
25		·08	02	007	·12	·16	·07		·01			·01	25
26		·03		·18	·05	·03	·01	·01		·14	·03	·37	26
27		40	·07	·03			·05	·01	·16		·01	·18	27
28		39		29	·02			·08			10	·01	28
29				·07		·21	·08		·25	39			29
30					·05	·03		·21	·01	·20			30
31					·05								31
Total	1·27	1·78	1·82	1·63	1·45	2·20	·21	1·37	1·53	2·70	3·69	6·48	TOTAL for year 26·13
No. of Rain Days	15	16	19	13 12	11	12	4	16	8	13	21	27	169 168

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Stone Chalfont St. Giles
in the County of Bucks 4
by Colonel R W [illegible]

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 270 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Chalfont Road
Distance 3 m Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·46				·03			·01		1
2	·08			·31	·19						·24	·18	2
3	·01	·01		·01	·18			·01			·12	·08	3
4	·03	·03	·09	·14						·05	·20	·41	4
5	·02	·01		·02				·01		·09	·01	·03	5
6	·40		·10									·38	6
7	07		·06	·02						·20	·30	35	7
8	16		22								·18	·19	8
9	·08		·09	·02							·03	·05	9
10	·04	·06	22								·05	·49	10
11	29		·01		·39						·69	·01	11
12	·01		·53		·07						·37	·01	12
13			·04		·05			[illegible]	·50	·18	·01	·65	13
14		·05	·02		·24							·38	14
15		·06	·14							·04	·07	·02	15
16						·18					·44	·08	16
17		·01	·06			·25					·22	·28	17
18		·16	·01			·23					·32	·37	18
19						·40			12	·05	·27	·07	19
20	·02	·07	·01					·27	·27	·05		79	20
21	·01	·15				·01		72		·49		·11	21
22	·04		·01			·14				·10		67	22
23	·01	·10	·11			·45			·21		·02	·14	23
24		17	·01			·11		·02		72		17	24
25		·08	02	007	·12	·16	·07		·01			·01	25
26		·03		·18	·05	·03	·01	·01		·14	·03	·37	26
27		40	·07	·03			·05	·01	·16		·01	·18	27
28		39		29	·02			·08			10	·01	28
29				·07		·21	·08		·25	39			29
30					·05	·03		·21	·01	·20			30
31					·05								31
Total	1·27	1·78	1·82	1·63	1·45	2·20	·21	1·37	1·53	2·70	3·69	6·48	TOTAL for year 26·13
No. of Rain Days	15	16	19	~~13~~ 12	11	12	4	10	8	13	21	27	~~169~~ 168

9,000, IX. '10.

[illegible]

REGISTER OF 9 RAINFALL IN 1911 30

16X. 1800

FORM A1. BRITISH RAINFALL.

2 - JAN 1912

Kept at [illegible]

in the County of [illegible] 4

by [illegible]

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 296 ft.

Time of Observation 9 a

Nearest Railway Station
Name [illegible]
Distance 32 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total	1·20 ~~2·54~~	1·54 ~~3·16~~	1·77 ~~1·66~~	1·58	1·48 ~~2·33~~	2·16	·24 ~~1·04~~	1·39 ~~2·18~~	1·53 ~~·48~~	2·66	3·76	6·62	TOTAL for year ·23
No. of Rain Days				158		2·16				2·66			26·23

Large gauge. late ~~[illegible]~~ once a month

Total 26·23

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

Ex DS

REGISTER OF RAINFALL IN 19 12

FORM A. BRITISH RAINFALL. 1 JAN 1913

Kept at The Stone · Chalfont St Giles
in the County of Bucks 4
by Colonel R W Phipps late Royal Artillery

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Chalfont Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05	·01		·04			·06	·28		·16	1
2		·02	·10			·07	·36	·01				·01	2
3	·06		·12		·08	·23	·04	·33	·03			·11	3
4	·39		·65		·14	·21		·03			·30		4
5	·24	·08	·20			·01		·49				·02	5
6	·61	·04			·01			·20			·01	·09	6
7	·01	·01			·04	·59	·07	·24	·01			·13	7
8	·55	·27	·19	·01			·02	·08				·05	8
9	·06	21	·08	·03		·18	·03	·06				·31	9
10	·01	·03				·03		67		·01	·13	·17	10
11	10	·21				·01		·01			·01	·18	11
12	·05	·20	·15		·04	·15	·05				·09		12
13	·01	·01	·01			·02				·01	·11	·03	13
14			·08		·02			·01		·08	·01	·03	14
15	·02	·04	·66		·21	·44		·03			·01	·24	15
16	·25	·01	·11		·06	·04		·14		·14	·10		16
17	·46		·21			·09		·12					17
18	·04		·19					24				·13	18
19	·10	·11	·21			·01	·42	·46					19
20	·04	·01	·17				·03	·15		·43			20
21	·01	·08	·52		·55			·13		·12	·08		21
22	·26	·21	·46		·06		·07	·17			·01	·05	22
23	·41	·31	·41		·01		·01	·47			·18	·19	23
24	·19	·02				·01		·08				·15	24
25						·26		·35		·01	·33	·62	25
26		·03					·08	·27		·56	·56	·21	26
27			·03			·10	·04			·19		·24	27
28		·02				·16	·02	·20	·12	·57	·48	·23	28
29		·04		·02		·24	·14	·34	1·62	·15	·03	·01	29
30					·41		·08	·07	0·86	26			30
31			·18		·02		·29	·21		·03		·09	31
Total	3·87	1·96	3·93	·07	1·65	2·89	1·75	5·56	2·70	2·84	2·44	3·45	YEAR'S TOTAL ~~33~~·11
Rain Days.	21	21	21	4	13	20	16	27	6	14	16	23	33·11 ~~20~~ 2

W. 7,500, XI. 12

FORM A. BRITISH RAINFALL.

- 2 JAN 1914

REGISTER OF RAINFALL IN 1913

4

Kept at The Stone Chalfont St Giles

in the County of Bucks

by Colonel R W Phipps

Lat. Long.

Time of Observation 9 Am

Nearest Railway Station Chalfont Road [illegible]

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·15	·10	·10		·01			·20		·15	·05	1
2	·02	·12	·02	·06			·08		·02	·39	·06	·07	2
3	·06		·01	·16	·56					·03		·12	3
4	42		·01	·01	·04		·09			·04	·06	·17	4
5	16				·05		·09		·25	·03	·02	·07	5
6		·04	·06		·11	·13	·15		·01	·48	·01	·16	6
7	·01	·15			·08	·08		·05		·33	·07	·01	7
8					12	·15	[illegible]			·13	·10		8
9		·19			·02	·01	·02		·05		·03	·03	9
10	·01		·05	·08			39	·10			·37		10
11	·59			·48	·08			·22		·75	·32		11
12		·01			·04					·01	·35		12
13			·01	·01					·07		·28		13
14	·10		·11	·09			·16	·07	·04	·11	·06		14
15	·26	·05	·34	·47			·25		·12				15
16	·10		·45	·12					·03		·01		16
17	·03		·10	14			·11				·03	~~·05~~	17
18	·03		·30	15	·01		·02		·01		·03	~~·01~~	18
19	·68		·05	·02	·01		·13		26				19
20	·15		·06	·07			·02	[illegible]		·31	·01		20
21	·01		·19	·03	·04					·09	·55		21
22	54		·23	·05	[illegible]			·05	·21	·01			22
23			·02			·02		·01	·02		·01	·13	23
24			·01	·06		·01		10					24
25			14	26								·01	25
26		·06		·17				·09		·47	·01	26	26
27	·03	·04	·04	·06						·01			27
28	·30		28	·18						·12	[illegible]	·01	28
29	·02		·08	·42	·35			·06		·16	[illegible]	·03	29
30	33			·01				·05		·23	08		30
31	·01		·13					·29		·02			31
Total	3·86	·81	2·79	3·20	1·51	·41	1·57	1·41	1·47	3·82	2·61	1·16	YEAR'S TOTAL 24·26
Rain Days.	22	9	23	23	13	7	12	17	13	19	21	15	188

W:7,000, XI. 13

Exc. M.G.

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at The Stone Chalfont S Giles

in the County of Bucks 4

by Colonel R Phipps late Royal Artillery

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Chalfont Road

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·01		·11			·05	·03	1
2							·09	·25			·07	15	2
3			·04	·02	·24			·11			·18	·04	3
4	·20		·02	29	09		·31	·19			·32	·59	4
5	·04	[illegible]	·15	·14	·08	·09		24			47	·03	5
6		·15	·02	·01	·07	·12		·06				·21	6
7		·28	·38	·09	78	·03	·42	·01				·22	7
8	·12	·17	·74	·04	·09	·13	·09	·15				·01	8
9	20	·01	·60	·09		·39	44	·02	·06			1·62	9
10		·11	·01	09	·10				·23			·01	10
11		·30	56	·01	·01	52			·02		·32	·26	11
12	·03	·09	·14				·18		33		·03	38	12
13		·36	·16						·20	·04	11	52	13
14		·15	·45				·06		01	28	·15	36	14
15	·07	·08	·23				·02	·02	·02	·04	·05	·04	15
16			·04				·10		·15		·63		16
17		·47	·13						19			·26	17
18		·01	·09								·01	42	18
19		·09	25			·02	·16				·12	·11	19
20		·35	·16									·14	20
21		·65	·06				·01	·01	~~·06~~	06 ~~·01~~		·06	21
22		·04	·03		·06	·09	·12	·04	[illegible]	78			22
23		·17	·17		12	·02	·01		[illegible]	·66		·01	23
24			·04		·04					18	·13		24
25	·05		·16				·02	·18		40	·01	·10	25
26			·04				·04	·06		·05	·27	61	26
27	·03		·01								·05	·29	27
28		·06								·02	·41	1·36	28
29	·07		21							26	·10		29
30	·02	✕	·09							·08	42	31	30
31		✕		✕	·03	✕	·07		✕		✕	·05	31
Total	·83	3·54	4·92	·78	1·71	1·42	2·14	1·45	1·21	2·25	3·30	8·19	YEAR'S TOTAL 31·74
Rain Days.	10	18	27	9	12	10	16	14	9	12	20	27	184

W. 8,000. X. 14.

1083

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Stores Chalfont St Giles

in the County of Bucks

by Colonel R W Phipps Cdt. R.C

4

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Chalfont Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·66	·18	·07		·03		·04	10	12	·07	13	·38	1
2	·10	·26	36	·08		·03		99	·01	·08		·19	2
3	·55	·01	06	·09			·05	1·14	·04			32	3
4	·64									·01		·41	4
5	·03	·43		·04	·11			·02		·01		28	5
6	·22	11	·01	·32			65	·04				13	6
7	·10	42	·08				·26	·04				28	7
8	·07	53	·03	·04			·02	·07			·01	·01	8
9	·02	·08		14		·02		·08			·20	71	9
10	37	·01	·02					·08				·07	10
11	·03		·04					·06		·01	85	·02	11
12	·09	·03		28	·45			31		·01	47	·02	12
13	·01	49			1·28			16					13
14		·04					76		·08			·79	14
15	23	·02			·04			24			·13	·16	15
16		·49			01		80	·07				·06	16
17		36			73		·03						17
18		15	·12		·06								18
19		·02			·01		14						19
20	·47			·06								22	20
21	·08	·03			·16		·02					·08	21
22	·89	·14	·34				79		·03			18	22
23	·02	·31	·05				27		12	·54		29	23
24			·06			·01	·05		74	·21		25	24
25				·03		·03	·04			·05		·09	25
26		·11				·04	18		·02			55	26
27		·01				·15	27			·42	·05	·08	27
28		·07				·09	01		1·20	·11		·01	28
29							·05	13		·01	·15	·01	29
30	·04	×				16		·05		·14	·15	·06	30
31	·02	×		×		×			×	1·19	×	18	31
Total	4·04	2·30	1·24	1·08	2·88	·53	4·43	3·58	2·36	2·86	2·14	5·83	YEAR'S TOTAL 35·27
Rain Days.	20	23	12	9	10	8	18	16	9	14	9	27	175

W. 8,000. X. 15.

End FW

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Pl Stone Chalfont S Gile
in the County of Buck
by Colonel R Murphy for Ost Rd Crolle

Lat. Long.
Time of Observation 9 a.
Nearest Railway Station Chalfont-Latimer
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	12				29	·01			·17	·02	·38		1
2	52	·05	·13		13				·10	52	·03		2
3	·01	·61	·04		·01				·09	·37	19		3
4	31	·05				·43	20		·08	·23	55		4
5	·03	·03			·07	·14				·10	58		5
6	·01		·47	·20	·02	·05	·43		[illegible]	·05	50		6
7	12	·03	27		11	·04	39				53	·02	7
8		·05	·01		31					·02	·61	36	8
9			·08		·31	·12				·12		·09	9
10		21		·06		11	·13			·01	·01	·02	10
11	·06	10	·08	·17	·01	32						·08	11
12	·03	·05	·07	·01	22	·13	·08	·13		·09			12
13		·44	·37	17		·10	49	·52	·02	·02			13
14		·55		·01	·10		[illegible]	20		·07		·10	14
15		19	·27				·04	14		·02			15
16	·01	·02	·46	·14	·02		27	·29					16
17	·11	·09		·07				40	38	·51			17
18	·01	12	04	·21				·40	·13	·18	78	·02	18
19	12	·01	20	·34				·05	·46		60	·07	19
20	19		25 5	·02							·02	57	20
21	·07		72				·02					36	21
22		·05	·02		·04			[illegible]		·04		51	22
23	·03	·45				·05		·03		·05	·04	·09	23
24		·06			·11	·28		·03		·21	·05	40	24
25		73	·10					·13		·31	·15		25
26	·01	·14	·01			·12		·07	·01	·11			26
27	·08	·06	·82					32	·09	13			27
28	·01	·37	·29			·01		·05	·12	·03		·22	28
29		·08	[illegible]			26		1·41	·01	·52	·03	·18	29
30		X		·03	·02	·02		·02		·37			30
31		X		X		X		·06	X	·11	X	·02	31
Total	1·85	4·54	4·70	1·43	1·67	2·19	2·05	4·25	1·66	4·11	4·48	3·11	YEAR'S TOTAL 36·04
Rain Days.	19	24	20	12	15	16	9	17	12	25	16	16	201

W. 8,000, VIII. 16

201

1022

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at The Stone Chalfont St Giles
in the County of Bucks
by [illegible]

Lat. Long.
Time of Observation 9 a.
Nearest Railway Station Chalfont Lat.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ~~270~~ 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·31				·71	·06		·09	·02	1
2				·29		·09		10			·06		2
3				·05		–		51		36	·06		3
4		27	·11				·01	15		37		·02	4
5	31		·02	19					10	11	·12		5
6	·01		13	·07		·05			·11	·02	·10		6
7	33						20			32		·03	7
8	34			11			84	28		30	21	·10	8
9	·02		·04	·07			·01	25	·01		11	07	9
10	28		21	·27				10			·06	·02	10
11	11		45	·05						57			11
12	·07		·02	·02				·07		58			12
13	12		·08					·11	·03				13
14				29				·08		·08			14
15							07	·01		·05			15
16	·05	·13		26	12	1·83				91	[illegible]	46	16
17		·02		14	70	·01	29	·11	47	38			17
18		·07		·09	13	·27	13	62	46	·03			18
19	·04	20	·01			·03		[illegible]	35				19
20	·04	·16	07		59	·03	·02	·13			·09		20
21					·04	·17				04			21
22		·01	·11					·04		·07	·01	·02	22
23		12			06	·03		18					23
24		·03				·07		·03		41		·01	24
25		·03	·07			·06	·02			·02	14	·02	25
26			·05					37	09		24		26
27	·01		[illegible]			·10		75				·03	27
28			·02			1·23		27				·02	28
29			[illegible]		32	·03	·70	·03		·41		·16	29
30		X	·10				1·27	17				·01	30
31	·03	X	·04	X		X	·41	·02	X	·01	X	·01	31
Total	1·76	1·04	1·54	2·15	1·96	4·60	3·97	4·49	1·68	4·91	1·29	1·00	YEAR'S TOTAL 29·79
Rain Days.	14	10	17	14	7	14	12	23	9	19	12	15	166

W. 8,000, IX. 17.

24

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at The Stone Chalfont St G

in the County of Bucks

by Colonel R W Whyte

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Chalfont St G

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

3.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·05		·37				·29		·07	24	[illegible]	1
2		·10		·17				·29		·07	·21	[illegible]	2
3		·02	·07	·06	·64			·03	07	·01	·54 ·52	·02 [illegible]	3
4		·08	·06	·05				03	43		48	·02	4
5		·07			13			·08	·06	·13		·01	5
6	·13	·20		·28	·16			·02				·11	6
7	·01	·16		·19	·12			·01	·19	·28	·16 ·47		7
8				·02					·12	·09	06	·02	8
9	·02	·04		·07		·18	32		·37	21		·18	9
10	·01	·01		·09			50		·12	·02		·33	10
11				·02	·12 ·82		28		·19	44	·04 ·02	·11	11
12		·11			24		18					·02	12
13	·01				13		·24 22					·15	13
14	·22			·03	·01	·19	·06		54	25		·28	14
15	1·04			1·08		·03	·28		·01	·01	·01	10	15
16	·19	·01	·01	·32	·04	·05	·01		1·78			·02 ·02	16
17	·30			·26		[illegible]	39	·05	·02			·11	17
18	58			·01		·34	·34 ~~24~~	~~·01~~	28	·13		·08	18
19	·08	·02	·06			·00	·24	·04		·05	·01	·09	19
20	·02	·17		·74		·04	·06		·14	·13	·01		20
21	·08	·02		99		~~22~~	28		·39	·02		·02	21
22	·12			·01	35	52	52		·18			·20	22
23	·07	20			47	·02	·02	·02	·05 05		·01	·02	23
24						·04	·07		09		·14 ·12		24
25						·02	32	·25		·			25
26						~~21~~	·21	·02		·04	27	·19	26
27			·01	·03		·[illegible]	·18	·32	06		11	·06	27
28		·02	·22	·02				·04	[illegible]			-	28
29			·01						1·32		45	·25	29
30		X	40						08		·05	·09	30
31	·02	X	·05	X		X		·02	X	10	X	·01	31
Total	2·93	1·42	·84	4·77	2·41 ✓	·92	4·44	1·37	5·91	1·72	2·43	2·21	YEAR'S TOTAL 32·01 ~~301~~
Rain Days.	17	16	9	20	11	8	19	14	21 ~~24~~	17	12	26	194

14

W, 6,500, VII. 18. W W O

82

W 82 c

Dec from A.

963
~~133~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at The Stone, Chalfont St. Giles

in the County of Buckinghamshire

by R. W. Phipps

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·58			·01	·18		23			·02	·03	1·33	1
2	·24				·09		·07	·02	·10	·11	·12	·29	2
3	·38		·35		·02		·07		·03			·34	3
4	·12		·43			·08	·16	·05	·10		·06	16 ~~·15~~	4
5	·02	·35	·92				·06		·35			37 ~~·32~~	5
6	·06		·13		·02						·06	06 ~~·10~~	6
7	·08		·54										7
8	·17		·07	·02									8
9	·01			·06							·06		9
10	·08		·18	·02						·01		13 ~~·11~~	10
11	·05		·10	·22	·01		·21				·08	03 ~~·05~~	11
12	·01		·07	·03		·10	·06			·03	·02		12
13	·01			·40			·02			·12		03 ~~·01~~	13
14	·34	·03		·51			·04		·41			~~·01~~	14
15	·34	·03	·13	·30								~~·[illegible]~~	15
16	·09	·75		·02							·13	53 ~~·02~~	16
17		·42		·01							·29	03 ~~·02~~	17
18		·31	·14				·04	·04	·08		·14	08 ~~·07~~	18
19	·07	·19	1·14			·19	·63	·13			·22		19
20	·44	·08	·05			·58	·02	·23	·01				20
21	·28	·40	·02				·16	·01			·03	08 ~~·07~~	21
22		·25					·09		·46		·03	·40 ~~·35~~	22
23								·03	·13	·10		~~·03~~	23
24				·10		·01	·08	·06		·31	·15	·02 ~~·02~~	24
25				·07		·05		·63		·01		·06 ~~·05~~	25
26	·13	·25	·21	·06			·01	·02	·10			·52 ~~·55~~	26
27	·85	·03		1·01				·49			·01	·03 ~~·02~~	27
28			·21	·03				·60			·37	·31 ~~·29~~	28
29	·02		·01	·12				·19		·21	·05	·02 ~~·01~~	29
30		✕		·21		·12		·08		·03	·37	·72 ~~·67~~	30
31	·03	✕		✕		✕	·02		✕		✕	– ~~·01~~	31
Total	4·40	3·09	4·70	3·15	·32	1·13	1·97	2·58	1·77	·95	2·22	5·54 ~~[illegible]~~	YEAR'S TOTAL 31·82 ~~25·83~~
Rain Days.	23	12	~~18~~ 17	18	5	7	17	14	10	10	18	21	172

W, 6,500, VII. 18. W W C

~~W.~~ 1606 963

7 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Stow Clchs [illegible]

in the County of Bucks

by Col R W Moff

Lat. Long.

Time of Observation 10

Nearest Railway Station Chn [illegible]

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	58			·01	·18		23		~~·10~~	·02	·03	1·33	1
2	24				·09		·07	·03	·08	11	·14	29	2
3	38		·35		·02		·07		·08			34	3
4	12		43			·08	·16	·05	·10		·06	16	4
5	·02	35	92				·06		·35			37	5
6	·06		13		·02						·06	·02	6
7	·08		·54										7
8	17		·07	·02									8
9	·01			·06							·06		9
10	·08		·14	·02						·01		13	10
11	05		·10	22	·01		·21		~~·01~~		·08	0·3	11
12	·01		·07	·03		·10	·06		~~·42~~	·03	·62		12
13	·016			40			·02		~~·40~~	42		·03	13
14	34	·63		51			·64		41	[illegible]			14
15	34	·03	13	·30									15
16	·09	75		·02							·13	53	16
17		24		·01							78	03	17
18		31	·14				·04	·04	·08		78	08	18
19	07	19	1·14		~~·32~~	·19	·07	·23			34		19
20	44	·08	·05			58	·02	·23	·01				20
21	98	40 ~~·29~~	·62				·16	·01			·03	·08	21
22		25					·09		·46		·03	·20	22
23								·08	·73	40			23
24				13		·01	·08	·06		31	·15	·02	24
25	~~·13~~			·02		·05	~~·41~~	·13		·01		·06	25
26	·03	·25	·21	·06			[illegible]	·22	·20			52	26
27	85	·03		1·01			[illegible]	49			·01	·03	27
28			·21	·03			69	60			39	·31	28
29	02		·01 ~~·04~~	·12			[illegible]	·19		21	·05	·02	29
30		✕	~~·04~~	·21		12		·05		·03	[illegible]	72	30
31	·03	✕		✕		✕	·02		✕		✕		31
TOTAL	4·40 4·20	3·09 3·09	4·70 2·70	3·15 3·15	·32 ·32	1·13 1·93	1·99 1·97	2·58 2·58	1·77 1·77	·95 95	2·22 2·23	5·54 [illegible]	YEAR'S TOTAL 31·82
Days with ·01 in. or more	2·59	3·09	12·49	35·12	35·33	16·99	19·98	21·607	21·77	91·42	23·2·9	32·01	Jan to [illegible]

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

23 12 17 18 5 7 17 14 10 10 Jan to Dec [illegible] 18 21 172

Snabe

BOURNE END
THE BOURNE
BUCKS
1911 - 1920

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RE N 1911

Kept at The Bourne

in the County of Bu

by A. Mor

rn Snowdon.
eter of top 5 in.
t of top above Ground 1 ft. 9 in.
" " Sea Level 245 ft.
vation 9 a.m.
ay Station { Name Bourne End. Distance 3/4 mile Direction N.NE

IMPORTANT NOT a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	0.11	-	-	-	-	-	-				1
2	rain on 2nd 6th inclusive	-	-	0*.83	0.34	0.38	-	-	-		0.23	0.11	2
3		-		*recorded on 6th inst	-	-	-	-	-				3
4		-	-	-	-	-	-	-	-	0.16		0.51	4
5		-		-	-	-	-	-	-	0.08	0.13		5
6	0.52	-	0.15	0.06	-	-	-	-	-			0.61	6
7	-	-	-	-	-	-	-	-	-	0.21 ~~0.12~~			7
8	-	-	-	-	-	-	-	-	-		0.38		8
9	-	-	-	-	-	-	-	-	-			0.50	9
10	0.45	0.20	-	-	-	-	-	-	-			0.41	10
11	-	-	0.40	-	0.05	-	-	-	-		0.60		11
12	-	-	0.50	-	0.60	-	-	-	0.55		0.34	0.11	12
13	-	-	-	-	-	-	-	-	-	0.32			13
14	-	-	-	-	0.25	-	-	-	-				14
15	-	-	0.20	-	-	-	-	-	-		0.10	0.80	15
16	-	-	-	-	-	0.13	-	-	-		0.48	0.10	16
17	-	-	-	-	-	0.12	-	-	-		0.14	0.31	17
18	-	0.28	-	-	-	0.34	-	-	-		0.30	0.26	18
19	-	-	-	-	-	0.44	-	-	0.21	0.12	0.20	0.44	19
20	-	-	-	-	-	-"	-	0.25	0.36	0.02		0.34	20
21	-	-	-	-	-	-	-	0.22	-	0.50		~~0.74~~	21
22	-	-	-	-	-	0.12	-	-	-			0.74	22
23	-	0.15	0.25	-	-	-	-	-	0.20			0.13	23
24	-	-	-	-	-	0.12	-	-	-	0.77		0.08	24
25	-	0.15	~~0.15~~	0.08	0.24	0.22	-	-	0.01				25
26	-	-	-	0.14	-	-	-	-	-	0.13		0.34	26
27	-	0.60	~~0.60~~	-	0.14	-	-	-	0.12		0.12	0.13	27
28	-	-	-	-	-	-	-	0.12	-				28
29	-	-	-	-	-	-	-	-	0.27	0.33			29
30	-	-	-	-	-	0.27	-	0.12	-	0.13			30
31	-	-	-	-	-		-	-	-				31
Total	.97 0.98	1.38	1.61	1.11	1.62	2.14	-	0.71	1.72	2.77	3.02	5.92	Total for year 22.97 22.98
No. of Rain Days.	~~2~~ 7	5	6	4	6	9	0	4	7	11	11	17	

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Bourne Bourne End.

in the County of Bucks. 3

by A. Morse.

RAIN GAUGE
Pattern Snowdon.
Diameter of top 5 in.
Height of top above Ground 1 ft. 9 in.
" " " Sea Level 245 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bourne End.
Distance 3/4 mile Direction N.NE
Train " " –

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.11	-	-	-	-	-	-				1
2	rain on 2nd–6th in drum	-	-	0*.83	0.34	0.38	-	-	-		0.23	0.11	2
3		-		*recorded on 6th inst	-	-	-	-	-				3
4		-	-	-	-	-	-	-	-	0.16		0.51	4
5		-		-	-	-	-	-	-	0.08	0.13		5
6	0.52	-	0.15	0.06	-	-	-	-	-			0.61	6
7	-	-	-	-	-	-	-	-	-	0.21 ~~0.12~~			7
8	-	-	-	-	-	-	-	-	-		0.38		8
9	-	-	-	-	-	-	-	-	-			0.50	9
10	0.45	0.20	-	-	-	-	-	-	-			0.41	10
11	-	-	0.40	-	0.05	-	-	-	-		0.60		11
12	-	-	0.50	-	0.60	-	-	-	0.55		0.34	0.11	12
13	-	-	-	-	-	-	-	-	-	0.32			13
14	-	-	-	-	0.25	-	-	-	-				14
15	-	-	0.20	-	-	-	-	-	-		0.10	0.60	15
16	-	-	-	-	-	0.13	-	-	-		0.48	0.10	16
17	-	-	-	-	-	0.12	-	-	-		0.14	0.31	17
18	-	0.28	-	-	-	0.34	-	-	-		0.30	0.26	18
19	-	-	-	-	-	0.44	-	-	0.21	0.12	0.20	0.44	19
20	-	-	-	-	-	- "	-	0.25	0.36	0.02		0.34	20
21	-	-	-	-	-	-	-	0.22	-	0.50		~~0.74~~	21
22	-	-	-	-	-	0.12	-	-	-			0.74	22
23	-	0.15	0.25	-	-	-	-	-	0.20			0.13	23
24	-	-	-	-	-	0.12	-	-	-	0.77		0.08	24
25	-	0.15	~~0.15~~	0.08	0.24	0.22	-	-	0.01				25
26	-	-	-	0.14	-	-	-	-	-	0.13		0.34	26
27	-	0.60	~~0.60~~	-	0.14	-	-	-	0.12		0.12	0.13	27
28	-	-	-	-	-	-	-	0.12	-				28
29	-	-	-	-	-	-	-	-	0.27	0.33			29
30	-	-	-	-	-	0.27	-	0.12	-	0.13			30
31	-	-	-	-	-		-	-	-				31
Total	0.98 .97	1.38	1.61	1.11	1.62	2.14	-	0.71	1.72	2.77	3.02	5.92	TOTAL for year 22.98 22.97
No. of Rain Days.	8 7	5	6	4	6	9	0	4	7	11	11	17	

W. 8,000, X. '11.

Ex 05

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
8 - JAN 1913

Kept at Bourne End

in the County of Bucks. 3

by C. Morse

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 240 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Bourne End
Distance 3/4 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	0.01	0.02		0.01	~~0.3~~ .		0.07	0.28	0.02		1
2	.	.	0.04	.			0.38	0.05		0.04			2
3	-	.	0.18	.		0.10	0.03	0.39	0.01		0.03		3
4	.	.	0.46	.	0.14	0.51		0.04			0.26		4
5	0.83	0.13	0.13	.	0.01			0.39	0.03			0.01	5
6	0.36	0.03	.	.				0.23				0.09	6
7	.	.	.	.	0.07	0.47	0.04	0.30				0.05	7
8	0.63	0.32	0.29	.				0.24				0.16	8
9	0.02	0.16	.	0.01		0.67	0.03					0.17	9
10	0.13	0.03	.	.		0.06		0.76	0.01		0.07	0.16	10
11	-	0.38	-	.		0.03		0.02			0.05	0.14	11
12	.	0.03	0.13	.	0.05	0.43	0.04				0.12	0.01	12
13	.	0.01	.	.						0.05	0.10		13
14	.	.	0.06	.				0.02					14
15	.	0.05	0.16	.	0.38	0.49		0.02		0.02			15
16	.	.	0.11	.	0.11			0.04		0.12	0.07		16
17	0.61	.	0.05	.		0.16		0.04				0.12	17
18	0.44	.	0.31	.				0.12					18
19	0.12	0.15	0.21	.			0.08	0.33			0.01		19
20	0.01	0.01	0.26	.			0.02	0.15		0.34			20
21	.	0.05	0.38	.	0.72			0.09			0.05		21
22	0.31	0.15	0.33	.	0.27		0.06	0.20				0.02	22
23	.	0.31	0.23	.	0.01		0.16	0.39			0.17	0.17	23
24	0.62	.	.	.				0.10				0.10	24
25	.	.	.	.		0.17		0.26		0.05	0.27	0.52	25
26	.	0.03	.	.			0.06	0.27		0.53	0.30	0.15	26
27	.	.	0.05	.		0.11	0.09	0.04		0.19		0.19	27
28	.	0.04	.	.		0.19	0.04	0.34	0.15	0.47	0.61	0.24	28
29	.	0.06	.	.		0.70	0.15	0.12	1.69	0.16			29
30	.		.	.	0.25		0.02	0.03	0.78		0.15		30
31	.		0.17	.	0.10		0.32	0.15				0.07	31
Total	4.08	1.93	3.56	0.03	2.11	4.10	1.52	5.13	2.74	2.25	2.26	2.37	TOTAL for year 32.10
No. of Rain Days.	11	17	19	2	11	14.	15	27	7	11	15	17	166

W. 8,000, X. '11.

[illegible]

REGISTER OF RAINFALL IN 1913

3

FORM A.
BRITISH RAINFALL.
3 JAN 1914

Kept at Bourne End
in the County of Bucks.
by A. Morse

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bourne End
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.22	0.07	0.14					0.10		0.10	0.10	1
2	0.06	0.09					0.05			1.52	0.07		2
3	0.01		0.05	0.23	0.50					0.02		0.11	3
4	0.33				0.07		0.09			0.17	0.04	0.09	4
5	0.14				0.03	0.02	0.09		0.35	0.01	0.01	0.02	5
6		0.03	0.02		0.13	0.11			0.01	0.60			6
7		0.07			0.13	0.06		0.19		0.26	0.05		7
8					0.10	0.11				0.06	0.06		8
9		0.25			0.02	0.01			0.07		0.04		9
10	0.07		0.07	0.07			0.07	0.04			0.45		10
11	0.54			0.46	0.16			0.02			0.34		11
12		0.02			0.15					0.70	0.27		12
13	0.04		0.01	0.01					0.01		0.30		13
14	0.04		0.07					0.06					14
15	0.25	0.05	0.23	0.39			0.13		0.22				15
16	0.15		0.31	0.13					0.06				16
17			0.08	0.05			0.09					0.05	17
18			0.23		0.01				0.05	0.12			18
19	0.65			0.08		0.04	0.11		0.50				19
20	0.09		0.04	0.05	0.06	0.08				0.30			20
21			0.14	0.06			0.05			0.07	0.60		21
22	0.72		0.20					0.05	0.24				22
23	0.01		0.01			0.05					0.01	0.21	23
24				0.05									24
25		0.05		0.02						0.02			25
26			0.14	0.09				0.10		0.45		0.11	26
27			0.04	0.06	0.02					0.07	0.02		27
28	0.32		0.30	0.12						0.07			28
29	0.01		0.06	0.46	0.41			0.06		0.10		0.05	29
30	0.23							0.03		0.14			30
31	— .		0.03					0.50					31
Total	3.66	0.78	2.10	2.47	1.79	0.48	0.68	1.05	1.61	4.68	2.36	0.74	YEAR'S TOTAL 22.40
Rain Days.	17	8	19	17	13	8	8	9	10	17	14	8	148

W. 7,500, XI. 12

Esc. M.9.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2 - JAN 1915

Kept at Bourne End.

in the County of Bucks. 3

by A. Morse

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Bourne End. Bucks.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								0.18			0.05	0.03	1
2				0.01			0.04	0.21			0.27	0.11	2
3	0.02		0.03		0.21		0.23	0.08			0.04	0.03	3
4	0.14		0.02	0.23	0.09		0.01	0.24			0.43	0.38	4
5			0.09	0.15	0.04	0.08	0.34	0.49					5
6		0.14	0.03		0.05	0.06	0.03	0.05					6
7	0.01	0.23	0.38	0.09	0.55	0.02	0.15	0.02				0.35	7
8	0.05	0.10	0.64	0.03	0.03	0.32	0.60	0.14				0.02	8
9	0.15		0.57	0.09	0.02	0.62						1.44	9
10		0.08	0.02	0.07	0.07				0.21			0.02	10
11		0.18	0.52		0.02	0.51			0.03		0.38	0.28	11
12		0.04	0.28				0.26		0.23		0.02	0.41	12
13		0.28	0.08						0.21	0.13	0.05	0.32	13
14		0.10	0.38				0.07			0.28	0.13	0.38	14
15	0.01		0.13					0.02	0.06	0.01	0.07		15
16		0.06							0.15		0.01	0.25	16
17		0.30	0.10						0.13			0.28	17
18			0.09									0.42	18
19		0.06					0.17				0.14		19
20		0.22	0.27									0.13	20
21		0.50	0.04							0.21		0.08	21
22		0.05		0.02	0.03	0.12	0.06	0.11		0.67			22
23		0.11	0.10		0.13	0.04	0.13			0.16			23
24		0.02	0.05				0.02			0.10	0.13		24
25	0.04		0.11							0.31		0.13	25
26			0.03				0.10	0.25		0.06	0.23	0.55	26
27	0.04		0.01							0.01	0.06	0.22	27
28		0.02								0.10	0.31	1.18	28
29	0.03		0.15		0.05					0.22	0.01		29
30		✗	0.05							0.11	0.35	0.28	30
31		✗		✗	0.06	✗	0.06		✗	0.01	✗	0.03	31
Total	0.49	2.49	4.17	0.69	1.35	1.77	2.27	1.79	1.02	2.38	2.68	7.32	YEAR'S TOTAL 28.42
Rain Days.	9	17	~~23~~ 24	8	13	8	15	11	7	14	17	23	~~165~~ 166

W. 8,000. X. 14.

Cov. hysum. 1915. 21 1074

FORM A.
BRITISH RAINFALL.

3 - JAN 19

REGISTER OF RAINFALL IN 1915

Kept at The Bourne. Bourne End

in the County of Bucks. 3

by A. Morse

Lat. Long. —

Time of Observation 9 am

Nearest Railway Station Bourne End. G. W. Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.60		0.10		0.08		0.04		0.26	0.10	0.06	0.20	1
2	0.11	0.40	0.38			0.03		0.71		0.05		0.19	2
3	0.51		0.05	0.19		—		0.02	0.04			0.30	3
4	0.07									0.01		0.37	4
5	0.03	0.42		0.05							0.06	0.27	5
6	0.23	0.13	0.08				0.70	0.06				0.12	6
7	0.08	0.24	0.04			0.03	0.25	0.04	0.12			0.12	7
8	0.12	0.46	0.02					0.08					8
9	0.01	0.02		0.37		0.03		0.04			0.26	0.64	9
10	0.28		0.03	0.23				0.34				0.07	10
11	0.09										0.83		11
12	0.08	0.07			0.43			0.64		0.03	0.43		12
13	0.01	0.60		0.32	0.93			0.14				0.66	13
14	--	0.05					0.79	0.07				0.15	14
15	0.16	0.04			0.07			0.13			0.11	0.10	15
16		0.40					0.79	0.06				0.19	16
17		0.30			1.00		0.01	0.16					17
18	0.01	0.18	0.09		0.10								18
19			0.01		0.03		0.15						19
20	0.49			0.02								0.23	20
21	~~0.63~~	0.03			0.13					0.02			21
22	0.63						0.59		0.04			0.27	22
23	0.01	0.16	0.41				0.27		0.14	0.63		0.34	23
24			0.02			0.02	0.15		0.58			0.35	24
25						0.07	0.07		0.01		0.04	0.07	25
26		0.06		0.04		0.10	0.13		0.02			0.49	26
27						0.26	0.28			0.54		0.05	27
28						0.05			1.24	0.03			28
29							0.14	0.19	0.01		0.12	0.02	29
30	0.03	✕				0.20	0.01			0.33	0.25	0.06	30
31		✕		✕		✕		0.07	✕	1.16	✕	0.18	31
Total	3.55	3.56	1.23	1.22	2.77	0.79	4.37	2.75	2.46	2.90	2.16	5.44	YEAR'S TOTAL 33.20
Rain Days.	19	16	11	7	8	9	15	15	10	10	9	23	152

W. 8,000. X. 15.

1044

cnd for pr. WD

Exd F.W

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Bourne. Bourne End.

in the County of Bucks.

by A. Morse

Lat. Long.

Time of Observation 9.0. am

Nearest Railway Station Bourne End

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.12		0.03		0.41	0.02			0.06		0.36		1
2		0.08			0.17				0.13	0.18	0.03		2
3		0.54	0.01		0.03				0.13	0.38	0.18		3
4	0.20	0.14				0.32				0.30	0.40		4
5	0.03	0.04			0.12	0.06			0.23	0.28	0.38		5
6	0.07	0.06	0.26	0.16	0.07	0.06	0.43			0.08	0.41		6
7			0.22		0.15	0.03	0.48			0.04	0.52	0.05	7
8			0.02	0.01	0.26	0.08				0.01		0.25	8
9					0.20							0.10	9
10		0.32	0.06			0.26	0.04			0.09			10
11	0.05	0.02	0.02	0.20		0.35						0.14	11
12	0.03	0.03	0.06		0.20	0.11	0.05		0.01				12
13		0.38	0.22	0.06		0.10	0.15	0.05		0.09			13
14		0.48			0.06			0.40		0.02		0.05	14
15	0.01	0.31	0.22					0.29		0.06			15
16	0.03		0.41	0.14			0.04	0.15	0.02	0.01			16
17	0.10	0.09		0.05			0.35	0.84					17
18	0.01	0.10	0.05	0.09			0.03	0.63	0.36	0.61	0.68	0.04	18
19	0.15		0.19	0.29				0.80	0.17	0.22	0.60		19
20	0.18		0.33	0.01					0.09	–		0.54	20
21			0.57									0.46	21
22	0.03	0.04	0.02		0.05	0.01	0.02			0.10		0.46	22
23		0.16				0.44				0.01			23
24				0.01	0.07	0.43		0.06		0.26	0.07	0.39	24
25		0.55	0.07		0.03			0.03		0.12	0.15		25
26		0.21				0.09		0.35		0.13	0.01		26
27	0.08		1.05			0.01		0.13		0.33			27
28		0.31	0.18					0.41	0.12	0.05		0.22	28
29		0.18				0.25			0.02	0.49	0.04	0.16	29
30		×		0.04		0.02		1.05		0.35			30
31		×		×		×		0.01	×	0.17	×	0.06	31
Total	1.09	4.04	3.99	1.06	1.82	2.64	1.59	~~5.20~~ .06 5.26	~~1.34~~ 1.28	4.38	3.83	2.92	YEAR'S TOTAL 33.90
Rain Days.	14	19	19	11	13	17	9	~~14~~ 15	~~11~~ 10	24	13	13	177

W. 8,000, VIII. 16

1014

FORM A.
BRITISH RAINFALL

3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bourne End.

in the County of Bucks.

by G. Moran

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Bourne End

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.03	0.34				0.81	0.60		0.09		1
2				0.39		0.10		0.18			0.01		2
3		0.17	0.09	0.03			0.01	0.37			0.03		3
4							0.21	0.13		0.78		0.04	4
5	0.32		0.12	0.16				0.19	0.06	0.15	0.13		5
6	0.30		0.33						0.08	0.12	0.09		6
7							0.15			0.16		0.03	7
8	0.44			0.12			0.83	0.12		0.24	0.15	0.13	8
9	0.01		0.05	0.07				0.18	0.02	0.02	0.14		9
10	0.25		0.19	0.22				0.18			0.03		10
11	0.16		0.50	0.09						0.39			11
12	0.14		0.02	0.04	0.06			0.06		0.51			12
13	0.11		0.10					0.13	0.03	0.01		0.03	13
14				0.18				0.01			0.02	0.03	14
15	0.01						0.13			0.04			15
16	0.02	0.14		0.20	0.07	2.06				0.83		0.58	16
17		0.01		0.18	0.71		0.35	0.13	0.49	0.28			17
18	0.05	0.08		0.10	0.06	0.15	0.13	0.07	0.56	0.05			18
19	0.01	0.24	0.11			0.05			0.30				19
20		0.16	0.10		0.55		0.15	0.02			0.10		20
21			0.10						0.01	0.05	0.01		21
22	0.05		0.05			0.08		0.13		0.08			22
23		0.17			0.06	0.06		0.17		0.14		0.04	23
24		0.06						0.03		0.47			24
25			0.05				0.01			0.02	0.10		25
26			0.06					0.35			0.22		26
27					0.38			0.70				0.03	27
28								0.22					28
29					0.35	1.59	0.90	0.02		0.41		0.17	29
30		X	0.14			0.20	1.20	0.20					30
31		X	0.04	X		X	0.44	0.02	X	0.03	X	0.01	31
Total	1.87	1.03	2.06 2.06	2.12	2.24	4.28	4.51	4.42	2.15	4.78	1.12	1.09	YEAR'S TOTAL 31.67
Rain Days.	13	8	17	13	8	8	12	23	9	20	13	10	154

W. 8,000, IX. 17.

BR 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9. 1. 19

Kept at The Bourne. Bourne End
in the County of Bucks.
by A. Moore

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Bourne End.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.10		0.01						Between 24 Sept & 18 Oct. 1.68 in. of rain fell. (55)	0.29	0.05	1
2		0.08		0.14				0.35			0.28	0.10	2
3				0.07	0.44						0.26		3
4								0.01	0.43		0.43		4
5		0.18		0.03	0.14			0.21	0.11			0.13	5
6	0.20			0.25									6
7	0.02	0.18		0.15	0.28	0.01		0.03	0.10		0.19		7
8		0.02							0.20				8
9		0.10		0.10		0.24	0.62		0.22	0.24		0.17	9
10	0.05			0.12		0.02	0.37	0.07	- ·	0.05		0.38	10
11				0.03	0.05		0.38		0.10	0.30	0.07	0.13	11
12		0.09		~~[illegible]~~	0.26		0.30		0.~~30~~ ·03				12
13				~~[illegible]~~	0.75		0.28		0.20			0.17	13
14	0.22		0.12			0.30	0.10		0.32	0.21		0.07	14
15	1.02			1.00		0.03	0.28		0.01				15
16	—		0.01	0.45		0.07			0.85			0.19	16
17	0.76			0.24			0.50		0.04				17
18						0.28	0.13		0.35	0.15			18
19			0.09	0.05		0.06	0.20		0.05	0.03		0.18	19
20	0.02	0.14		0.65		0.05	0.14		0.19	0.14			20
21	0.09			0.74			0.03		0.29				21
22	0.10			~~1.40~~	1.46		0.04		0.18				22
23	0.05			~~[illegible]~~	0.25		0.71	0.05	0.03			0.20	23
24		0.24					0.09		0.08	0.02			24
25						0.03	0.01	0.30 0.30	See note in Oct. (1.43)		0.11		25
26							0.30			0.05	0.20	0.17	26
27							0.05	0.25			0.12	0.01	27
28	0.02	0.09	0.21								0.13	0.26	28
29			0.01					0.11					29
30		X	0.41								0.06	0.20	30
31		X	0.09	X		X			X	0.11	X		31
Total	2.55	1.22	0.94	4.63	3.63	1.09	4.53	1.38	6.76 (5.21)	(1.55)	2.08	2.41	YEAR'S TOTAL 30.62
Rain Days.	~~11~~ 12	10	7	15	8	10	18	9	(25)	(14)	11	15	(154)

W. 6,500, VII. 18. w w c

Bucks 11

ans 4.1.19

Attach to A.

The Barons
Bourne End
Bucks.

3rd Jan 1919

Dear Sir

I regret that I cannot send in the usual return of daily readings of rainfall for 1918. I was away from home from 26th Sept and 8th Oct & my gardener being at the War I could not get the readings taken so cannot give correct amounts for either Sept or October. so I send the total for the year only.

yrs ffly

A. [illegible]

British Rainfall

The Bourne
Bourne End
Bucks.

8: Jan 1919

Dear Sir

In reply to your letter of 4th inst I have much pleasure in sending you a copy of the daily readings of my gauge. During the break in the readings between 24th Sept & 8th Oct 1.68 in of rain fell.

Yrs truly
A. Moran

Carle Salter Esq

955

3 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Bourne Bourne End

in the County of Bucks.

by A. Morse

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Bourne End

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·71		0·05	0·05	0·06		0·12			0·05		1·26	1
2	0·10		0·01		0·21		0·07		0·19		0·11	0·26	2
3	0·44		0·35		0·02		0·05		0·09			0·42	3
4	0·10		0·43			0·05	0·09	0·13	0·06		0·05	0·15	4
5	0·01	0·41	0·75				0·80		0·70		0·02	0·28	5
6	0·14		0·13							0·74		0·03	6
7	0·10		0·41						0·21				7
8	0·20		0·05	0·06							0·01		8
9	0·01		0·02		0·02								9
10			0·15	0·06							0·06	0·17	10
11	0·05		0·13	0·28	0·02		0·23					0·02	11
12	0·01						0·08			0·01			12
13				0·74		0·14				0·10		0·03	13
14	0·33	0·07					0·11						14
15	0·27		0·23	0·24						0·01		0·63	15
16		0·76	0·01	0·06							0·44		16
17	0·03	0·34										0·01	17
18		0·14	0·23						0·05		0·12	0·09	18
19	0·15	0·19	1·12			0·15	0·60	0·12	0·01		0·16	0·01	19
20	0·40	0·05	0·15			0·50	0·03	0·23	0·10			0·01	20
21	0·21	0·19				0·02	0·17				0·03		21
22		0·41					0·03		0·44			0·38	22
23							0·10	0·01		0·14	0·10		23
24				0·08		0·04				0·38	0·13	0·05	24
25					0·07			0·47				0·03	25
26	0·24	0·19	0·16	0·08					0·06			0·42	26
27	0·74	0·03	0·06	1·08			0·03	0·48			0·12	0·03	27
28			0·11	0·05				0·60			0·44	0·36	28
29				0·06				0·18		0·22			29
30				0·21		0·13				0·04	0·44	0·55	30
31			0·02									0·05	31
TOTAL	4·24	2·78	4·57	3·05	0·40	1·03	2·51	2·22	1·91	1·09	2·23	5·24	YEAR'S TOTAL 31·27
Days with ·01 in. or more	19	11	20	~~13~~ 14	6	7	14	8	10	9	15	22	155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6X 912

909

4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bourne End

in the County of Bucks

by A. Morse

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bourne End

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.56	0.19		0.32		0.04	0.57	0.01	0.26	1
2			0.02				0.18	0.53		0.08		0.10	2
3	0.02	0.03		0.06			0.23		0.24	0.04			3
4				0.15				0.16				0.04	4
5			0.05	0.05	0.05		0.93	0.01	0.01	}0.38		0.06	5
6			0.13				0.43						6
7	0.02	0.02		0.25	}0.16		0.11		0.15		0.03		7
8		0.05		0.15	0.10		0.09	0.04					8
9	0.40	0.07											9
10	0.02		0.10	0.05		0.09	0.15					0.03	10
11	0.17		0.08	0.35	0.05	0.04	0.20					0.03	11
12	0.06		0.01	0.17		1.22					0.03		12
13			0.17	0.16						}0.35	0.03		13
14	}0.16	0.01	0.36	0.10		0.13	0.07						14
15	0.02	0.07	0.13	0.21		&			0.13		0.05	0.03	15
16				0.17		0.33				0.09			16
17	0.02			0.02	0.17	0.01	0.07	0.60	}0.38	0.05	0.01	0.02	17
18	0.09											0.03	18
19	0.07			0.26		0.10					0.02	0.01	19
20		~~0.01~~ 0.11		0.15		0.71						0.02	20
21							0.53	0.03	0.34				21
22	0.01			}0.35				0.04	0.10			0.46	22
23		0.01					0.89					0.48	23
24			0.07	0.01				0.01			0.06	0.06	24
25		0.15	0.08				0.33						25
26			0.17	0.01			0.13						26
27	0.35	0.08		0.21		0.14	0.09				0.31	0.06	27
28	0.47		0.23	0.06	0.26		0.13				0.04		28
29	0.16		0.05		0.05						0.25	0.33	29
30	0.05	✕			0.02	0.10	0.47		0.37	0.02	0.19	0.20	30
31	0.03	✕		✕		✕			✕	0.75	✕	0.18	31
TOTAL	2.12	0.60	1.65	3.50	1.05	2.57	5.35	1.42	1.76	2.33	1.03	2.39	YEAR'S TOTAL 25.77
Days with ·01 in. or more	17	10	14	22	10	10	18	9	10	10	12	18	160
Days with ·04 in. or more	10	6	12	18	8	~~7~~ 8	18	5	8	8	6	11	~~117~~ 118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

BUCKS.

BRADENHAM – BRADENHAM HOUSE

1911 – 1916

REGI 11

Kept at Bradenham 8 in.
ove Ground —— ft. 7 in.
in the County of Bucks ,, Sea Level 420 ft.
by J. H. Tempe a m
Name Saunderton
Distance 1¼ m Direction N W

IMPORTANT NOTE. nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·48									1
2	05			·32	·20		·02					·13	2
3	01				·19						·16	·06	3
4	06		·16	07						·04	·08	·72	4
5	·10	·08								·11	·10	·44	5
6	·37		07					·18					6
7	05		01				·09			·06	·32	·27	7
8	·13		·17				·04			·15		·30	8
9	·16		04	03			·31				·19	·04	9
10	} ·42		·25	01								·72	10
11		·12	04	-	·36						·04	[illegible]	11
12			·55								·69	·15	12
13			·10							·49	·49	·49	13
14			05		·44				·44	·03	·12	·41	14
15		06	07		17							·04	15
16		09				·33					·41	·10	16
17						·17						·34	17
18		02	04	01		·53					·13	·32	18
19		·15	[illegible]			·30				·16	·21	·21	19
20			02						·31			·80	20
21		·08	03			·29		·15		·43	·12	·14	21
22	06	·11	04	01		·18			·23	·03		·70	22
23		·13	·14			·19				·50		·19	23
24		·13				·13					·29	·11	24
25		·08	05	·10		·18		·08			·03	·02	25
26		01		·18	1·09	·10						·32	26
27		·40	·18		07			·11	·09	·48		·16	27
28		·34		·34	02				·10	·04		·005	28
29				01		·24							29
30			01	05	08	01			·25			·01	30
31					·17							·005	31
Total	1·46	1·80	2·02	1·61	2·79	2·65	·46	·52	1·42	2·52	3·38	7·20	TOTAL for year 27·83
No. of Rain Days	12	14	19	12	10	12	4	4	6	12	15	27	147·

9,000, IX. '10.

REG 11

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

Kept at Bradenham

in the County of Bucks 3

by J. H. Tempest

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground — ft. 7 in.
„ „ „ Sea Level 420 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Saunderton
Distance 1¼ m Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·48									1
2	05			·32	·20		·02					·13	2
3	01				·19						·16	·06	3
4	06		·16	07						·04	·08	·72	4
5	·10	·08								·11	·10	·44	5
6	·37		07					·18					6
7	05		01				·09			·06	·32	·27	7
8	·13		·17				·04			·15		·30	8
9	·16		04	03			·31				·19	·04	9
10	} ·42		·25	01								·72	10
11		·12	04	o	·36						·04		11
12			·55								·69	·15	12
13			·10							·49	·49	·49	13
14			05		·44				·44	·03	·12	·41	14
15		06	07		17							·04	15
16		09				·33					·41	·10	16
17						·17						·34	17
18		02	04	01		·53					·13	·32	18
19		·15				·30				·16	·21	·21	19
20			02						·31			·80	20
21		·08	03			·29		·15		·43	·12	·14	21
22	06	·11	04	01		·18			·23	·03		·70	22
23		·13	·14			·19				·50		·19	23
24		·13				·13					·29	·11	24
25		·08	05	·10		·18		·08			·03	·02	25
26		01		·18	1·09	·10						·32	26
27		·40	·18		07			·11	·09	·48		·16	27
28		·34		·34	02				·10	·04		·005	28
29				01		·24							29
30			01	05	08	01			·25			·01	30
31					·17							·005	31
Total	1·46	1·80	2·02	1·61	2·79	2·65	·46	·52	1·42	2·52	3·38	7·20	TOTAL for year 27·83
No. of Rain Days	12	14	19	12	10	12	4	4	6	12	15	27	147

9,000, IX. '10.

wrote suggesting
& ·79 for Sept. 30th
Cordly zero for Stats! 28 IV.13

Ent BR

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

Kept at Bradenham House

in the County of Bucks 3

by J. H. Tempest

Rain Gauge { Pattern
Diameter of top 3 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 420 ft.

Time of Observation 9. a.m.

Nearest Railway Station { Name Saunderton
Distance 1¼ M Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			05			·10			·16				1
2		03	11		·50	·13			·08			·15	2
3	·49		18				·76						3
4			83			·27		·37				·14	4
5	·28	11	22					·03	·02		·28		5
6	·62	05			·07			·29			·02	·05	6
7						·57	·06	·48				·07	7
8	·54	36	36					·15				·15	8
9		15	07	·05		·61		·04			·10	·02	9
10	·07	05						·25			·13	·32	10
11	·22	26		[illegible]								·25	11
12	·07	25	19			·07	·02					·18	12
13		02				·04					16		13
14	·03		16									·02	14
15	·05	07				·41		·04		·16		·35	15
16	·35		27			·10		·10					16
17	·16		24			·07		·23					17
18	·44		19					·33					18
19	·11		21					·52				·16	19
20	·20	15	42				·13	·03					20
21	·32	08	31					·17		·39	·08		21
22	·16	19	20		·34		·12	·42		·16		·03	22
23	·26	39	41		·07		·73	·32		·03		·18	23
24	·01				·01	·05		·07			·20	·22	24
25						·37		·27				·43	25
26			05								·34	·26	26
27							·21	·40		·56		·27	27
28						·06	·02	·19		·36	·53	·27	28
29		04				·12	·23	·41	(2·11) ~~·64~~	·52	·46	·02	29
30					·22		·04	·15	(·79) ~~·29~~	·26			30
31					·04		·01			·07		·04	31
Total	4·38	2·20	4·47	·05	1.25	2·97	2·33	5·26	(3.16)	2·51	2.30	3.58	TOTAL for year
No. of Rain Days.	19	15	18	1	7	14	11	22	5	9	10	21	(34·46)

V. 8,000, X. '11.

152

REGISTER OF RAINFALL IN 1913

3

FORM A. BRITISH RAINFALL. 3 - JAN 1914

Kept at Bradenham

in the County of Bucks

by J. H. Tempest

Lat. .... Long. ....

Time of Observation 9. a. m.

Nearest Railway Station Saunderton

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground .... ft. 6 in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	20	·14	·08	·01						·28		1
2	02	08		·02	·72		·10			·87		·05	2
3	02		03	·05						·42	·05	·09	3
4	56		12				08					·12	4
5	06				·04	08			30	·02	·06	·06	5
6		04			·23	13			02	86		·19	6
7	02	20			·18	05	20	12	13	26	18	01	7
8		03			·14	·10	02		28	03			8
9		21				·02	03				·04		9
10				·06	·02		06	10	·11		·53	·035	10
11	·70		·04	·40	·06					72	·26		11
12					·19						·38		12
13	·04			·02				·04	·07		·32		13
14	·16		·09	·11					·05	·15			14
15	·12		·31	·48					·31				15
16	·14		·35	·15			·10		·02		·02		16
17	·05	·06	·14	05			·07						17
18	·03		23	23			10		·10		·02	·035	18
19	·65		·09		·01		·02		·48		05	·025	19
20	·12		·14	07	01	15				·65	·09		20
21	·02		·29	05						·06	43		21
22	·56		~~02~~	·03	·06		·06		28				22
23			·02			·10			02			·12	23
24				·10									24
25				·18		·01				·43		·015	25
26			·12	·22						·04			26
27				·06	·01					·12		·18	27
28	·29		·25	·20						·21		·14	28
29	·02		·08	·54	·41							·02	29
30	·31										·06		30
31			·04							·19			31
Total	3·92	·82	2·48	3·10	2·09	·64	·84	·26	2·17	5·03	2·77	1·09	YEAR'S TOTAL 25·21
Rain Days.	20	7	17	20	14	8	11	3	13	15	15	14	157

W.7,000, XI. 13

slip made 1/3/15

end by ann. stats 24·11·15 June estd

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Bradenham
in the County of Bucks 3
by Mrs Tempest

Lat. .... Long. ....
Time of Observation 9. a. m.
Nearest Railway Station Saunderton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ~~ft.~~ 6 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00							15			06		1
2	·03			02			16	8			20	14	2
3			·	01	·28		32	44			02	10	3
4	·19		03	34	04			9			42	61	4
5	·025		11	26	·19		33	46			08	0	5
6		15	02		06		2	1			12	24	6
7		34	28	08	·53		5	7				35	7
8	03	08	72	04	08		25	13.				06	8
9	·16		54	18					7.			118	9
10	03	17	..	17	07				24			25	10
11		27	48		·10							39	11
12	·02 snow	08	11				34		25		29	40	12
13		29	13						19.	8.	04	29	13
14		13	39						1.	31.	22	06	14
15	075		23				3.		2.	4.	03	0	15
16			03				2		8.		02	25	16
17		60	09						12.			64	17
18			05									05	18
19		06	40				13.				19	24	19
20		31	26									09	20
21		39	07					2.		14		"	21
22		14	02		05			5.		81.		"	22
23		06	13							9.		..	23
24			09	02			01		—	24	14		24
25			18				03	20			02	17	25
26			05					06			13	61	26
27	·055		01				12				"	35	27
28		0·4	02		(·18) 68						35	96	28
29	05		18		05						14	09	29
30			04								37	64	30
31	025				09		5.					04	31
Total	·69	3.11	4.66	1.12	1.72	(1·80)	184	146	98	141	284	829	YEAR'S TOTAL (30·43)
Rain Days.	11	15	26	9	18	(10)	14.	12.	8.	7	18	24	(166)

W.7,000, XI. 13

Made [illegible] B

Cor. [illegible] 1203

1078

FORM A.
BRITISH RAINFALL.

8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bradenham House
in the County of Bucks 3
by Mrs Tempest

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Saunderton
Diameter of Rain Gauge 8 inches
Height of top of Gauge above Ground ft. 8 inches
" " " " Sea Level about 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	53		09					.			14	29	1
2	07	18	33					70	03	10		18	2
3	48	29	06	18				.	03			24	3
4	06	..	..	06	—			19				42	4
5	02	56	..	..				..		03		31	5
6	24	13	09	37	.		26	05				04	6
7	05	48	11	..	..		43	06				39	7
8	07	50	..	..	..		48	11			24	74	8
9	..	..	..	26	..			06				..	9
10	35	..	02	..	..			..					10
11	06	..	03	..	44			..			91	03	11
12	05	05	..	..	119			41		—	81	04	12
13	..	76	..	44			..	..					13
14	..	10	..				61	10	07			87	14
15	25	..	..	..	05						11	06	15
16		79		..	73		92					30	16
17		35		..			09	66					17
18		..	17	..	04								18
19		04	..	..									19
20	49	..		06	14							25	20
21	05	02			..		12					12	21
22	82	..	44		..		53		14			18	22
23	03	22	03		..		23			52		47	23
24		..			..		06		91	26		18	24
25		..			..	12	12					17	25
26		34				..	14		12			54	26
27		04				45	13			} ·63		02	27
28		06							126				28
29							06	11			16	02	29
30		X						..	08	14	17	09	30
31	03	X		X		X		04	X	119	X	22	31
Total	365	491	137	137	259	57	448	249	264	287	254	~~618~~ 6·17	YEAR'S TOTAL 35·65 ~~3406~~
Rain Days.	~~18~~ 17	17	10	6	6	2	14	11	8	8 8	7	24	~~139~~ 130

W. 8,000. X. 14.

con for auth W. C. F. E.

1048

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 18. JAN 1917

Kept at Bradenham House
in the County of Bucks
by Mrs Tempest

Lat. Long.
Time of Observation 9 o Clock
Nearest Railway Station Saunderton
Diameter of Funnel of Rain Gauge 8 inches
Height of top of Gauge above Ground ft. 8 inches
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	07	04	..	..	26	47			12	06	44		1
2	49	84	21	..	17	25			02	57	15		2
3	02	12	..	..	02	24			..	31	24		3
4	..	02		..	..	..	02		..	30	34		4
5	03	18		15	..		03		..	17	48		5
6	11	..	19		09		91		28	03	74		6
7		..	32		..		51		24	..	63	03	7
8	..	..	..				36			..	14	26	8
9	..	..	..		28	17	..			..	..	12	9
10	..	..	09	04	19		..			..			10
11	06	21	02	12	..	45	..			14		17	11
12	03	08	19		25	12	..			11			12
13		02	10	14		25	25	48		.			13
14		41	..	..			19	25	03	09			14
15		55	29	17	09		16	24		..			15
16	04	20	40	27	08		31	44		62			16
17	..	15	..	20			02	23	39	..			17
18	13	06	05				..	49	26	28	67		18
19	15		19	32							66		19
20	11		22	06							03	122	20
21			74	..			02					28	21
22		11	02	..	06			04		10		63	22
23	04	24	..	..		11		07		..	04		23
24	..	..	..	..	14	26		15		28	17	21	24
25	..	26	13					04			03		25
26	..	53	141			05		29	06	16			26
27	09	0	24			12		..	04	69			27
28	16	31	–			18		99		22		32	28
29		15			—	26		04		45		25	29
30		X		–	—	12		03		45			30
31		X		X		X			X	43	X	04	31
Total	153	~~340~~ 4·48	481	147	163	385	278	378	144	~~547~~ 5·46	476	353	YEAR'S TOTAL ~~3863~~ 38·72
Rain Days.	14	19	17	9	11	14	11	14	9	19	14	11	162

W. 8,000. X. 15.

—

BUCKINGHAM

MARKET HILL

BUCKS

1920

1022

NEG RA,

38, HOLBORN V STREET, W.

Kept by A. Pettipher Buckingham

Time of Observation 9. am Bucks

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	—	—	—	·34	·27	—	·38	—	·05	·15	—	·22
2	—	—	·02	·08	—	—	·01	·41	·10	·05	—	·12
3	·03	·03	—	·04	—	·01	·44	—	·17	·06	—	·07
4	—	—	·06	·10	—	—	·07	·37	·02	·26	—	·01
5	—	—	·10	·06	·14	—	·44	·04	·07	·02	—	·03
6	—	—	·25	—	·08	—	·30	—	—	—	—	·03
7	·01	—	·02	·14	·01	—	·05	—	—	—	—	—
8	·18	·04	—	·46	·02	—	·10	·05	—	—	—	—
9	·24	—	—	TS ·71	—	—	—	—	—	—	—	—
10	·10	·02	·03	·03	—	·07	·28	—	—	—	·01	—
11	·27	—	·04	·22	·30	·08	·05	—	—	—	—	·04
12	·03	·01	·01	·11	—	TS ·65	·03	—	—	—	—	—
13	—	·01	·09	·05	—	—	—	—	·04	—	·01	·02*
14	·01	·01	·31*	·20	—	TS ·23	·03	—	·28	TS ·12	·20	—
15	—	·02	·32*	·14	—	TS ·03	·02	—	·05	·02	·08	—
16	—	—	·01	·05	·09	TSS ·51	—	—	·22	·08	·08	—
17	·01	—	—	·12	·10	—	·03	—	·28	·02	—	·05
18	·13	—	—	·05	·07	—	·03	·25	TS ·30	—	—	·05
19	·06	·09	—	·17	—	·13	—	·02	—	—	·01	·01
20	·05	·29	—	·18	—	·30	—	—	—	—	·01	·03
21	—	—	—	·01	—	—	·02	—	·08	—	—	·05
22	—	—	—	·16	—	—	—	·15	·31	—	—	·22
23	·01	—	—	—	—	—	·40	·05	—	—	—	·41
24	·01	—	·20	—	—	—	—	—	—	—	—	·04
25	—	·09	·04	—	·01	—	·57	—	—	—	—	—
26	·16	—	·04	·03	·06	—	·01	—	—	—	—	·06
27	·27	·06	·01	·15	—	·19	·25†	—	—	—	·77	·15
28	·34	—	·03	—	·16	—	·08	—	—	—	·04	—
29	·09	—	·14	—	·10	—	·07	—	—	—	·08	·34
30	·01	..	TS ·73	·03	—	·16	·10	—	·20	—	·13	·15
31	·12	..	·04	..	·01	..	—	—	..	·25	..	·13
	·13	·67	2·49	3·63	1·42	2·36	3·76	1·34	2·1	[illegible]	1·42	2·23
		11.	20.	24.	14.	11.	23.	8.		10.	11.	21.
		31.	51.	75.	89.	100.	123.	131.		155.	166.	187.



MONTHLY TOTALS

1022

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by A. Pettipher

At Buckingham

YEAR 1920.

Time of Observation 9 am.

County Bucks

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	—	—	—	·34	·27	—	·38	—	·05	·15	—	·22
2	—	—	·02	·08	—	—	·01	·41	·10	·05	—	·12
3	·03	·03	—	·04	—	·01	·44	—	·17	·06	—	·07
4	—	—	·06	·10	—	—	·07	·37	·02	·26	—	·01
5	—	—	·10	·06	·14	—	·44	·04	·07	·02	—	·03
6	—	—	·25	—	·08	—	·30	—	—	—	—	·03
7	·01	—	·02	·14	·01	—	·05	—	—	—	—	—
8	·18	·04	—	·46	·02	—	·10	·05	—	—	—	—
9	·24	—	—	TS ·71	—	—	—	—	—	—	—	—
10	·10	·02	·03	·03	—	·07	·28	—	—	—	·01	—
11	·27	—	·04	·22	·30	·08	·05	—	—	—	—	·04
12	·03	·01	·01	·11	—	TS ·65	·03	—	—	—	—	—
13	—	·01	·09	·05	—	—	—	—	·04	—	·01	·02*
14	·01	·01	·31*	·20	—	TS ·23	·03	—	·28	TS ·12	·20	—
15	—	·02	·32*	·14	—	TS ·03	·02	—	·05	·02	·08	—
16	—	—	·01	·05	·09	TSS ·51	—	—	·22	·08	·08	—
17	·01	—	—	·12	·10	—	·03	—	·28	·02	—	·05
18	·13	—	—	·05	·07	—	·03	·25	TS ·30	—	—	·05
19	·06	·09	—	·17	—	·13	—	·02	—	—	·01	·01
20	·05	·29	—	·18	—	·30	—	—	—	—	·01	·03
21	—	—	—	·01	—	—	·02	—	·08	—	—	·05
22	—	—	—	·16	—	—	—	·15	·31	—	—	·22
23	·01	—	—	—	—	—	·40	·05	—	—	—	·41
24	·01	—	·20	—	—	—	—	—	—	—	—	·04
25	—	·09	·04	—	·01	—	·57	—	—	—	—	—
26	·16	—	·04	·03	·06	—	·01	—	—	—	—	·06
27	·27	·06	·01	·15	—	·19	·25+	—	—	—	·77	·15
28	·34	—	·03	—	·16	—	·08	—	—	—	·04	—
29	·09	—	·14	—	·10	—	·07	—	—	—	·08	·34
30	·01	..	TS ·73	·03	—	·16	·10	—	·20	—	·13	·15
31	·12	..	·04	..	·01	..	—	—	..	·25	..	·13
MONTHLY TOTALS	13	·67	2·49	3·63	1·42	2·36	3·76	1·34	2·1	3	1·42	2·23
	11.	20.	24.	14.	11.	23.	8.		10.	11.	21.	
	31.	51.	75.	89.	100.	123.	131.		55.	166.	187.	



BURCOTT HALL

BUCKS

1914 - 1917

REG

4

FORM A.
BRITISH RAINFALL.
26 JAN 1915

Kept at Burcott - g. a ~ Leighton Buzzard

in the County of 5 in.

by Richard. H. C ove Ground 1 ft. = in.

Sea Level ft.

IMPORTANT NOT d the result entered to the previous day. If an Ol iversal rule, he is earnestly requested to add the read ear in the space provided for it at the end of thi ement of rain, the selection and placing British Rainfall Organization are given in application to Dr. H. R. Mill, 62, Can

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	·04	—	·18	—	—	—	—	1
2	—	—	—	·03	—	—	—	—	—	—	·27	·14	2
3	—	—	—	—	·22	—	·90	·42	—	—	·06	·02	3
4	·28	—	—	·25	·05	—	—	·26	—	—	·25	·38	4
5	—	—	·08	·26	—	·09	·42	·04	—	—	·03	—	5
6	—	·07	~~·0~~	—	·08	·11	—	·03	—	—	·07	·18	6
7	—	·14	·38	·12	·33	—	·16	—	—	—	—	·51	7
8	·10	·06	·49	·09	·07	·75	·21	·12	—	—	—	—	8
9	—	—	·48	—	—	·56	—	—	—	—	—	·40	9
10	·32	·16	·02	—	·07	—	—	·02	—	—	—	—	10
11	—	·12	·41	·11	·18	·51	—	—	·25	—	·30	·29	11
12	—	·07	·11	—	—	—	·06	—	·36	—	·07	·25	12
13	—	·32	·26	—	—	—	—	—	·16	·11	·03	·17	13
14	—	·05	·22	—	—	—	—	—	—	·83	—	·19	14
15	·05	—	·13	—	—	—	·02	—	·04	—	·10	·14	15
16	—	—	·06	—	—	—	·04	—	—	—	—	—	16
17	—	·35	·05	—	—	—	—	—	·10	—	—	·30	17
18	—	—	·04	—	—	—	·05	—	—	—	—	·61	18
19	—	·05	—	—	—	·04	·03	—	—	—	·15	·07	19
20	—	·10	·43	—	—	—	·04	—	·03	—	—	·15	20
21	—	·31	·07	—	—	·03	—	—	—	·05	—	·14	21
22	—	—	—	—	—	·05	·05	·04	—	·55	—	—	22
23	—	·06	—	—	·09	—	·07	—	—	·11	—	—	23
24	—	—	·13	·04	·08	—	·03	·03	—	·52	·13	—	24
25	·07	·01	·19	—	—	—	—	—	—	·38	·02	—	25
26	—	·03	·24	—	—	—	·06	·22	—	·05	·14	·60	26
27	—	—	·03	—	—	—	—	—	—	—	—	·22	27
28	—	·07	—	—	·02	—	—	—	—	·18	·42	1·34	28
29	·07		·15	—	·09	—	—	—	—	·20	·08		29
30	—		·(03)	—	—	—	—	—	—	·05	·39	·22	30
31	—		—		·06		—	—		—		·04 ·40	31
Total	·89	1·97	4·03	·90	1·34	2·18	2·14	1·39	·94	3·03	2·61	6·36	YEAR'S TOTAL 27·78
Rain Days.	6	16	21	7	12	9	14	10	6	11	16	21	149

W.7,000, XI. 13

REG

FORM A.
BRITISH RAINFALL.
26 JAN 1915

Kept at Burcott - Wing
in the County of Bucks
by Richard H. Ayres

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Leighton Buzzard
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	·04	—	·18	—	—	—	—	1
2	—	—	—	·03	—	—	—	—	—	—	·27	·14	2
3	—	—	—	—	·22	—	·90	·42	—	—	·06	·02	3
4	·28	—	—	·25	·05	—	—	·26	—	—	·25	·38	4
5	—	—	·08	·26	—	·09	·42	·04	—	—	·03	—	5
6	—	·07	—	—	·08	·11	—	·03	—	—	·07	·18	6
7	—	·14	·38	·12	·33	—	·16	—	—	—	—	·51	7
8	·10	·06	·49	·09	·07	·75	·21	·12	—	—	—	—	8
9	—	—	·48	—	—	·56	—	—	—	—	—	·40	9
10	·32	·16	·02	—	·07	—	—	·02	—	—	—	—	10
11	—	·12	·41	·11	·18	·51	—	—	·25	—	·30	·29	11
12	—	·07	·11	—	—	—	·06	—	·36	—	·07	·25	12
13	—	·32	·26	—	—	—	—	—	·16	·11	·03	·17	13
14	—	·05	·22	—	—	—	—	—	—	·83	—	·19	14
15	·05	—	·13	—	—	—	·02	—	·04	—	·10	·16	15
16	—	—	·06	—	—	—	·04	—	—	—	—	—	16
17	—	·35	·05	—	—	—	—	—	·10	—	—	·30	17
18	—	—	·04	—	—	—	·05	—	—	—	—	·61	18
19	—	·05	—	—	—	·04	·03	—	—	—	·15	·07	19
20	—	·10	·43	—	—	—	·04	—	·03	—	—	·15	20
21	—	·31	·07	—	—	·03	—	—	—	·05	—	·14	21
22	—	—	—	—	—	·05	·05	·04	—	·55	—	—	22
23	—	·06	—	—	·09	—	·07	—	—	·11	—	—	23
24	—	—	·13	·04	·08	—	·03	·03	—	·52	·13	—	24
25	·04	·01	·19	—	—	—	—	—	—	·38	·02	—	25
26	—	·03	·24	—	—	—	·06	·22	—	·05	·14	·60	26
27	—	—	·03	—	—	—	—	—	—	—	—	·22	27
28	—	·07	—	—	·02	—	—	—	—	·18	·42	1·34	28
29	·07		·15	—	·09	—	—	—	—	·20	·08		29
30	—		·(03)	—	—	—	—	—	—	·05	·39	·22	30
31	—		—		·06		—	—		—		·04 40	31
Total	·89	1·94	4·03	·90	1·34	2·18	2·14	1·39	·94	3·03	2·61	6·36	YEAR'S TOTAL 24·78
Rain Days.	6	16	21	7	12	9	14	10	6	11	16	21	149

W.7,000, XI. 13

Cond pr auth 21.III.16 120

1095

FORM A.
BRITISH RAINFALL
7 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Burcott, Wing

in the County of Buckingham 5

by R H Ayres

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Leighton Buzzard L&NW
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 404 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.45	.16	..5		.16						..5	.35	1
2	..5	.18	.30	.19		..3		.47	.27	.14		..8	2
3	.63	—	..2	..3	..4			.50	..6			.14	3
4	..8	—	—				.28					.54	4
5	..2	.32	—		.16							.24	5
6	.19	..3	—	.26			.64	..3				..4	6
7	..6	.27	..7			..3	.14					.22	7
8	..2	.31	—				..5				.28	...	8
9	—	..2	—	..8								.51	9
10	.32	—	—									..5	10
11	..2	—	..7		..2			..4			.82	...	11
12	..5	—		.31				.21			.78	..5	12
13	—	.52			1.50			.13				...	13
14	..2	..4					.34	.15				.47	14
15	.16	—						.30			.14	.24	15
16	..4	.26					.55				—	.21	16
17	—	.34			.25		..7						17
18	—	.18											18
19	—	..3	.16				.17						19
20	.41	—			.26							.23	20
21	.14	..3					..5					.10	21
22	.55	..5	.46				.53					.17	22
23	—	.36	.22				.24		.11	.46		.22	23
24	—	—	.11				.10		.75	.13		.15	24
25	—	—				..7	.19			..2		.20	25
26	—	.10					.21			—		.34	26
27	—	..5					.19		..3	.33		..3	27
28		.12				..4			.72	..4		..	28
29	—						.10	.25		—	.11	..3	29
30	..3	✕					..3			.20		..3	30
31	..3	✕		✕		✕		..7	✕	.39	✕	.15	31
Total	3.27	3.34	1.46	.87	2.39	.17	3.88	2.15	1.94	1.41	2.18	4.82	YEAR'S TOTAL ~~27.48~~ 28.21
Rain Days.	19	19	9	5	7	4	17	10	6	8	6	24	134

W. 8,000. X. 15.

1062

FORM A.
BRITISH RAINFALL.

9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Burcott Wing

in the County of Buckinghamshire

by R. H. Ayres

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Leighton Buzzard

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·6		3		4		5			5	36		1
2	·46		17		13				5	38	6		2
3		·45								43	12		3
4	·22	·26	4			24	8		13	8	22		4
5	·5					9					43		5
6		6	·16	21	4	9	·57			6	32		6
7	5		·20		8		25			21	28		7
8			6		30	5						14	8
9	2			10	29		8					4	9
10		11	6			42						2	10
11	10	16	4	13	4	25				25		8	11
12	4	2	6	4	24	11	25			5			12
13		43	·24			14	·90	·16		9			13
14		44		14	4			10		4			14
15		10	·40					39 39		5			15
16			·36	14	13		·39	33 33					16
17	12			21			2	(·06)	·31	37			17
18	2	·14	5	11				61	12	4	·77		18
19	3	·3	·17	14					·12		1·06		19
20	21		·26								5	·50	20
21	2		·69				14					·64	21
22		8			13	3						·39	22
23	4	12				11				14	4	·14	23
24		·18				1·22		6		12	4		24
25		29			6	[illegible]		16		3	11	30	25
26		5	22					4					26
27	·10	5	1·00			7		14		37			27
28		27	45			5			·39			25	28
29		4				24		1·14		23		27	29
30		X				9		3		33			30
31		X		X		X		3	X	12	X	6	31
													YEAR'S TOTAL
Total	1·54	3·31	4·69	1·25	1·55	3·20	2·43	3·25	1·12	3·44	3·86	2·81	32·75
Rain Days.	15	19	19	9	12	15	10	13	6	20	13	12	163

W. 8,000, VIII. 16

1031

FORM A.
BRITISH RAINFALL.

24 JAN 1918

REGISTER OF ~~RAINFALL~~ IN 1917

[illegible] #740

Kept at Burcott. Wing

in the County of Bucks

by R. H. Ayres

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Leighton Buzzard

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				21				1.43	12		8	3	1
2								15		2			2
3				2				66			4		3
4		50						28		1.02			4
5	.24		21	18					9	7	4		5
6						6			5	4	6		6
7	34									49			7
8	43			12			96	17		33	12		8
9				11	3		5	9			5		9
10	21		32		2			7			3	8	10
11	11		26	27				14	1	35			11
12	4	3	2	1	2			38		34			12
13	4		5					16	6	2	2		13
14	3			12				21					14
15	3				3		3			4			15
16		14		28		5	7			71		21	16
17	3			14	1.06		32	6	39	22			17
18	5	3		12	4	13	47		90	6			18
19		18	12		8				14				19
20		17	3		.66		2				10		20
21		1	3	2	2					1	2		21
22								12		10			22
23		10			4			18		2			23
24		3	4			19		13		35			24
25		6	5										25
26			4					28	14		29		26
27						33		67				10	27
28			5			74		10					28
29			6		31	30	35	41		30		20	29
30		╳	15				67	15					30
31		╳	14	╳		╳	31	8	╳	3	╳	15	31
Total	1.61 ✓	1.28 ✓	1.54 ✓	1.60 ✓	2.31 2.30 ✓	1.83 ✓	3.25 ✓	5.90 ~~5.82~~	1.90 ✓	4.52 ~~4.61~~	.88 ✓	.77 ✓	YEAR'S TOTAL 27.42 ✓
Rain Days.	11 ✓	10 ✓	15 ✓	12 ✓	11 ✓	7 ✓	10 ✓	21	9 ✓	19	11 ✓	6 ✓	142 ✓

W. 8,000, IX. 17.

3.57

DL

156

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

RE 19*11*

—

BUCKS.

BURNHAM

[911 ONLY]

Kept at Burnh

top in.

p above Ground ft. in.

in the County of Bu

„ Sea Level ft.

by P. Bicknell

ation Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·016		·004	·520									1
2	·040	·002		·384	·146								2
3	·022	·006	·001	·008	·194								3
4	·024	·018	·130	·076									4
5	·029	·002		·035									5
6	·300		·110	·004									6
7	·042		·009	·030									7
8	·108		·200	·002									8
9	·083		·007										9
10	·055	·084	·142										10
11	·264	·002	·003										11
12	·003	·003	·456		·116								12
13			·056		·088								13
14		·071	·020		·126								14
15	·005	·073	·105										15
16		·010											16
17		·008	·046										17
18		·259	·016										18
19													19
20	·007	·056	·010										20
21	·007	·063											21
22	·057	·004	·105		·003								22
23	·003	·099	·110										23
24	·002	·101	·007										24
25	·001	·032	·012	·083	·052								25
26		·019	·004	·155	·263								26
27		·458	·055	·040									27
28	·003	·248	·003	·250	·044								28
29	·003				·003								29
30				·052	·540								30
31					·220								31
Total	1·074	1·618	1·611	1·639	1·795								TOTAL for year
No. of Rain Days	14	16	18	11	10								

9,000, IX. '10.

DL

156

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RA 1911

Kept at Burnham

in the County of Bucks 3

by P. Bicknell

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·016		·004	·520									1
2	·040	·002		·384	·146								2
3	·022	·006	·001	·008	·194								3
4	·024	·018	·130	·076									4
5	·029	·002		·035									5
6	300		·110	·004									6
7	·042		·009	·030									7
8	·108		·200	·002									8
9	·083		·007										9
10	·055	·084	·142										10
11	·264	·002	·003										11
12	·003	·003	·456		·116								12
13			·056		·088								13
14		·071	·020		·126								14
15	·005	·073	·105										15
16		·010											16
17		·008	·046										17
18		·259	·016										18
19													19
20	·007	·056	·010										20
21	·007	·063											21
22	·057	·004	·105		·003								22
23	·003	·099	·110										23
24	·002	·101	·007										24
25	·001	·032	·012	·083	·052								25
26		·019	·004	·155	·263								26
27		·458	·055	·040									27
28	·003	·248	·003	·250	·044								28
29	·003				·003								29
30				·052	·540								30
31					·220								31
Total	1·074	1·618	1·611	1·639	1·795								TOTAL for year
No. of Rain Days	14	16	18	11	10								

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
~~10~~ JAN 1912

BUCKS.
BURNHAM – BEDFORD VILLA
1911 ONLY

1911

Negretti & Zambra

Kept at Bedford

in the County of

by L.

r of top 5 in.
f top above Ground 1 ft. – in.
,, ,, Sea Level 182 ft.
ion 9 a.m.
Station { Name Burnham Beeches
Distance 1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01			0.51				0.02					1
2	0.03			0.37	0.11			0.01		0.03	0.22	0.05	2
3	0.02	~~2~~	0.01	0.01	0.20						0.12	0.05	3
4	0.02	0.02	0.06	0.11						0.05	0.12	0.36	4
5	0.03	0.01	0.00	0.04				0.01		0.07	0.04	0.01	5
6	0.28		0.11							~~0.17~~		0.30	6
7	0.05		0.01							0.17	0.34	0.14	7
8	0.12		0.21								0.14	0.20	8
9	0.08		0.01	0.03							0.01	0.06	9
10	0.05	0.08	0.14		0.01						0.08	0.36	10
11	0.26										0.65	0.02	11
12	0.01		0.45		0.13						0.31		12
13			0.06		0.08				0.34	0.13		0.54	13
14		0.08	0.01		0.17							0.20	14
15		0.07	0.11							0.02	0.05	0.01	15
16		0.01				0.09					0.35	0.05	16
17			0.03			0.15					0.25	0.21	17
18		0.26	0.02			0.53					0.31	0.24	18
19						0.25			0.10	0.07	0.19	0.08	19
20	0.01	0.04						0.18	0.23	0.06		0.61	20
21	0.01	0.06						0.34		0.36		0.07	21
22	0.05	0.01	0.10			0.01		0.02		0.09		0.53	22
23		0.14	0.12			0.31			0.25		0.02	0.08	23
24		0.11				0.08		0.03		0.70		0.74	24
25	0.01	0.64	0.02	0.06	0.05	0.08	0.02	0.01	0.01	0.02		0.01	25
26		0.01		0.15	0.25	0.13	0.01			0.11	0.02	0.27	26
27		0.46	0.06	0.03			0.10		0.10		0.01	0.18	27
28		0.24		0.25	0.05			0.07			0.06		28
29				0.01		0.20	0.09		0.26	0.22			29
30				0.03	0.60	0.01		0.02		0.10	0.01		30
31					0.22					0.01			31
Total	1.04	1.64	1.53	1.60	1.87	1.84	0.22	0.71	1.29	2.21	3.30	4.77	TOTAL for year 22.02
No. of Rain Days.	16	16	17	12	11	11	4	10	7	16	20	25	165

W. 8,000, X. '11.

1911

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

✓

Kept at Bedford Villa, Burnham

in the County of Bucks 3

by L. Lowman

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 182 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Burnham Beeches
Distance 1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01			0·51				0·02					1
2	0·03			0·37	0·11			0·01		0·03	0·22	0·05	2
3	0·02	~~2~~	0·01	0·01	0·20						0·12	0·05	3
4	0·02	0·02	0·06	0·11						0·05	0·12	0·36	4
5	0·03	0·01	~~0·00~~	0·04				0·01		0·07	0·04	0·01	5
6	0·28		0·11							~~0·17~~		0·30	6
7	0·05		0·01							0·17	0·34	0·14	7
8	0·12		0·21								0·14	0·20	8
9	0·08		0·01	0·03							0·01	0·06	9
10	0·05	0·08	0·14		0·01						0·08	0·36	10
11	0·26										0·65	0·02	11
12	0·01		0·45		0·13						0·31		12
13			0·06		0·08				0·34	0·13		0·54	13
14		0·08	0·01		0·17							0·20	14
15		0·07	0·11							0·02	0·05	0·01	15
16		0·01				0·09					0·35	0·05	16
17			0·03			0·15					0·25	0·21	17
18		0·26	0·02			0·53					0·31	0·24	18
19						0·25			0·10	0·07	0·19	0·08	19
20	0·01	0·04						0·18	0·23	0·06		0·61	20
21	0·01	0·06						0·34		0·36		0·07	21
22	0·05	0·01	0·10			0·01		0·02		0·09		0·53	22
23		0·14	0·12			0·31			0·25		0·02	0·08	23
24		0·11				0·08		0·03		0·70		0·14	24
25	0·01	0·04	0·02	0·06	0·05	0·08	0·02	0·01	0·01	0·02		0·01	25
26		0·01		0·15	0·25	0·13	0·01			0·11	0·02	0·27	26
27		0·46	0·06	0·03			0·10		0·10		0·01	0·18	27
28		0·24		0·25	0·05			0·07			0·06		28
29				0·01		0·20	0·09		0·26	0·22			29
30				0·03	0·60	0·01		0·02		0·10	0·01		30
31					0·22					0·01			31
Total	1·04	1·64	1·53	1·60	1·87	1·84	0·22	0·71	1·29	2·21	3·30	4·77	TOTAL for year 22·02
No. of Rain Days.	16	16	17	12	11	11	4	10	7	16	20	25	165

W. 8,000, X. '11.

Check REG … 15 10

FORM A.
BRITISH RAINFALL.

8.XII.15

Kept at 'Woodlea" Bu … Long. 0. 40. 7

… 9.0 AM

in the County of Buc … …ion Taplow

… Rain Gauge 5 in.

by Wm A. Wi … …ge above Ground 1 ft. - in.

„ Sea Level about 180 ft.

Bucks

Burnham — 'Woodlea'

1915 only

IMPORTANT NOT… and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·58	·20	·11		·02		·04		·07	·07	·30	·28	1
2	·14	·26	·31	·08		·03		1.10	·03	·06		·24	2
3	·48		·05	·08			·02	·02	·01		·01	·34	3
4	·04											·28	4
5	·03	·39		·01	·01		·57	·02				·27	5
6	·25	·09	·06	·21			·32					·10	6
7	·20	·20	·03				·01	·03				Record ceased from this date	7
8	·12	·51	·01	·06				·06					8
9	·01	·04		·22		·05		·04		·02	·22		9
10	·32		·02					·40					10
11	·01		·02					·01			·69		11
12	·07	·04		·26	·45			·26			·34		12
13	·01	·52			1.00			·04					13
14	—	·02					·83	·04	·07				14
15	·14	·03			·08			·08			·08		15
16		·33					·77	·14					16
17		·25			1.10			·02					17
18		·10	·09		·11								18
19		·02			·03		·14						19
20	·33			·04	·01								20
21	·03				·18								21
22	·71	·09	·38				·70		·02				22
23		·14	·03			·05	·22		·15	·54			23
24						·01	·19		·59	·27			24
25				·07		·05	·03			·04			25
26		·04				·05	·16		·01				26
27						·18	·19			·32			27
28						·01			1.18	·10			28
29							·06	·14			·09		29
30	·04	✕				·13	·10			·23	·22		30
31		✕		✕		✕		·07	✕	1.14	✕		31
Total	3·51	3·27	1.11	1.03	2·99	·56	4·35	2·47	2·13	2·79	1·95		YEAR'S TOTAL
Rain Days.	18	18	11	9	10	9	16	16	9	10	8		

W. 8,000. X. 15.

Check

REG 15 111

8.XII.15

FORM A. BRITISH RAINFALL.

Kept at 'Woodlea' Burnham

in the County of Bucks

by Wm A. Wilson

Lat. 51·32·59 Long. 0·40·7

Time of Observation 9·0 AM

Nearest Railway Station Taplow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level about 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·58	·20	·11		·02		·04		·07	·07	·30	·28	1
2	·14	·26	·31	·08		·03		1·10	·03	·06		·24	2
3	·48		·05	·08			·02	·02	·01		·01	·34	3
4	·04											·28	4
5	·03	·39		·01	·01		·57	·02				·27	5
6	·25	·09	·06	·21			·32					·10	6
7	·20	·20	·03				·01	·03				↑ Record ceased from this date ↓	7
8	·12	·51	·01	·06				·06					8
9	·01	·04		·22		·05		·04		·02	·22		9
10	·32		·02					·40					10
11	·01		·02					·01			·69		11
12	·07	·04		·26	·45			·26			·34		12
13	·01	·52			1·00			·04					13
14	—	·02					·83	·04	·07				14
15	·14	·03			·08			·08			·08		15
16		·33					·77	·14					16
17		·25			1·10			·02					17
18		·10	·09		·11								18
19		·02			·03		·14						19
20	·33			·04	·01								20
21	·03				·18								21
22	·71	·09	·38				·70		·02				22
23		·14	·03			·05	·22		·15	·54			23
24						·01	·19		·59	·27			24
25				·07		·05	·03			·04			25
26		·04				·05	·16		·01				26
27						·18	·19			·32			27
28						·01			1·18	·10			28
29							·06	·14			·09		29
30	·04					·13	·10			·23	·22		30
31								·07		1·14			31
Total	3·51	3·27	1·11	1·03	2·99	·56	4·35	2·47	2·13	2·79	1·95		YEAR'S TOTAL
Rain Days.	18	18	11	9	10	9	16	16	9	10	8		

W. 8,000. X. 15.

160

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGI 11

BUCKS
CHALFONT ST GILES – WOODLANDS
1911 – 1915

Kept at Woodlands, in.

in the County of Buck ve Ground ft. in.

Sea Level ft.

by A. D. Gordon

Name

Distance Direction

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·45			·01	·04				·01	1
2	·05			·37	·22						·25	·19	2
3		·03			·26						·16	·07	3
4	·04	·03	·09	·16						·07	·21	·44	4
5	·02	·01		·01				·03		·05		·04	5
6	·43		·11								·01	·37	6
7	·07		·03	·01						·20	·31	·34	7
8	·17		·23								·18	·18	8
9	·09		·03	·01							·02	·07	9
10	·04	·08	·23	·01	·05						·06	·50	10
11	·30				1·05						·71		11
12	·01		·57		·05				·01		·43		12
13			·04		·06				·50	·20	·01	·63	13
14		·05	·04		·20							·39	14
15		·07	·16							·03	·10	·02	15
16						·16					·44	·11	16
17		·01	·05			·25					·22	·31	17
18		·19	·02			·27					·29	·41	18
19						·38			·14	·08	·28	·08	19
20	·02	·07						·26	·42	·06		·81	20
21	·02	·18	·01			·01		·37		·55		·12	21
22	·04					·16				·08		·66	22
23		·13	·13			·45			·20		·02	·17	23
24		·17	·02			·09		·03		·73		·18	24
25		·08	·02	·09	·17	·18	·09	·02	·02			·01	25
26		·03		·17	·04	·04	·01			·14	·03	·39	26
27		·45	·08	·02			·10	·06	·12		·01	·18	27
28		·55		·29	·04			·09			·10		28
29				·09		·22	·09		·26	·38			29
30			·01		·04	·04		·64	·01	·22		·01	30
31					·13								31
Total	1·34	2·13	1·87	1·68	2·31	2·25	·30	1·54	1·68	2·79	3·84	6·69	TOTAL for year 28·42
No. of Rain Days	14	16	18	12	12	12	5	9	9	13	20	26	166

9,000, IX. '10.

DL ✓

160

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGI 11

Kept at Woodlands, Chalfont St Giles

in the County of Bucks 4

by A. D. Gordon

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·45			·01	·04				·01	1
2	·05			·37	·22						·25	·19	2
3		·03			·26						·16	·07	3
4	·04	·03	·09	·16						·07	·21	·44	4
5	·02	·01		·01				·03		·05		·04	5
6	·43		·11								·01	·37	6
7	·07		·03	·01						·20	·31	·34	7
8	·17		·23								·18	·18	8
9	·09		·03	·01							·02	·07	9
10	·04	·08	·23	·01	·05						·06	·50	10
11	·30				1·05						·71		11
12	·01		·57		·05				·01		·43		12
13			·04		·06				·50	·20	·01	·63	13
14		·05	·04		·20							·39	14
15		·07	·16							·03	·10	·02	15
16						·16					·44	·11	16
17		·01	·05			·25					·22	·31	17
18		·19	·02			·27					·29	·41	18
19						·38			·14	·08	·28	·08	19
20	·02	·07						·26	·42	·06		·81	20
21	·02	·18	·01			·01		·37		·55		·12	21
22	·04					·16				·08		·66	22
23		·13	·13			·45			·20		·02	·17	23
24		·17	·02			·09		·03		·73		·18	24
25		·08	·02	·09	·17	·18	·09	·02	·02			·01	25
26		·03		·17	·04	·04	·01			·14	·03	·39	26
27		·45	·08	·02			·10	·06	·12		·01	·18	27
28		·55		·29	·04			·09			·10		28
29				·09		·22	·09		·26	·38			29
30			·01		·04	·04		·64	·01	·22		·01	30
31					·13								31
Total	1·34	2·13	1·87	1·68	2·31	2·25	·30	1·54	1·68	2·79	3·84	6·69	TOTAL for year 28·42
No. of Rain Days	14	16	18	12	12	12	5	9	9	13	20	26	166

9,000, IX. '10.

82 Ex. H06 166

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Woodlands, Chalfont St Giles
in the County of Buckinghamshire 4
by A. D. Gordon

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.
Time of Observation
Nearest Railway Station: Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07			·06	·01		·07	·30		·16	1
2		·01	·12			·08	·36	·05					2
3	·07		·09		·04	·23	·01	·31	·03		·01	·14	3
4	·42		·68		·17	·21		·04			·28		4
5	·24	·10	·18			·01		·44			·01	·02	5
6	·62	·03	·01		·01			·27	·03			·10	6
7	·01				·05	·58	·04	·11				·14	7
8	·55	·33	·21					·20				·04	8
9	·06	·23	·05	·06		·27	·03	·06				·31	9
10	·01	·04				·04		·42			·11	·16	10
11	·10	·20				·01			·01		·01	·20	11
12	·05	·23	·16		·04	·14	·01				·10		12
13		·01	·01			·02	·03				·13	·04	13
14	·01		·06		·03			·01		·05	·01	·04	14
15	·02	·04	·13		·24	·48		·02				·26	15
16	·31	·01	·13		·03	·02		·13		·15	·09		16
17	·63		·21			·10		·14				·01	17
18	·06		·19					·24				·09	18
19	·10	·13	·18				·33	·47		·02			19
20	·05	·02	·17				·03	·13		·51			20
21	·01	·09	·62		·58			·14		·12	·09		21
22	·25	·23	·12		·05		·08	·20			·01	·06	22
23	·36	·32	·43		·01		·02	·50		·01	·18	·22	23
24	·19	·01				·03		·10				·17	24
25						·25		·38			·32	·49	25
26		·06					·14	·21		·55	·54	·34	26
27			·05			·10	·02			·25		·25	27
28		·03				·14	·04	·18	·10	·58	·45	·28	28
29		·07		·02		·15	·18	·38	1·78	·16	·05		29
30					·43		·09		·88	·15			30
31			·19		·01		·28	·14		·01		·08	31
Total	4·12	2·19	4·06	·08	1·69	2·92	1·70	5·27	2·90	2·86	2·39	3·60	TOTAL for year 33·78
No. of Rain Days.	21	20	22	2	13	19	17	25	7	13	16	22	197

W. 8,000, X. '11.

Dd.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

27 JAN 1914

165

Kept at Chalfont St. Giles, Woodlands

in the County of Buckinghamshire 4

by A. D. Jordon

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·08	·18	·11	·06		·03			·24		·16	·08	1
2	·01	·13	·02	·04			·08			·43	·08		2
3	·08		·04	·11	·56					·01		·12	3
4	·46		·02		·04		·08			·06	·05	·15	4
5	·15				·03	·01	·13		·14	·02	·01	·06	5
6		·12	·07		·11	·15	·13			·41		·14	6
7		·17			·10	·07	·01	·01		·41	·08	·01	7
8		·01	·03		·11	·16				·17	·11		8
9		·19			·01	·02	·03		·08		·03	·04	9
10	·02		·05	·08			·22	·08			·36		10
11	·56			·47	·11			·18		·72	·30		11
12		·01			·03						·39		12
13	·01		·02	·01					·07		·28		13
14	·10		·13	·10			·16	·08	·01	·13	·05		14
15	·20	·05	·38	·47			·24		·05		·01		15
16	·09		·41	·19					·05				16
17	·04		·09	·03			·15				·03	·07	17
18	·03		·24	·24			·02				·06		18
19	·67		·05	·02			·11		·54			·02	19
20	·12		·05	·07	·01					·44	·02		20
21	·01		·20	·04	·05		·01			·08	·53		21
22	·51		·25					·04	·22				22
23			·02			·03		·03	·01			·15	23
24	·01			·09		·01		·03			·01		24
25		·02		·21								·01	25
26		·03	·15	·19				·09		·49		·25	26
27		·04	·02	·06	·01					·02			27
28	·33		·27	·17						·12			28
29	·03		·09	·38	·34			·11		·14		·03	29
30	·38							·05		·25	·12		30
31			·12					·33		·02			31
Total	3·89	·95	2·83	3·03	1·51	·48	1·37	1·03	1·41	3·92	2·68	1·13	YEAR'S TOTAL 24·23
Rain Days.	21	11	23	20	13	8	13	11	10	17	19	13	179

W. 7,500, XI. ·12

16

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Woodlands, Chalfont St. Giles
in the County of Buckinghamshire 4
by A. D. Gordon

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·11			·06	·02	1
2						·02	·10	·18			·08	·14	2
3	·01		·03	·01	·24		·39	·13			·17	·04	3
4	·23		·02	·30	·13			·20			·37	·57	4
5	·03		·15	·18	·08	·11	·47	·32					5
6		·15	·01		·07	·14	·09	·07			·30	·32	6
7		·34	·41	·11	·54	·10	·12	·01				·23	7
8	·09	·18	·77	·03	·06	·13	·47	·16				·01	8
9	·21		·56	·11		·36		·02	·08			1·53	9
10	·03	·14		·09	·11				·25			·01	10
11		·33	·58		·02	·52			·02		·31	·30	11
12	·02	·08	·13				·17		·33		·03	·39	12
13		·39	·16						·20	·03	·06	·51	13
14		·20	·45				·08			·28	·17	·35	14
15	·08	·03	·30				·02	·02	·03	·04	·06	·05	15
16			·03				·08		·13		·03		16
17		·59	·13						·26			·27	17
18			·08									·44	18
19		·11	·14			·12	·16				·14	·10	19
20		·36	·29						·01			·12	20
21		·60	·07			·02		·03		·07		·06	21
22		·04			·05	·06	·09	·05		·81			22
23		·17	·11		·16	·02	·01			·08			23
24	·01		·02	·02	·05		·01			·18	·13		24
25	·05		·14				·02	·18		·44	·01	·09	25
26			·07				·10	·06		·05	·26	·65	26
27	·04										·08	·32	27
28		·08			·01						·40	1·49	28
29	·09		·20							·28	·13		29
30			·08							·08	·47	·34	30
31	·03				·04		·08					·04	31
Total	·92	3·79	4·93	·85	1·56	1·60	2·46	1·54	1·31	2·34	3·26	8·39	YEAR'S TOTAL 3205 1
Rain Days.	13	16	24	8	13	11	17	14	9	11	19	25	180

W.7,000, XI. 13

1086

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Woodlands, Chalfont St. Giles

in the County of Buckinghamshire

by A. D. Gordon

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·63	·19	·08		·04								1
2	·09	·27	·38	·10	·02	·04							2
3	·49		·07	·12									3
4	·09												4
5	·04	·45		·05	·10								5
6	·23	·08	·02	·36									6
7	·12	·40	·06	·03									7
8	·06	·50	·02										8
9		·08		·13		·03							9
10	·41		·03										10
11	·02		·03										11
12	·09	·02		·27	·45								12
13		·48			1·22								13
14	·01	·05											14
15	·30	·03			·05								15
16		·56											16
17		·43			·66								17
18		·16	·12		·07								18
19		·03			·01								19
20	·39			·09									20
21	·12	·06			·21								21
22	·80	·14	·38										22
23	·01	·32	·09	·01									23
24			·04			·03							24
25				·04		·05							25
26		·13				·04							26
27						·16							27
28		·10				·03							28
29													29
30	·05	X				·84							30
31	·01	X		X		X			X		X		31
Total	3·96	4·48	1·32	1·20	2·83	1·22							YEAR'S TOTAL
Rain Days.	19	20	12	10	10	8							

W. 8,000. X. 14.

CHALFONT ~~ST.~~ GILES

ROUGHWOOD PARK

BUCKS

1914 - 1915

1919 - 1920

FORM A.
BRITISH RAINFALL.

9 FEB 1915

REGIS

33'

Kept at Roughwood P

M.

in the County of Chalfont Bucks

rleywood

8 in.

by Mr Sandford Fa

Ground 1 ft. in.

Sea Level 365 ft.

IMPORTANT NOTE.- … e result entered to the previous day. If an Obser… sal rule, he is earnestly requested to add the reading … in the space provided for it at the end of this p… nt of rain, the selection and placing of … h Rainfall Organization are given in "A… plication to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·10				02	1
2								·20			·13	13	2
3	·02		·02		·25		·60	·04			·30	04	3
4	× ·21		·01	·37	·12			·21			·37	55	4
5	·07		·14	·22	·09	·10	·15	·22			(in ½ an hour)	12	5
6	·	·15			·05	·10	·10	·08			·41	30	6
7	·	·38	·48		·63	·11	·16					×	7
8	·08	·22	·73	20	·05	·11	·40	·17				×	8
9	·20		·72	08		·39						× 1.44	9
10	·01	·22		03	·09						·01	05	10
11		·25	·29			·49			·31		·32	70	11
12		·13	·15				·10		45		·03	23	12
13		·53	·07						05	·03	·05	41	13
14		·21	·31				·14		02	·20	·12	41	14
15	·07	·06	·03				·02	·03		·11	·05		15
16		·01	·02						26		·04		16
17		·57	·15						05			30	17
18		·01	·04						05			35	18
19		·10	·45			·03	·15				·14	02	19
20		·37	·18						06			22	20
21		·04	·07			·01		·03		·06		9	21
22		·15	·01	~~06~~	·06	·07		·04		·83			22
23		·10	·16	~~14~~	·14					·11			23
24	·01	·01		~~04~~	·04					·14	·12		24
25	·05		·16				·02	·19		·42	·01	10	25
26			·07				·10	·05		·04	·28	52	26
27	·04		·02									29	27
28		·07		~~01~~	·01					·03	·43	·95	28
29	·07		·20								·10		29
30		×	·10								·45	48	30
31	·01	×		×	·04	×	·08		×	·32	×	02	31
Total	·78	3·58	4·58	·90	1·57	1·41	2·02	1·36	1·25	2·29	3·36	7·74	YEAR'S TOTAL 30·84
Rain Days.	12	19	24	5	12	9	12	12	8	11	18	25 23	167 165

W. 8,000. X. 14.

REGIS

FORM A. BRITISH RAINFALL.
9 FEB 1915

Kept at Ronfwood Barns Chalfont St Giles
in the County of Bucks.
by Mrs Sandford Fawcett

Lat. 51° 39 Long. 0 33'
Time of Observation 9. A.M.
Nearest Railway Station Chorleywood
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·10				02	1
2								·20			·13	13	2
3	·02		·02		·25		·60	·04			·30	04	3
4	·21		·01	·37	·12			·21			·37	55	4
5	·01		·14	·22	·09	·10	·15	·22			(in ½ an hour)	12	5
6	·	·15			·05	·10	·10	·08			·41	30	6
7	·	·38	·48		·63	·11	·16					×	7
8	·08	·22	·73	20	·05	·11	·40	·17				×	8
9	·20		·72	08		·39						× 1.44	9
10	·01	·22		03	·09						·01	05	10
11		·25	·29			·49			·31		·32	70	11
12		·13	·15				·10		45		·03	23	12
13		·53	·07						05	·03	·05	41	13
14		·21	·31				·14		02	·20	·12	41	14
15	·07	·06	·03				·02	·03		·11	·05		15
16		·01	·02						26		·04		16
17		·57	·15						05			30	17
18		·01	·04						05			35	18
19		·10	·45			·03	·15				·14	02	19
20		·37	·18						06			22	20
21		·04	·07			·01		·03		·06		9	21
22		·15	·01	~~06~~	·06	·07		·04		·83			22
23		·10	·16	~~14~~	·14					·11			23
24	·01	·01		~~04~~	·04					·14	·12		24
25	·05		·16				·02	·19		·42	·01	10	25
26			·07				·10	·05		·04	·28	52	26
27	·04		·02									29	27
28		·07		~~01~~	·01					·03	·43	·95	28
29	·07		·20								·10		29
30		×	·10								·45	48	30
31	·01	×		×	·04	×	·08		×	·32	×	02	31
Total	·78	3·58	4·58	·90	1·57	1·41	2·02	1·36	1·25	2·29	3·36	7·74	YEAR'S TOTAL 30·84
Rain Days.	12	19	24	5	12	9	12	12	8	11	18	25 23	167 165

W. 8,000. X. 14.

Cor. lysum. stats 29.2.16 [illegible]

1085

FORM A. BRITISH RAINFALL. 10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Rorykwood Barns Chalfont St Giles

in the County of Bucks.

by Mrs Sandford Fawcett.

4

Lat. 51° 39' N Long. 0° 33' W

Time of Observation 9 AM

Nearest Railway Station Chorleywood

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·99✓		·20	·10	·03		·02	·03	·06		·08	·26	1
2	·08	·43	·36	·11		·03		·81	·04	·07		·21	2
3	·55		·07				·05	·84✓	·04		·01	·30	3
4								·01				·40	4
5	·05	·44					·41	·02				·25	5
6	·25	·07	·01	·38✓	·13		·50					·13	6
7	·10	·41	·06				·02	·03			·01	·26	7
8	·06	·30		·05									8
9	·01	·33		·09		·02					·23	·79	9
10	·36		·07					·23				·09	10
11	·02							·61			·20		11
12	·01			·26	·58			·27			1·15x	·03	12
13	·07	·52			1·07✓								13
14	·01	·05					·75✓	·12	·09		·04	·49	14
15	·27	·08						·12			·10	·31	15
16		·59✓			·25		·55					·15	16
17		·33			·45		·22	·11					17
18		·15	·10								·02		18
19	·10	·02			·01								19
20	·30			·08	·09		·13					·21	20
21												·08	21
22	·79	·16	·37✓				·06		·14				22
23		·34	·10				·70		·70			·16	23
24			·03				·25			·70		·15	24
25				·04		·05	·03		·02	·04		·09	25
26						·03	·05		1·16x			·81x	26
27		·09				·18				·03		·04	27
28						·03	·46			·40	·05	·03	28
29								·20		·09	·33	·05	29
30		X				·69✓			·02			·03	30
31		X		X		X			X	1·31x	X	·04	31
Total	4·02	4·31	1·37	1·11	2·61	1·03	4·20	2·80	2·27	2·64	2·22	5·36	YEAR'S TOTAL 33·94
Rain Days.	17	16	10	8	8	7	15	13	9	7	11	24	145

W. 8,000. X. 15.

Ex Wh

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Chalfont St Giles

in the County of Buckinghamshire

by T. Agelasto

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												(1·33)	1
2												(·29)	2
3												(·34)	3
4												·15	4
5												·32	5
6												·10	6
7													7
8													8
9													9
10												·11	10
11												·05	11
12													12
13												·01	13
14												·01	14
15												·64	15
16												·02	16
17												·02	17
18												·07	18
19													19
20													20
21												·07	21
22												·35	22
23												·03	23
24												·02	24
25												·05	25
26												·55	26
27												·02	27
28												·29	28
29												·01	29
30		×										·67	30
31		×		×		×			×		×	·01	31
TOTAL												(5·53)	YEAR'S TOTAL
Days with ·01 in. or more												(25)	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W cont for all

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

51.38 N
.33 W

Kept at Roughwood Park, Chalfont St. Giles

in the County of Bucks

by T. Agelasto

Lat. 51.38 N Long. .33 W

Time of Observation 9 A.M.

Nearest Railway Station Chorleywood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.71	.20	—	.25	—	—	.29	.38	.25	1
2	—	—	—	.03	—	—	.15	.50	.08	.03	—	.11	2
3	—	.06	—	.06	—	—	.11	—	.10	.06	—	.08	3
4	—	.04	—	.08	—	—	.01	.17	—	36	—	.03	4
5	—	—	.05	—	.05	—	.76	.05	—	—	—	.12	5
6	—	—	.18	—	.16	—	.40	—	—	—	—	04	6
7	.01	—	—	—	—	—	.18	—	—	—	—	—	7
8	.05	.04	—	.19	.06	—	.20	—	—	—	—	—	8
9	.39	—	—	.21	—	—	—	.07	—	—	—	—	9
10	.38	.07	.08	.08	—	.13	.15	—	—	—	—	—	10
11	.21	—	.07	.30	.05	.08	.16	—	—	—	—	.06	11
12	.08	—	—	.17	—	1.18	—	—	—	—	.02	—	12
13	.09	.02	—	.28	—	—	—	—	—	—	.04	—	13
14	.01	.02	.14	.28	—	1.46	.09	—	.17	.35	.27	—	14
15	.01	.08	.37	.24	—	—	.11	—	.11	.07	.09	—	15
16	—	—	.17	.43	—	.06	—	—	.14	.10	—	.04	16
17	.02	—	—	.02	.20	—	.04	—	.18	—	—	.03	17
18	.05	—	—	—	.04	—	—	.59	.38	—	—	.02	18
19	.19	—	—	.20	—	.08	—	—	—	—	—	—	19
20	.07	.10	—	.24	—	.62	—	—	—	—	—	.05	20
21	—	—	—	—	—	—	.48	.04	.44	—	—	—	21
22	.02	—	—	.29	—	—	—	—	.05	—	—	.40	22
23	.02	—	—	—	—	—	.90	.04	—	—	—	.36	23
24	.03	—	.11	—	—	—	—	—	—	—	—	.20	24
25	.10	.02	.06	.01	—	—	.39	—	—	—	—	—	25
26	.25	—	.10	.01	.11	—	.07	—	—	—	.03	.04	26
27	—	.09	—	.24	—	.22	—	—	—	—	.36	.18	27
28	.43	04	.26	.12	.17	04	.12	—	—	—	.03	.01	28
29	.21	—	.03	—	.05	—	.01	—	—	—	.21	.33	29
30	04	✕	—	—	03	07	50	—	.26	—	.25	.19	30
31	.06	✕	—	✕	—	✕	—	—	✕		✕	.15	31
TOTAL	~~2.66~~ ~~2.76~~ 2.72	.58	1.62	4.19	1.12	3.94	5.08	1.46	1.91	.38 ~~1.26~~ 1.64	~~1.68~~ 1.30	2.69	28.25 ~~28.29~~ YEAR'S TOTAL
Days with ·01 in. or more	21	11	12	21	11	10	20	7	10	7	10	20	160
Days with ·04 in. or more	~~15~~ 14	8	11	17	10	10	16	7	10	7 ~~6~~	7	~~16~~ 16	134

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WD cor. 28.III.'12

REG 11

BUCKS.

CHALFONT ST PETER – CHALFONT PARK GARDENS

1911 – 1919

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Chalfont Par 5 in.

ove Ground 1 ft. in.

in the County of Chalfont Sea Level not ascertained ft.

by George. Bar a.m.

Name George Barrell

Distance 1 Mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	—	·40	—	—	·05	·02	—	—	—	—	—	1
2	—	—	—	·53	—	—	·05	·03	—	—	—	—	2
3	·04	—	—	·22	·22	—	—	—	—	·15	·27	·15	3
4	·02	·01	—	—	·18	—	—	—	—	—	·12	—	4
5	·02	·02	·09	·13	—	—	—	—	—	·05	·10	·36	5
6	—	—	—	·04	—	—	—	·03	—	—	·04	—	6
7	·41	—	·11	—	—	—	—	—	—	·18	—	·45	7
8	·05	·01	—	·39	—	—	—	—	—	—	·33	·37	8
9	·16	—	·22	—	—	—	—	—	—	—	·17	—	9
10	·12	—	—	·02	—	—	—	—	—	—	·03	·27	10
11	·03	·07	·24	—	—	—	—	—	—	—	·13	·41	11
12	·25	—	·01	—	·32	—	—	—	—	—	·74	—	12
13	—	—	·48	—	·07	·01	—	—	—	—	·33	·04	13
14	—	—	·04	—	·10	—	—	—	·42	·35	·03	·60	14
15	—	·07	—	—	·18	—	—	—	—	·03	—	·40	15
16	—	·08	·14	—	—	—	—	—	—	—	·07	—	16
17	·01	—	—	—	—	·24	—	—	—	—	·37	·11	17
18	—	—	—	—	—	·28	—	·08	—	—	·30	·20	18
19	—	·28	·02	—	—	·23	—	—	—	—	·35	·26	19
20	—	—	—	—	—	·34	—	—	·10	·09	·31	·11	20
21	·02	·07	—	—	—	—	—	·17	·23	·07	—	·76	21
22	·01	·05	—	—	—	—	—	·36	—	·41	—	·12	22
23	·08	—	·03	—	—	·05	—	—	—	·10	—	·64	23
24	—	—	·10	—	—	·47	—	—	·26	·02	—	·17	24
25	—	·29	—	—	—	·12	—	·06	—	·78	—	·16	25
26	·01	·07	·02	·08	·14	·21	—	—	—	—	—	·02	26
27	—	·01	—	·20	·06	·01	·27	·02	—	·15	Snow. 06	·35	27
28	—	·47	·08	·06	—	—	·08	—	·15	—	—	·19	28
29	—		—	·30	·04	—	—	·14	10	—	11	—	29
30	—		—	—	—	·20	·08	—	—	·36	—	—	30
31	—		—	—	·05	·07	—	·07	—	·16		·03	31
Total	1·32	·40 ~~1·50~~ 2·82 1·90	~~1·98~~ 4·80 1·58	~~1·93~~ 6·73 1·97	~~1·36~~ 8·09 1·41	~~2·21~~ 10·30 2·18	~~·50~~ 10·80 ·48	·96 11·76	1·26 13·02	2·80 15·82	3·86 19·68	6·14 25·89	TOTAL for year 25·89
No. of Rain Days.	15	14	13	10	11	12	4	9	6	14	18	22	147

W. 8,000, X. '11.

✓ WD cor. 28·III·12

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Chalfont Park Gdns

in the County of Chalfont St Peter. Bucks

by George. Barrell.

Rain Gauge: Pattern —
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level not ascertained ft.

Time of Observation 9. a. m.

Nearest Railway Station: Gerrards Cross
Name George Barrell
Distance 1 Mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	—	·40	—	—	·05	·02	—	—	—	—	—	1
2	—	—	—	·53	—	—	·05	·03	—	—	—	—	2
3	·04	—	—	·22	·22	—	—	—	—	·15	·24	·15	3
4	·02	·01	—	—	·18	—	—	—	—	—	·12	—	4
5	·02	·02	·09	·13	—	—	—	—	—	·05	·10	·36	5
6	—	—	—	·04	—	—	—	·03	—	—	·04	—	6
7	·41	—	·11	—	—	—	—	—	—	·18	—	·45	7
8	·05	·01	—	·39	—	—	—	—	—	—	·33	·34	8
9	·16	—	·22	—	—	—	—	—	—	—	·14	—	9
10	·12	—	—	·02	—	—	—	—	—	—	·03	·27	10
11	·03	·07	·24	—	—	—	—	—	—	—	·13	·41	11
12	·25	—	·01	—	·32	—	—	—	—	—	·74	—	12
13	—	—	·48	—	·07	·01	—	—	—	—	·33	·04	13
14	—	—	·04	—	·10	—	—	—	·42	·35	·03	·60	14
15	—	·07	—	—	·18	—	—	—	—	·03	—	·40	15
16	—	·08	·14	—	—	—	—	—	—	—	·07	—	16
17	·01	—	—	—	—	·24	—	—	—	—	·34	·11	17
18	—	—	—	—	—	·28	—	·08	—	—	·30	·20	18
19	—	·28	·02	—	—	·23	—	—	—	—	·35	·26	19
20	—	—	—	—	—	·34	—	—	·10	·09	·31	·11	20
21	·02	·07	—	—	—	—	—	·14	·23	·07	—	·76	21
22	·01	·05	—	—	—	—	—	·36	—	·41	—	·12	22
23	·08	—	·03	—	—	·05	—	—	—	·10	—	·64	23
24	—	—	·10	—	—	·47	—	—	·26	·02	—	·14	24
25	—	·29	—	—	—	·12	—	·06	—	·78	—	·16	25
26	·01	·07	·02	·08	·14	·21	—	—	—	—	—	·02	26
27	—	·01	—	·20	·06	·01	·24	·02	—	·15	Snow 06	·35	27
28	—	·47	·08	·06	—	—	·08	—	·15	—	—	·19	28
29	—		—	·30	·04	—	—	·14	10	—	11	—	29
30	—		—	—	—	·20	·08	—	—	·36	—	—	30
31	—		—		·05		—	·04		·16		·03	31
Total	1·32	·40 ~~1·50~~ 2·82 1·90	~~1·98~~ 4·80 1·58	~~1·93~~ 6·73 1·97	~~1·36~~ 8·09 1·41	·02 ~~2·21~~ 10·30 2·18	~~·50~~ 10·80 ·48	·66 11·46	1·26 13·02	2·80 15·82	3·86 19·68	6·14 25·89	TOTAL for year 25·89
No. of Rain Days.	14	14	13	[illegible]	14	12	4	9	6	14	18	22	147

W. 8,000, X. '11.

cor by our Nots (Dec 10)

cor

REGISTER OF RAINFALL IN 19 12

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

Kept at Chalfont Gardens

in the County of Bucks 4

by George Barrell

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Gerrards Cross

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·10)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	31	—	·01	·05	26	16	85	·04	—	1
2	—	—	·08	—	—	·08	·04	—	·05	29	—	with snow 19	2
3	—	—	·09	—	—	·09	34	·06	—	·01	—	—	3
4	·08	snow ·05	15	—	—	~~22~~ 28	·03	30	02	—	·03	13	4
5	39	—	with hail 13	—	16	18	—	·04	—	—	24	—	5
6	25	snow 10	14	—	—	·02	—	40	—	—	·01	—	6
7	64	—	—	—	·02	58	—	23	05	—	—	14	7
8	·02	—	—	—	·09	12	11	28	—	—	—	—	8
9	54	31	25	—	—	—	—	49	—	—	—	11	9
10	—	20	·09	·08	—	—	05	·05	—	—	—	30	10
11	—	—	—	—	—	—	—	24	—	—	12	~~34~~ (·27)	11
12	13	22	—	—	—	—	—	·01	—	—	·02	15	12
13	·16	23	15	—	13	26	—	—	—	—	·09	—	13
14	—	—	—	—	—	—	—	—	—	—	10	·04	14
15	—	—	·04	—	·03	—	—	13	—	10	—	·02	15
16	·04	·06	with hail 20	—	23	55	—	04	—	—	—	31	16
17	34	—	10	—	·08	·08	—	14	—	11	10	—	17
18	60	—	20	—	—	·09	—	10	—	—	—	·02	18
19	·06	—	23	—	—	—	—	54	—	—	—	15	19
20	12	12	21	—	—	—	30	84	—	—	—	—	20
21	·05	—	17	—	—	—	·03	33	—	33	—	—	21
22	25	—	44	—	40	—	—	13	—	10	10	—	22
23	32	29	14	—	20	—	·04	16	—	—	—	—	23
24	27	35	33	—	—	—	·02	45	—	03	21	25	24
25	—	·03	—	—	—	—	—	11	—	—	—	13	25
26	—	—	—	—	—	20	—	38	—	—	33	50	26
27	—	—	—	—	—	—	10	30	—	53	43	26	27
28	—	—	—	—	—	·08	—	—	—	24	—	22	28
29	—	·04	—	—	—	03	—	—	19	45	44	38	29
30	—		—	·01	—	34	13	42	1·57	14	—	—	30
31	—		—		44		·03	·06		31		—	31
	—	—	·31	—	·01	·05	·26	·16	·85	·04	—	(·10)	
Total	~~4·25~~	~~2·00~~	~~3·79~~	~~·40~~	~~1·48~~	~~2·99~~	~~1·36~~	~~6·52~~	~~2·04~~	~~3·49~~	~~2·26~~	~~3·26~~ (3·56)	YEAR'S TOTAL ~~34·42~~
Rain Days.		~~6·25~~	~~10·02~~	~~10·42~~	~~12·20~~	~~15·19~~	~~16·55~~	~~23·07~~	~~25·11~~	~~28·60~~	~~30·86~~	~~34·42~~	
	4·25	2·00	4·08	·09	1·79	3·03	1·57	6·42	2·73	2·68	2·22	(3·66)	34·52
	17	12	19	2	14	16	13	26	6	13	13	19	166

W. 7,500, XI. 12

✓ cor for W.D. 25.11.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 JAN 1914

Kept at Chalfont-Park Gardens
in the County of Buckinghamshire 4
by G. Barrell.

Lat. Long.
Time of Observation 9 A. M
Nearest Railway Station Gerrards X
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	—	—	—	—	—	—	—	·26	—	·03	—	1
2	·06	·16	·05	·33	—	·09	—	—	·21	—	·09	·15	2
3	·02	·13	·01	·07	—	—	·06	—	·02	·65	·08	—	3
4	·02	—	·06	·21	·58	—	—	—	—	·01	—	·04	4
5	·35	—	·01	—	·04	—	—	—	—	·09	·04	·13	5
6	·13	—	—	—	—	·04	·12	—	·39	·03	·01	·07	6
7	—	·06	·08	—	·10	·15	·16	—	—	·43	·01	·20	7
8	—	·11	—	—	·11	·05	·14	·12	—	·41	·07	—	8
9	—	—	—	—	·11	·16	—	—	—	·10	—	—	9
10	—	·23	—	—	·01	·02	—	—	·05	—	·07	—	10
11	—	—	—	·08	—	—	—	·07	—	—	·39	—	11
12	Snow ·60	—	—	·48	·05	—	·09	·08	—	·78	·31	—	12
13	—	—	—	—	·06	—	—	—	—	—	·36	—	13
14	—	—	—	·01	—	—	—	—	·08	—	·23	—	14
15	·11	—	·25	·04	—	—	—	·08	—	·14	·08	—	15
16	·21	·08	·24	·34	—	—	·20	—	·14	—	—	—	16
17	·13	—	·40	·17	—	—	·19	—	·13	—	—	—	17
18	·02	·03	·10	·03	—	—	—	—	—	—	—	—	18
19	·03	—	·19	·13	—	—	·12	—	·07	—	·04	—	19
20	Pearl-Hail 61	—	·06	—	—	—	—	—	·37	—	·04	—	20
21	·09	—	·09	·08	—	—	·13	—	—	·54	—	—	21
22	·03	—	·16	·03	·07	—		—	—	·12	—	—	22
23	Snow 59	—	·25	·10	—	—	·02	—	·20	—	·54	—	23
24	—	—	—	—	—	—	—	·11	·02	—	—	·37	24
25	—	—	·02	·05	—	·04	—	·07	—	—	·01	—	25
26	—	—	—	·18	—	—	—	—	—	—	—	—	26
27	—	·16	·16	·13	—	—	—	·09	—	·54	·03	·18	27
28	·02	·04	—	·08	—	—	—	—	—	·04	—	—	28
29	·38		·25	·13	—	—	—	—	—	·10	—	—	29
30	·03		·08	39	·43	—	—	·10	—	·05	—	—	30
31	26		—		—		—	·04		19		Snow ·02	31
Total	3.75	1.00 3.75 4.75	2.46 4.75 7.21	3.06 7.21 10.27	1.56 10.27 11.83	0.55 11.83 12.38	1.23 12.38 13.61	·0.76 13.61 14.37	1.94 14.37 16.31	4.22 16.31 20.53	2.43 20.53 22.96	1.16 22.96 24.12	YEAR'S TOTAL 24.12
Rain Days.	~~20~~ 19	9	18	20	10	7	10	~~9~~ 10	~~12~~ 11	~~16~~ 17	~~18~~ 17	8	15 ~~6~~
	3.69	1.00	2.46	3.06	1.56	.55	1.23	1.02	1.68	4.25	2.40	1.16	24.06

W. 7,500, XI. ·12

Cod by obr, from auth 24.11.15 H. Mg.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
2 JAN 1915

Kept at Chalfont Park Gardens
in the County of Buckinghamshire
by G. Barrell.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station one mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	·09	—	—	·08	·05	1
2	—	—	—	—	—	—	11	34	—	—	·07	—	2
3	—	—	·06	·04	22	—	29	—	—	—	Part-Hail 20	·07	3
4	15	—	·02	21	13	—	—	20	—	—	34	Part-Hail 40	4
5	·03	—	11	17	·04	·09	42	—	—	—	·01	—	5
6	—	15	·02	—	·05	12	—	31	—	—	·02	21	6
7	—	19	41	16	77	·04	18	—	—	—	—	13	7
8	·04	20	Hl Snow 78	·04	10	12	39	15	—	—	—	·02	8
9	15	—	Hl-Snow 64	10	·02	61	—	—	·08	—	—	1·54	9
10	·02	·07	·03	·06	10	—	—	·02	20	—	·01	·02	10
11	—	24	55	—	·03	51	—	—	·04	—	38	24	11
12	·02	10	15	—	—	—	28	—	27	·01	·05	34	12
13	—	33	20	—	—	—	—	—	19	·05	·04	60	13
14	—	11	64	—	—	—	—	—	—	30	11	47	14
15	·09	·03	18	—	—	—	—	·05	11	·01	·04	·04	15
16	—	—	·04	—	—	—	—	—	12	—	·04	—	16
17	—	44	13	—	—	—	—	—	·08	—	—	23	17
18	—	—	Snow ·09	—	—	—	—	—	—	—	—	40	18
19	—	11	Hl-Snow 10	—	—	—	19	—	—	—	25	25	19
20	—	28	Hl-Snow 39	—	—	—	—	—	Rain C 04	—	—	14	20
21	—	52	·08	—	—	—	—	—	—	·06	—	Sleet 07	21
22	—	·02	·01	—	12	11	19	·04	—	50	—	—	22
23	—	19	15	—	16	—	·04	—	—	·09	—	—	23
24	—	—	13	—	·06	—	—	—	—	27	14	—	24
25	—	—	13	—	—	—	—	21	—	33	·01	Sleet 18	25
26	—	—	·03	—	—	—	12	·04	—	·07	17	41	26
27	—	·05	—	—	—	—	—	—	—	—	·04	33	27
28	—	·03	—	—	—	—	—	—	—	·05	47	Part-Snow 1·60	28
29	—		22	—	—	—	—	—	—	24	·07	Sleet ·04	29
30	—	✕	·06	—	—	—	—	—	—	·08	33	Sleet 02	30
31	13	✕	—	✕	·08	✕	·07	—	✕	—	✕	29	31
Total	·66	3·12 3·48	5·41 9·19	·78 9·97	1·88 11·85	1·63 13·48	2·27 15·75	1·45 17·20	1·13 18·33	2·06 20·39	2·87 23·26	8·05 23·26	YEAR'S TOTAL 31·31 31·32
Rain Days.	8	14	26	7	13	7	11	10	9	13	21	25	167 ~~159~~

W. 8,000. X. 14.

E&MS

1081

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

12 JAN 1916

Kept at Chalfont Park Gardens
in the County of Buckinghamshire
by G. Barrell.

4

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Gerrards Cross
Diameter of Funnel of Rain Gauge 5 ins
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·58	15	Snow 06	—	·04	—	·05	11	20	·07	28	35	1
2	·04	24	31	12	—	·05	—	66	·01	·07	—	20	2
3	·53	—	·06	10	·01	—	·01	1·22	·04	—	—	34	3
4	·05	—	—	—	—	—	—	31	—	—	—	34	4
5	·03	41	—	·05	—	—	—	·02	—	·01	—	27	5
6	23	·09	·04	30	—	—	70	·03	—	—	—	16	6
7	13	18	part Snow ·08	—	—	—	45	·05	—	—	—	40	7
8	·07	part Snow 59	Hail ·03	·01	—	·06	—	·07	—	—	—	—	8
9	part Hail ·06	·08	—	part Snow 13	—	—	—	·05	—	—	27	73	9
10	37	—	·03	—	—	—	—	27	—	—	—	10	10
11	part Hail ·03	—	·02	—	—	—	—	·03	—	·01	76	—	11
12	·09	·04	—	30	47	—	—	41	—	—	41	—	12
13	—	part Snow 53	—	—	1·30	—	—	—	—	—	—	—	13
14	—	·03	—	—	—	—	84	·06	10	—	—	part Snow 94	14
15	·08	·03	—	—	·06	—	·01	·03	—	—	part Snow 15	10	15
16	—	26	—	—	—	—	82	·04	—	—	—	—	16
17	—	26	—	—	94	—	·03	—	—	—	—	—	17
18	—	16	—	—	·04	—	—	—	—	—	·01	—	18
19	—	·02	Snow ·02	—	—	—	18	—	—	—	—	—	19
20	37	—	Snow ·01	·04	—	—	—	—	—	—	—	Sleet 22	20
21	Snow ·09	—	—	—	·06	—	·06	—	—	—	—	·08	21
22	79	·07	33	—	—	—	75	—	·01	—	—	21	22
23	·01	Snow 30	·07	—	—	·04	18	—	19	80	—	32	23
24	—	—	·03	—	—	·01	·09	—	65	18	—	35	24
25	—	—	—	—	—	·02	28	—	—	part Hail 08	—	07	25
26	—	·09	—	—	—	·06	25	—	·01	—	—	—	26
27	—	—	—	—	—	21	32	—	—	43	—	·75	27
28	—	·05	—	—	—	15	—	—	1·22	11	—	·09	28
29	—		—	—	—	—	·09	19	—	—	Sleet 18	—	29
30	·05	X	—	—	—	·05	·02	—	—	10	25	·02	30
31	·01	X	—	X	—	X	—	·07	X	1·04	X	05	31
Total	3·61	3·58 7·19	1·09 8·28	1·05 9·33	2·92 12·25	·65 12·90	5·13 18·03	3·62 21·65	2·43 24·08	2·90 26·98	2·31 29·29	6·09 35·38	YEAR'S TOTAL 35·38
Rain Days.	19	19 38	13 51	8 59	8 67	9 76	18 94	14 111	9 120	11 131	8 139	21 160	160

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Chalfont Park Gardens
in the County of Buckinghamshire
by George Barrell.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Gerrards Cross
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	15	—	Hail Snow 12	—	41	·01	—	—	13	·05	43	—	1
2	20	—	—	—	—	—	—	—	11	48	·03	—	2
3	48	·01	Snow 11	—	—	—	—	—	10	29	21	—	3
4	—	56	Snow 04	—	·01	45	—	—	11	19	49	—	4
5	29	·04	—	—	·09	10	—	—	—	11	59	—	5
6	·02	·05	—	19	·01	Hail 10	41	—	—	·05	33	—	6
7	—	·01	—	—	10	Hail ×10	Thunder Storm 43	—	—	—	77	·03	7
8	·09	—	51	—	32	28	—	—	—	—	·01	38	8
9	—	—	Hail Snow 24	—	18	03	—	—	—	10	—	Sleet ·06	9
10	—	—	—	·04	—	Hail 11	10	—	—	·01	—	·02	10
11	—	22	·08	17	·01	Hail & Hail 24	—	—	·01	—	—	Hail Snow 10	11
12	·04	·09	10	·03	18	10	·06	18	—	·06	—	·01	12
13	·04	·03	·02	Hail 09	—	10	30	32	·01	·01	—	—	13
14	—	43	29	—	·08	—	—	61	—	05	—	Hail Snow 10	14
15	—	36	—	—	—	—	·08	29	—	·01	—	—	15
16	—	35	24	Hail Snow 15	—	—	25	22	—	—	—	—	16
17	·02	·02	46	05	—	—	·02	31	33	53	—	—	17
18	10	10	—	18	—	—	—	63	13	29	Snow & Sleet 70	—	18
19	—	11	·06	24	—	—	—	·06	59	—	68	Snow 13	19
20	13	—	53	·08	—	—	—	—	—	—	·01	46	20
21	19	—	22	—	—	—	·03	—	—	—	—	—	21
22	·01	—	71	—	·02	·01	—	—	—	·09	—	56	22
23	—	—	·02	—	—	14	—	·02	—	10	·04	·09	23
24	·02	—	—	—	10	20	—	·04	—	19	—	Snow 10	24
25	—	Hail Snow 40	—	—	·02	—	—	14	—	14	18	—	25
26	—	05	10	—	—	·06	—	·14	—	11	—	—	26
27	—	42	Hail Snow 13	—	—	·02	—	×·24 ·01	·08	·09	—	—	27
28	·09	Hail Snow 12	Sleet 11	—	—	02	—	1·65	·06	·02	·02	25	28
29	—	Hail Snow 43	—	—	—	19	—	·02	—	39	·02	18	29
30	·01	×	—	—	—	—	—	06	—	43	—	—	30
31	—	× 12 ~~3·97~~	—	×	—	×	—		×	13	×	·02	31
Total	1·46 ~~1·91~~	~~3·85~~ 5·76	4·06 4·18 9·94	1·25 11·19	1·53 12·42	2·29 15·01	1·68 16·69	4·84 21·53	1·66 23·19	3·92 24·11	4·51 31·62	2·49 34·10	YEAR'S TOTAL 33·96 ~~34·10~~
Rain Days.	~~16~~ 15	14 35 20	19 54 18	10 64	13 77	18 95	9 104	14 121	11 132	24 156	15 141	15 186	186

W. 8,000, VIII. 16

August 24th ·24. 28th ·01 29th 1·65. 30th ·02 31st ·06

1021

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL
2. JAN 1915

Kept at Chalfont Park Gardens
in the County of Buckinghamshire
by G. Barrell.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Gerrards Cross
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	Snow 34	—	—	—	54	—	—	11	Snow ·01	1
2	—	Snow ·01	—	Snow 35	—	·04	—	·05	—	·01	·09	—	2
3	·01	—	—	Snow ·02	—	—	—	43	—	31	·06	—	3
4	—	Snow 21	Snow 20	Snow ·02	—	—	·04	19	—	39	—	—	4
5	47	—	·03	part Snow 34	—	—	—	—	15	12	15	—	5
6	—	—	14	—	—	·09	—	—	—	·02	·06	—	6
7	33	—	—	—	—	·01	18	—	—	32	—	·03	7
8	Sleet 32	—	—	Snow 10	—	—	1·10	44	—	·01	part Hail 14	16	8
9	Snow 32	—	Snow ·05	Snow 14	—	—	·04	17	—	—	·04	10	9
10	—	—	16	Snow 24	—	—	—	·09	—	63	·05	—	10
11	Sleet 10	Snow ·02	40	Snow ·06	—	—	—	—	—	·01	—	—	11
12	part Snow ·09	—	·03	Snow ·03	—	—	—	21	·03	—	·03	—	12
13	Snow ·06	—	·05	Hail ·07	—	—	—	12	—	03	—	03	13
14	Sleet ·03	—	—	part Snow 30	—	—	—	35	—	86	—	—	14
15	Snow ·02	11	—	—	—	—	28	·01	—	43	—	—	15
16	Hail ·03	—	—	28	·05	part Hail ×14×	·08	—	58	·04	—	—	16
17	—	·01	—	24	81	—	38	·04	26	—	—	Sleet & Snow 62	17
18	·03	11	—	·09	·08	30	18	·04	59	—	—	—	18
19	—	21	partly Hail ·06	—	—	·08	—	—	—	33	—	—	19
20	Sleet ·04	18	Sleet ·06	—	63	—	·03	—	—	10	11	—	20
21	Sleet ·06	—	—	—	13	·05	—	·04	—	·06	—	—	21
22	—	—	part Snow 10	—	—	·08	—	15	—	45	—	—	22
23	—	11	—	—	·09	—	—	·01	—	—	—	—	23
24	—	·02	—	—	—	10	—	—	—	—	—	03	24
25	—	·02	part Snow ·05	—	—	—	·05	42	·04	—	Hail & Snow 14	—	25
26	—	—	Hail ·03	—	—	—	—	71	—	—	31	—	26
27	—	—	—	—	—	·01	—	21	—	—	—	·04	27
28	—	—	·03	—	—	2·15	—	—	—	66	—	·02	28
29	—		·02	—	14	·05	1·19	—	—	—	—	15	29
30	Snow ·01	╳	part Snow 18	—	—	—	1·32	24	—	·02	—	·01	30
31	Snow ·01	╳	Snow 10	╳	—	╳	38	·06	╳	—	╳	Snow ·01	31
Total	1·96	1·01 2·97	1·73 4·70	2·56 7·26	1·93 9·19	3·16 12·35	5·25 17·60	4·61 22·21	1·68 23·89	4·83 28·72	1·29 30·01	1·21 31·22	YEAR'S TOTAL 31·22
Rain Days.	16	11 27	18 45	15 60	7 67	12 79	13 92	21 113	6 119	19 138	12 150	12 162	162

3·84

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

1. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Chalfont-Park Gardens

in the County of Buckinghamshire

by G. Barrell.

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Gerrards Cross

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·06	—	·18	—	—	—	—	—	·01	—	·06	1
2	Snow ·01	·13	—	Part Hail ·15	—	—	—	—	—	·02	·22	·14	2
3	—	·03	Snow ·03	·08	Thunder rain ·65	—	—	·46	·06	·01	·58	·01	3
4	—	—	·05	·04	—	—	—	·02	·40	·01	·36	—	4
5	—	·08	—	—	·11	—	—	·01	·09	·11	—	·12	5
6	·16	·18	—	Part Hail ·26	·15	—	—	·14	—	·02	·01	—	6
7	Snow ·01	·19	—	Part Hail ·20	·20	—	—	·02	·15	·08	·21	·01	7
8	Snow ·01	·06	—	·03	·03	—	—	·03	·19	·10	—	·15	8
9	—	·18	—	·09	—	·19	·32	—	·35	·24	—	·45	9
10	·01	—	—	·12	—	—	·30	—	·04	·02	·02	·12	10
11	—	—	—	·04	·06	—	·39	—	Part-Hail ·25	·45	·05	—	11
12	·22	·15	—	—	·25	—	·20	—	·02	—	—	·09	12
13	—	—	—	—	·25	—	·13	—	·19	·01	—	·14	13
14	—	—	·03	·01	—	·25	·16	—	·35	·20	—	·10	14
15	Part Snow 1·32	—	—	Part Snow 1·08	—	Part-Hail ·08	·20	—	·05	—	·04	·02	15
16	Snow ·20	—	—	Part Snow ·35	—	—	—	—	1·..	—	—	·11	16
17	Sleet ·28	—	·01	·25	Thunder rain ·72	25	·15	—	—	—	—	·08	17
18	·66	—	—	—	—	·17	·18	·04	·33	·15	—	·10	18
19	·11	·04	·06	Sleet ·02	—	·05	·19	—	·03	—	—	—	19
20	·04	·16	—	Part Snow 1·13	—	—	·12	·02	·09	·14	—	—	20
21	·13	·02	—	Part Snow 1·17	—	—	—	—	·40	·02	—	—	21
22	·15	—	—	—	Thunder rain ·42	—	·19	—	·09	—	—	·21	22
23	·05	—	—	—	·30	—	·64	—	·02	—	·02	—	23
24	—	·23	—	—	—	—	·05	—	·08	—	11	—	24
25	—	—	—	—	—	—	·13	—	·01	—	·03	Sleet ·02	25
26	—	·01	—	—	—	—	·31	·29	—	·04	·12	·21	26
27	—	·03	—	·06	—	—	·09	—	—	—	·14	·04	27
28	—	Sleet ·06	·19	—	—	—	—	·25	·11	—	·16	·24	28
29	—		·05	·03	—	—	—	—	1·45	—	—	·02	29
30	—	X	·25	—	—	—	—	—	·11	—	·05	·09	30
31	—	X	·19	X	—	X	—	·05	X	·08	X	·01	31
Total	3·36	1·61 4·97	·85 5·8[illegible]	5·29 11·11	2·54 13·65	·99 14·64	3·75 18·39	1·39 19·48	5·86 25·64	1·41 27·35	2·15 29·50	2·54 32·04	32·04 32·04
Rain Days.	15	16 31	9 40	19 59	11 70	6 76	14 93	11 104	24 128	18 146	15 161	23 184	184

W. 6,500. VII. 18. w w c

~~W.~~ H S. confd until 962

1 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Chalfont Park Gardens
in the County of Buckingham
by G. Barrell.

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Gerrards Cross
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. **Full** instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·61	Snow ·01	—	·02	·16	—	·31	—	—	·06	Part Hail ·07	·21	1
2	·30	—	·04	—	·16	—	·02	—	·08	·10	·11	·18	2
3	·38	—	·42	—	·01	—	·13	—	·03	—	Part Snow ·03	·43	3
4	·08	Part Snow ·11	·39	—	—	·08	·09	·06	·09	—	·07	·15	4
5	Snow ·01	Snow ·37	Part Snow ·81	·17	—	—	·10	—	·22	·05	·05	·32	5
6	·05	—	·14	·02	—	—	—	—	—	—	—	·02	6
7	·08	—	·51	—	—	—	—	—	—	—	·01	—	7
8	·19	—	·04	·03	—	—	—	—	—	—	—	—	8
9	·01	—	·02	·03	—	—	—	—	—	—	·02	—	9
10	·11	—	·11	·03	—	—	—	—	—	·01	Part Hail ·03	·12	10
11	·09	—	·10	·24	·01	—	·19	—	—	—	—	·04	11
12	—	—	—	—	—	·11	·11	—	—	·08	Snow ·01	—	12
13	·01	Sleet ·06	—	·25	—	—	—	—	—	Hail ·06	—	·02	13
14	·44	—	—	·70	—	—	·06	—	·62	Hail ·01	—	·02	14
15	·41	·03	·14	Part Hail ·24	—	—	—	—	—	—	Snow ·02	·58	15
16	·15	·85	—	·01	—	—	—	—	—	—	Sleet ·04	—	16
17	·01	Part Snow ·34	—	—	—	—	—	—	—	—	·30	·02	17
18	—	Snow ·36	Part Snow ·15	—	—	—	—	·02	·06	—	·15	·10	18
19	·12	·28	Part Sleet 1·16	—	—	·21	·42	·11	—	·01	·24	·01	19
20	·47	·08	·06	—	—	·65	·14	·25	—	—	Hail ·04	·10	20
21	·25	·35	Snow ·01	—	—	—	·11	—	—	—	·02	·45	21
22	—	·28	—	—	—	—	·10	—	·72	—	·02	—	22
23	—	—	—	—	—	·03	—	·04	·06	—	·01	·04	23
24	—	—	—	·15	—	·02	·07	·04	—	·07	·14	·01	24
25	Snow ·07	—	—	—	—	·01	—	·54	—	·29	—	·58	25
26	Part Snow ·11	·24	Part Hail ·19	Part Hail ·05	—	—	—	·01	·10	—	—	·04	26
27	Part Snow ·76	·03	Part Hail ·06	Part Snow 1·04	—	—	·05	·40	—	—	Snow ·04	·44	27
28	—	—	Snow ·21	·02	—	—	—	·75	—	—	Part Snow ·40	·02	28
29	Sleet ·03		—	Part Hail ·14	—	—	—	·22	—	—	·03	—	29
30	—		Snow ·01	·21	—	·14	—	·12	—	·18	·21	[illegible]	30
31	Snow ·02		Snow ·01		—		·01	2·56		·02		[illegible]	31
Total	4·46	3·42 ~~8·19~~	4·58 ~~12·46~~	3·35 ~~15·11~~	·34 ~~16·45~~	[illegible] ~~17·70~~	·21 ~~19·91~~	2·58 ~~22·49~~	1·98 ~~24·41~~	[illegible] ~~[illegible]~~	2·04 ~~27·45~~	4·46 ~~31·91~~	Year's Total 31·89
Days with ·01 in. or more	24	14 ~~38~~	20 ~~58~~	17 ~~75~~	4 ~~79~~	8 ~~87~~	15 ~~102~~	12 ~~114~~	9 ~~123~~	12 ~~135~~	23 ~~158~~	24 ~~182~~	182 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1·25

·94
25·41

Bucks.

Chesham Bois Rectory

1911–1914; 1916–1920

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

REC 911

Kept at Cheshamb
rowdon

in the County of B

by Rev. F.H. Fitz

p 3 in.

bove Ground — ft. 11 in.

" Sea Level c530 ft.

" 8.30am

on { Name Amersham
Distance 3/4-1 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04			·42			·02					·01	1
2	·07			·38	·17						·21	·18	2
3		·05			·21						·18	·04	3
4	·07	·05	·12	·10						·36	·01	·43	4
5		·01								·05	·03	·01	5
6	·46		·10						1·05		·21	·45	6
7	·06		·01							·14	·09	·25	7
8	·16		·18								·03	·20	8
9											·07	·06	9
10	{·15	·14	·24								·70	·59	10
11	·36		·01		·98						·31	·01	11
12	·02	·01	·58		·20				·01	·04	·02	·01	12
13			·05						·42		·01	·68	13
14		·04	·04		·12					·02	·09	·36	14
15		·08								·03	·37	·04	15
16	·01					·16					·14	·09	16
17						·20					·31	·33	17
18		·17	}·28			·25					·28	·37	18
19		·01				·31			·12	·04		·08	19
20	·02	·05	·01						·18	·08		·75	20
21	·02	·13	·01			·005				·41		·16	21
22	·03		·03							·02		·62	22
23		·13	·21			{·51			·24		·03	·16	23
24	·01	·14	·01			·09				·56		·16	24
25		·06	·01	·08	·16	·14			·04			·02	25
26		·01	·01	·14	·02	·02	·01			·10	·01	·34	26
27		·41	·10	·04	·05		·03		·13		·03	·17	27
28	·01	·44		·34							·12		28
29						·14	·07		·23	·24	·01		29
30			·01	·02	·05				·01	·20		·01	30
31					·10								31
Total	1·49	1·93	2·01	1·52	2·06	1·825	·13	1·05	1·38	2·29	3·26	6·58	TOTAL for year 25·525
No. of Rain Days.	16	17	22	8	10	~~10~~ 11	4	~~by report~~ 1-2	~~9~~	14	22	28	[illegible]

away from home July 31st to Sept. 6th: total in gauge for period

~~175~~

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Chesham Bois Rectory
in the County of Bucks 4
by Rev. F. H. Fitzpatrick

RAIN GAUGE
Pattern Snowdon
Diameter of top 3 in.
Height of top above Ground — ft. 11 in.
" " " Sea Level c 530 ft.
Time of Observation c 8.30 am
Nearest Railway Station
Name Amersham
Distance 3/4 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04			·42			·02					·01	1
2	·07			·38	·17						·21	·18	2
3		·05			·21						·18	·04	3
4	·07	·05	·12	·10						·36	·01	·43	4
5		·01								·05	·03	·01	5
6	·46		·10						1·05		·21	·45	6
7	·06		·01							·14	·09	·25	7
8	·16		·18								·03	·20	8
9											·07	·06	9
10	·15	·14	·24								·70	·59	10
11	·36		·01		·98						·31	·01	11
12	·02	·01	·58		·20				·01	·04	·02	·01	12
13			·05						·42		·01	·68	13
14		·04	·04		·12					·02	·09	·36	14
15		·08								·03	·37	·04	15
16	·01					·16					·14	·09	16
17						·20					·31	·33	17
18		·17	·28			·25					·28	·37	18
19		·01				·31			·12	·04		·08	19
20	·02	·05	·01						·18	·08		·75	20
21	·02	·13	·01			·005				·41		·16	21
22	·03		·03							·02		·62	22
23		·13	·21			·51			·24		·03	·16	23
24	·01	·14	·01			·09				·56		·16	24
25		·06	·01	·08	·16	·14			·04			·02	25
26		·01	·01	·14	·02	·02	·01			·10	·01	·34	26
27		·41	·10	·04	·05		·03		·13		·03	·17	27
28	·01	·44		·34							·12		28
29						·14	·07		·23	·24	·01		29
30			·01	·02	·05				·01	·20		·01	30
31					·10								31
Total	1·49	1·93	2·01	1·52	2·06	1·825	·13	1·05	1·38	2·29	3·26	6·58	TOTAL for year 25·52
No. of Rain Days.	16	17	22	8	10	10 11	4	by event 1-2	~~9~~	14	22	28	1-

away from home July 31st to Sept 6th: total in gauge for period

W. 8,000, X. '11.

Cor. for auth. 21·II·13.

FORM A.
BRITISH RAINFALL.

21 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Chesham Bois Rectory
in the County of Bucks 4
by Rev. T. H. Fitzpatrick

Lat. Long.
Time of Observation c 8·30 a
Nearest Railway Station Amersham
Diameter of Rain Gauge 3 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level c 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			~~72~~			·13	·03			·30		·23	1
2			·08	·02		{	·19	·18				·01	2
3	·08		·09		·05	·22	·41	·34	·03		·02	·15	3
4	·48		·62		·39	·13		·05	·03		·27		4
5	·26	·19	·20					·45		·01	·02	·02	5
6	·65	·03	·02		·01			·24	·06			}	6
7		·17	·02		·05	·58	·04	·16				·21	7
8	·54		·23	·01			·04	·53			·01	·06	8
9	·11	·36	·08	·05		·14		·05			·01	·13	9
10	·01	·04		·01				·14	·02		·11	·15	10
11	·13	·19				·06			·03		·04	·21	11
12	·06	·27	·14		·02	·01			·01	·01			12
13		·02	·01									·02	13
14	·02		·04							·03		·03	14
15	·03	·04	·16		·22	·33		14th 15th ·06				·27	15
16	·31	·01	·12		·04	·03		·02		·14	·26		16
17	·06		·23			·09				·02			17
18	·32		·19					17th 18th ·28				·07	18
19	·41	·12	·26				·52	18th 19th ·14		·02			19
20	·05	·01	·14				·06	19th 20th ·28		·42	·02		20
21	·02	·07	·87					20th 21st ·25		·15	·08		21
22	·23	·22	·18		·62		·09	·17		·04		·03	22
23	·37	·38	·37		·01		·01	·71		·01		·38	23
24	·23					·04		·17			·17	·13	24
25		·01				·12		·47		·04	·30	·44	25
26		·05					·33	·26		·53	·47	·39	26
27			·05			·10	·14			·25	·01	·26	27
28		·12						·59	·09	·62	·46	·39	28
29						·10	{	·14	2·00	·25			29
30					·38		·23		·87	·17		·01	30
31	·01		·16		·03		·37	·18				·06	31
Total	4·38	2·38	4·26	·09	1·82	2·08	2·46	5·88	3·14	3·01	2·25	~~3·58~~ 3·65	YEAR'S TOTAL 35·37
Rain Days.	21	18	22	4	11	15	14	23	9	17	15	~~22~~ 23	192

W. 7,500, XI. ·12

30

35·32

W 92

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

Kept at Chesham Bois Rectory

in the County of Bucks

by Rev. T. H. Fitzpatrick

4

Lat. .... Long. ....

Time of Observation c. 9am

Nearest Railway Station Amersham

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·15			·05					·23	·06	1
2		·29	·01	·09			·13			·21	·08	·01	2
3	·30			·09	·55					·02			3
4	·41		·04		·06		·08			·01	·07		4
5	·11					·03	·09			·02	·01	·52	5
6		·13	·06		·13	·18	·14			·59	·01		6
7	·005	·19			·18	·04	·01			·26	·07		7
8		·02	·01		·13	·10				·23	·10	·01	8
9		·17			·01	·03	·02				·03	·01	9
10			·03	·11			·26				·19		10
11	·81			·46	·10					·84	·39	·03	11
12					·04						·43		12
13			·01	·01	~~·01~~						·32	·01	13
14	·11	·03	·13	·09						·19	·02		14
15	·31	·04	·29	·48			·33				·01		15
16	·11		·41	·17									16
17	~~·04~~		·05	·03			·15				·03		17
18	·04		·14	·27					1·71		·06	·04	18
19	·73		·01	·01			·13		·50				19
20	·15		·07	·09		·02				·32	·01	·02	20
21	·01		·15	·07			·02			·07	·49		21
22	·46	·01	·28	·07					·23				22
23						·04			·04	·01	·01		23
24	·005		·02	·08									24
25		·01		·23			Away from				·02	·10	25
26			·14	·20		·01	home Jy 25			·46	·01	·21	26
27		·07	·02	·07			to Sept 18th			·02			27
28	·36		·22	·16			& could only			·12			28
29			·09	·40	·44		enter on Sept			·10		·07	29
30	·36						18th total			·27	·09		30
31			·07				collected			·01			31
Total	4·28	·96	2·40	3·18	1·64	·50	to 24th 1·36	From July 25	2·48	3·75	2·68	1·09	YEAR'S TOTAL 24·32
Rain Days.	15 14	11	22	21	9	9	12 to 24th	no record		18 16	22	15	152 for ten months

3·84

W.7,000, XI. 13

Cond for auth 24.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

23 JAN 1915

Kept at Chesham Bois
in the County of Bucks 4
by Rev. F. H. Fitzpatrick

Lat. c 51° 41′ Long. 0 36′ 40″
Time of Observation abt 9 am
Nearest Railway Station Amersham
Diameter of Rain Gauge 3? in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level c 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								Total in gauge on Sept 9th after absence from July 24th			·06	·01	1
2				·02			·24				·16	·12	2
3			·02		·26		·37				·05		3
4	·18			33 ·38	·02						·40	·62	4
5	·03		·10	·22	·08	·12	·47						5
6		·16		·05		·12	·04				·02	·31	6
7		·34	·35	·08	·45	·20	·05					·39	7
8	·07	·16	·78	·02	·09	·33	·25					·01	8
9	·22		·53	·12		·37			1·44			1·50	9
10	·04	·16		·09	·09				·29		·01	·01	10
11		·26			·05	·54			·01		·24	·33	11
12	·02	·06					·17		·29		·03	·39	12
13		·41	1·13						·20	·03	·06	·40	13
14		·17	·20				·06			·35	·18	·30	14
15	·06		·02				·05		·04	·03	·04	·07	15
16		·02	·12				·02		·13		·05		16
17			·08						·18		·01	·31	17
18		·58										·62	18
19		·10	·50			·04	·15		·01		·16	·07	19
20		·32	·08						·04	·01		·13	20
21		·52				·02				·08	·02	·09	21
22		·02	~~·11~~		·03	·12				·77		·01	22
23	·01	·16	·14		·09		·01			·08			23
24				·02	·09					·15	·10		24
25	·05		·19							·48	·02	·06	25
26		·01	·07							·04	·17	·64	26
27	·04										·03	·37	27
28		·04								·06	·34	1·08	28
29	·11		·20		·09					·27	·12	·60	29
30		×	·03							·09	·47	·32	30
31	·03	×		×	·05	×			×		×	·03	31
Total	·86	3·49	4·74	·91	1·39	1·86	to 23rd 1·88	1·44	from 10th 1·19	2·44	2·64	8·79	YEAR'S TOTAL 31·58
Rain Days.	12	17	~~22~~	9	13	10	~~12~~		9	13	22	27	~~166~~

		454			4·51	2·74	31·53

W. 8,000. X. 14.

Exd TW

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
19. JAN 1917

Kept at Chesham Bois Rectory
in the County of Bucks
by Rev. T. H. Fitzpatrick

Lat. Long.
Time of Observation 9-10 am
Nearest Railway Station Amersham
Diameter of Funnel of Rain Gauge 3 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level c530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·01			·04				·05	·40		1
2	·57	·07	·17		{·27					·48	·12		2
3	·02	·73	·06		·01					·29	·15		3
4	·26	·05				·69	·31			·18	·59		4
5	·03			·02	·05	·07	·01			·14	·44		5
6		·10	·27	·19	·02	·18	·48			·08	·61		6
7	·14		·25		·18	·02	·25				·75	·04	7
8			·01		·32	·05				·03	·03	·41	8
9	·01	·02			·31					·12		·07	9
10		·25	·02	·06		·21							10
11	·08	·06	·20	·21	·01	·45					·01	·09	11
12	·03	·04	·04	·02	·25	·16	11th ·04	·07	4.10 accumulated	·12			12
13	·01	·44	·42	·14		·13	12th ·16	·50	·03	·01		·07	13
14		·40		·01	·15		13th ·14	Away from Aug 14th to Sept 12th		·15			14
15		·19	·29				·15			·05			15
16			·49	·17	·02		·16						16
17	·13	·12		·08			·02		·37	·56			17
18	·01	·07	·04	·20			[illegible]		·10	·08			18
19	·11		·21	·39					·16		{1·49	·10	19
20	·19	·02	·29	·05							·03	·69	20
21	·01		·66				·06						21
22					·06					·04	·01	{·88	22
23	·03	Snow {·10				·12					·04	·06	23
24		·19			·07	·50 (Stormy Short but heavy)				{·34	·04	·38	24
25		·09	·11							·24	·12		25
26		·41				·14							26
27	·13	·17	·97			·01			·07	·30		·04	27
28		·34	·20			·12			·06	·18		·20	28
29	·01	·09								·62	·04	·15	29
30		X			·02	·45				·37			30
31		X		X		X			X	·10	X	·02	31
Total	1·80	4·05 (Snow 1·40)	4·71	1·54	1·74	3·34	1·73		5·46	4·53	4·87	3·20	YEAR'S TOTAL 36·97
Rain Days.	18	23	22	12	15	17	11		?	23	17	15	173 11 months

W. 8,000, VIII. 16

(approx. 190)

1028

FORM A.
BRITISH RAINFALL.
9 AUG

REGISTER OF RAINFALL IN 1917

and quantity

Kept at Chesham Bois Rectory
in the County of Bucks
by Rev. T. H. Fitzpatrick

Lat. 51° 41' Long. 0° 36' 40" W.
Time of Observation 9 a
Nearest Railway Station Amersham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level c 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·12				·83	Date		·13	·02	1
2				·14		·05		·16			·10	·02	2
3				·05				·49	to	·48			3
4		·19	·16					·18	Sept.	·33	·01		4
5	·28			·21				·01		·10	·13		5
6	·01		·21			·03			20th	·09	·05		6
7	·27						·23			·42		·02	7
8	·30		·08	·15			1·03			·38	·17		8
9				·07			·01	·46			·11	·13	9
10	·38		·69	·19				·18		·01			10
11		·02		·07				·01		·41	·06		11
12	·05		·07	·03	·06	·03		·10		~~·55~~			12
13			·03					·15					13
14	·16			·19				·06		·01	·01		14
15	·04						·03	·08					15
16	·03	·14		·17	·18	·45				1·04	·01	·16	16
17		·01		·19	·72		·27	·15		·45			17
18	·05	·07		·10	·12	·14	·21			·04			18
19		·27											19
20		·09	·11		·61		·02	·06	2·68	·01			20
21										·03	·21		21
22						·09		·07					22
23		·10	·08		·05	·02		·18		·09		·32	23
24						·05		·08		·32	·02		24
25		·03	·07				·12		·02				25
26		·03	·05						·10		·27		26
27						·10		1·33				·04	27
28			·02			1·85		from					28
29			·01		·17	·05	·77			·44			29
30	·04	×	·09				1·42	this				·15	30
31		×	·07	×		×	·52		×		×		31
Total	1·61	·95	1·76	1·~~58~~ 68	1·91	2·86	4·63	4·58	2·80	5·20	1·28	·86	YEAR'S TOTAL ~~30·92~~
Rain Days.	13	10	18	13	7	11	11	20 7·38 to 27th only	?	19	16	8	~~147~~ ~~Sept~~ ?

W. 8,000, IX. 17.

W DJ cd + adjusted by mm. stats

3°

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 5.2.19

Kept at Chesham Bois Rectory

in the County of Bucks

by Rev. T. H. Fitzpatrick

Lat. ________ Long. ________

Time of Observation 10 am

Nearest Railway Station Amersham

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07		·15					accumulated from Aug 26 – Sept 12 inclusive (1·27)		·21	·04	1
2		·05		·13				·22		·02	·40	·21	2
3		·03	·03	·05	·59			·01		·01	·27	·03	3
4		·07	·05					·04		·03	·45	·005	4
5		·12			·11			·22				·015	5
6	·15	·15		·28	·14			·04		·12		·09	6
7		·12		·19	·09	·01		·01		·14	·21		7
8	·02			·01						·06		·02	8
9		·07		·05		·28	·39			·21	·01		9
10	·04			·07			·37			·04		·39	10
11				·02	·10		·41			·41	·04	·12	11
12		·09			·12		·05		1·77	·01	·01	·01	12
13	Snow sprinkling				·19		·23		·30			·19	13
14				·01		·12	·11		·25	·20	·01	·18	14
15	Snow c 3-4"		part snow	·39		·01	·29		·01	·01		·10	15
16	do c 2"			1·04					·94	·02		·02	16
17	1·70 rain	~~24~~	·01	·26	·11	·13	·21	·07	·21			·14	17
18	·58		·05			·28	(·38)		·28	·07		·10	18
19	·05	·02		·01		·15	·22	·02	·04	·04	·01		19
20	·02	·15	part snow	1·56		·03	·06	·01	·31	·16	·01		20
21	·13					~~·23~~			·42	·03	·01		21
22	·09				·69		·32		·05	·14	hoar frost ·01	·22	22
23	·06				·51	·01	·43	·06	·02			·04	23
24		·24					·03		·09		·13		24
25					·02		·14	·54	·01				25
26							·11	away from Aug 26 to Sept 12 (·50)	·07	·03	·20	·08	26
27		·01					·12		·07		·13	·04	27
28	·01	·07	·18	·08					~~1·26~~		·15	·23	28
29									1·26	·02		·01	29
30			·41						·15		·05	·04	30
31	·02		·13							(14)		·06	31
Total	2·87	1·26	·86	4·30	2·67	1·02	3·83	1·24 (1·74)	~~6·19~~ (5·69)	1·91	2·31	2·47	31.18 YEAR'S TOTAL 30·93
Rain Days.	15	14	7	17	11	9	17	~~25~~ 11 (15)	18 from 12th only (25)	21	18	25	~~183~~+11 Aug 26 – Sept 11 (194)

[illegible] 969

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Chesham Bois Rectory
in the County of Bucks
by Rev F. H. Fitzpatrick

Lat. 51° 41′ N. Long. 0° 36′ 40″ W.
Time of Observation 9 a.m.
Nearest Railway Station Amersham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 11 in.
" " " " Sea Level c 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·54	·03	·02		·14		·16			·04	·06	1·54	1
2	·21		{		·05		·12		·20	·11	·14	·13	2
3	·47				·02		·09		·02		·05	·27	3
4	·08		·74			·08	·14					·14	4
5	·02	·38 snow	·55				·01		·11		{	·25	5
6	·04		·15		·05				·63		·03	·05	6
7	·07		·61								·03		7
8	·14		·05	·10									8
9			·02	·03								·01	9
10	·04		·22	·01						·02		·14	10
11	·04		·12		·02		·31				{		11
12			·07	·06		·10	·10			·07	·14 snow	·01	12
13	}			·44			·05		·01	·05			13
14	·35	·04		{			·01		·25				14
15	·38		·16	·58						·01		·52	15
16	·01	}		·02							part ·15 snow	·01	16
17	·01	1·14									·24	·03	17
18									·03		·20	·07	18
19	·10	·23	·90			·19	·24		·02		·05	·01	19
20	·40	·06	·01			{	·20	·55	·01		·01	·01	20
21	·21	·66	·05 snow			·59				·01	·05	·07	21
22		·08					·05		·36		·01	·37	22
23						·02		·06	·04	·11	·04		23
24				·12		·02	·10	·04		·38	·11		24
25	·20				·02	·02		·62	·01			·06	25
26		·18	·16	rain & { 1·07				·06	·09			·44	26
27	·43 (snow)	·05	·06	snow after				·51				·03	27
28			·08	·02			·01	·69		·01	snow ·24	·30	28
29				·08				·21		·20	{	·04	29
30		✕	·03	·22		·19		·12		·07	·65	·59	30
31		✕		✕		✕			✕		✕	·10	31
TOTAL	3·74	2·85	4·00	2·75	·30	1·21	~~1·49~~ 1·59	2·86	1·78	1·08	2·20	5·19	YEAR'S TOTAL 29·55 ~~29·45~~
Days with ·01 in. or more	20	11	20	14	6	9	14	9	13	12	19	24	~~151~~ 171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Chesham Bois Rectory
in the County of Bucks
by Rev T. H. Fitzpatrick

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Amersham
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·69	·18		·34		·01	·36		·29	1
2				·06			·20	·49	·09	·06		·19	2
3		·07				·01	·18		·11	·09		·01	3
4				·20			·15	·19		·32		·06	4
5		·02	·06	·01	·05		·68	·02	·01			·03	5
6			·16		·15		·50	·05				·02	6
7	·01	·08		·20			·09			·01			7
8	·07			·21	·02		·15	·15		·01			8
9	·33			·06	·05		·02	·09			·01		9
10	·33	·05	·07			·14	·16						10
11			·08	·34		·07							11
12		·01		·21		1·08					·06		12
13	·33		·20	·22					·01				13
14	·02	·04	·43	·32		·96			·18	·17	·47		14
15	·01	·09	·03	·12					·15	·06	·01	·08	15
16				·14		·06			·05	·09			16
17	·03			·01			·33		·34				17
18	·09	·01			·19			·52	·15			·07	18
19	·10				·07	·11		·04					19
20	·08	·11		·52		·50					·01	·13	20
21				·01			·50	·05	·37			·09	21
22	·01			·28			·01		·17			·25	22
23	·01						·93	·06				·46	23
24	·04		·14	·01				·08				·07	24
25		·04			·06		·36	·01				·01	25
26			·24				·02					·06	26
27	·43	·10		·24		·26					·31	·21	27
28	·46		·22	·04	·18		·10				·06	·01	28
29	·19	·01	·03		·13	·01					·19		29
30	·05	╳		·09		·10	·41		·30	·01	·23	·50	30
31	·03	╳		╳	·01	╳			╳	·44	╳	·08	31
TOTAL	2·65	·63	1·66	3·98	1·09	3·30	5·15 3	1·73 5	1·94	1·62	1·35	2·52 6	YEAR'S TOTAL 27·62 27·72
Days with ·01 in. or more	22	12	11	22	12	11	18	12	13	11	9	20	173
Days with ·04 in. or more	13 4	7	9	17 8	10	9	15	10	10	8	6	17 5 7	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE 1914

Bucks.
Coleshill - C of E School
1914 only

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at Colesh

in the County of B

by (Mr.

Long.

ion 9. 0AM.

Station Amersham

Gauge 5 in.

Gauge above Ground — ft. 11 in.

„ „ Sea Level 550 ft.

IMPORTANT N .m. and the result entered to the previous day. If an observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0·00	·00	·00	·00	·12	·00		·00	·04	1
2				·01	·00	·07	·30	·18	-		·10	·14	2
3				·01	·27	·00	·33	·00	-			·04	3
4				·36	·13	·00	·00	·00	-		·19		4
5				·18	·05	·11	[illegible]	1·07	-		·38		5
6				·00	·14	·12	·05	·20	-		·02	1·00	6
7				·09	·70	·05	·19	·00	-		·01	·24	7
8				·07	·09	·29	·39	-	-		·00	·01	8
9				·12	·01	·44	·00	-			·00	1·50	9
10				·10	·11	·60	·00	~~·07~~	·07		·00	·01	10
11				·00	·05	·60	·00		·26		·02		11
12				·00	·00	·00	·34	-	·12		·43	1·02	12
13				·00	·00	·00	·00	-	·48	·01	·04		13
14				·00	·00	·00	·10	-	·01	·06		·31	14
15				·00	·00	·00	·08	-	·04	·33		·07	15
16				·00	·00	·00	·08	-	·18	·04	·32	·01	16
17				·00	·00	·00	·00	-	·15	·00	·05	·29	17
18				·00	·00	·00	·00	-	·00	·01	·02		18
19				·00	·00	·20	·15	-	·00	·005	·00		19
20				·00	·00	·00	·00	-	0 0	·01	·14	·47	20
21				·00	·00	·00	·01	-	·13	·08	·00	·09	21
22				·00	·04	·06	·04	-		·80	·01		22
23				·00	·12	·01	·02	-			·00		23
24				·00	·04	·00	·00	-		·25	·00		24
25				·00	·00	·00	·04	·32		·50	·14		25
26				·00	·00	·00	·00	-		·06	·03		26
27				·00	·00	·00	·00			·00	·24		27
28				·00	·06	·00	·00			·06		2·68	28
29				·00	·04	·00	·00			·23		·01	29
30				·00	·00	·00	·00			·06	·59		30
31					·00		·08				·44	·27	31
Total				·94	1·85	1·95	2·63	1·83	1·44	2·50	3·19	8·54	YEAR'S TOTAL
Rain Days.				8	14	10	16	5	9	15	23	31	

?

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at Coleshill C.E. School
in the County of Bucks
by Mr. J. Stubbings

Lat. Long.
Time of Observation 9. 0 A.M.
Nearest Railway Station Amersham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0·00	·00	·00	·00	·12	·00		·08	·04	1
2				·01	·00	·07	·30	·18	-		·10	·14	2
3				·01	·27	·00	·33	·00	-			·04	3
4				·36	·13	·00	·00	·00	-		·19		4
5				·18	·05	·11	·48	1·07	-		·38		5
6				·00	·14	·12	·05	·20	-		·02	1·00	6
7				·09	·70	·05	·19	·00	-		·01	·24	7
8				·07	·09	·29	·39	-	-		·00	·01	8
9				·12	·01	·44	·00	-			·00	1·50	9
10				·10	·11	·60	·00	·07	·07		·00	·01	10
11				·00	·05	·60	·00	-	·26		·02		11
12				·00	·00	·00	·34	-	·12		·43	1·02	12
13				·00	·00	·00	·00	-	·48	·01	·04		13
14				·00	·00	·00	·10	-	·01	·06		·31	14
15				·00	·00	·00	·08	-	·04	·33		·07	15
16				·00	·00	·00	·08	-	·18	·04	·32	·01	16
17				·00	·00	·00	·00	-	·15	·00	·05	·29	17
18				·00	·00	·00	·00	-	·00	·01	·02		18
19				·00	·00	·20	·15	-	·00	·00	·00		19
20				·00	·00	·00	·00	-	0 0	·01	·14	·47	20
21				·00	·00	·00	·01	-	·13	·08	·00	·09	21
22				·00	·04	·06	·04	-	-	·80	·01		22
23				·00	·12	·01	·02	-			·00		23
24				·00	·04	·00	·00	-	-	·25	·00		24
25				·00	·00	·00	·04	·32	-	·50	·14		25
26				·00	·00	·00	·00	-	-	·06	·03		26
27				·00	·00	·00	·00	-	-	·00	·24		27
28				·00	·06	·00	·00	-		·06		2·68	28
29				·00	·04	·00	·00	-		·23		·0[illegible]	29
30				·00	·00	·00	·00	-		·06	·59		30
31					·00		·08				·24	·27	31
Total				·94	1·85	1·95	2·63	1·83	1·44	2·50	3·19	8·54	YEAR'S TOTAL
Rain Days.				8	14	10	16	5	9	15	23	31	

FORM A.
BRITISH RAINFALL.

15 JAN 1917

REG … 1916

BUCKS.
DATCHET VICARAGE
1916; 1918; 1919.

Kept at Datche…
in the County of Buc…
by Rev. J. H. H…

… Long. about 25 miles W. … free … Windsor …
… 9 a.m. - sunrise …
…ation Datchet
… of Rain Gauge 5 in in.
…uge above Ground 1 ft. - in.
„ Sea Level 60 ft.

IMPORTANT NO… …a. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	-	4	-	41	2	-	-	23	10	30	-	1
2	25	2	7	-	20	2	2	-	16	46	12	-	2
3	-	67	4	-	0	0	-	-	3	24	26	-	3
4	22	6	-	-	1	39	-	-	17	4	56	-	4
5	3	1	0	0	10	12	5	-	-	5	71	-	5
6	-	7	31	16	0	7	30	-	1 dew	3	45	-	6
7	4	-	30	-	8	16	2	-	-	-	85	11	7
8	-	-	1	-	23	4	-	-	-	-	-	27	8
9	-	-	-	-	21	7	-	-	-	5	-	14	9
10	-	19	6	5	0	16	2	-	-	-	-	11	10
11	6	14	4	10	0	35	-	-	-	-	1	3	11
12	5	1	4	4	9	11	1	20	-	6	-	0	12
13	0	13	30	14	-	4	9	24	4	2	-	-	13
14	-	42	1	1	5	-	-	36	-	3	-	6	14
15	-	25	26	0	-	-	8	14	-	1	-	-	15
16	0	-	42	14	1	-	34	72	-	-	-	-	16
17	9	8	-	2	-	-	1	1	21	48	-	-	17
18	2	11	5	15	-	-	-	26	12	33	74	3	18
19	7	~~2~~ -	17	21	-	-	-	-	47	-	52	8	19
20	16	~~34~~ -	29	1	-	-	-	-	-	1	-	61	20
21	0	-	37	-	-	-	3	-	-	-	-	2	21
22	-	~~5~~3	1	-	2	1	-	-	-	5	1	56	22
23	4	31 ~~14~~ Sn	1	-	15	4	-	1	-	4	1	2	23
24	-	-	-	-	-	31	-	5	-	26	2	31	2
25	-	57 Sn	7	-	-	-	-	11	-	2	-	1	25
26	-	14 Sn	5	-	-	12	-	62	1	16	-	-	26
27	4	-	1·03	-	-	6	-	29	4	23	-	-	27
28	-	31	10	-	-	2	-	-	4	-	-	14	28
29	1	12	-	-	-	23	-	75	1	27	-	15	29
30	-	✕	-	-	-	-	-	6	-	36	-	-	30
31	-	✕	-	✕	-	✕	-	5	✕	15	✕	12	31
Total	1·13	3·64	4·05	1·03	1·56	2·34	·97	3·87	1·54	3·45	4·56	2·77	YEAR'S TOTAL 30·91
Rain Days.	1·13 14	4·77 19	8·82 23	9·85 11	11·41 12	13·75 19	14·72 11	18·59 15	20·13 ~~12~~ 13	23·58 23	28·14 13	30·91 17	~~189~~ 190

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

15 JAN 1917

Kept at Datchet Vicarage

in the County of Buckingham

by Rev. J. H. Harvey.

Lat. Long. About 25 miles W. of [illegible]

Time of Observation 9 a.m. suntime

Nearest Railway Station Datchet

Diameter of Funnel of Rain Gauge 5 in in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	–	4	–	41	2	–	–	23	10	30	–	1
2	25	2	7	–	20	2	2	–	16	46	12	–	2
3	–	67	4	–	0	0	–	–	3	24	26	–	3
4	22	6	–	–	1	39	–	–	17	4	56	–	4
5	3	1	0	0	10	12	5	–	–	5	71	–	5
6	–	7	31	16	0	7	30	–	1 dew	3	45	–	6
7	4	–	30	–	8	16	2	–	–	–	85	11	7
8	–	–	1	–	23	4	–	–	–	–	–	27	8
9	–	–	–	–	21	7	–	–	–	5	–	14	9
10	–	19	6	5	0	16	2	–	–	–	–	11	10
11	6	14	4	10	0	35	–	–	–	–	1	3	11
12	5	1	4	4	9	11	1	20	–	6	–	0	12
13	0	13	30	14	–	4	9	24	4	2	–	–	13
14	–	42	1	1	5	–	–	36	–	3	–	6	14
15	–	25	26	0	–	–	8	14	–	1	–	–	15
16	0	–	42	14	1	–	34	72	–	–	–	–	16
17	9	8	–	2	–	–	1	1	21	48	–	–	17
18	2	11	5	15	–	–	–	26	12	33	74	3	18
19	7	~~2~~	17	21	–	–	–	–	47	–	52	8	19
20	16	~~3~~ –	29	1	–	–	–	–	–	1	–	61	20
21	0	–	37	–	–	–	3	–	–	–	–	2	21
22	–	~~57~~ 3	1	–	R2	1	–	–	–	5	1	56	22
23	4	~~14~~ 31 Sn	1	–	15	4	–	1	–	4	1	2	23
24	–	–	–	–	–	31	–	5	–	26	2	31	24
25	–	57 Sn	7	–	–	–	–	11	–	2	–	1	25
26	–	14 Sn	5	–	–	12	–	62	1	16	–	–	26
27	4	–	1·03	–	–	6	–	29	4	23	–	–	27
28	–	31	10	–	–	2	–	–	4	–	–	14	28
29	1	12	–	–	–	23	–	75	1	27	–	15	29
30	–	✕	–	–	–	–	–	6	–	36	–	–	30
31	–	✕	–	✕	–	✕	–	5	✕	15	✕	12	31
Total	1·13	3·64	4·05	1·03	1·56	2·34	·97	3·87	1·54	3·45	4·56	2·77	YEAR'S TOTAL 30·91
Rain Days.	1·13 14	4·77 19	8·82 23	9·85 11	11·41 12	13·75 19	14·72 11	18·59 15	20·13 ~~12~~ 13	23·58 23	28·14 13	30·91 17	~~189~~ 190

W. 8,000. X. 15.

Swaner [illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

1. 1. 19

Kept at Datchet Vicarage, Windso

in the County of Bucks

by Rev. J. H. Harvey.

Lat. 28 miles Long. due W. of Greenwich
Time of Observation 9.0 am.
Nearest Railway Station Datchet 200 yds.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 60 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											25	8	1
2										2	33	11	2
3										1	40	2	3
4										1	46	1	4
5										8	–	–	5
6										0	–	7	6
7										10	11	–	7
8										5	6	2	8
9										11	–	15	9
10										1	2	32	10
11										43	8	16	11
12										–	–	1	12
13										1	–	1	13
14										16	–	19	14
15										0	–	12	15
16										–	–	3	16
17										–	–	13	17
18										31	–	5	18
19										3	–	9	19
20										13	–	–	20
21										1	–	–	21
22										–	–	23	22
23										–	6	–	23
24										–	11	–	24
25										2	2	–	25
26										2	14	12	26
27										–	11	–	27
28										–	10	17	28
29										–	–	–	29
30		X								–	4	14	30
31		X		X		X			X	5	X	1	31
Total										1·56	2·29	2·24	YEAR'S TOTAL
Rain Days.										18	15	22	

W. 8,000. X. 14.

RV

8 FEB

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Datchet Vicarage

in the County of Bucks

by Rev. J. H. Harvey.

Lat. 20 miles due W of Greenwich ~~Long.~~

Time of Observation 9 a.m. same time thro. year.

Nearest Railway Station Datchet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level 60 ft. approx.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	33	2	-	-	-	-	18	2	-	4	2	66	1
2	21	-	1	-	11	-	4	·	9	9	11	10	2
3	38	-	38	-	1	-	21	·	4	-	2	30	3
4	8	6	48	-	-	8	18	2	6	-	4	16	4
5	-	33	51	1	-	-	42	-	16	-	5	25	5
6	8	-	6	-	-	-	-	-	-	-	2	-	6
7	7	-	30	-	-	-	-	-	-	-	-	-	7
8	19	-	5	5	-	-	-	-	-	-	2	-	8
9	5	·	1	-	1	-	-	-	-	-	1	-	9
10	17	-	5	4	-	-	-	-	-	2	3	10	10
11	4	-	3	18	-	-	25	-	-	-	-	4	11
12	1	-	-	4	1	9	14	-	-	7	-	-	12
13	1	2	-	28	-	-	-	-	-	5	-	2	13
14	20	-	-	44	-	-	-	-	37	1	-	2	14
15	32	-	11	12	-	-	-	-	-	-	1	47	15
16	6	68	-	1	·	-	-	-	-	-	16	3	16
17	-	33	-	-	-	-	-	-	-	-	-	-	17
18	-	14	17	-	-	-	-	-	6	-	8	3	18
19	6	13	76	-	-	19	69	33	-	-	6	-	19
20	22	5	20	-	·	55	22	13	16	-	1	1	20
21	23	30	1	-	-	12	4	-	-	-	2	3	21
22	-	7	-	-	-	-	19	·	15	-	2	38	22
23	-	-	-	-	-	3	-	3	-	6	1	1	23
24	-	-	-	12	-	2	11	3	-	26	6	6	24
25	4	3	-	-	9	2	-	51	-	-	-	1	25
26	9	23	14	3	-	2	-	27	11	-	-	35	26
27	82	1	3	65	-	-	-	41	-	-	-	4	27
28	-	-	39	1	-	-	-	75	-	-	26	27	28
29	4		-	12	-	-	-	18	-	10	3	7	29
30	-	✕	2	24	·	14	-	15	-	-	28	47	30
31	-	✕	2	✕	·	✕	-	-	✕	-	✕	4	31
TOTAL	3·72	2·40	3·73	2·34	·23	1·26	2·67	2·83	1·20	·70	1·27	3·92	YEAR'S TOTAL 26·27
Days with ·01 in. or more	22	14	20	15	5	10	12	12	9	9	21	24	173

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

22 FEB 1912

REGIST

EATON. ~~W~~.W.
TANGIER IS.
BUCKS
1911 — 1915 -1920

Kept at Tangier Isl

in the County of Buck

by Christopher Sa

d 1 ft. – in.

evel 67 ft. O D

L.&N.Western

ce ¼ mile Direction SW

IMPORTANT NOTE.—Ra … result entered to the previous day. If an Observer … rule, he is earnestly requested to add the reading at … the space provided for it at the end of this parag … of rain, the selection and placing of … Rainfall Organization are given in "*Rule* … ation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.58				0.03					1
2	.06			.41	.21			.01		.06	.20	.05	2
3	.03				.16				.01		.17	.07	3
4	.03	.01	.10							.04	.10	.31	4
5	.02			.10							.09	.01	5
6	.29		.16	.02								.42	6
7	.04	.11	.01	.01						.14	.29	.22	7
8	.19		.17								.16	.30	8
9	.07	.01	.01								.01	.11	9
10	.05	.08	.12	.01	.11						.08	.58	10
11	.25										.63	.01	11
12	.01		.46		.15						.26		12
13			.05		.08				.40	.08	.01	.57	13
14		.08	.10		.13							.43	14
15		.07								.01	.03		15
16		.09				.12					.29	.08	16
17			.01			.28					.40	.27	17
18		.17	.01			.20					.39	.30	18
19						.40			.20	.03	.18	.10	19
20	.01		.01			.01	.04	.10	.07		.01	.68	20
21	.01	.09						.26		.34		.08	21
22	.06		.13			.01				.04		.53	22
23		.07	.15			.43			.19			.08	23
24		.12				.06		.05		.81		.15	24
25	.01	.03		.10		.24	.15	.01		.04		.06	25
26		.02		.19	.14	.14	.04			.08	.02	.27	26
27		.37	.05				.06		.12		.03	.18	27
28		.27		.29		.19		.09			.05		28
29				.13			.12		.13	.19			29
30				.13		.01				.12	.01		30
31					.16								31
Total	1.05	1.49 1.49	1.54	1.97	1.1.4	2.09	0.41	0.55	1.12 1.12	1.98	3.31	5.86 5.86	22.51 TOTAL for year
No. of Rain Days.	16	15	15	11	8	12	5	7	7	13	21	24	154

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

22 FEB 1912

REGIST

Kept at Sangier Islands, Eton
in the County of Buckinghamshire 3
by Christopher Sainty

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 67 ft. O D
Time of Observation 9. a.m
Nearest Railway Station: Name L.H.Weston
Distance ¼ mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.58				0.03					1
2	.06			.41	.21			.01		.06	.20	.05	2
3	.03				.16				.01		.17	.07	3
4	.03	.01	.10							.04	.10	.31	4
5	.02			.10							.09	.01	5
6	.29		.16	.02								.42	6
7	.04	.11	.01	.01						.14	.29	.22	7
8	.10		.17								.16	.30	8
9	.07	.01	.01								.01	.11	9
10	.05	.08	.12	.01	.11						.08	.58	10
11	.25										.63	.01	11
12	.01		.46		.15						.26		12
13			.05		.08				.40	.08	.01	.57	13
14		.08	.10		.13							.43	14
15		.07								.01	.03		15
16		.09				.12					.29	.08	16
17			.01			.28					.40	.27	17
18		.17	.01			.20					.39	.30	18
19						.40			.20	.03	.18	.10	19
20	.01		.01			.01	.04	.10	.07		.01	.68	20
21	.01	.09						.26		.34		.08	21
22	.06		.13			.01				.04		.53	22
23		.07	.15			.43			.19			.08	23
24		.12				.06		.05		.81		.15	24
25	.01	.03		.10		.24	.15	.01		.04		.06	25
26		.02		.19	.14	.14	.04			.08	.02	.27	26
27		.37	.05				.06		.12		.03	.18	27
28		.27		.29		.19		.09			.05		28
29				.13			.12		.13	.19			29
30				.13		.01				.12	.01		30
31					.16								31
Total	1.05	1.49 1.49	1.54	1.97	1.1.4	2.09	0.41	0.55	1.12 1.12	1.98	3.31	5.86 5.86	22.51 TOTAL for year
No. of Rain Days.	16	15	15	11	8	12	5	7	7	13	21	24	154

W. 8,000, X. '11.

corr for from beginning of April

12.Oct.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

6 MAY 1916

Kept at Tangier Island. Eton

in the County of Bucks

by Waterworks' Manager,

Lat. 51° 29' 30" Long. 0° 36' West of G

Time of Observation 9 a.m.

Nearest Railway Station 490 Yards

Diameter of Funnel of Rain Gauge 5¼ in.

Height of top of Gauge above Ground – ft. 6 in.

" " " " Sea Level 67·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·20

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·65	0·15	0·04	...	...	...	0·20	...	0·10	...	1·04	0·27	1
2	0·12	0·12	0·06	...	0·04	...	0·11	0·17	0·09	...	0·23	0·38	2
3	0·53	...	0·26	...	...	0·02	...	0·97	...	...	...	0·19	3
4	0·05	...	0·06	0·16	...	...	...	0·70	...	...	...	0·40	4
5	0·03	0·43	...	...	...	...	...	0·11	...	...	...	0·24	5
6	0·26	0·06	...	...	...	...	...	0·30	...	0·02	...	0·30	6
7	0·29	0·97	0·09	0·21	0·10	...	0·58	0·10	...	...	...	0·32	7
8	0·09	...	0·03	...	...	...	0·36	0·04	...	...	...	0·19	8
9	0·03	0·10	...	0·05	...	...	...	0·07	...	...	...	...	9
10	0·24	...	0·03	0·19	...	0·03	...	0·03	...	...	0·25	0·65	10
11	0·02	...	0·03	...	...	...	...	0·09	...	...	...	0·12	11
12	0·05	0·05	0·03	...	...	...	...	0·09	...	0·02	0·76	...	12
13	0·01	0·64	...	...	0·22	...	...	0·27 27	...	...	0·32	0·06	13
14	...	0·01	...	...	1·46	...	...	...	...	...	...	...	14
15	0·07	0·01	...	...	...	...	0·96	...	0·80	...	...	0·45	15
16	...	0·35	...	...	0·05	...	0·10	...	...	...	0·05	0·13	16
17	...	0·34	...	...	...	...	0·63	0·08	...	...	...	0·09	17
18	...	0·15	0·04	...	1·31	...	...	...	...	...	...	...	18
19	...	0·05	...	...	0·14	...	...	...	...	...	...	...	19
20	0·27	...	...	...	0·20	...	0·11	...	...	...	...	...	20
21	0·08	0·04	...	0·02	...	...	...	...	...	...	0·05	0·19	21
22	0·70	0·04	0·35	...	...	...	...	...	...	...	...	0·05	22
23	0·01	0·07	0·02	...	...	...	0·61	...	...	...	...	0·18	23
24	...	...	...	...	...	...	0·32	...	0·22	0·55	...	0·25	24
25	...	...	...	...	...	0·30	0·27	...	0·64	0·30	...	0·27	25
26	...	0·11	...	...	...	0·50	0·32	...	...	...	...	0·11	26
27	...	...	...	0·70	...	0·70	0·19	...	...	0·30	...	0·45	27
28	...	...	...	...	...	0·44	0·03	...	...	...	...	0·05	28
29	...	...	...	...	...	...	...	...	1·01	0·09	...	...	29
30	0·02	✕	...	...	...	0·17	0·03	0·12	...	...	0·14	0·03	30
31	...	✕	...	✕	...	✕	...	...	✕	0·29	✕	0·04	31
	·15	·04	–	–	–	·20	–	·10	–	1·04	·27	·20	YEAR'S TOTAL
Total	~~3·52~~	~~3·69~~	~~1·04~~	~~1·33~~	~~3·52~~	2·16	~~4·82~~	~~3·14~~	2·86	~~1·57~~	2·84	~~5·41~~	~~35·90~~
	3·02	3·58	1·00	1·33	3·52	2·36	4·62	3·24	2·76	2·61	2·07	5·34	35·45 ✓
Rain Days.	19	18	~~12~~ 11	6	8	~~7~~ 8	~~15~~ 14	~~14~~ 15	~~6~~ 5	~~7~~ 8	8	24	144 ✓

W. 8,000. X. 15.

5 - JUL 1916

TELEPHONE No. 160 WINDSOR

E. A. STICKLAND
BOROUGH SURVEYOR AND
WATERWORKS MANAGER

Borough Surveyor's Office,

Windsor, 4th July. *1916*.

C. Salter Esq,
62 Camden Square,
London. N. W.

Dear Sir,

In reply to your enquiry of the 29th of June re Rain-fall recorded at the Waterworks Eton on January 1st 1916, I beg to inform you that the amount regestered was .20.

Yours faithfully,

E A Stickland
PG

Borough Surveyor &
Waterworks Manager.

Erd 7D

1035

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

JAN.

Kept at Tangier Island Eton

in the County of Bucks.

by Waterworks' Manager

Lat. 51° 29' 30"   Long. 0° 36' West of G.

Time of Observation 9 am

Nearest Railway Station L & S W Ry St. Windsor

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground – ft. 6" in.

" " " " Sea Level 67·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	–	·04	–	·41	·02	–	–	·23	·06	·31	–	1
2	·25	·03	·08	–	·24	·01	–	–	·10	·51	·03	–	2
3	–	·66	·50	–	–	–	–	–	·15	·23	·24	–	3
4	·20	·10	–	–	·05	·40	–	–	·17	·03	·56	–	4
5	·03	–	–	–	·09	·17	·06	–	–	·05	·88	–	5
6	–	·10	·24	·16	–	·04	·35	–	–	·03	·40	–	6
7	·04	–	·23	–	·09	·12	·14	–	–	–	·71	·09	7
8	–	–	·05	–	·25	·10	–	–	–	–	–	·28	8
9	–	–	–	–	·25	·18	–	–	–	·06	–	·12	9
10	–	·24	·05	·05	–	·45	·02	–	–	–	–	·05	10
11	·02	·09	–	·12	–	·21	–	–	–	–	–	·11	11
12	·05	·02	·06	·04	·08	·08	·06	·21	–	·06	–	·01	12
13	–	·29	·33	·16	–	·07	·12	·13 ~~·21~~	·06	·02	–	–	13
14	–	·44	·01	·01	·05	–	–	·36	–	·02	–	·07	14
15	·02	·27	·25	–	–	–	·10	·06	–	·05	–	·02	15
16	–	–	·40	·16	–	–	·25	·37	–	–	–	–	16
17	·07	·11	–	·03	–	–	–	·58	·23	·49	–	–	17
18	·04	·08	·07	·13	–	–	–	·26	·12	·32	77	–	18
19	·06	–	·17	·18	–	–	–	·01	·46	–	·53	·10	19
20	·17	–	·23	–	–	–	–	–	–	–	·03	·50	20
21	–	–	·52	–	–	–	·04	–	–	–	–	·41	21
22	–	–	·02	–	–	·01	–	–	–	·04	·01	·53	22
23	·05	–	–	–	–	·07	–	·02	–	·02	·01	·07	23
24	–	·12	–	–	·15	·27	–	·05	–	·26	·02	·32	24
25	–	·07	·07	–	·01	–	–	·10	–	·20	·13	–	25
26	–	0·50	·04	–	–	·10	–	·45	·01	·18	–	–	26
27	·05	·16	1·08	–	–	·09	–	·31	·06	·19	–	–	27
28	–	·31	·08	–	–	·03	–	–	·02	–	–	·14	28
29	–	·13	–	–	–	·23	–	1·20	·01	·29	·02	·15	29
30	–	×	–	–	–	–	–	·05	–	·53	–	–	30
31	–	×	–	×	–	×	–	·05	×	·14	×	·10	31
Total	1·12	3·72	4·52	1·04	1·67	2·65	1·14	4·21	1·62	3·78	4·65	3·07	YEAR'S TOTAL 33·19
Rain Days.	14	18	21	10	11	19	9	16	12	22	15	17	184

Encl 415

1005

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

14. JAN 1918

Kept at Tangier Island Eton
in the County of Bucks
by Borough Surveyor of Windsor

Lat. 51° 29' 30" Long. 0° 36' W
Time of Observation 9 am
Nearest Railway Station L & S. W. Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 67·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·28				·98	·02		·05		1
2				·26		·10		·02			·11		2
3	·01			·04			·22	·30		·30	·04		3
4		·15	·17				·32	·13		·34		·01	4
5	·28		·03	·29				·09	·10	·17	·05		5
6			·28			·03			·11		·13		6
7	·22						·23			·24		·02	7
8	·21			·09			·88	·21		·22	·12	·22	8
9	·01		·03	·04			·06	·19	·08		·05	·06	9
10	·21		·12	·25				·07			·02	·04	10
11	·12		·34	·10					·55	·24			11
12	·06		·02	·02				·19	·02	·53			12
13	·02		·13	·06				·07					13
14				·20				·03		·03			14
15							·34						15
16	·03	·10		·20	·06		·06			·60		·42	16
17				·10	·69		·28	·03	·40	·27			17
18		·10		·09	·10	·28	·10	·05	·17	·03			18
19	·02	·14	·07			·10			·38				19
20		·17			·56		·22	·11			·07		20
21	·01				·01	·04				·01	·02		21
22			·08					·07		·05			22
23		·15			·08			·14		·04			23
24		·03				·02		·03		·22	·05		24
25		·02	·04							·03			25
26			·04					·43	·02		·20		26
27					·59			·68				·07	27
28			·01			1·54		·07				·02	28
29			·04		·06		·76	·01		·22		·13	29
30	·04	X	·28				1·52	·09		·01			30
31		X	·11	X		X	·35		X		X	·04	31
Total	1·24	·86	1·80	2·02	2·15	2·11	5·34	3·99	1·85	3·55	·91	1·03	YEAR'S TOTAL 26·85
Rain Days.	13	8	17	14	8	7	13	22	10	18	12	10	152

W. 8,000, IX. 17.

Ec JL 6

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

9. 1.

Kept at The Windsor Water Works Tangier Island

in the County of Bucks

by E. A. Strickland

Lat. 51° 29′ 30″ Long. 0° 36″ West

Time of Observation 9 a.m.

Nearest Railway Station L & S.W. Ry Station

Diameter of Funnel of Rain Gauge 5″ in.

Height of top of Gauge above Ground ft. 6″ in.

" " " " Sea Level 67·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
		~~·05~~		~~·03~~									
1		~~·10~~·05		~~·11~~·03				·02		·02	·26	·08	1
2		~~·01~~·10		~~·10~~·11				·29		·01	·27	·10	2
3		·01	·02	·10	·47			·03	·03		·43	·02	3
4		·05	·06					·01	·38		·47		4
5		·02			·09			·06	·71	·09		·005	5
6	·24	·10		·25	·08				·04			·07	6
7		·08		·20	·37			·04	·15	·09	·08		7
8		·10		·02					·14	·04	·07		8
9		·04		·08		·18	·75		·37	·13		·14	9
10	·01			·14		·07	·24		·02		·02	·32	10
11	·01			·03	·07		·53		·10	·41	·08	·17	11
12		·04			·18		·09		·18			·01	12
13	·01				·31		·15		·16			·01	13
14	·16					·19	·08		·25	·17		·03	14
15	1·46		·04	·78			·20					·12	15
16	·21			·39		·10			1·04			·02	16
17	·25			·15	·04		·18	·08				·16	17
18	·59					·25	·09		·38	·24		·05	18
19	·06		·04	·03		·09	·28	·02	·06	·04		·10	19
20	·04	·10		·75		·02	·06		·15	·13			20
21	·15			·62					·35	·03			21
22	·09				1·19		·10		·14			·24	22
23	·02				·18	·13	·99	·05	·03			·01	23
24		·22					·36		·02		·10		24
25							·15	·15		·03	·02		25
26							·37	·03			·14	·11	26
27		·01	·01	·03			·18	·18	·05		·10	·02	27
28		·22	·20	·07				·11			·10	·19	28
29									1·06			·12	29
30		✕	·38						·03		·03	·12	30
31		✕		✕		✕			✕	·04	✕	·01	31
Total	3·30	1·14	·75	3·78	2·98	1·03	4·80	1·07	5·84	1·47	2·17	2·105	YEAR'S TOTAL 30·435
Rain Days.	14	14	7	17	10	8	17	13	23	14	14	22	173

W. 6,500, VII. 18. W W C

Ex. A6b

947

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

24 JAN 20

Kept at The Waterworks. Eton

in the County of Bucks.

by E. A. Stickland Boro' Surveyor. Windsor

Lat. 51° 29' 30" Long. 0° 36' West

Time of Observation 9 am

Nearest Railway Station L & S. W. Ry Co

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground – ft. 6 in.

" " " " Sea Level 67·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·02	·02				·23			·04	·01	1·10	1
2	·20				·09		·04		·08	·05	·12	·14	2
3	·42		·40		·01		·15		·07		·02	·42	3
4	·08	·07	·43			·09	·22	·03	·08		·03	·14	4
5	·	·32	·58				·75		·21		·03	·26	5
6	·08		·05	·02							·01	·05	6
7	·07		·32										7
8	·22		·05	·03									8
9	·04			·01	·01								9
10	·14		·05	·03						·02	·01	·09	10
11	·05		·06	·19	·01		·20					·05	11
12	·		·03	·09		·10	·13			·05			12
13	·02			·29						·05		·02	13
14	·20			·36			·10		·45			·03	14
15	·34	·06	·11	·14						·07		·50	15
16	·16	·71		·02							·12	·01	16
17	·	·33									·21	·04	17
18	·	·14	·20						·06		·07	·01	18
19	·06	·13	1·06			·21	·66	·34			·07		19
20	·24	·04	·23			·65	·20	·12	·13		·01		20
21	·25	·31	·01			·07	·04				·02	·04	21
22	·	·08					·19		·14		·01	·38	22
23	·					·02			·03	·07	·01	·04	23
24	·			·12		·01	·12	·05		·30	·04	·06	24
25	·06	·01						·51				·	25
26	·09	·27	·12	·05				·21	·12			·35	26
27	SNOW ·82		·02	1·00				·42				·05	27
28	·02		·17					·75			·30	·26	28
29	·02			·09				·18		·12	·05	·07	29
30	·			·24		·15		·20		·02	·30	·50	30
31	·		·02				·01					·04	31
TOTAL	3·93	2·49	3·93	2·68	·12	1·30	3·04	2·81	1·37	·73	1·44	4·65	YEAR'S TOTAL 28·49
Days with ·01 in. or more	22	13	19	15	4	8	14	10	10	10	19	24	168

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sargean Island, Waterworks Slou
in the County of Bucks
by E. A. Stickland Boro Surveyor Windsor

Lat. 51° 29' 30" N Long 0° 36' West
Time of Observation 9 a m
Nearest Railway Station L & S W Ry
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground – ft. 6 in.
" " " " Sea Level 67·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·40	·18		·22			·27		·24	1
2			·01				·32	·52	·10	·01		·05	2
3		·02		·40			·12		·01	·06			3
4		·05		·07			·04	·07		·26		·07	4
5			·05	·03	·02		·94	·03				·01	5
6			·15		·10	~~·06~~	·39					·03	6
7	·01		·01	·21	·02	~~·08~~	·11						7
8		·05		·22	·17	~~[illegible]~~	·18	·05					8
9	·38			·04			·01						9
10	·70	·04	·04	·01			·10				·01		10
11	·21		·07	·30	·06	·06	·28						11
12	·07			·14		·08	·01				·01	Snow ·03	12
13	·20	·02	·14	·16		1·04					·05		13
14		·01	·31	·21		·11	·05		·08	·23	·20	·03	14
15		·02	·18	·18		·16	·01		·33	·11	·10		15
16	·01			·22		·09			·12	·09			16
17	·01			·02	·16	·12	·02		·55	·14		·01	17
18	·03			·01	·01			·56	·15			·02	18
19	·10			·2[illegible]		·06						·01	19
20	·06	·08		·21		·63						·02	20
21				·01			·54	·02	·44			·07	21
22	·01			·35				·05	·11			·51	22
23							·57	·06				·34	23
24			·07					·01			·03	·04	24
25		·05	·12				·24						25
26	·06		·11	·01	·71		·33					·02	26
27	·25	·05	·01	·26		·09	·37				·22	·18	27
28	·40		·25	·03	·12		·14				·17	·02	28
29	·25		·09	·02							·14	·14	29
30	·02				·08	·03	·34		·31		·25	·17	30
31										·83		·07	31
TOTAL	2·77	·39	1·61	3·71	1·63	2·47	5·27	1·37	2·20	2·00	1·18	2·08	YEAR'S TOTAL 26·68
Days with ·01 in. or more	17	10	15	24	11	11	22	9	10	9	10	21	169
Days with ·04 in. or more	11	6	12	16	8	10	18	6	9	8	7	11	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BUCKS.

FARNHAM ROYAL THE CHASE

1911 ONLY

RE 9~~10~~11.

FORM A2. BRITISH RAINFALL. 22 JAN 1912

Symons.

Kept at The Chase,

in the County of B

by F. C. Carr

top 5 in.

above Ground 3 ft. 0 in.

„ Sea Level 169 ft.

9. a.m.

tion Name Slough. G.W.R.

Distance 3¾. Direction S.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·47	–	–	–	·04	–	–	–	·01	1
2	·04	–	–	·49	·14	~~·01~~	·01	·02	–	·02	·20	·06	2
3	·04	–	–	–	·18	–	–	–	–	–	·12	·05	3
4	·04	·04	·07	·14	–	–	–	–	–	·07	·15	·33	4
5	·03	·01	–	·04	–	–	–	·02	–	·09	·04	·02	5
6	·29	–	·13	–	–	–	–	–	–	–	·01	·33	6
7	·05	–	–	·03	–	–	–	–	–	·13	·29	·17	7
8	·09	–	·16	–	–	–	–	–	–	–	·16	·26	8
9	·12	–	·05	–	–	–	–	–	–	–	·01	·07	9
10	–	·08	·13	·02	·01	–	–	–	–	–	·12	·42	10
11	·31	–	·03	–	–	–	–	–	–	–	·68	·03	11
12	–	–	·48	–	·08	·01	–	–	–	–	·28	–	12
13	–	–	·06	–	·07	–	–	–	·41	·22	–	·65	13
14	–	·06	·02	–	·15	–	–	–	–	–	–	·37	14
15	–	·06	·13	–	–	–	–	–	–	·02	·05	–	15
16	–	–	–	–	–	·15	–	–	–	[illegible]	·29	·08	16
17	–	–	–	–	–	·21	–	–	–	–	·26	·21	17
18	–	·16	·02	–	–	·61	–	–	–	–	·34	·26	18
19	–	·08	–	–	–	·31	–	–	·09	↑	·25	·05	19
20	·01	–	–	–	–	–	–	·19	·16	↑ ·04	–	·73	20
21	·01	·10	–	–	–	–	–	·65	–	↑ ·06	–	·08	21
22	·07	–	·09	–	–	·02	–	·01	–	↑ ·36	–	·50	22
23	–	·12	·14	–	–	·38	–	–	·24	·11	·03	·08	23
24	–	·12	–	–	–	·09	–	·08	–	·73	–	·14	24
25	–	·03	·03	·04	·04	·14	·11	·02	·01	·01	–	·02	25
26	–	–	–	·15	·10	·07	·02	·01	–	·11	·01	·29	26
27	–	·47	·08	·05	–	–	·04	–	·09	–	·03	·17	27
28	–	~~·47~~	–	·24	·06	–	–	·12	–	–	·06	–	28
29	–	·29	–	·02	–	·22	·12	–	·26	·23	–	–	29
30	–		–	·02	·30	·02	–	·03	·02	·11	–	–	30
31	–		–	–	·15		–	–		·01		·01	31
Total	1·10	1·62	1·62	1·62	1·28	2·23	0·30	1·19	1·28	2·32	3·38	5·39	TOTAL for year " 23·33
No. of Rain Days.	12	13	15	12	11	12	5	11	8	16	20	26	161 days

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
22 JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at The Chase, Farnham Royal.

in the County of Buckinghamshire 3

by F. C. Carr-Gomm. Esqre. J.P. D.L.

RAIN GAUGE
Pattern Symons.
Diameter of top 5 in.
Height of top above Ground 3 ft. 0 in.
" " " Sea Level 169 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Slough. G.W.R.
Distance 3¾. Direction S.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	.47	–	–	–	.04	–	–	–	.01	1
2	.04	–	–	.49	.14	~~.01~~	.01	.02	–	.02	.20	.06	2
3	.04	–	–	–	.18	–	–	–	–	–	.12	.05	3
4	.04	.04	.07	.14	–	–	–	–	–	.07	.15	.33	4
5	.03	.01	–	.04	–	–	–	.02	–	.09	.04	.02	5
6	.29	–	.13	–	–	–	–	–	–	–	.01	.33	6
7	.05	–	–	.03	–	–	–	–	–	.13	.29	.17	7
8	.09	–	.16	–	–	–	–	–	–	–	.16	.26	8
9	.12	–	.05	–	–	–	–	–	–	–	.01	.07	9
10	–	.08	.13	.02	.01	–	–	–	–	–	.12	.42	10
11	.31	–	.03	–	–	–	–	–	–	–	.68	.03	11
12	–	–	.48	–	.08	.01	–	–	–	–	.28	–	12
13	–	–	.06	–	.07	–	–	–	.41	.22	–	.65	13
14	–	.06	.02	–	.15	–	–	–	–	–	–	.37	14
15	–	.06	.13	–	–	–	–	–	–	.02	.05	–	15
16	–	–	–	–	–	.15	–	–	–	[illegible]	.29	.08	16
17	–	–	–	–	–	.21	–	–	–	–	.26	.21	17
18	–	.16	.02	–	–	.61	–	–	–	–	.34	.26	18
19	–	.08	–	–	–	.31	–	–	.09	↑	.25	.05	19
20	.01	–	–	–	–	–	–	.19	.16	↑ .04	–	.73	20
21	.01	.10	–	–	–	–	–	.65	–	↑ .06	–	.08	21
22	.07	–	.09	–	–	.02	–	.01	–	↑ .36	–	.50	22
23	–	.12	.14	–	–	.38	–	–	.24	.11	.03	.08	23
24	–	.12	–	–	–	.09	–	.08	–	.73	–	.14	24
25	–	.03	.03	.04	.04	.14	.11	.02	.01	.01	–	.02	25
26	–	–	–	.15	.10	.07	.02	.01	–	.11	.01	.29	26
27	–	.47	.08	.05	–	–	.04	–	.09	–	.03	.17	27
28	–	↗ ~~.47~~	–	.24	.06	–	–	.12	–	–	.06	–	28
29	–	.29	–	.02	–	.22	.12	–	.26	.23	–	–	29
30	–		–	.02	.30	.02	–	.03	.02	.11	–	–	30
31	–		–	–	.15		–	–		.01		.01	31
Total	1.10	1.62	1.62	1.62	1.28	2.23	0.30	1.19	1.28	2.32	3.38	5.39	TOTAL for year 23.33
No. of Rain Days.	12	13	15	12	11	12	5	11	8	16	20	26	161 days

W. 8,000, X. '11.

999

28 JAN 1921

FORM A. 1. METEOROL ... ORGANIZATION

RE ... 1920.

FLACKWELL HEATH
SEDGMORE
BUCKS
1920

Kept at Sedgmoor, F...
in the County of Bu...
by E. Dickson Pa...

Long say 0° 43'
...n 9 A.M.
...ation Loudwater, G.W.R.
...l of Rain Gauge 5 in.
...uge above Ground 1 ft 10 in.
,, Sea Level say 365 ft.

IMPORTANT NOTE ... esult entered to the previous day.

If an Observer prefers not ... y requested to add the reading at 9 a.m. on 1s ... for it at the end of this paragraph. Full instru ... acing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.31.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil.	nil.	nil.	0.52.	0.19.	nil.	0.32	nil.	0.03.	0.60	nil.	0.22.	1
2	nil.	nil.	0.01.	nil.	nil.	nil.	0.13	0.59	0.11	0.05	nil.	0.11	2
3	0.01	0.02.	nil.	0.10.	nil.	nil.	0.30	nil.	0.06	0.03	nil.	0.03	3
4	nil.	0.02.	nil.	0.13.	nil.	nil.	0.02.	0.16.	nil.	0.39.	nil.	0.03	4
5	nil.	nil.	0.04	0.03.	0.04.	nil.	0.86.	0.01.	0.01.	nil.	nil.	0.04.	5
6	nil.	nil	0.19.	nil.	0.16	nil.	0.45	nil.	nil.	nil.	nil.	0.01.	6
7	0.01	0.01.	nil.	0.24.	nil.	nil.	0.09.	nil.	nil.	nil.	nil.	nil.	7
8	0.01.	0.05.	nil.	0.17.	0.12	nil.	0.08.	0.03.	nil.	nil.	nil.	nil.	8
9	Bar. 28.8. 0.36.	nil.	0.02.	0.03.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	9
10	Bar. 28.8. Gale 0.43.	0.07.	0.07.	0.02.	0.05	0.04	0.15	nil.	nil.	nil.	nil	nil.	10
11	Gale Bar. 29.4. 0.15	nil.	0.07.	0.34.	nil.	0.08	0.20	nil.	nil.	nil	nil.	nil.	11
12	Gale. 29.7. 0.05	nil.	0.01	0.30	nil.	Thunder Storm. 1.32	nil.	nil	nil.	nil.	0.03	Snow. nil.	12
13	0.12	nil.	0.19.	0.05	nil.	nil.	nil.	nil.	nil.	nil.	0.02.	nil.	13
14	0.02.	0.01.	0.34	0.23	nil.	Thunder. 0.13	0.06.	nil.	0.15	Thunder. 0.14	0.25.	0.04.	14
15	0.01.	0.07.	Snow. Bar. 28.5. 0.23	0.14	nil.	nil.	nil.	nil.	0.07.	0.16.	0.05	nil.	15
16	nil.	nil.	Bar. 29.5. nil.	0.22.	0.17.	0.02.	nil.	nil.	0.07.	0.06.	nil	nil.	16
17	0.02	V. Fine nil.	Bar. 29.8. nil.	0.03	0.01	0.01.	0.05.	nil	0.19.	0.03	nil.	0.02.	17
18	B 0.08	V. Fine Temp. 60. nil.	nil.	nil.	nil	nil.	nil.	0.57.	0.21.	nil.	nil.	0.02	18
19	Bar. 29.6 0.06.	V. Fine Temp. 60. nil.	nil	0.30	nil.	0.09.	nil.	nil.	nil.	nil	0.01.	nil.	19
20	0.06.	Snow! 0.10	Bar. 30.3. nil.	0.20.	nil.	0.72	0.51.	nil.	nil.	nil.	0.01.	0.03	20
21	nil.	nil	nil.	0.02.	nil.	nil.	nil.	0.03	0.28.	nil.	0.01.	0.10.	21
22	nil.	nil.	nil.	0.37.	nil.	nil.	0.85.	0.02	0.13	nil.	nil.	0.28	22
23	nil.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	0.45.	23
24	0.01.	0.01.	0.09.	0.01.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	0.06.	24
25	nil.	0.08.	0.10.	nil.	nil.	nil.	0.32	nil.	nil.	nil.	nil.	nil.	25
26	0.05.	nil.	0.17.	0.01.	0.03.	nil.	0.12.	nil.	nil.	nil.	nil.	0.02.	26
27	0.28.	0.01.	nil.	0.23.	nil.	0.15	0.8	nil.	nil.	nil.	0.27.	0.18.	27
28	Bar. 29. Gale 0.44	0.06.	0.25	0.04	0.25	0.02.	0.17	nil.	nil.	nil.	0.02.	0.02.	28
29	0.17.	nil.	0.05.	nil.	0.07.	nil.	nil.	nil.	nil.	nil.	0.23	0.33.	29
30	0.04		nil.	nil.	nil.	0.10	0.59.	nil.	0.37.	nil.	0.20	0.23	30
31	0.03		nil.		nil.		nil.	nil		0.68.		0.10	31
TOTAL	2.41.	0.51.	1.83.	3.73.	1.09.	2.68.	5.35.	1.41.	1.68	2.14	1.10.	2.32	YEAR'S TOTAL 26.25.
Days with ·01 in. or more	21 13	12 6	15 12	23 16	10 8	11 8	19 18	7 3	12 10	9 7	11 5	20 12	~~16~~ 170 ~~12~~ 118

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

999

28 JAN 1921

FORM A. 1. METEOROL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Kept at Sedgmoor, Flackwell Heath,
in the County of Bucks
by E. Dickson Park,

Lat. say 51° 35′ Long. say 0° 43′
Time of Observation 9 A.M.
Nearest Railway Station Loudwater, G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level say 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.31.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil.	nil.	nil.	0.52.	0.19.	nil.	0.32	nil.	0.03.	0.60	nil.	0.22.	1
2	nil.	nil.	0.01.	nil.	nil.	nil.	0.13	0.59	0.11	0.05	nil.	0.11	2
3	0.01	0.02.	nil.	0.10.	nil.	nil.	0.30	nil.	0.06	0.03	nil.	0.03	3
4	nil.	0.02.	nil.	0.13.	nil.	nil.	0.02.	0.16.	nil.	0.39.	nil.	0.03	4
5	nil.	nil.	0.04	0.03.	0.04.	nil.	0.86.	0.01.	0.01.	nil.	nil.	0.04.	5
6	nil.	nil	0.19.	nil.	0.16	nil.	0.45	nil.	nil.	nil.	nil.	0.01.	6
7	0.01	0.01.	nil.	0.24.	nil.	nil.	0.09.	nil.	nil.	nil.	nil.	nil.	7
8	0.01.	0.05.	nil.	0.17.	0.12	nil.	0.08.	0.03.	nil.	nil.	nil.	nil.	8
9	Bar. 28.8. 0.36.	nil.	0.02.	0.03.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	9
10	Bar. 28.8. Gale 0.43.	0.07.	0.07.	0.02.	0.05	0.04	0.15	nil.	nil.	nil.	nil	nil.	10
11	Gale Bar. 29.4. 0.15	nil.	0.07.	0.34.	nil.	0.08	0.20	nil.	nil.	nil	nil.	nil.	11
12	Gale. 29.7. 0.05	nil.	0.01	0.30	nil.	Thunder Storm 1.32	nil.	nil	nil.	nil.	0.03	Snow. nil.	12
13	0.12	nil.	0.19.	0.05	nil.	nil.	nil.	nil.	nil.	nil.	0.02.	nil.	13
14	0.02.	0.01.	0.34	0.23	nil.	Thunder. 0.13	0.06.	nil.	0.15	Thunder. 0.14	0.25.	0.04.	14
15	0.01.	0.07.	Snow. Bar. 28.5. 0.23	0.14	nil.	nil.	nil.	nil.	0.07.	0.16.	0.05	nil.	15
16	nil.	nil.	Bar. 29.5. nil.	0.22.	0.17.	0.02.	nil.	nil.	0.07.	0.06.	nil.	nil.	16
17	0.02	V. Fine nil.	~~Bar. 29.8.~~ nil.	0.03	0.01	0.01.	0.05.	nil	0.19.	0.03	nil.	0.02.	17
18	B 0.08	V. Fine Temp. 60. nil.	nil.	nil.	nil	nil.	nil.	0.57.	0.21.	nil.	nil.	0.02	18
19	Bar. 29.6 0.06.	V. Fine Temp. 60. nil.	nil	0.30	nil.	0.09.	nil.	nil.	nil.	nil.	0.01.	nil.	19
20	0.06.	Snow! 0.10	Bar. 30.3. nil.	0.20.	nil.	0.72	0.51.	nil.	nil.	nil.	0.01.	0.03	20
21	nil.	nil	nil.	0.02.	nil.	nil.	nil.	0.03	0.28.	nil.	0.01.	0.10.	21
22	nil.	nil.	nil.	0.37.	nil.	nil.	0.85.	0.02	0.13	nil.	nil.	0.28	22
23	nil.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	0.45.	23
24	0.01.	0.01.	0.09.	0.01.	nil.	nil.	nil.	nil.	nil.	nil.	nil.	0.06.	24
25	nil.	0.08.	0.10.	nil.	nil.	nil.	0.32	nil.	nil.	nil.	nil.	nil.	25
26	0.05.	nil.	0.17.	0.01.	0.03.	nil.	0.12. [illegible]	nil.	nil.	nil.	nil.	0.02.	26
27	0.28.	0.01.	nil.	0.23.	nil.	0.15	0.8 [illegible]	nil.	nil.	nil.	0.27.	0.18.	27
28	Bar. 29. Gale 0.44	0.06.	0.25	0.04	0.25	0.02	0.17	nil.	nil.	nil.	0.02.	0.02.	28
29	0.17.	nil.	0.05.	nil.	0.07.	nil.	nil	nil.	nil.	nil	0.23	0.33.	29
30	0.04		nil.	nil.	nil.	0.10	0.59.	nil.	0.37.	nil.	0.20	0.23	30
31	0.03		nil.		nil.		nil.	nil		0.68.		0.10	31
TOTAL	2.41.	0.51.	1.83.	3.73.	1.09.	2.68.	5.35.	1.41.	1.68	2.14	1.10.	2.32	YEAR'S TOTAL 26.25.
Days with ·01 in. or more	21 13	12 6	15 12	23 16	10 8	11 8	10 15	7 3	12 10	9 7	11 5	20 12	~~16~~ 170 ~~11~~ 118

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

corr for WA. 25.11.1

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

REGI 13

BUCKS
GERRARDS CROSS – CHALFONT COTTAGE
1913 – 1915

Kept at Chalfont Colle
in the County of Bucks
by Miss Dorothy

ng.
9 am
on 1 mile S.
ge 5 in.
e above Ground 1 ft. 1 in.
„ Sea Level 265? ft.

IMPORTANT NOT and the result entered to the previous day. If an Ob universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January g year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·13	—	—	—	—	—	—	—	—	1
2	·09	·26	·08	·25	—	·02	—	—	·18	—	·11	·13	2
3	·04		·01	·07	—	—	·06	—	·02	·68	·07	·01	3
4	—	—	·08	·18	·60	—	—	—	—	·03	—	·03	4
5	·31	—	—	·02	·08	—	·09	—	—	·05	·02	·11	5
6	—	—	—	—	—	—	·18	—	·37	·03	·02	·12	6
7	—	·04	·06	—	·11	·14	·10	—	—	—	·02	·19	7
8	—	·10	—	—	·07	—	—	·08	—	·80	·06	—	8
9	—	—	—	—	·10	·17	—	—	—	·09	·04	—	9
10	—	·10	—	—	·01	·01	—	—	·05	—	·03	·04	10
11	—	—	·07	·05	—	—	·07	·07	—	—	·38	—	11
12	·56	—	—	Snow ·45	—	—	—	·07	—	·79	·28	—	12
13	—	—	—	—	·06	—	—	—	—	—	·37	—	13
14	—	—	·02	—	—	—	—	—	·07	—	·23	—	14
15	—	—	·10	—	—	—	—	·07	·02	—	·07	—	15
16	·26	—	·26	·40	—	—	·35	—	·10	·14	—	—	16
17	·13	—	·41	·09	—	—	—	—	·14	—	—	—	17
18	—	—	Snow ·42	·03	—	—	·11	—	—	—	·04	·06	18
19	—	—	·20	·14	—	—	—	—	·01	—	·04	—	19
20	·62	—	·01	—	·04	·03	·13	—	·34	—	—	·02	20
21	·09	—	·06	—	·04	—	—	—	—	·48	—	—	21
22	·02	—	·14	·07	—	—	·02	—	—	·11	·55	—	22
23	Snow ·50	·07	·24	·08	—	—	—	·08	·21	—	—	—	23
24	—	—	—	—	—	·02	—	—	—	—	—	·20	24
25	·03	—	·01	·03	—	·02	—	·07	—	—	·03	—	25
26	—	—	—	·20	—	—	—	—	—	—	—	—	26
27	—	—	·15	·10	—	—	—	·09	—	·57	—	·18	27
28	—	·08	—	·05	—	—	—	—	—	[illegible]	—	—	28
29	·35		·20	·13	—	—	—	—	—	·17	—	—	29
30	·03		·08	·35	·42	—	—	·09	—	·85	—	Snow ·02	30
31	·25	—	— ·13	—	—	—	—	·30	—	·19	—	—	31
Total	3·28	0·65	~~2·30~~ 2·43	~~2·82~~ 3·69	1·50	0·41	1·11	0·92	1·51	4·06	2·36	1·11	YEAR'S TOTAL 22·03
Rain Days.	14	7	19 20	19 18	10	7	9	9	11	14	17	12	148

W. 7,500, XI. ·12

cont for W.D. 25.11.1

REGIS 13

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

Kept at Chalfont College, Gerrards Cross
in the County of Bucks
by Miss Dorothy R. Hibbert

Lat. Long.
Time of Observation 9 am
Nearest Railway Station 1 mile S.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 265·9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	—	·13	—	—	—	—	—	—	—	—	1
2	·09	·26	·08	·25	—	·02	—	—	·18	—	·11	·13	2
3	·04		·01	·07	—	—	·06	—	·02	·68	·07	·01	3
4	—	—	·08	·18	·60	—	—	—	—	·03	—	·03	4
5	·31	—	—	·02	·05	—	·09	—	—	·05	·02	·11	5
6	—	—	—	—	—	—	·18	—	·37	·03	·02	·12	6
7	—	·04	·06	—	·11	·14	·10	—	—	—	·02	·19	7
8	—	·10	—	—	·07	—	—	·08	—	·80	·06	—	8
9	—	—	—	—	·10	·17	—	—	—	·09	·04	—	9
10	—	·10	—	—	·01	·01	—	—	·05	—	·03	·04	10
11	—	—	·07	·05	—	—	·07	·07	—	—	·38	—	11
12	·56	—	—	Snow ·45	—	—	—	·07	—	·79	·28	—	12
13	—	—	—	—	·06	—	—	—	—	—	·37	—	13
14	—	—	·02	—	—	—	—	—	·07	—	·23	—	14
15	—	—	·10	—	—	—	—	·07	·02	—	·07	—	15
16	·26	—	·26	·40	—	—	·35	—	·10	·14	—	—	16
17	·13	—	·41	·09	—	—	—	—	·14	—	—	—	17
18	—	—	Snow ·42	·03	—	—	·11	—	—	—	·04	·06	18
19	—	—	·20	·14	—	—	—	—	·01	—	·04	—	19
20	·62	—	·01	—	·04	·03	·13	—	·34	—	—	·02	20
21	·09	—	·06	—	·04	—	—	—	—	·48	—	—	21
22	·02	—	·14	·07	—	—	·02	—	—	·11	·55	—	22
23	Snow ·50	·07	·24	·08	—	—	—	·08	·21	—	—	—	23
24	—	—	—	—	—	·02	—	—	—	—	—	·20	24
25	·03	—	·01	·03	—	·02	—	·07	—	—	·03	—	25
26	—	—	—	·20	—	—	—	—	—	—	—	—	26
27	—	—	·15	·10	—	—	—	·09	—	·57	—	·18	27
28	—	·08	—	·05	—	—	—	—	—	~~[illegible]~~	—	—	28
29	·35		·20	·13	—	—	—	—	—	·17	—	—	29
30	·03		·08	·35	·42	—	—	·09	—	·85	—	Snow ·02	30
31	·25	—	—	—	—	—	—	·30	—	·19	—	—	31
Total	3·28	0·65	.13 ~~2·30~~ 2·43	~~2·82~~ 2·69	1·50	0·41	1·11	0·92	1·51	4·06	2·36	1·11	YEAR'S TOTAL 22·03
Rain Days.	14	7	~~19~~ 20	~~19~~ 18	10	7	9	9	11	14	17	12	148

W. 7,500, XI. ·12

✓ cnd for WD. 24.11.15 Esc. W.q.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 = JAN 1915

Kept at Chalfont-College, Gerrards Cross
in the County of Bucks 4
by Dorothy R. Hibbert

Lat. Long. —
Time of Observation 9 am
Nearest Railway Station Gerrards Cross
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 265 ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. -0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·04	—	—	·04	—	·03	—	—	—	0·33	1
2	—	—	—	—	—	—	—	·08	—	—	—	·03	2
3	—	—	—	—	—	—	—	0·32	—	—	0·14	0·18	3
4	—	—	·04	—	0·20	—	0·35	·04	—	—	0·29	—	4
5	0·16	—	·03	0·17	—	—	—	0·15	—	—	0·33	0·37	5
6	—	—	·09	0·16	0·015	·06	0·38	0·23	—	—	—	—	6
7	—	0·12	—	—	·03	0·10	—	·03	—	—	·06	0·18	7
8	—	0·15	0·41	0·14	0·61	·04	0·16	—	—	—	—	0·13	8
9	0·9	0·16	0·72	·03	·04	0·10	0·37	0·13	—	—	—	—	9
10	0·17	·01	0·55	·03	—	0·57	~~0·37~~	—	·06	—	—	1·39	10
11	·01	·06	·02	·06	·09	—	—	—	0·20	—	—	—	11
12	—	0·21	0·51	—	·01	0·45	—	—	·01	—	0·32	0·23	12
13	—	·08	0·15	—	—	—	0·22	—	0·26	—	—	0·35	13
14	—	0·29	0·19	—	—	—	—	—	0·17	·03	·06	0·59	14
15	—	·06	0·78	—	—	—	·03	—	0·04	0·30	—	0·45	15
16	·05	·04	0·15	—	—	—	·02	·03	~~·07~~	·02	0·12	·04	16
17	—	—	·03	—	—	—	·01	—	—	—	—	—	17
18	—	0·42	0·10	—	—	—	—	—	0·18	—	—	0·21	18
19	—	—	—	—	—	—	—	—	—	—	—	0·41	19
20	—	·09	Snow & rain 0·35	—	—	—	0·10	—	—	—	0·15	0·12	20
21	—	0·26	Snow & rain 0·17	—	—	—	—	—	·05	—	—	0·15	21
22	—	0·46	Hail & rain ·06	—	—	—	—	—	—	—	—	·07	22
23	—	·01	·01	—	·08	·08	0·16	·03	—	0·71	—	—	23
24	—	0·15	0·10	—	0·14	·05	·01	—	—	·09	—	—	24
25	—	—	0·12	—	·05	—	—	—	—	0·19	0·12	—	25
26	·03	—	0·13	—	—	—	·02	—	—	0·33	·01	—	26
27	—	—	·02	—	—	—	·06	0·22	—	—	0·14	0·57	27
28	·05	—	—	—	—	—	—		—	·06	·04	0·20	28
29	—	—	—	—	—	—	—		—	·04	0·42	Snow & rain 1·53	29
30	·04	╳	0·17	—	—	—	—		—	0·25	0·10	—	30
31	·01	╳	·08	╳	—	╳	—		╳	·06	╳	0·24	31
	—	·04	—	—	·04	—	·03	—	—	—	·33	—	YEAR'S TOTAL
Total	0·61	~~2·57~~ 2·61	~~5·02~~ 4·98	0·59	~~1·40~~ 1·44	~~1·49~~ 1·45	~~1·89~~ 1·92	~~1·29~~ 1·26	0·97	2·08	~~2·30~~ 2·63	~~7·77~~ 7·44	27·98
Rain Days.	9	~~16~~ 17	~~26~~ 24	6	~~10~~ 11	~~9~~ 8	13	11	8	11	~~14~~ 15	~~21~~ 20	153

W. 8,000. X. 14.

cord for W.D. 15.iii.16.

Exd

1082

FORM A.
BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Chalfont College, Gerrards Cross

in the County of Bucks 4

by Miss Dorothy G. Hibbert

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Gerrards Cross

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 265? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	0·4	·	·	·	0·7	·	·	·	1·40	0·19	1
2	0·58	0·19	snow 0·10	·	0·3	·	0·5	0·7	0·27	0·7	·	0·39	2
3	·	0·26	0·30	0·11	·	0·3	·	0·55	0·1	0·6	·	·	3
4	+ snow 0·64	·	0·7	0·9	·	·	0·2	1·06	0·3	·	·	0·51	4
5	0·5	·	·	·	·	·	·	0·17	·	·	·	0·32	5
6	0·3	0·36	·	0·8	0·3	·	·	0·1	·	0·1	·	0·22	6
7	0·24	0·7	0·4	0·33	·	·	0·63	0·3	·	·	·	0·21	7
8	0·11	0·23	·	·	·	·	0·37	0·5	·	·	·	0·36	8
9	0·8	+ sleet 0·54	snow 0·7	0·2	·	·	·	·	·	·	·	·	9
10	+ hail 0·9	0·7	·	0·12	·	0·3	·	0·11	·	·	0·23	0·65	10
11	+ hail 0·36	·	·	·	·	·	·	0·41	·	·	0·84	0·9	11
12	0·3	·	0·5	·	·	·	·	·	·	·	0·30	0·3	12
13	0·8	·	·	0·29	0·48	·	·	0·44?	·	·	·	snow 0·2	13
14	·	+ snow 0·47	·	·	1·17	·	·	0·1	·	·	·	·	14
15	·	+ snow 0·4	·	·	0·2	·	0·85	0·6	0·9	·	·	0·78	15
16	0·12	0·2	·	·	0·5	·	·	0·2	[illegible]	·	·	0·9	16
17	·	0·28	·	·	·	·	0·72	0·4	·	·	·	0·5	17
18	·	0·23	·	·	0·89	·	0·2	·	·	·	·	0·1	18
19	·	0·14	+ snow 0·10	·	0·6	·	·	·	·	·	0·14	·	19
20	·	0·5	·	·	·	·	0·16	·	·	·	·	·	20
21	0·38	·	·	0·6	·	·	·	·	·	·	·	0·23	21
22	+ snow 0·9	·	·	·	0·17	·	·	·	·	·	·	0·9	22
23	0·78	0·7	0·33	·	·	·	0·78	·	·	·	·	0·17	23
24	0·2	+ snow 0·27	0·5	·	·	0·1	0·22	·	0·18	·	·	0·31	24
25	·	·	0·3	·	·	0·1	0·13	·	0·66	0·82	·	0·28	25
26	·	·	·	0·5	·	0·4	0·8	·	·	0·9	·	0·8	26
27	·	0·6	·	·	·	·	0·17	·	0·3	·	·	0·53	27
28	·	0·1	·	·	·	0·21	0·27	·	·	0·42	·	0·6	28
29	·		·	·	·	0·9	·	·	1·18	0·10	·	·	29
30	·	X	·	·	·	·	0·10	0·17		·	0·16	0·2	30
31	0·4	X	·	X	·	X			X		X	0·4	31
	–	·04	–	–	–	07	–	–	–	1·40	19	·12	YEAR'S TOTAL
Total	~~3·72~~ 3·72	~~3·36~~ 3·40	~~1·18~~ 1·14	~~1·13~~ 1·13	~~2·90~~ 2·90	~~0·42~~ ·49	~~4·64~~ 4·57	~~3·20~~ 3·20	~~2·45~~ 2·45	~~1·57~~ 2·97	~~3·07~~ 1·86	~~5·73~~ 5·66	~~33·37~~ 33·49
Rain Days.	17	~~10~~ 19	~~11~~ 10	9	9	~~7~~ 8	~~10~~ 15	15	8	~~7~~ 8	6	25	~~148~~ 149

W. 8,000. X. 15.

GT. HAMPDEN
HAMPDEN HSE
BUCKS

1911 - 1920

✓

R 911

Form A.
British Rainfall.
5 - JAN 1912

Kept at Hampd ng.

in the County of Buc on Great Russ

by The Earl of B 9.30.a.m

ge five in.

above Ground 1 ft. — in.

Sea Level ~~about 250~~ 695 ft.

NOTE.—Rain should be meas Full instructions for the measurement of rain and particulars as to the Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden

Date.	Jan.	Feb.	Marc							Oct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1											·01	·01	1
2	·06										·11	·15	2
3	·04	·03		·01	20	·23		·01			·09	·11	3
4	·03	·06	·18	·08					·01	·07	·14	·68	4
5	·28		·01	·02				·12		·07	·01	—	5
6	·06		·06	·02						·01	·04	·47	6
7	·12		·02							·11	·29	·13	7
8	·18		·19							·02	·19	·30	8
9	·04	·16	·04	·04							·01	·13	9
10	·27		·26	·01	·01						·02	·65	10
11			·04		·43						·65	·02	11
12			·59		·20				·02	·10	·36	·01	12
13		·04	·12		·58				·44	·07	·01	·78	13
14		·09	·02		·07							·30	14
15			·15							·02	·09	·03	15
16		·02	·02			·21					·40	·13	16
17		·17	·05			·10					·09	·37	17
18		·03	·03			·38					·25	·25	18
19	·01	·07				·25			·03	·09	·17	·16	19
20	·02	·14	·03					·36	·18	·03		·70	20
21			·02	·01				·06	·01	·43	·01	·14	21
22	·03	·17	·03			·09				·06		·56	22
23		·13	·19	·01					·27			·17	23
24		·06	·04			·22	·02	·04		·52		·13	24
25		·06	·05	·11	·55	·21		·07	·04	·01		·01	25
26		·37	·01	·16	·07	·17		·01		·13	·01	·23	26
27		·02	·15	·03		·08	·05	·02	·20		·05	·15	27
28	·01	·32	·01	·34	·01			·10			·10	—	28
29				·03		·26	·06		·21	·26	·01	—	29
30			·02		·04	·01		·58	·02	·17		·01	30
31					·16		·03	·01					31
Total	1·15	1·94	2·33	1·65	2·50 ~~2·60~~	2·21	·20	1·41	1·43	2·17	3·11	6·78 ~~6·84~~	26·88 ~~26·85~~
No. of Rain Days	13	17	25	15	12 ~~12~~	12	5	13	11	17	23	27	190 ✓

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

R 11

FORM A.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Hampden House

in the County of Buckingham 3

by The Earl of Buckinghamshire

Lat. Long.

Nearest Railway Station Great Missenden

Time of Observation 9·30·a·m

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level ~~about~~ 695 ~~350~~ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.		in.	in.	in.	in.	in.	in.	in.	
1				·46			·04	·02			·01	·01	1
2	·06			·32	18			·01			·11	·15	2
3	·04	·03		·01	20	·23		·01			·09	·11	3
4	·03	·06	·18	·08					·01	·07	·14	·68	4
5	·28		·01	·02				·12		·07	·01	—	5
6	·06		·06	·02						·01	·04	·47	6
7	·12		·02							·11	·29	·13	7
8	·18		·19							·02	·19	·30	8
9	·04	·16	·04	·04							·01	·13	9
10	·27		·26	·01	·01						·02	·65	10
11			·04		·43						·65	·02	11
12			·59		·20				·02	·10	·36	·01	12
13		·04	·12		·58				·44	·07	·01	·78	13
14		·09	·02		·07							·30	14
15			·15							·02	·09	·03	15
16		·02	·02			·21					·40	·13	16
17		·17	·05			·10					·09	·37	17
18		·03	·03			·38					·25	·25	18
19	·01	·07				·25			·03	·09	·17	·16	19
20	·02	·14	·03					·36	·18	·03		·70	20
21			·02	·01				·06	·01	·43	·01	·14	21
22	·03	·17	·03			·09				·06		·56	22
23		·13	·19	·01					·27			·17	23
24		·06	·04			·22	·02	·04		·52		·13	24
25		·06	·05	·11	·55	·21		·07	·04	·01		·01	25
26		·37	·01	·16	·07	·17		·01		·13	·01	·23	26
27		·02	·15	·03		·08	·05	·02	·20		·05	·15	27
28	·01	·32	·01	·34	·01			·10			·10	—	28
29		X		·03		·26	·06		·21	·26	·01	—	29
30		X	·02		·04	·01		·58	·02	·17		·01	30
31		X		X	·16	X	·03	·01	X		X		31
Total	1·15	1·94	2·33	1·65	2·50 ~~2·60~~	2·21	·20	1·41	1·43	2·17	3·11	6·78 ~~6·87~~	26·88
No. of Rain Days	13	17	25	15	12 ~~13~~	12	5	13	11	17	23	27	190

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Sept 29 cwd for auth 10-11-13

No 85

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

6 JAN 1913

Kept at Hampden House

in the County of Buckingham 3

by The Earl of Buckinghamshire &F

Lat. 51.32 Long. 1.30

Time of Observation 9.a.m.

Nearest Railway Station Great Missenden

Diameter of Rain Gauge ~~Edde~~ Five in.

Height of top of Gauge above Ground One ft. --- in.

" " " " Sea Level 695 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	...	.04	.01	---	.18	.08	---	.10	.37	---	.14	1
2	-	.04	.09	---	---	.15	.81	.03	---	---	---	---	2
3	.10	...	.11	---	.15	.15	---	.32	.03	---	.01	.14	3
4	.47	---	.57	---	.36	.27	---	.06	---	---	.25	---	4
5	.29	.12	.17	---	---	---	---	.36	.02	---	.03	.03	5
6	.29	.04	---	---	---	---	.01	.42	---	---	.01	.14	6
7	-	-..	.06	---	.05	.61	.02	.35	---	---	---	.13	7
8	.53	.28	.27	---	---	---	---	.07	---	---	---	.02	8
9	.06	.10	.07	.03	---	.37	.04	.05	---	---	.03	.29	9
10	.01	.04	---	---	---	---	---	.23	.02	---	.11	.12	10
11	.24	.28	.01	---	---	.03	---	.01	---	---	.07	.23	11
12	.05	.26	.15	---	.01	.08	.02	---	---	---	.08	---	12
13	---	.03	---	---	---	.11	---	---	---	---	.14	---	13
14	---	---	.07	---	.04	---	---	.11	---	.01	---	---	14
15	.03	.06	.19	---	.41	.40	---	.01	---	---	.01	.35	15
16	.20	.01	.16	---	.09	.09	---	.09	---	.12	.02	---	16
17	.52	---	.17	---	---	.08	---	.26	---	---	---	.14	17
18	.08	---	.28	---	---	---	---	.21	---	.03	---	.10	18
19	.10	.17	.24	---	---	---	.13	.25	---	---	---	---	19
20	.03	.01	.34	---	---	---	.06	.04	---	.29	---	---	20
21	---	.04	.27	---	.40	---	---	.20	---	.18	---	---	21
22	.29	.19	.22	---	.09	---	.11	.30	---	.07	.07	.03	22
23	.27	.55	.34	---	.01	---	1.27	.32	---	.01	.18	.24	23
24	.24	.01	.01	---	---	.07	.01	.08	---	---	---	.21	24
25	---	---	---	---	---	.40	---	.42	---	---	.30	.60	25
26	---	.06	.01	---	---	---	.09	.40	---	.34	.58	.24	26
27	---	---	.04	---	---	.09	.02	---	---	.30	---	.26	27
28	---	.05	---	---	---	.01	.05	.36	.08	.38	.35	.33	28
29	---	.06	---	---	---	.13	.08	.13	1.63	.17	---	---	29
30	---		---	---	.28	.25	.16	---	60	.10	---	---	30
31	---		.18		.14		.43	.10		---		.03	31
Total	3.80	2.40	406 4.06	.04	2.03	3.17	3.39	3 5.12	2.48	2.37	2.24	3.77	YEAR'S TOTAL ~~34.68~~ ~~34.58~~ (~~33.88~~)
Rain Days.	18	20	24	2	12	18	17	26	~~6~~ 7	13	16 14	20	~~190~~ 193

35.18

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.

BRITISH RAINFALL.
5 JAN 1914

Kept at Hampden House
in the County of Buckingham 3
by The Earl of Buckinghamshire

Lat. 51·32 Long. 1·30
Nearest Railway Station Great Missenden
Time of Observation 9·30·a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 695 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·20	·08	·12	—	—	—	—	·33	—	·21	·05	1
2	·01	·10	·01	·02	—	—	·10	—	·01	·37	·12	—	2
3	·03	—	·03	·03	·74	—	—	—	—	—	—	·10	3
4	·52	—	·10	—	·03	—	·10	—	—	·24	·05	·11	4
5	·05	—	—	—	—	·07	·03	—	·20	·07	·01	·07	5
6	—	·05	·06	—	·26	·16	·01	—	·03	·63	—	·17	6
7	·01	·23	—	—	·15	·06	·03	·10	—	·24	·08	·02	7
8	—	·03	—	—	·13	·17	—	—	—	·17	·07	—	8
9	—	·19	—	—	·01	·03	·11	—	·15	—	·04	·02	9
10	—	—	·04	·05	—	—	·21	·09	—	—	·42	—	10
11	·67	—	—	·34	·05	—	—	·03	—	·69	·29	—	11
12	—	·02	—	—	·06	—	—	—	—	·01	·38	—	12
13	·05	—	·02	·02	—	—	—	—	·04	—	·26	—	13
14	·17	·02	·13	·06	—	—	·01	·09	·02	·20	—	—	14
15	·14	·03	·24	·42	—	—	·18	—	·23	—	—	—	15
16	·14	—	·35	·17	—	—	—	—	—	—	·01	—	16
17	·06	—	·10	·06	—	—	·19	·01	—	—	·02	·03	17
18	·04	—	·26	·21	·02	—	·05	—	—	—	·02	·01	18
19	·63	—	·01	—	·03	—	·07	—	·39	—	—	·01	19
20	·16	—	·15	·05	—	·16	—	—	—	·55	·06	—	20
21	·02	—	·16	·04	·10	—	·02	—	—	·07	·45	—	21
22	·43	—	·30	·01	—	—	—	·11	·25	—	—	—	22
23	·01	—	·02	—	—	·12	—	·03	—	—	·01	·10	23
24	·01	—	—	·07	—	—	—	—	—	—	—	—	24
25	—	·03	—	·16	—	·05	—	—	—	·01	—	—	25
26	—	·01	·13	·21	—	—	—	·14	—	·42	—	·19	26
27	—	—	·04	·05	·04	—	—	—	—	·03	—	—	27
28	·27	—	·22	·22	—	—	—	—	—	·11	—	·12	28
29	·03		·10	·62	·42	—	—	·12	—	·20	—	·01	29
30	·31		—	—	—	—	—	·05	—	·24	—	·01	30
31	·01		·05		·02		—	·25		—	~~·11~~	—	31
Total	3·86	·91	2·60	2·93	2·06	·82	1·11	1·02	1·65	4·25	2·61	1·02	TOTAL for year 24·84
No. of Rain Days	23	11	22	20	14	8	13	11	10	17	18	15	182

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

wrote re Sept. 30 25.IV.13 JC

wrote 20.V.13

8 APR 1913

TELEPHONE Nº 21.

HAMPDEN HOUSE
GREAT MISSENDEN
BUCKS

7th April 1913

To
Dr. H. R. Mill
62 Camden Square
N. W.

Sir

In reply to your letter of the 4th I have to say that I have looked through the Rain fall Records I have of last year and I can find no record that shows any Rain on the 30th of September — I took the Rain fall myself I believe on the morning of the 1st of October and though I may have made a mistake I do not think I did — I shall be glad to know what you estimate the fall for that day to have been supposing that I have by mistake not entered it —

I am
Yours faithfully
Buckinghamshire

TELEPHONE No 21.

HAMPDEN HOUSE
GREAT MISSENDEN
BUCKS

27th April 1913

Dr H. R. Mill
62 Camden Square
N.W.

Sir

I have to thank you for your letter in reply to mine of the 7th as to the absence of rainfall here on the 30th of September last –

Since I wrote to you on the 7th I have found the record, on which I do not place much reliance, of my Recording Rain Gauge –

I find that my two gauges gave the following amounts for three days

	Snowdon Gauge	Recording Gauge
29th September	1.63 inch	1.02 inch
30 "	—	·20 inch
1st October	·37 inch	·25 inch

This proves at least that I must have made a mistake in recording no rain from the Snowdon on the 30th September but I fear it does not help to show how large a fall there was – On the other hand it does not look as if we had as much as ·85 inch which you think we probably had –

I am
Yours faithfully
Buckinghamshire

TELEPHONE Nº 21.

HAMPDEN HOUSE
GREAT MISSENDEN
BUCKS

22nd May 1913

To
Dr H. R. Mill
62 Camden Square
London N.W.

Sir
I have to thank you for your letter of yesterday —

I am satisfied to accept your estimate of ·60 inch of the rainfall on the 30th September last —

I only regret that I should have made such a great mistake myself —

I am
Yours faithfully
Buckinghamshire

8L [illegible] 24.11.15 15-813

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Hampden House

in the County of Buckinghamshire 3

by ~~Duke~~ Earl of Buckinghamshire

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge — in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.11			.05	.03	1
2	.01			.02		.01	.32	.14			.23	.17	2
3			.01	.01	.22		.36	.41				.11	3
4	.24		.01	.29	.03		.01				.38	.61	4
5			.10	.18	.05	.21	.37	.42			.06	.02	5
6		.13	.07		.03	.16	.02	.03			.10	.33	6
7		.42	.32	.08	.54	.03	.02	.03				.29	7
8	.06	.08	1.30	.09	.11	.28	1.04	.11				.02	8
9	.12	.01	.40	.13	.02	.42		.01	.05			1.11	9
10	.04	.22		.09	.05			.01	.20			.01	10
11		.28	.50	.01	.12	.55			.01		.22	.23	11
12	.02	.08	.13			.01	.22		.28		.03	.49	12
13		.32	.17						.18	.10		.38	13
14		.14	.32				.05			.41	.24	.35	14
15	.14	.01	.21				.18		.01	.03	.03	.11	15
16	.02		.02				.06		.08				16
17		.54	.11						.08			.33	17
18		.01	.06									.60	18
19		.07	.48			.08	.13				{.09}	.01	19
20		.33	.26			.01						.26	20
21		.39	.07							.11	.01	.14	21
22		.06	.03		.05	.09		.05		.64			22
23		.10			.07		.02			.18			23
24			.12	.02	.09		.03			.17	.10		24
25	.07		.19				.01	.18		.28	.02	.16	25
26			.02				.10	.02		.02	.14	.65	26
27	.07										.03	.27	27
28		.05	.02		.01					.14	.41	.88	28
29	.08		.16		.06					.25	.13		29
30			.06							.09	.40	.53	30
31	.04				.11		.02					.02	31
Total	.91	3.24	5.14	.92	1.56	1.85	2.96	1.52	.89	2.42	~~2.58~~ 2.67	8.11	YEAR'S TOTAL 32.19
Rain Days.	12	18	25	10	15	11	17	12	8	12	18	26	184

W.7,000, XI. 13

Dl.

1079
~~152~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Hampden House
in the County of Buckinghamshire 3
by The Earl of Buckinghamshire

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·46	·11	·10		·05		·13		·04	·09	·03	·23	1
2	·10	·23	·26	·09		·03		·87	·02	·07		·14	2
3	·45	·02	·05	·09	·01		·15	·73	·08			·19	3
4	·06											·42	4
5	·03	·49		·01				·02				·29	5
6	·21	·088	·05	·24			·68					·08	6
7	·06	·48	·08				·30	·05			·03	·25	7
8	·08	·54	·03				·07	·05					8
9	·02			·23		·02						·68	9
10	·30	·02	·04					·25				·03	10
11	·02		·01	·03				·01			·90		11
12	·05	·09		·37	·47			·22		·02	·75	·04	12
13		·73			·97								13
14		·04					·60		·04			·66	14
15	·18	·01			·03			·19			·18	·18	15
16		·73		·02	·02		·65	·13				·24	16
17		·30			·65		·01						17
18	·01	·29	·16		·01								18
19		·03	·01				·12						19
20	·26			·07	·03							·29	20
21	·15	·02			·20						·03	·15	21
22	·59	·21	·45				·45		·01			·14	22
23	·03	·29	·02	·01			·18		·12	·49		·38	23
24			·08			·03	·04		·72	·20			24
25				·03		·04	·12			·02		·29	25
26		·13					·11					·19	26
27						·21	·07			·55		·59	27
28		·05				·04	·01	·05	1·17	·03		·02	28
29		X	·01				·07	·10			·14		29
30	·02	X								·19	·18	·12	30
31		X		X		X		·06	X	1·30	X	·19	31
Total	3·08	4·89	1·35	1·19	2·44	·37	3·76	2·73	2·20	2·96	2·24	5·79	YEAR'S TOTAL 33.00
Rain Days.	19	21	14	11	10	6	17	13	8	10	8	23	160

W. 8,000. X. 14.

8L Exe 8L ✓ 104-1

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Hampden House

in the County of Buckinghamshire

by J. Bertram

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14				·16	·09	·01		·06	·07	·43		1
2	·52	·12	·25		·19				·19	·37	·08		2
3		·94	·03		·01				·11	·26	·16		3
4	·22	·18				·38	·01		·09	·12	·22		4
5	·04	·06		·01	·10	·06				·09	·39		5
6	·02	·05	·23	·14	·01	·27	·46			·10	·52		6
7	·11		·46		·07	·01	·19			·06	·35	·04	7
8					·21	·05					·08	·26	8
9			·03		·16					·10		·10	9
10		·26	·15	·06	·01	·13	·09						10
11	·12	·05	·05	·14	·02	·41			·02			·17	11
12	·02	·03	·03	·07	·18	·10	·13	·01	·02	·09			12
13		·45	·30	·07		·39	·24	·22		·01			13
14		·37			·10			·14		·08			14
15		·12	·27		·01		·15	·11	·01	·02			15
16	·04	·01	·43	·19	·02		·32	·32					16
17	·12	·13		·09			·02	·19	·37	·41			17
18		·08	·05	·12				·59	·18	·20	·80	·02	18
19	·05		·20	·51				·17	·11		·65		19
20	·17		·30	·02							·03	·78	20
21			·69				·08					·77	21
22		·07	·01		·10	·01				·06		·56	22
23		·47				·13		·05			·05	·10	23
24					·07	·45		·02		·15	·04	·19	24
25	·02	·70	·12					·13			·10		25
26		·17				·04		·19		·20	·02		26
27	·14	·02	1·32			·09		·64	·05	·37			27
28		·32	·33			·01		·03	·06	·12		·18	28
29		·12	·03			·24		·84	·05	·25		·24	29
30		×		·01		·10		·04		·31			30
31		×		×		×		·02	×	·12	×	·05	31
Total	1·73	4·72	5·28	1·43	1·42	2·96	1·70	3·71	1·32	3·56	3·92	3·46	YEAR'S TOTAL 35·21
Rain Days.	14	21	20	12	16	18	11	17	13	22	15	13	192

W. 8,000. X. 15.

8L ✓ end by B 1019 ~~1113~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Hampden House
in the County of Buckinghamshire
by The Earl of Buckinghamshire

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·25				1·43	·07		·13	·01	1
2		·01		·11				·15		·01	·02		2
3								·49		·63	·01		3
4		·40	·17					·45		·37		·02	4
5	·22		·04	·19				·01	·05	·17	·11		5
6			·18					–	·04	·09	·07		6
7	·17		·01				·32	–		·61			7
8	·43			·14			1·35	·10		·24	·12	·14	8
9	·02		·05	·16			·02	·96	·03		·08	·03	9
10	·29		·24	·31				·08			·03		10
11	·11	·02	·67	·19						·23			11
12	·05		·01	·01	·05	·01		·28		·36			12
13	·11		·06	·01				·16	·03	·01			13
14				·09				·12					14
15	·03						·09	·12		·06		·01	15
16	·02	·10		·14	·12		·20	–		·95		·46	16
17	·01	·03		·13	·73		·24	·17	·33	·30		·01	17
18	·04	·11		·12	·08	·17	·25	·01	·47	·08			18
19	·02	·18	·07			·02			·21				19
20	·02	·13	·07		·74		·05		·03		·13		20
21	·02	·01	·08			·06		·04			·02		21
22			·13		·02	·07		·11		·08			22
23		·14				·01		·12		·01			23
24		·04			·09	·15		·08		·28		·04	24
25		·06	·02			·04	·43		·01				25
26			·01					·29	·09		·26	·01	26
27								·67				·02	27
28			·06			1·72		·24				·05	28
29		X				·06	·39	·06		·34		·14	29
30	·03	X	·03		·34		1·14	·11		·01			30
31	·02	X	·12	X		X	·74		X		X	·01	31
Total	1·61	1·24	2·02	1·85	2·17 ~~2·17~~	2·31	5·22	6·25	1·36	4·83	·98	·95	YEAR'S TOTAL 30·79
Rain Days.	17	13	18	13	8	10	12	23	11	19	11	13	168

4·34

W. 8,000, VIII. 16

DL

21 ~~170~~

REGISTER OF RAINFALL IN 1918

Eng

FORM A.
BRITISH RAINFALL.
27.1.19

Kept at Hampden House

in the County of Buckinghamshire

by Earl of Buckinghamshire

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·08	·01	·08						·01	·33	·12	1
2				·15				·14			·19	·21	2
3			·03	·04	·16			·25	·14	·01	·35	·03	3
4		·03	·05					·03	·47	·03	·67	·03	4
5		·13			·13			·14	·01	·10	·02	·01	5
6	·15	·13		·29	·07					·02		08 ~~·07~~	6
7	·02	·14		·14	·15	·01		·01	·12	·13	·21		7
8	·01	·01							·14	·03		·01	8
9		·10		·07		·22	·30		·47	·17		·17	9
10	·03			·07		·19	·26		·13	·12		·16	10
11				·01	·03		·14		·14	·15	·04	·14	11
12		·09			·21		·07		·02				12
13	·04				·21		·14		·16	·01		·14	13
14	13				·01	·14	·11		·24	·19		·12	14
15	113			1·27		·13	·20					·13	15
16	·19			·49		·05	·01		·52	·03		·02	16
17	·10		·03	·16	·23	·04	·91	·01	·03			·11	17
18	·59					·21	·23		·24	·10		·11	18
19	·06	·03	·07	·03			·13	·01		·08		·06	19
20	·05	·10		·66		·04	·09		·15	·26	·03		20
21	·07			·68			·02		·63	·01		·02	21
22	·06				·74		·15		·17			·21	22
23	·07				·35	·01	·37	·04	·01				23
24		·15				·02	·01		·07		·12		24
25							·07	·31			·04		25
26							·07	·17		·02	·15	·17	26
27		·01	·03	·07			·13	·33	·10		·10	·05	27
28		·07	·07	·01				·08			·15	·22	28
29	·01								1·40		·04		29
30			·30						·06		·07	·21	30
31			·03					·02		·09		·01	31
Total	2·71	1·07	·62	4·22	2·29	1·06	3·41	1·54	5·42	1·56	2·51	2·54	YEAR'S TOTAL 28·95
Rain Days.	16	13	9	16	11	11	19	13	22	19	15	24	188

W. 8,000, IX. 17.

81 960

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Hampden House

in the County of Buckinghamshire

by Earl of Buckinghamshire

Lat. ……… Long. ………

Time of Observation ………

Nearest Railway Station ………

Diameter of Funnel of Rain Gauge ……… in.

Height of top of Gauge above Ground ……… ft. ……… in.

" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.07	.04	.01	.11		.15			.05	.02	1.69	1
2	.54		.02		.05		.13	.03	.18	.21	.14	.13	2
3	.19		.24				.17		.17		.05	.33	3
4	.55	.04	.39		.01	.04	.08	.02	.09		.01	.10	4
5	.08	.27	.75				.15		1.00			.21	5
6	.12		.12		.07						.03	.01	6
7	.05		.50								.04		7
8	.04		.05	.18							.01		8
9	.14		.01	.06							.02		9
10	.01		.26	.02						.06	.03	.13	10
11	.02		.14	.17	.02		.34				.01	.01	11
12			.18	.08		.17	.12			.07	.01		12
13	.01	.07		.46			.01			.02		.02	13
14	.41	.02		.31			.15		.12				14
15	.40	.02	.20	.18							.05	.77	15
16	.01	.76		.08						.04	.16		16
17		.36									.32		17
18		.05	.25					.12	.06		.05	.07	18
19		.18	.84			.21	.34	.21			.09	.02	19
20	.39	.08	.19			.43	.28	.39	.07		.01		20
21	.15	.49	.05			.02	.14				.01	.04	21
22		.21				.01	.11		.25			.31	22
23				.01		.01		.16	.05	.16	.03		23
24				.14			.07			.44	.11	.02	24
25	.09			.02	.04			.36		.01			25
26	.16	.18	.17	.04				.16	.05			.46	26
27		.08	.03	1.12				.50				.07	27
28	1.20		.17	.02			.06	.88			.24	.27	28
29		×		.06				.35		.15		.02	29
30		×	.01	.31		.28		.17		.09	.57	.53	30
31		×	.02	×		×	.02		×	.03	×	.02	31
Total	4.56	2.88	4.63	3.27	.30	1.17 ~~1.14~~	2.32	3.35	2.04	1.33	2.01	5.23	YEAR'S TOTAL 33.09
Rain Days.	19	15	22	18	6	8	16	12	10	12	22	21	181

W, 6,500, VII. 18. W W C

160 SD From B's 914

4 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hampden House
in the County of Buckinghamshire
by Earl of Buckinghamshire

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	·61	·22	·	·57	·01	·06	·31	·	·22	1
2	·	·	·	·05	·01	·	·05	·29	·11	·01	·	·14	2
3	·03	·02	·01	·02	·	·	·06	·	·16	·18	·	·02	3
4	·01	·	·	·20	·	·	·10	·15	·01	·40	·	·05	4
5	·	·	·05	·17	·06	·	·63	·01	·	·	·	·05	5
6	·	·	·18	·	·14	·	·57	·01	·	·	·	·05	6
7	·	·	·04	·13	·	·	·12	·	·	·	·	·	7
8	·08	·06	·	·35	·	·	·32	·	·	01 ~~07~~	·	·	8
9	·33	·	·	·05	·	·	·	·04	·	·	·	·	9
10	·32	·08	·07	01 ~~07~~	·	·10	·14	·	·	·	·	·	10
11	·17	·	·06	·24	·17	·12	·15	·	·	·	·	·03	11
12	·05	·01	·	·26	·	·87	·02	·	·	·	·17	·	12
13	·19	·	·10	·22	·	·	·	·	·03	·	·03	·	13
14	·	·02	·46	·38	·	12 ~~12~~	·10	·	·14	·21	·39	·	14
15	·01	·07	·04	·19	·	·	01 ~~07~~	·	·13	·10	·13	·02	15
16	·	·	·	·06	·02	·08	·	·	·10	·07	·	·	16
17	·03	·	·	·02	·19	·	·05	·	·66	·	·	·02	17
18	·14	·	·	·07	·12	·	·	·47	·07	·	·	·04	18
19	·10	·	·	·22	·03	·06	·	·04	·	·	01 ~~07~~	·02	19
20	·07	·20	·	·19	·	·35	·	·	·	·	·	·09	20
21	·	·	·	·	·	·	·30	·05	·39	01 ~~07~~	·	·07	21
22	·01	·	·	·14	·	·	·04	·08	·29	·	·	·22	22
23	·	·	·	·	·		1·12	·08	·	·	·	·23	23
24	·07	·	·16	·02	·	·	·	·02	·	·	·	·10	24
25	·02	·	·14	·	·	·	22 ~~22~~	·	·02	·	·	·	25
26	·18	·	·09	·	·	·02	·12	·	·	·	·	·04	26
27	·37	·10	·01	·26	·	·25	·09	·	·	·	·44	·27	27
28	·51	·02	·26	·15	·41	·	·10	·	·	·	·09	·01	28
29	·18	·	·06	·01	·12	·	·06	·	·	·	·14	·26	29
30	·02	╳	·	·	·	·15	·42	·	·35	·	·25	·25	30
31	·02	╳	·	╳	·	╳	·	·	╳	·31	╳	·12	31
TOTAL	2·91	·58	1·73	3·96	1·49	2·12	5.30	1·25	2·52	1·61	1·65	2·32	YEAR'S TOTAL 27·44
Days with ·01 in. or more	~~22~~	~~9~~	~~15~~	~~24~~	~~11~~	~~10~~	~~23~~	~~12~~	~~14~~	~~10~~	~~9~~	~~22~~	181
·04	14	5	13	19	8	9	21	8	11	7	7	16	138

(44-383). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLO** ORGANIZATION.

RE 1919.

4 MAR 20

BUCKS.

GREAT HORWOOD

1919-1920

Kept at Great Hor

Long

in the County of Buc

tion

of Rain Gauge 5 in.

by W. Weston

ge above Ground ft. 9 in.

„ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·06	1·10	1
2											·14	·20	2
3											·10	·19	3
4												·10	4
5												·26	5
6											·04	·10	6
7													7
8													8
9													9
10												·10	10
11											·10		11
12											·05	·01	12
13													13
14													14
15											·09	·50	15
16											·16		16
17											·20		17
18											·05	·21	18
19											·03	·05	19
20													20
21											·08	·20	21
22												·24	22
23												·02	23
24											·04		24
25												·01	25
26												·34	26
27												·08	27
28											·10	·20	28
29											·03	·14	29
30											·28	·25	30
31												·01	31
TOTAL											1·55	4·31	YEAR'S TOTAL
Days with ·01 in. or more											16	21	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

MAR 20

REGISTER OF RAINFALL IN 1919.

Kept at Great Horwood

in the County of Buckinghamshire

by W. Weston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·06	1·10	1
2											·14	·20	2
3											·10	·19	3
4												·10	4
5												·26	5
6											·04	·10	6
7													7
8													8
9													9
10												·10	10
11											·10		11
12											·05	·01	12
13													13
14													14
15											·09	·50	15
16											·16		16
17											·20		17
18											·05	·21	18
19											·03	·05	19
20													20
21											·08	·20	21
22												·24	22
23												·02	23
24											·04		24
25												·01	25
26												·34	26
27												·08	27
28											·10	·20	28
29											·03	·14	29
30											·28	·25	30
31												·01	31
Total											1·55	4·31	Year's Total
Days with ·01 in. or more											16	21	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

10 JAN 1921

Kept at Great Horwood

in the County of Bucks

by William Weston

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Winslow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·28

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	·45	·21	—	·29	·08	·02	·14	—	·17	1
2	—	—	·02	·05	—	—	—	·31	·09	·02	—	·12	2
3	·05	·09	—	—	—	—	·24	—	·17	·03	—	—	3
4	—	—	—	·15	—	—	·18	·38	·02	·32	—	—	4
5	—	—	·10	·15	·16	—	·34	·03	·05	—	—	—	5
6	—	—	·24	—	·16	—	·32	·01	—	—	—	·06	6
7	—	—	·06	·12	·05	—	·21	—	—	—	—	—	7
8	·05	·04	—	·48	—	—	·20	—	—	—	—	—	8
9	·04	·07	—	·13	—	—	·10	·08	—	—	—	—	9
10	·28	—	·03	—	—	·05	·22	—	—	—	—	·03	10
11	·32	—	·05	·25	·24	·04	·07	—	—	—	—	·03	11
12	·13	·01	—	·04	·01	·47	·06	·03	—	—	·05	·02	12
13	—	·01	·03	·09	—	—	—	—	·02	—	·01	—	13
14	—	—	·29	·26	—	·18	—	—	·24	·17	·23	—	14
15	—	·05	·28	·17	—	·01	·02	—	·07	·10	·08	·01	15
16	—	—	·01	·02	·11	·72	·01	—	·19	·12	·05	—	16
17	·02	—	—	·04	·18	—	—	—	·32	—	—	—	17
18	·15	—	—	·04	·04	—	—	·20	·20	—	—	·06	18
19	·07	·02	—	·25	·03	·15	—	·06	·15	—	—	·07	19
20	·09	·26	—	·17	—	·36	·01	—	—	—	—	·04	20
21	—	—	—	·02	—	—	·08	·05	·12	—	—	·09	21
22	—	—	—	·15	—	—	—	·05	·48	—	—	·13	22
23	—	—	—	—	—	—	·34	·02	—	—	—	·37	23
24	·12	—	·21	—	—	—	—	·03	—	—	·05	·05	24
25	—	·08	—	—	·10	—	·40	—	—	—	—	—	25
26	·19	—	·10	·04	·09	·03	·03	—	—	—	—	·10	26
27	·30	·07	—	·19	—	·31	·07	—	—	—	·66	·10	27
28	·28	—	·04	—	·15	—	·07	—	—	—	·04	·04	28
29	·11	—	·09	—	·59	—	·15	—	—	—	·12	·30	29
30	·02		·90	·03	—	·17	·10	—	·25	—	·17	·19	30
31	—		·03		—		—	—		·25		·25	31
TOTAL	2·23	·70	2·48	3·29	2·12	2·49	3·51	1·33	2·39	1·15	1·46	2·23	YEAR'S TOTAL 25·38
Days with ·01 in. or more	17	10	16	22	14	11	22	13	15	8	10	20	178
Days with ·04 in. or more	14	7	11	19	12	9	18	8	12	6	9	16	141

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

997

GREENLANDS GDNS

1913 – 20

NFALL IN 1913

FORM A.
BRITISH RAINFALL.
1 - JAN 1914

Lat. ...... Long. ......
Time of Observation 9 a m
Nearest Railway Station Henley on Thames
Diameter of Rain Gauge eight in.
Height of top of Gauge above Ground 1 ft. ...... in.
„ „ „ „ Sea Level 116 ft.

sured daily at 9 a.m. and the result entered to the
nform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·20	·10	·10					·29		·11	·06	1
2		·11		·03	·01		·07		·01	·47	·08		2
3	·02		·03	·15	·56					·15		·10	3
4	·39		·01		·13					·40	·11	·12	4
5	·10						·07		·08	·01			5
6		·12	·03		·21	·08	·04			·42	·01	·19	6
7		·15			·15	·11		·05		·26	·05		7
8		·02			·16	·08				·11	·05		8
9		·20			·02	·02	·04	·01	·08		·05	·04	9
10			·09	·10		·01	·10	·01		·60	·58		10
11				·50	·12						·32		11
12	·60	·02			·27			·02	·15		·26		12
13	·15			·02				·03		·13	·21		13
14				·09					·05		·03		14
15		·03	·39	·41			·06				·01	·01	15
16			·35	·13							·01		16
17	·21			·03			·17				·01		17
18	·03		·33	·07					·07		·03		18
19	·53		·03	·16			·10		·35			·01	19
20	·10		·05	·04		·12			·24	·62	·01		20
21			·15	·03		·03			·01	·05	·53		21
22	·50		·30	·08	·04							·20	22
23	·01		·01	·10	·06								23
24			·01	·13		·09		·09				·01	24
25		·05		·25						·30	·03		25
26		·02	·14	·03						·01		·14	26
27	·30		·02	·14				·09		·20			27
28	·01		·26		·12								28
29			·07	·48				·08		·11		·10	29
30	·27				·37			·02		·28	·01		30
31			·03					·31					31
Total	3·31	·92	2·40	3·07	2·22	·54	·65	·71	1·33	4·32	2·50	·98	YEAR'S TOTAL 22·95
Rain Days.	15	10	19	21	13	8	8	10	10	16	20	11	

W. 7,500, XI. 12

NFALL IN 1913

FORM A.
BRITISH RAINFALL
1 - JAN 1914

in the County of Bucks 3

by W Surnham

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Henley on Thames
Diameter of Rain Gauge eight in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·20	·10	·10					·29		·11	·06	1
2		·11		·03	·01		·07		·01	·47	·08		2
3	·02		·03	·15	·56					·15		·10	3
4	·39		·01		·13					·40	·11	·12	4
5	·10						·07		·08	·01			5
6		·12	·03		·21	·08	·04			·42	·01	·19	6
7		·15			·15	·11		·05		·26	·05		7
8		·02			·16	·08				·11	·05		8
9		·20			·02	·02	·04	·01	·08		·05	·04	9
10			·09	·10		·01	·10	·01		·60	·58		10
11				·50	·12						·32		11
12	·60	·02			·27			·02	·15		·26		12
13	·15			·02				·03		·13	·21		13
14				·09					·05		·03		14
15		·03	·39	·41			·06				·01	·01	15
16			·35	·13							·01		16
17	·21			·03			·17				·01		17
18	·03		·33	·07					·07		·03		18
19	·53		·03	·16			·10		·35			·01	19
20	·10		·05	·04		·12			·24	·62	·01		20
21			·15	·03		·03			·01	·05	·53		21
22	·50		·30	·08	·04							·20	22
23	·01		·01	·10	·06								23
24			·01	·13		·09		·09				·01	24
25		·05		·25						·30	·03		25
26		·02	·14	·03						·01		·14	26
27	·30		·02	·14				·09		·20			27
28	·01		·26		·12								28
29			·07	·48				·08		·11		·10	29
30	·24				·37			·02		·28	·01		30
31			·03					·31					31
Total	3·31	·92	2·40	3·07	2·22	·54	·65	·71	1·33	4·32	2·50	·98	YEAR'S TOTAL 22·95
Rain Days.	15	10	19	21	13	8	8	10	10	16	20	11	

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Greenlands
in the County of Bucks 3
by W Surnham

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Henley
Diameter of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·45

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1								0·15			0·05		1
2						0·01	0·01	0·21			0·17	0·10	2
3	0·01		0·03		0·21		0·27	0·02			0·02	0·02	3
4	0·13		0·06	0·10	0·06			0·15			0·27	0·58	4
5	0·04		0·07	0·30		0·10	0·28	0·53			0·10		5
6		0·12			0·08	0·04		0·05			0·05	0·24	6
7	0·05	0·26	0·25	0·11	0·65			0·04				0·21	7
8		0·11	0·60	0·04	0·05			0·12	0·22			0·02	8
9			0·60	0·15		0·20	0·85					0·62	9
10		0·11	0·06	0·05	0·12	0·52			0·25		0·02	0·01	10
11	..	0·22	0·55		0·02	0·45			0·02		0·11	0·27	11
12	0·01	0·06	0·06						0·23	0·02	0·01	0·32	12
13		0·30	0·19						0·19		0·02	0·43	13
14			0·13				0·03	0·02	0·03	0·27	0·11	0·27	14
15	0·04						0·18	0·02			0·07	0·02	15
16									0·10			0·11	16
17		0·32	0·05						0·17			0·60	17
18			0·03				0·02					0·06	18
19		0·06	0·25				0·15				0·13	0·35	19
20		0·24	0·35					0·18				0·10	20
21		0·37	0·05							0·09			21
22		0·06	0·05	0·04		0·14		0·03		0·65			22
23		0·15	0·11	0·10			0·20						23
24			0·10							0·15	0·11		24
25	0·06		0·10							0·30	0·02	0·15	25
26							0·05			0·05	0·10	0·55	26
27	0·06										0·03	0·23	27
28		0·04	0·02		0·04					~~0·27~~ 0·27	0·28	0·65	28
29	0·06		0·09		0·02					0·16	0·08		29
30			0·09							0·10	0·40	0·50	30
31	0·01						0·02					0·03	31
Total	0·47	2·42	3·99	0·89	1·25	1·46	2·06	1·52	1·21	2·06	2·15	6·44	YEAR'S TOTAL 25·92
Rain Days.	10	14	23	8	9	7	11	12	8	10	20	24	156

W. 7,500, XI. 12

~~H~~ 28 Corr for with 28:216. 1072

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

3 - JAN 1916

Kept at Greenlands

in the County of Bucks 3

by W Surnham

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station 2½ Miles Henley on Thames

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·11

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·45	0·25	0·05	„	0·03	0·03	0·04	„	0·21	„	0·15	0·21	1
2	0·13	0·17	0·40	0·05	„	„	„	1·25	0·02	„	„	0·08	2
3	0·50	„	0·06	0·10	„	„	0·08	0·03	0·06	0·20	„	0·30	3
4	0·15	„	„	„	„	„	„	„	„	„	„	0·35	4
5	0·02	0·50	„	„	„	„	„	0·02	„	„	„	0·33	5
6	0·25	0·08	„	0·25	„	„	0·60	0·02	„	„	„	„	6
7	0·10	0·31	0·05	„	„	„	0·35	0·05	„	„	„	0·28	7
8	0·13	0·38	0·03	„	„	„	„	0·05	„	„	„	„	8
9	0·03	„	„	0·20	„	0·02	„	0·06	„	0·02	0·30	0·75	9
10	0·26	0·02	0·03	„	„	„	„	0·18	„	„	„	0·05	10
11	0·03	„	0·01	„	„	„	„	0·43	„	„	0·80	„	11
12	0·03	0·06	„	0·22	0·36	„	„	„	„	„	0·65	„	12
13	„	0·75	„	„	0·92	„	„	„	„	„	„	„	13
14	„	0·05	„	„	„	„	0·46	0·01	„	„	„	0·60	14
15	0·19	„	„	„	„	„	0·03	0·01	0·06	„	0·06	0·18	15
16	0·01	0·40	„	„	0·10	„	0·93	0·23	„	„	„	0·40	16
17	„	0·30	„	„	1·15	„	0·03	0·12	„	„	„	„	17
18	„	0·26	0·03	„	0·06	„	„	„	„	„	„	„	18
19	„	„	„	„	0·01	„	0·12	„	„	„	„	„	19
20	0·48	0·06	„	„	0·05	„	„	„	„	„	„	0·20	20
21	0·05	„	„	„	„	„	„	„	„	0·01	„	0·08	21
22	0·55	0·15	0·45	„	„	„	0·77	„	„	„	„	0·18	22
23	0·01	0·09	0·04	„	„	0·02	0·70	„	0·15	0·62	„	0·31	23
24	„	„	„	„	„	0·04	0·35	„	„	0·30	„	0·17	24
25	„	„	„	0·04	„	0·11	0·14	„	„	0·02	„	0·45	25
26	„	0·05	„	„	„	0·55	0·23	„	0·01	„	„	0·06	26
27	„	„	„	„	„	„	0·27	„	„	0·38	„	„	27
28	„	0·02	„	„	„	0·18	„	„	1·15	0·06	„	0·03	28
29	„		„	„	„	„	0·15	0·12	„	„	„	0·07	29
30	„		„		„	1·02	0·02	„	„	0·18	0·32	0·25	30
31								0·06		0·95		0·32	31
Total	3·37	3·90	1·15	0·86	2·68	1·97	5·17	2·64	1·66	2·64	~~2·28~~ 2·28	~~5·85~~ 5·66	YEAR'S TOTAL ~~33·97~~ 33·97
Rain Days.	18	18	10	6	8	8	17	15	7	10	6	22	145

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Greenlands
in the County of Bucks
by W Turnham

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station 2½ Henley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. "

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·11	"	0·03	"	0·30	"	"	"	0·11	0·03	0·50	"	1
2	0·45	0·08	0·11	"	0·26	"	"	"	0·05	0·57	0·02	"	2
3	"	0·70	"	"	0·02	"	"	"	0·13	0·31	0·23	"	3
4	0·24	0·16	"	"	0·15	0·37	"	"	0·16	0·27	0·22	"	4
5	0·03	0·03	"	"	0·02	0·12	"	"	"	0·06	0·41	"	5
6	"	0·05	"	0·10	0·05	0·06	0·50	"	"	0·05	0·50	"	6
7	0·08	0·01	0·39	"	0·37	"	0·48	"	"	"	0·62	0·08	7
8	"	"	"	"	0·13	"	"	"	"	"	0·02	0·28	8
9	"	"	"	"	0·01	"	"	"	"	0·08	"	0·25	9
10	"	0·34	0·03	0·05	0·01	0·24	"	"	"	"	"	0·01	10
11	0·06	0·26	0·01	0·20	0·15	0·30	"	"	"	"	"	0·09	11
12	0·03	0·01	"	"	"	0·09	1·03	0·02	"	0·11	"	"	12
13	"	0·38	0·39	0·10	0·05	0·11	0·07	0·58	"	"	"	"	13
14	"	0·39	"	"	"	"	"	0·20	"	"	"	"	14
15	"	0·35	0·40	0·04	"	"	0·08	0·19	"	0·06	"	"	15
16	0·03	"	0·36	0·15	0·03	"	0·31	0·71	"	0·09	"	"	16
17	"	0·14	"	0·07	"	"	"	1·25	0·47	0·70	"	"	17
18	"	0·10	0·07	0·08	"	"	"	0·40	0·07	0·30	0·70	"	18
19	0·08	"	0·17	0·30	"	"	"	"	0·12	"	0·68	"	19
20	0·17	"	0·26	"	"	"	"	"	"	"	"	0·80	20
21	"	"	0·71	"	"	"	"	"	"	"	"	0·50	21
22	"	0·02	"	"	0·05	"	"	"	"	0·09	"	0·50	22
23	0·02	0·20	"	"	"	0·12	"	0·14	"	"	0·04	0·10	23
24	"	"	"	0·02	0·10	0·15	"	0·03	"	0·25	0·05	"	24
25	"	0·41	0·09	"	"	"	"	0·10	"	"	0·18	0·35	25
26	"	0·18	0·02	"	"	0·09	"	0·09	"	0·12	"	"	26
27	0·08	0·02	1·10	"	"	0·04	"	0·39	0·04	0·60	"	"	27
28	"	0·32	0·23	"	"	0·11	"	"	"	0·07	"	0·12	28
29	"	0·16	"	"	"	0·30	"	0·71	0·02	0·38	"	0·22	29
30	"	"	"	"	"	"	"	0·05	"	0·38	"	"	30
31										0·10		0·08	31
Total	1·38	4·11	4·37	1·11	1·70	2·10	2·47	4·86	1·17	4·82	4·17	3·38	YEAR'S TOTAL 35·64
Rain Days.	12	21	16	10	15	13	6	14	9	20	13	13	142

W. 7,500, XI. ·12

Bo of

1012

FORM A.
BRITISH RAINFALL
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Greenlands Henley on Thames

in the County of Bucks

by W Turnham

Lat. Long.

Time of Observation 9

Nearest Railway Station 2½

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. [illegible]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	"	"	"	0·30	"	"	"	0·80	0·05	"	0·07	"	1
2	"	"	"	0·27	"	0·03	"	0·02	"	"	0·14	"	2
3	0·01	"	"	0·05	"	"	0·12	0·25	"	0·35	0·01	"	3
4	"	0·17	0·12	"	"	"	0·22	0·51	0·40	0·36	"	0·04	4
5	0·37	"	0·02	"	"	"	"	"	0·08	0·23	0·12	"	5
6	"	"	0·39	0·11	"	"	"	"	"	"	0·10	"	6
7	0·30	"	"	"	"	"	0·08	"	"	0·25	"	0·02	7
8	0·53	"	"	0·10	"	"	0·80	0·14	"	0·27	0·20	0·21	8
9	"	"	0·03	0·04	"	"	0·20	0·20	"	"	0·11	"	9
10	0·22	"	0·25	0·22	"	"	"	0·15	"	"	0·03	"	10
11	0·14	"	0·30	0·21	"	"	"	"	"	0·27	"	"	11
12	0·19	"	0·10	0·06	"	"	"	0·06	"	0·58	"	"	12
13	"	"	"	"	"	"	"	0·16	0·06	0·02	"	"	13
14	0·06	"	0·10	0·16	"	"	"	0·12	"	"	"	"	14
15	"	"	"	"	"	"	0·35	0·03	"	0·02	"	0·53	15
16	"	0·11	"	0·25	0·07	0·43	0·04	"	"	1·00	"	"	16
17	"	0·01	"	0·17	0·69	"	0·34	0·01	0·50	0·30	"	"	17
18	0·02	0·07	"	0·08	0·11	0·15	0·08	0·12	0·55	0·02	"	"	18
19	"	0·23	0·04	"	"	0·02	0·10	"	0·38	"	"	"	19
20	"	0·20	0·02	"	0·48	"	"	"	"	"	0·07	"	20
21	"	0·01	0·03	"	"	0·11	"	"	"	0·02	0·02	"	21
22	"	"	0·02	"	"	0·05	"	0·17	"	0·09	"	"	22
23	"	0·15	"	"	0·03	0·01	"	0·23	"	0·06	"	0·02	23
24	"	0·05	"	"	"	0·07	0·02	0·02	"	0·47	"	"	24
25	"	0·04	0·05	"	"	"	"	"	"	0·02	"	"	25
26	"	"	"	"	"	"	"	0·36	0·11	"	0·17	"	26
27	"	"	"	"	"	"	"	0·77	"	"	"	"	27
28	"	"	0·03	"	0·05	1·94	"	0·21	"	"	"	0·02	28
29	"	X	"	"	"	0·07	0·25	0·02	"	0·41	"	"	29
30	"	X	0·10		"	"	1·35	0·15	"	"	"	0·14	30
31	"	X	0·02	X	"	X	0·45	"	X	0·02	X	0·01	31
Total	1·84	1·04	1·62	2·02	1·43	2·88	4·40	4·50	2·13	4·76	1·04	0·99	YEAR'S TOTAL 28·65
Rain Days.	9	10	16	13	6	10	14	21	8	19	11	8	145

3·02

W. 8,000, IX. 17.

~~W~~ E.F.E.

14

FORM A.
BRITISH RAINFALL
8.1.19

REGISTER OF RAINFALL IN 1918

Kept at Greenlands
in the County of Bucks
by W Gurnham

Lat. Long.
Time of Observation 9
Nearest Railway Station 2½
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. „ in.
„ „ „ „ Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0·44

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	„	0·04	„	0·06	„	„	„	0·05	„	„	0·33	0·04	1
2	„	0·15	„	0·12	„	„	„	0·30	„	0·02	0·07	0·10	2
3	„	0·03	0·01	0·12	0·23	„	„	„	0·04	0·01	0·35	0·02	3
4	„	0·05	0·04	0·02	0·10	„	„	0·02	0·57	0·01	0·50	0·01	4
5	„	0·12	„	„	„	„	„	0·11	0·10	0·09	0·01	0·08	5
6	0·22	0·07	„	0·29	„	„	„	0·05	0·03	0·03	„	0·01	6
7	0·02	0·20	„	0·09	0·36	„	„	0·03	0·04	0·07	0·15	0·17	7
8	„	0·01	„	„	„	„	0·40	„	0·35	„	„	„	8
9	0·02	0·11	„	0·23	„	0·23	„	„	0·38	0·47	„	„	9
10	0·02	„	„	0·13	„	0·10	0·41	„	0·11	0·04	„	0·34	10
11	0·02	„	„	0·04	0·03	„	0·28	„	0·28	0·22	0·08	0·22	11
12	„	0·09	„	„	0·20	„	0·12	„	0·03	„	„	0·02	12
13	„	„	„	„	0·21	„	0·17	„	0·24	0·02	„	0·10	13
14	0·20	„	0·04	„	„	0·25	0·14	„	0·30	0·20	„	0·15	14
15	1·00	„	„	„	„	„	0·33	„	0·46	„	„	0·11	15
16	0·15	„	„	1·10	„	„	„	„	„	„	„	„	16
17	0·26	„	„	0·40	„	„	1·25	0·03	„	„	„	0·12	17
18	0·59	„	„	0·18	„	0·28	0·41	„	0·42	0·10	„	0·07	18
19	0·06	0·02	0·10	0·01	„	„	0·29	„	0·03	0·03	„	0·06	19
20	0·05	0·14	„	0·04	„	0·04	0·20	0·07	0·28	0·09	„	„	20
21	0·07	0·01	„	0·50	„	„	0·04	„	0·30	0·02	„	„	21
22	0·09	„	„	0·45	0·40	„	0·09	„	0·10	„	„	0·22	22
23	0·03	„	„	„	0·25	„	0·58	„	0·08	„	„	„	23
24	„	0·28	„	„	„	0·05	0·02	„	0·05	„	0·12	„	24
25	„	„	„	„	„	„	0·27	0·40	„	„	„	„	25
26	„	„	„	„	„	„	0·24	0·01	„	0·09	0·25	0·12	26
27	„	„	0·01	0·01	„	„	0·08	0·25	0·03	„	0·04	0·02	27
28	„	0·09	0·21	0·03	„	0·02	„	0·10	„	„	0·25	0·23	28
29	„	~~„~~	„	„	„	„	„	„	1·23	„	0·02	0·01	29
30	„		0·40	„	„	„	„	„	0·05	„	0·03	0·07	30
31	„		0·05		„		„	0·20		0·10		0·05	31
Total	2·80	1·41	0·86	3·82	1·78	0·97	5·32	1·62	5·50	1·61	2·20	2·32	YEAR'S TOTAL 30·23
Rain Days.	15	15	8	18	8	7	18	13	23	17	13	23	178

W. 8,000, IX. 17.

not sure 30·3·20

cort for with thy surrounding Stns. 953

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Greenlands
in the County of Bucks
by W Gurnham

Lat. Long.
Time of Observation 9
Nearest Railway Station 2 ½
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. 00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·44	"	0·02	0·08	0·03	0·10	"	"	"	0·05	"	1·37	1
2	0·22	"	0·02	"	0·18	"	"	0·03	0·16	"	"	0·38	2
3	0·32	"	0·23	"	0·03	"	0·02	"	0·07	"	0·07	"	3
4	0·06	0·06	0·43	"	"	"	0·75	"	0·06	"	0·03	0·14	4
5	0·02	0·32	0·70	"	"	"	"	"	1·06	"	0·02	0·24	5
6	0·10	0·06	0·09	"	0·05	"	"	"	"	"	"	0·05	6
7	0·06	"	0·71	"	"	"	"	"	"	"	0·02	"	7
8	0·16	"	0·03	0·13	"	"	"	"	"	"	"	"	8
9	"	"	0·01	"	"	"	"	"	"	"	0·03	"	9
10	0·02	"	0·41	0·13	"	"	"	"	"	0·03	"	0·08	10
11	0·05	"	0·16	"	0·03	"	0·22	"	"	"	"	0·05	11
12	0·01	"	0·12	0·17	"	0·20	0·12	"	"	0·07	"	0·01	12
13	0·02	"	"	0·28	"	"	"	"	"	0·09	"	0·03	13
14	0·30	0·07	"	0·47	"	"	0·10	"	0·35	"	"	0·02	14
15	0·42	0·06	"	0·16	"	"	"	"	"	0·05	"	0·78	15
16	0·03	0·82	0·06	0·13	"	"	"	"	"	"	0·16	"	16
17	"	0·35	"	0·03	"	"	"	"	"	"	0·24	"	17
18	"	0·05	0·30	"	"	"	"	"	"	"	0·07	0·05	18
19	0·07	0·23	1·28	"	"	0·21	0·28	0·12	"	"	0·13	"	19
20	0·56	0·10	0·35	"	"	0·37	0·06	0·40	0·04	"	0·02	0·02	20
21	0·07	0·48	0·02	"	"	"	0·07	"	"	"	0·02	0·08	21
22	"	0·28	"	"	"	"	0·17	"	0·40	"	"	0·45	22
23	"	"	"	"	"	"	"	0·01	0·13	0·18	"	0·01	23
24	"	"	"	0·07	"	0·04	"	"	"	0·44	0·15	0·07	24
25	"	0·20	"	"	"	"	"	0·62	"	"	"	0·03	25
26	0·16	"	0·16	0·15	"	"	"	"	0·06	"	"	0·43	26
27	0·48	0·03	0·03	0·88	"	"	"	0·48	"	"	"	0·07	27
28	0·20	"	0·22	"	"	"	"	0·85	"	"	0·20	0·30	28
29	0·03	"	"	0·04	"	"	"	0·22	"	0·21	"	0·02	29
30	"		"	0·25	"	"	"	0·25	"	0·02	0·50	0·62	30
31	"		0·02		"		"	"		0·02		0·05	31
Total	4·00	3·11	~~4·17~~ 5·37	~~2·87~~ 2·97	0·32	0·92	1·79	~~2·67~~ 2·98	~~1·33~~ 2·33	1·16	1·66	5·35	YEAR'S TOTAL ~~29·25~~ 31·96
Rain Days	22	16 14	21	14	5	5	9	9	9	10	14	24	~~158~~ 156

W. 6,500, VII. 18. w w c

W C [illegible] 907

8 JAN 192

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Greenlands
in the County of Bucks
by W Surnham

Lat. Long.
Time of Observation 9
Nearest Railway Station 2½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·36

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	〃	〃	〃	0·41	0·21	〃	0·43	〃	〃	0·35	〃	0·33	1
2	0·01	〃	〃	0·02	〃	〃	0·19	0·53	0·17	0·17	〃	0·13	2
3	〃	0·01	〃	0·03	〃	〃	0·27	〃	〃	0·09	〃	0·11	3
4	〃	0·03	〃	0·08	〃	〃	0·03	0·22	〃	0·30	〃	0·03	4
5	〃	〃	〃	0·04	0·06	〃	0·70	〃	〃	0·05	〃	0·01	5
6	〃	〃	0·15	〃	0·10	〃	0·48	〃	〃	0·01	〃	〃	6
7	0·02	〃	〃	0·22	〃	〃	0·26	〃	〃	〃	〃	〃	7
8	〃	〃	〃	0·19	0·17	〃	0·29	〃	〃	〃	〃	〃	8
9	0·31	〃	〃	0·05	〃	〃	0·16	〃	〃	〃	0·02	〃	9
10	0·50	0·05	0·08	0·03	〃	0·05	0·20	〃	〃	〃	〃	〃	10
11	0·20	〃	0·08	0·26	0·05	〃	〃	〃	〃	〃	〃	〃	11
12	0·04	0·01	〃	0·17	〃	1·50	〃	〃	〃	〃	〃	〃	12
13	0·12	〃	0·14	0·17	〃	〃	〃	〃	〃	〃	0·05	〃	13
14	0·02	0·01	0·41	0·17	〃	〃	0·09	〃	0·10	0·26	0·30	〃	14
15	0·01	0·07	0·20	0·17	〃	0·0~~3~~8	〃	〃	0·0~~4~~2	0·20	0·05	〃	15
16	0·01	0·01	〃	0·18	0·12	0·14	〃	〃	〃	〃	〃	〃	16
17	0·02	〃	〃	〃	0·22	0·06	0·05	〃	0·14	〃	〃	0·01	17
18	0·10	〃	〃	〃	〃	〃	〃	0·50	0·50	〃	〃	〃	18
19	0·08	〃	〃	0·18	0·15	0·06	〃	〃	〃	〃	〃	0·02	19
20	0·04	0·15	〃	0·26	〃	0·60	〃	〃	〃	〃	〃	0·01	20
21	〃	〃	〃	0·02	〃	〃	0·45	0·02	0·30	〃	〃	0·06	21
22	〃	〃	〃	0·32	〃	〃	〃	〃	0·20	〃	〃	0·30	22
23	〃	〃	〃	〃	〃	〃	〃	0·04	〃	〃	〃	0·38	23
24	0·02	〃	0·09	0·02	〃	〃	0·67	〃	〃	〃	〃	0·07	24
25	0·02	0·03	〃	〃	〃	〃	0·34	〃	〃	〃	〃	〃	25
26	0·12	〃	0·13	0·02	0·01	〃	0·38	〃	〃	〃	〃	0·05	26
27	0·25	0·05	0·16	0·22	〃	0·17	〃	〃	〃	〃	0·46	0·32	27
28	0·47	0·01	0·01	0·09	0·43	〃	0·24	〃	〃	〃	0·04	〃	28
29	0·20	〃	0·11	〃	0·09	〃	〃	〃	〃	〃	0·07	0·27	29
30	〃		0·15	〃	0·02	0·17	0·44	〃	0·28	〃	0·24	0·21	30
31	0·06		〃		〃		〃	〃		0·76		0·14	31 27·10
TOTAL	2·62	0·43	1·71	3·32	1·63	~~1·83~~ 2·83	5·67	1·31	1·71	2·19	1·23	2·46	YEAR'S TOTAL ~~26·10~~
Days with ·01 in. or more	~~12~~	~~11~~	~~12~~	~~23~~	~~12~~	~~9~~	~~18~~	~~[illegible]~~	~~9~~	~~9~~	~~8~~	~~12~~	~~153~~
	13	6	11	17	10	9	17	4	7	8	7	12	119

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DL

161

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

RE 1911

BUCKS.
HALTON GARDENS
1911 — 1918

Kept at Halton

in the County of Bu

by Mr R C

top 5 in.

p above Ground 1 ft. 6 in.

" Sea Level 400 ft.

tion { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·37			·07	·03				·02	1
2	·06			·30	·15		·02	·02			·13	·12	2
3	·02	·03			·18	·04		·07		·02	·10	·08	3
4	·05		·12	·05					·02	·03	·12	·58	4
5	·01	·06						·11		·05			5
6	·42		·03								·10	·44	6
7	·05									·07	·32	·33	7
8	·12		·16							·02	·16	·20	8
9			·02	·03							·02	·07	9
10	·03	·12	·21									·76	10
11	·20		·10		·54						·45	·04	11
12	·02	·02	·45		·07				·02	·06	·37	·02	12
13			·03		·27				·30	·12	·02	·65	13
14		·01	·10		·04						·03	·38	14
15		·10	·13							·02	·10	·04	15
16	·02					·11					·34	·08	16
17		·02	·09			·14				·01	·08	·30	17
18		·10	·03	·02		·06					·18	·21	18
19		·17			·02	·18				·05	·22		19
20	·02	·04	·02					·15		·07		·75	20
21		·12	·02					·03		·43	·01	·11	21
22	·03		·03			·05		·02		·08		·69	22
23		·09	·30			·24			·20			·15	23
24		·11	·02			·11		·04		·29		·13	24
25			·04	·05	·27	·27		·10	·02	·01		·02	25
26		·10		·15	·08	·03				·12	·04	·20	26
27		·30	·14	·05				·01	·24		·07	·14	27
28		·29		·32	·02			·12			·02		28
29				·05		·21	·05		·27	·23	·01		29
30			·02		·40	·06		·06	·02	·12		·02	30
31					·07		·01			·01			31
Total	1·05	1·68	2·06	1·39	2·11	1·50	·15	·76	1·09	1·81	2·89	6·53	TOTAL for year 23·02
No. of Rain Days	13	16 ~~14~~	20	10	12	12	4	12	8	19	21	26 ~~25~~	173

9,000, IX. '10.

DL

161

REGISTER 1911

FORM A2. BRITISH RAINFALL.

23 JAN 1912

Kept at Halton Gardens

in the County of Bucks 2

by Mr R C Sanders

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 400 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·37			·07	·03				·02	1
2	·06			·30	·15		·02	·02			·13	·12	2
3	·02	·03			·18	·04		·07		·02	·10	·08	3
4	·05		·12	·05					·02	·03	·12	·58	4
5	·01	·06						·11		·05			5
6	·42		·03								·10	·44	6
7	·05									·07	·32	·33	7
8	·12		·16							·02	·16	·20	8
9			·02	·03							·02	·07	9
10	·03	·12	·21									·76	10
11	·20		·10		·54						·45	·04	11
12	·02	·02	·45		·07				·02	·06	·37	·02	12
13			·03		·27				·30	·12	·02	·65	13
14		·01	·10		·04						·03	·38	14
15		·10	·13							·02	·10	·04	15
16	·02					·11					·34	·08	16
17		·02	·09			·14				·01	·08	·30	17
18		·10	·03	·02		·06					·18	·21	18
19		·17			·02	·18				·05	·22		19
20	·02	·04	·02					·15		·07		·75	20
21		·12	·02					·03		·43	·01	·11	21
22	·03		·03			·05		·02		·08		·69	22
23		·09	·30			·24			·20			·15	23
24		·11	·02			·11		·04		·29		·13	24
25			·04	·05	·27	·27		·10	·02	·01		·02	25
26		·10		·15	·08	·03				·12	·04	·20	26
27		·30	·14	·05				·01	·24		·07	·14	27
28		·29		·32	·02			·12			·02		28
29				·05		·21	·05		·27	·23	·01		29
30			·02		·40	·06		·06	·02	·12		·02	30
31					·07		·01			·01			31
Total	1·05	1·68	2·06	1·39	2·11	1·50	·15	·76	1·09	1·81	2·89	6·53	TOTAL for year 23·02
No. of Rain Days	13	16 ~~14~~	20	10	12	12	4	12	8	19	21	26 ~~25~~	173

9,000, IX. '10.

[illegible] 10.11.13

155

FORM A2. BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Halton Gardens

in the County of Buckinghamshire 2

by R. C. Sanders

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·05	·04		·18	·06	·02	·07			·18	1
2		·05	·09			·17	·59	·13					2
3	·11		·05			·13	·03	·30	·04		·02	·11	3
4	·39		·75		·27	·24	·02	·03			·26		4
5	·21	·08	·25			·10		·35	·01		·05	·03	5
6	·33	·03	·04		·02	·02	·10	·54	·15			·15	6
7			·03			·64		·30				·10	7
8	·44	·30	·32		·03	·01	·01	·46	·02		·01	·01	8
9	·12	·11	·04	·08	·04	·21	·03	·04		·01		·28	9
10	·01	·03				·02		·34	·02		·20	·11	10
11	·29	·16	·01			·02		·05			·05	·16	11
12	·06	·22	·12			·13	·03			·01	·10	·01	12
13	·01	·03				·09	·02	·01		·01	·13		13
14	·02		·05		·06	·03		·10		·03		·01	14
15	·02	·06	·15		·57	·31		·05			·02	·31	15
16	·30		·10		·07	·02		·06		·10	·02		16
17	·52		·14			·13		·20		·01		·02	17
18	·07		·34					·15		·02		·15	18
19	·08	·19	·35				·14	·51		·01	·01		19
20	·08		·32		·02		·04	·09		·27	·01		20
21	·01	·04	·33		·39			·14		·14	·05		21
22	·48	·18	·06		·10		·09	·19	·01	·10		·05	22
23	·45	·67	·29				·79	·42		·01	·18	·16	23
24	·26					·02		·20				·22	24
25						·22		·41		·01	·32	·49	25
26		·03					·14	·36		·33	·31	·33	26
27			·05			·06	·03			·30		·18	27
28		·05				·02	·03	·30	·11	·33	·39	·52	28
29		(·04)	·02	·01		·31	·09	·19	1·50	·25		·01	29
30					·37	·02	·02		·63	·22			30
31			·10		·23		·25	·11				·01	31
~~Total~~	4·27	2·27	4·05	·13	2·17	3·10	2·54	6·05	2·56	2·16	2·13	3·60	TOTAL for year 35·03
No. of Rain Days.	22	17	24	3	12	23	19	28 ~~29~~	10 ~~9~~	18 ~~17~~	17	23	216

8,000, X. '11.

82.

163

REGISTER OF RAINFALL IN 1913

27 JAN 1914

FORM A. BRITISH RAINFALL.

Kept at Halton Gardens

in the County of Buckinghamshire 2

by R. C. Sanders, G. A. Cryer

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·22	·14	·13	·09				·62		·15	·05	1
2	·03	·13		·03			·09			·50	·06		2
3	·03		·08	·03	·77		·16		·02			·06	3
4	·39		·03		·04					·24	·03	·13	4
5	·08	·01			·02	·11	·01		·05	·12	·02	·06	5
6	·01	·09	·03		·26	·21	·14		·05	·45		·11	6
7		·22			·21	·03	·12			·31	·06	·01	7
8		·03	·02		·19	·22				·21	·12		8
9		·20	·01		·02	·16	·04		·11		·04	·04	9
10	·01		·03	·05	·01		·44	·06			·49		10
11	·90			·37	·04			·11		·61	·56		11
12					·02					·01	·58		12
13	·06			·02			·04		·05		·25		13
14	·13	·01	·14	·05			·27	·09	·03	·15	·05		14
15	·18	·03	·20	·12					·20		·02		15
16	·11		·30	·32			·15						16
17			·10	·12				·02		·01	·02	·02	17
18	·09		·28	·20	·03		·02						18
19	·67		·04				·15		·31			·02	19
20	·19		·11	·04		·11				·46		·04	20
21		·01	·28	·03	·10					·06	·42		21
22	·44		·41	·01	·02			·12	·34				22
23			·02			·10		·02	·01			·03	23
24	·05			·09				·02		·01	·02		24
25		·02		·20		·02				·02	·01		25
26		·02	·14	·22				·13		·42	·02	·23	26
27			·02	·11	·01					·05			27
28	·23		·23	·28						·16	·02		28
29	·02		·07	·50	·44				·01	·16	·01	·11	29
30	·21			·04				·13		·30	·08	·02	30
31			·05					·27					31
Total	3·86	·99	2·73	2·96	2·27	·96	1·63	·97	1·80	4·25	3·03	·93	YEAR'S TOTAL 26·38
Rain Days.	20	12	22	21	16	8	12	10	12 11	19	21	14	187

W. 7,500, XI. ·12

82

2 rain stns

REGISTER OF RAINFALL IN 1914

133

28 JAN 1915

FORM A. BRITISH RAINFALL.

Kept at Halton Gardens

in the County of Buckinghamshire 2

by R. C. Sanders per G. A. Cryer

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02					·13			·05	·03	1
2				·03	·01	·02	·29	·23			·24	·13	2
3	·02		·01		·20		·72	·39			·02	·09	3
4	·18		·01	·31	·01		·01	·18			·35	·55	4
5	·04		·09	·35	·08	·12	·49	1·05			·08	·03	5
6		·12	·03		·03	·12	·01	·03			·14	·28	6
7		·40	·22	·05	·32	·07	·04	·03			·01	·29	7
8	·12	·09	1·13	·13	·12	·46	·22	·03				·03	8
9	·24		·46	·19	·01	·53		·02	02			·81	9
10	·06	·19	·02	·07	·04			·03				·01	10
11		·21	·44	·03	·18	·63			·20		·17	·27	11
12	·01	·09	·13				·16		·29		·04	·39	12
13		·30	·19						·30	·17	·11	·29	13
14		·06	·37						·01	·66	·17	·26	14
15	·10		·15				·02		·01	·09	·02	·11	15
16	·03		·04						·05				16
17		·47	·12						·08			·30	17
18			·05				·01					·68	18
19		·08	·17			·44	·06		·01		·18	·05	19
20		·29	·39									·26	20
21		·47	·11			·01		·16		·09		·15	21
22		·06	·02	·02	·05	·06	·04	·06		·63			22
23		·06	·08		·06					·14			23
24	·02	·01	·10	·02	·03		·06			·24	·14		24
25	·06		·27				·01	·14		·26	·02	·16	25
26			·10				·20	·04		·04	·15	·56	26
27	·06		·02								·02	·20	27
28		·03			·02					·12	·62	1·15	28
29			·18		·06					·28	·11		29
30			·03							·08	·29	·52	30
31					·06		·03					·03	31
Total	·94	2·93	4·95	1·20	1·28	2·46	2·37	2·52	·97	2·80	2·93	7·63	YEAR'S TOTAL 3298
Rain Days.	12	16	25	10	16	10	16	14	9	12	20	26	189

W.7,000, XI. 13

1061
47

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Halton Gardens
in the County of Buckinghamshire 2
by G. A. Cryer, for R. C. Sanders

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.57	.14	.10		12		.03		.29	.11	.07	.08	1
2	.09	.33	.27	.09		02		.62		.07		.55	2
3	.53	.02	.02	.15	.02		.09	.97			.02	.15	3
4	.11							.02	.23			.49	4
5	.03	.53									.03	.26	5
6	.21	.21	.03	.37			.62			.02		.04	6
7	.07	.34	.06				.15	.03			.02	.25	7
8	.10	.58	.02				.06	.02					8
9		.01		.14		.03		.01			.19	.48	9
10	26	.02	.03					.21				.04	10
11		.01	.04		.01						.97		11
12	.06	.11		.21				.24		.03	.80		12
13		.73			1.60								13
14	.01	.04					.69	03	.04			.56	14
15	.18	.03		.02	.01			.06			.07	.18	15
16		.39					.69	.01				.25	16
17		.38			.53		.03	.03				.01	17
18	.01	.39	.10		.01								18
19	.41	.07	.01		.01		.21				.04		19
20				.08								.24	20
21	.04	.02			.24							.13	21
22	.54	.40	.48				.44					.15	22
23	.03	.37	.03						.11	.33		.29	23
24			.07			.07	.39		.88	.18		.24	24
25				.04		.02	.03					.22	25
26		.12	.02			.01	.14		.01			.35	26
27		.05				.10	.25		.02	.33		.08	27
28		.08				.18	.14	05	1.20	.07			28
29							.80	.25			.08	.02	29
30										.23	.06	.07	30
31	.02							.04		1.32		.22	31
Total	3.27	5.37	1.28	1.10	2.55	.43	4.76	2.59	2.78	2.69	2.35	5.35	YEAR'S TOTAL 34.52
Rain Days.	18	24	14	8	9	7	16	15	8	10	11	24	164

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Halton Gardens

in the County of Buckinghamshire

by G. A. Cryer for R. C. Sanders

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·02		·20	·03	·03		·07	·05	·42		1
2	·73	·09	·17		·15				·11	·45	·01		2
3		1·02	·09	·01	·01				·21	·30	·23		3
4	·23	·25	·06			·28			·05	·10	·44		4
5	·05	·01		·02	·08	·08				·10	·68		5
6	·01	·08	·16	·18		·12	·45			·10	·75		6
7	·11		·20		·08	·02				·02	·25	·04	7
8	·01		·12		·45	·02						·21	8
9	·02				·27	·12	·07			·03		·05	9
10		·16	·08	·09		·30						·01	10
11	·15	·09	·08	·15	·03	·36	·20		·01			·13	11
12		·04	·01	·11	·28	·11	·23		·02	·17	·01		12
13	·01	·56	·25	·05		·34			·03	·05			13
14		·42		·02	·10		·10	·18		·02			14
15		·12	·28				·28	·16		·07			15
16	·05	·04	·44	·12	·08		·02	·18					16
17	·10	·10		·19				·05	·34	·54			17
18	·01	·07	·06	·10				·83	·12	·05	·85		18
19	·03	·04	·25	·16			·24		·08		·93	·06	19
20	·33	·01	·40	·11							·02	·65	20
21	·01		·82									1·14	21
22	·03	·05	·02		·11	·15				·07		·62	22
23		·19						·05		·01	·04		23
24	·04	·22	·02		·01	·41				·21	·02	·24	24
25		·40	·13		·05			·12		·03	·14		25
26		·09	·01							·10	·03		26
27	·07	·07	1·25			·10		·18	·03	·54			27
28		·32	·44						·15	·06	·01	·19	28
29		·11				·16		1·07		·36		·28	29
30		X				·17		·07		·36		·01	30
31		X		X		X		·02	X	·05	X	·06	31
Total	1·99	4·56	5·36	1·31	1·90	2·77	1·62	2·91	1·22	3·84	4·83	3·69	YEAR'S TOTAL 36·00
Rain Days.	18	25	23	13	14	16	9	11	12	24	16	14	195

8h ✓ 999

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Halton Gardens

in the County of Buckinghamshire

by G. A. Cryer

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·02	·20				1·40	·09			·03	1
2	·02	·02		·04				·11		·02	·11		2
3	·01			·01		·02		·45			·02		3
4		·34	·12	·03				·73	·04	·74		·02	4
5	·26		·05	·26				·02	·07	·55	·08		5
6			·02							·13	·09		6
7	·30					·02	·28			·03	·02		7
8	·54			·12		·02	1·35	·13		·33	·15	·12	8
9	·02		·09	·10			·14	1·62	·04	·35	·08	·02	9
10	·15		·25	·22							·05		10
11	·20		·54	·35				·04		·36			11
12	·10		·02	·08	·02			·27		·40			12
13	·11	·02	·22					·26	·05	·01	·01		13
14	·01		·01	·10	·05	·01	·02	·21				·03	14
15	·02							·09			·01		15
16	·04	·13		·26	·13		·04			·96		·46	16
17		·04		·17	1·25			·07	·37	·34			17
18		·03		·14	·09		·34	·07	·88	·08			18
19	·06	·15	·14			·01			·37				19
20	·08	·15	·02				·09		·13		·12		20
21		·03	·04	·01						·17	·02		21
22			·08			·04		·17		·02			22
23		·07	·04		·06	·01		·14				·04	23
24		·03						·07				·03	24
25		·05	·10			·30							25
26			·01			·04		·17	·13		·26	·03	26
27			·02		·03			·80				·03	27
28			·04			·03		·27				·04	28
29			·14		·62	·04	·49	·32		·37		·18	29
30	·02	×	·06			·11	·90	·07		·01			30
31		×	·18	×		×	·60	·02	×		×	·02	31
Total	1·94	1·07	2·21	2·09	2·25	1·65	4·25	7·50	2·17	4·87	1·02	1·05	YEAR'S TOTAL 32·07
Rain Days.	16	13	22	15	8	12	10	23	10	17	13	13	172

W. 8,000, VIII. 16

8h WD Cov. for W.D.

~~135~~

FORM A.
BRITISH RAINFALL.
27. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Halton Gardens
in the County of Buckinghamshire
by G. A. Cryer

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	–											1
2													2
3													3
4													4
5													5
6													6
7	·14												7
8	·01												8
9	·01												9
10													10
11	·04												11
12													12
13													13
14	·02												14
15	·21												15
16	1·28												16
17	·20												17
18	·13												18
19	·51												19
20	·04												20
21	·04												21
22	·04												22
23	·06												23
24	·04												24
25													25
26													26
27													27
28													28
29	·01												29
30	·02	✕											30
31		✕		✕		✕			✕		✕		31
Total	~~2·82~~												YEAR'S TOTAL
Rain Days.	13												

2·80

W. 8,000, IX. 17.

DL

157

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGI 1

BUCKS.
HEDSOR
1911 – 1920

Kept at Hedsor

in the County of Buck

by Lord Boston

8 in.

ve Ground 1 ft. in.

Sea Level 170 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03							·02					1
2				3 96	·20					·02	·22	·10	2
3	·05	·02				·03					·15	·03	3
4				·12					·02	·09	·09		4
5		·04	·09	·09				·01		·07	·03	·46	5
6	·45		·12										6
7	·15			·02						·20	·31	·66	7
8	·13		·23								·14	·24	8
9	·09		·05									·12	9
10	·07	·12	·16								·06	·40	10
11	·24		·04		·04						·65		11
12			·49								·29		12
13			·07		·96				·57	·14	·11	·62	13
14		·04	·02		·28							·38	14
15		·10	·14								·03		15
16						·07					·46	·12	16
17			·04			·20					·24	·27	17
18			·03			·22					·32	·32	18
19		·23				·56			·14	·06	·22	·03	19
20		·05	·02					·19	·25	·07		·74	20
21	·03	·09						·37		·03		·14	21
22			·07							·46		·64	22
23		·11	·16			·29			·26			·07	23
24		·16								·75	·03	·21	24
25		·03	·04	·11		·28						·01	25
26			·05	·19	·50		·02			·14	·05	·34	26
27		·59	·10	·09					·13			·19	27
28		·31		·31			·16	·12			·12		28
29				·02	·06	·22	·09			·27			29
30				·04	·30			·03	·30	·16			30
31					·26								31
Total	1·24	1·89	1·92	1·95	2·60	1·87	·27	·74	1·67	2·46	3·52	6·09	TOTAL for year 26·22
No. of Rain Days	9	13	18	10	8	8	3	6	7	13	18	21	134

9,000, IX. '10.

DL ✓

157

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Hedsor

in the County of Bucks 3

by Lord Boston

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 170 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03							·02					1
2				3 ·96	·20					·02	·22	·10	2
3	·05	·02				·03					·15	·03	3
4				·12					·02	·09	·09		4
5		·04	·09	·09				·01		·07	·03	·46	5
6	·45		·12										6
7	·15			·02						·20	·31	·66	7
8	·13		·23								·14	·24	8
9	·09		·05									·12	9
10	·07	·12	·16								·06	·40	10
11	·24	—	·04		·04						·65		11
12			·49								·29		12
13			·07		·96				·57	·14	·11	·62	13
14		·04	·02		·28	—						·38	14
15		·10	·14								·03		15
16						·07					·46	·12	16
17			·04			·20					·24	·27	17
18			·03			·22					·32	·32	18
19		·23				·56			·14	·06	·22	·03	19
20		·05	·02					·19	·25	·07		·74	20
21	·03	·09						·37		·03		·14	21
22			·07							·46		·64	22
23		·11	·16			·29			·26			·07	23
24		·16								·75	·03	·21	24
25		·03	·04	·11		·28						·01	25
26			·05	·19	·50		·02			·14	·05	·34	26
27		·59	·10	·09					·13			·19	27
28		·31		·31			·16	·12			·12		28
29				·02	·06	·22	·09			·27			29
30				·04	·30			·03	·30	·16			30
31					·26								31
Total	1·24	1·89	1·92	1·95	2·60	1·87	·27	·74	1·67	2·46	3·52	6·09	TOTAL for year 26·22
No. of Rain Days	9	13	18	10	8	8	3	6	7	13	18	21	134

9,000, IX. '10.

82

Ex. HSB

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

24 JAN 1913

Kent at Hedsor

in the County of Buckinghamshire 3

by Lord Boston

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·02		·02	·04		·20	·32		·16	1
2		·02	·06			·16	·44			·05			2
3	·07		·17			·28	·03	·39	·02		·06	·12	3
4	·28	·01	·63		·13	·29		·04			·29		4
5	·22	·08	·14			·01		·43	·02				5
6	·56	·02						·24				·10	6
7					·14	·57	·06	·53				·06	7
8	·58	·27	·20				·03	·38				·08	8
9	·03	·24	·08			·61	·04	·04				·24	9
10		·05		·08		·07		·28			·08	·20	10
11	·14	·30				·06		·14				·18	11
12	·05	·16	·13		·07	·40	·06				·15		12
13		·03									·09	·06	13
14			·03		·01			·04		·04		·02	14
15	·05	·05	·20		·34	·54		·03				·29	15
16	·39		·14		·11	·14		·13		·11	·13		16
17	·65		·13			·05		·09					17
18	·08		·21					·11		·02		·15	18
19	·09	·16	·24				·08	·39					19
20	·06	·02	·12				·02	·24		·30			20
21		·04	·50		·72		·05	·11		·08	·07		21
22	·27	·25	·08		·18		·05	·21		·02		·03	22
23	·37	·30	·43				·08	·45		·05	·22	·21	23
24	·28							·10				·20	24
25						·21		·27			·34	·52	25
26		·03					·08	·27		·56	·41	·19	26
27			·05			·11				·21		·21	27
28		·04				·09	·03		·15	·53	·54	·33	28
29		·03				·20	·08	·17	1·62	·15	·04		29
30					·27	·03	·06	·35	·92	·16			30
31			·26		·14		·29	·03		·02		·10	31
Total	4·17	2·10	3·87	·10	2·11	3·84	1·52	5·46	2·93	2·62	2·42	3·45	TOTAL for year 34·59
No. of Rain Days.	17	19	20	2	10	18	17	25	6	15	12	20	181

W. 8,000, X. '11.

81

Written for September 28·2·14

165

FORM A. BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hedsor

in the County of Buckinghamshire 3

by Lord Boston

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·19	·07	·19					·37		·10		1
2	·12	·12		·07					·03	1·57	·09		2
3			·04	·25	·44		·06					·15	3
4	·42				·05	·03	·07			·21	·05	·09	4
5	·16				·08	·11	·16		·45			·03	5
6		·05	·10		·12							·23	6
7		·13						·15		·95	·08		7
8					·08	·15				·11	·09		8
9		·26			·13		·03		·09		·03	·04	9
10	·03		·08	·10	·04		·09				·45		10
11	·58			·47	·24					·90	·47		11
12		·03			·20						·29		12
13	·04										·27		13
14	·12	·03	·14	·06				·07	·03		·07		14
15	·24	·05	·21				·18		·42		·01		15
16	·11		·44	·54									16
17	·04	·03	·08	·02			·13		·11			·07	17
18	·02		·24	·16							·09		18
19	·68		·04	·04	·06	·06	·11		·19			·04	19
20	·11		·05	·05		·20			·48				20
21			·21	·08	·07					·26	·64		21
22	·61		·31	·05			·04		·25	·10			22
23	·02					·06		·07				·24	23
24			·01	·05				·02			·01		24
25				·23				·11		·03		·02	25
26		·07	·17	·11						·49		·16	26
27				·08	·07					·02			27
28	·39		·35	·16						·14			28
29	·02		·10	·55	·45			·07		·08	·01	·04	29
30	·33							·03		·23			30
31								·35					31
Total	4·11	·96	2·64	3·36	2·03	·61	·87	·87	2·42	5·09	2·75	1·11	YEAR'S TOTAL 26·82
Rain Days.	19	10	17	19	13	6	9	8	10	13	16	11	151

W. 7,500, XI. 12

8L [illegible] 24·11·15 157

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at *Hedsor*

in the County of *Buckinghamshire* 3

by *Lord Boston*

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·08			·06	·05	1
2				·02				·52			·36	·20	2
3	·02		·04		·22		·24	·13			·06	·06	3
4	·14			·27				·20			·46	·55	4
5	·05		·04	·20	·14	·07	·40	·59					5
6		·14	·13		·04	·10		·04				·25	6
7		·32	·33	·16	·74	·02	·15						7
8	·09	·15	·73	·09	·06	·21	·79	·16				·02	8
9	·16		·65	·07		·61		·03	·05			1·40	9
10			·02	·09	·13							·06	10
11		·22	·64		·03	·54			·23		·25	·29	11
12		·09	·14				·30		·12			·52	12
13	·02	·32	·18						·36	·10	·06	·36	13
14		·13	·63				·08			·24	·12	·24	14
15	·12	·04	·15					·05	·09		·08	·04	15
16			·03										16
17		·42	·10						·14			·17	17
18		·04	·08									·49	18
19		·09	·22				·20				·17	·14	19
20		·26	·35				·03		·02			·23	20
21		·50	·05				·10					·06	21
22		·06	·01		—	·12	·18	·07		·84	—		22
23		·09	·10			·02		·05		·09			23
24			·09		·24		·01			·27	·13		24
25	·10		·12					·01		·35			25
26			·03				·14	·23			·23	·72	26
27										·05	·07	·26	27
28		·04								·09	·45	1·50	28
29			·15		·09					·29			29
30	·07		·11							·14	·57	·28	30
31	·01				·06							·04	31
Total	·78	2·91 ~~3·69~~	5·12	·90	1·75	1·69	2·62 2·62	2·16	1·01	2·46	3·07	7·93	YEAR'S TOTAL 32·40
Rain Days.	10	16	25	7	10	8	12	13	7	10	14	23	135

W.7,000, XI. 13

Cord. lyson. Nats 28.2.16

1073
149

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Hedsor

in the County of Buckinghamshire

by Lord Boston

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.68	.28	.09				.02		.16		.24	.37	1
2	.18	.26	.42	.08		.03		.94	.05	.16		}	2
3	.61		.06	.14			.05	.02	.04			} .66	3
4	.09											.39	4
5	.05	.46		.05				.02				.35	5
6	.28	.15	.07	.31			.64	.05				.14	6
7	.20	.24	.03				.32	.04				.29	7
8	.14	.54	.04	.17				.05					8
9		.06				.05		.12			.27	.70	9
10	.36							.27				.07	10
11	.02		.05					.01			.72	.04	11
12	.09			.36	.41			.84			.42		12
13	.02	.58			1.31								13
14		.05					.95	.02	.08			.64	14
15	.15	.03			.10		.02	.15			.09	.14	15
16		.34					.85	.10				.15	16
17		.40			1.22			.49					17
18		.27	.10		.18								18
19		.04			.03		.15						19
20	.48		.02	.06								.22	20
21	.12	.04	.46		.14							.06	21
22	.72	.21	.06				.85		.02			.21	22
23		.15	.02				.40		.16	.72		.35	23
24	.02					.03	.21		.64	.28		.26	24
25				.06		.07	.06			.08		.20	25
26		.08					.16		.02			.48	26
27						.36	.37			.42		.08	27
28		.02				.04			1.35	.10			28
29							.14	.16			.10	.07	29
30		X				.14	.04				.18		30
31		X		X		X		.07	X	1.48	X	.07	31
Total	4.21	4.20	1.42	1.23	3.39	.72	5.23	3.35	2.52	3.24	2.02	5.94	YEAR'S TOTAL 37.47
Rain Days.	17	19	12	8	7	7	16	16	9	7	7	23	149

W. 8,000. X. 14.

8l

Exc 8L

1043
149

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Hedsor

in the County of Buckinghamshire

by Lord Boston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19		·09		·37	·02			·07		·46		1
2	·55	·04	·11		·19				·16	·46	·02		2
3		·58	·03						·06	·30	·16		3
4	·27	·08			·02	·44			·23	·16	·41		4
5	·04	·03		·04		·10			·19	·07	·39		5
6	·07	·04	·26	·15	·11	·04	·39			·05	·39		6
7	·08		·27		·13	·05	·47				·56	·08	7
8			·06		·29	·17						·31	8
9			·07		·26							·21	9
10		·29		·06		·37	·02			·12			10
11	·04	·07		·12	·03	·35						·16	11
12	·05	·04	·12	·07	·12	·08	·06	·14					12
13		·47	·30	·05		·07	·15	·41		·09			13
14		·52			·07			·51		·07		·09	14
15		·29	·26					·19					15
16		·02	·49	·22	·02		·45	·74					16
17	·15	·08		·05			·02	·95	·40	·65			17
18	·02	·12	·07	·14				·87	·16	·26	·82		18
19	·09		·19	·31					·05		·56	·12	19
20	·21		·23	·02					·03		·06	·50	20
21	·04		·84				·02			·05		·59	21
22		·06	·04		·07					·02		·48	22
23		·37				·35		·05		·29	·04	·06	23
24		·08		·02		·45		·04				·39	24
25		·63	·07		·12			·11		·28	·20	·03	25
26		·26	·02			·13		·07	·02	·14			26
27	·09		1·18			·03		·42	·09	·21			27
28		·39	·15			·04		1·22	·03	·02		·17	28
29		·18				·24			·12	·55		·16	29
30		X						·03		·43			30
31		X		X		X			X	·14	X	·08	31
Total	1·89	4·64	4·85	1·25	1·80	2·93	1·58	5·75	1·61	4·36	4·07	3·43	YEAR'S TOTAL 38·16
Rain Days.	14	21	20	12	13	16	8	14	13	20	12	15	178

W. 8,000. X. 15.

DL [illegible] DL 16/3

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Hedsor

in the County of Buckinghamshire

by Lord Boston

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05	.37				.87	.09		.03		1
2				.43		.11		.08			.05		2
3				.06				.38			.03		3
4		.29	.17				.32	.18		.78			4
5	.31		.06	.24				.01	.09	.15	.05		5
6			.34						.09		.10	.04	6
7	.29									.24			7
8	.36			.09			.94	.11		.32	.20	.08	8
9			.05	.06			.10	.14	.03		.13	~~.28~~ .16	9
10	.25		.20	.23				.18			.05		10
11	.15		.47	.09						.32			11
12				.03	.05					.58			12
13	.15		.11					.09	.05				13
14	.10		.04					.12					14
15	.03						.29	.16		.08			15
16	.02			.28		1.29	.06	.18		.86		.58	16
17		.10		.15	.90		.31		.54	.33			17
18		.08		.11	.10	.11	.24	.02	.38	.05			18
19		.25	.09			.15		.13	.56				19
20		.16	.05		.55		.14				.13		20
21					.03			.01		.04			21
22			.09			.04		.06		.09			22
23					.07			.17		.15			23
24		.15				.04		.05		.58		.04	24
25			.03				.08		.02	.02	.10		25
26			.08					.40	.08		.22		26
27					.35	.02		.79					27
28			.03			1.94		.20				.06	28
29					.49	.04	.73	.05		.46		.15	29
30		X	.18				1.24	.18					30
31		X	.06	X		X	.40	.02	X	.03	X	.04	31
Total	1.66 ✓	1.03 ✓	2.10	2.14	2.54	3.74	4.85	4.58	1.93	5.08	1.09	~~1.27~~ 1.15	YEAR'S TOTAL 31.89
Rain Days.	9 ✓	6 ✓	17	12	8	9	12	2~~5~~4	10	17	11	8	143

W. 8,000, VIII. 16

8h ~~137~~ 1

Ex. D. cnd by B.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 27·1·19

Kept at Hedsor

in the County of Buckinghamshire

by Lord Boston

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·12							·31	·08	1
2		·18		·15				·35		·03	·21	·12	2
3				·14	·44			·04	·06	·02	·46	·02	3
4		·08	·06	·05				·03	·28		·44		4
5		·12			·12			·16	·22	·17		·02	5
6	·24	·12		·26				·04	·02			·14	6
7		·18		·13	·30			·07	·29	·07	·11	·01	7
8		·08		·08					·15		·11	·04	8
9	·02	·13		·14		·29	·38		·33	·33	·02	·10	9
10				·06			·26		·05	·02		·35	10
11	·04				·02		·53		·32	·40	·08	·16	11
12		·12			·18		·15		·02	·01		·02	12
13				·04	·20		·21		·07			·10	13
14	·21		·03	·64		·20	·15		·47	·26		·18	14
15	1·06			·62			·30		·01			·10	15
16	·10			·31		·02	·01		·87			·02	16
17	·22						·33	·07	·08			·10	17
18	·58					·26	·21		·38	·09		·05	18
19	·08		(·09)			·05	·23		·02	·05	·05	·12	19
20	·02	·16		·57			·15		·16	·16			20
21	·08			·71			·07		·33	·02			21
22	·11				1·32		·08		·11			·22	22
23	·04				·36		·81	·03	·05		·03		23
24		·24					·08		·09		·11		24
25							·21	·33	·01	·04			25
26							·41		·02	·02	·03	·15	26
27							·02	·26	·05		·27	·02	27
28		·07	·28	·02				·12	·01		·15	·26	28
29					—				1·31			·02	29
30		X	·48						·08		·05	·15	30
31		X	·08	X		X		·09	X	·10	X		31
Total	2·80	1·48	1·02 ~~·93~~	4·04	2·94	·82	4·59	1·59	5·86	1·79	2·43	2·55	YEAR'S TOTAL 31·91 ~~31·78~~
Rain Days.	13	11	6 ~~5~~	16	8	5	19	12	28	16	15	24	173

W. 8,000, IX. 17.

82

954
~~129~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Hedsor

in the County of Buckinghamshire

by Lord Boston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·08	·02	·04	·05		·17			·05	·02	1·13	1
2	·24		·04		·20		·06	·01	(·16)	·12	·10	·42	2
3	·46		·35		·02		·15		·16			·46	3
4	·09	·07	·40			·06	·20	·05	·06		·05	·12	4
5	·02	·36	·90	·02			1·16		·58			·29	5
6	·08		·11		·07							·03	6
7	·07		·51								·02		7
8	·20		·05	·11									8
9	·02		·02										9
10	·06		·16							·03	·04		10
11	·05		·14	·27							·02	·23	11
12	·08		·09	·02		·16	·26			·07	·03	·03	12
13	·02			·26						·10		·03	13
14	·38	·06		·56			·11		·26			·02	14
15	·32	·05	·19	·06								·68	15
16	·08	·72		·05									16
17	·05	·28									·30		17
18		·30	·23						·05		·10	·11	18
19	·05	·22	·99				·55	·10			·15	·02	19
20	·40	·25	·26			·74	·08	·24			·05	·01	20
21	·26	·36	·03			·09	·06		·16		·02	·11	21
22		·19	·01				·14		·82			·40	22
23						·02		·02	·11	·10	·05	·05	23
24				·07			·12			·38	·19	·07	24
25	·08			·05	·08			·45				·03	25
26		·25	·16	·93				·02	·10			·38	26
27	·82	·05	·12	·04			·02	·48				·07	27
28			·25	·09				·69			·27	·36	28
29			·01					·20		·21	·21	·03	29
30		×				·14		·19		·02	·35	·64	30
31		×	·05	×		×	·02		×		×	·05	31
Total	4·31	3·24	5·09	2·57	·42	1·21	3·10	2·45	2·46	1·08	1·97	5·77	YEAR'S TOTAL 33·67 ~~33·70~~
Rain Days.	22	14	23	14	5	6	14	11	10	9	17	25	170

W, 6,500, VII. 18. w w c

158 Wt 908

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hedsor
in the County of Buckinghamshire
by Lord Boston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·54	(·21)		·38		·04	·60		·26	1
2							·30	65	·14	·09		·05	2
3	·05	·05		·16			·32		·05	·06			3
4		·03		·05			·04	14		·36		·06	4
5			·05	·01			1·04	02	·02			·15	5
6			·21		·24		·49					·02	6
7	·04		·03	·26			·18						7
8	·36	·04		·16	·12		·11	08					8
9	·86			·05			·02						9
10	·15	·08	·08	·02		(·08)	·16						10
11	·10		·07	·49	·08		·17						11
12	·11			·04		1·38	·02					·06	12
13	·02		·20	·20			·01				·08		13
14	·03	·04	·28	·24		·07	·09			·35	·24		14
15		·04	·29	·15			·02		·09	·30	·08		15
16	·04			·19		·05			·18	·15			16
17				·04	·20		·04		·08	·08		·06	17
18	·18			·02				·62	·18				18
19	·08			·27					·17				19
20		·13		·20		·80					·05		20
21	·03			·04			·58	·03	·36			·16	21
22				·44				·04	·16			·38	22
23	·04						1·25	·04				·48	23
24			·08	·02								·08	24
25	·10	·06	·06				·36						25
26	·25		·12				·40					·05	26
27	·48	·08	·01	·25		·16	·12				·29	·20	27
28	·22	·03	·30		·30		·25				·05		28
29	·04		·05		·08		·02				·25	·35	29
30	·04		·12				·45		·40		·21	·23	30
31							·01			·83		·16	31
TOTAL	3·22	·58	1·95	3·84	1·13	2·54	6·83	1·62	1·87	2·82	1·25	2·75	YEAR'S TOTAL 30·48
Days with ·01 in. or more	20	10	~~14~~ 15	22	7	6	25	8	12	9	8	16	158
	17	8	13	18	7	6	19	6	11	9	8	15	137

(44,283). Wt 21,958—2[illegible]S. 7500. 10/19. Gp.132. A.&E.W.

DL ✓

158

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGI ... 11

Kept at High Wyc

in the County of Buck

by H. S. Wheeler

BUCKS.

HIGH WYCOMBE

1911–1920

5 in.

ve Ground .... ft. .... in.

Sea Level 253 ft.

Name ....

Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·44			·02	·05					1
2	·05			·37	·17		·01			·04	·22	·14	2
3		·02			·24	·08		·05			·13	·06	3
4	·07	·03	·10	·05					·01	·40	·20	·51	4
5	·02	·02						·04		·06	·03		5
6	·46		·07									·41	6
7	·05		·01							·13	·24	·22	7
8	·13		·21								·19	·25	8
9	·10		·03	·01							·02	·05	9
10	·05	·12	·26	·02							·02	·49	10
11	·34		·02		·27						·67	·02	11
12	·01		·59		·27	·05			·01	·02	·46	·05	12
13			·09		·21				·48	·03		·58	13
14		·05	·04		·33							·37	14
15		·07	·12							·01	·10	·05	15
16						·13					·38	·10	16
17		·01				·13					·15	·32	17
18		·16	·02			·41					·26	·40	18
19						·29			·10	·06	·21	·13	19
20	·02	·08	·01					·20	·15	·05		·62	20
21	·02	·10	·02					·07		·31		·12	21
22	·02		·07			·18				·06		·70	22
23		·11	·11			·25			·23		·01	·17	23
24	·01	·17	·02			·14		·04		·64		·16	24
25		·10	·01	·10	·43	·17			·04	·03		·01	25
26		·06		·16	·17	·05		·02		·13	·02	·34	26
27		·45	·14	·01			·13	·03	·11		·08	·17	27
28		·48		·25	·03			·08			·03		28
29				·07		·23	·09		·23	·43			29
30			·01	·06	·05	·02		·01	·02	·22		·01	30
31					·19		·02						31
Total	1·37	2·03	1·95	1·54	2·36	2·13	·27	·59	1·38	2·62	3·42	6·45	TOTAL for year 26·11
No. of Rain Days	15	16	20	11	11	13	5	10	10	16	19	26	172

9,000, IX. '10.

DL

REGISTER 1

158

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at High Wycombe
in the County of Bucks 3
by H. S. Wheeler

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 1 in.
" " " Sea Level 253 ft.
Time of Observation
Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·44			·02	·05					1
2	·05			·37	·17		·01			·04	·22	·14	2
3		·02			·24	·08		·05			·13	·06	3
4	·07	·03	·10	·05					·01	·40	·20	·51	4
5	·02	·02						·04		·06	·03		5
6	·46		·07									·41	6
7	·05		·01							·13	·24	·22	7
8	·13		·21								·19	·25	8
9	·10		·03	·01							·02	·05	9
10	·05	·12	·26	·02							·02	·49	10
11	·34		·02		·27						·67	·02	11
12	·01		·59		·27	·05			·01	·02	·46	·05	12
13			·09		·21				·48	·03		·58	13
14		·05	·04		·33							·37	14
15		·07	·12							·01	·10	·05	15
16						·13					·38	·10	16
17		·01				·13					·15	·32	17
18		·16	·02			·41					·26	·40	18
19						·29			·10	·06	·21	·13	19
20	·02	·08	·01					·20	·15	·05		·62	20
21	·02	·10	·02					·07		·31		·12	21
22	·02		·07			·18				·06		·70	22
23		·11	·11			·25			·23		·01	·17	23
24	·01	·17	·02			·14		·04		·64		·16	24
25		·10	·01	·10	·43	·17			·04	·03		·01	25
26		·06		·16	·17	·05		·02		·13	·02	·34	26
27		·45	·14	·01			·13	·03	·11		·08	·17	27
28		·48		·25	·03			·08			·03		28
29				·07		·23	·09		·23	·43			29
30			·01	·06	·05	·02		·01	·02	·22		·01	30
31					·19		·02						31
Total	1·37	2·03	1·95	1·54	2·36	2·13	·27	·59	1·38	2·62	3·42	6·45	TOTAL for year 26·11
No. of Rain Days	15	16	20	11	11	13	5	10	10	16	19	26	172

9,000, IX. '10.

·20 added Jan. 10.1.12

Ex. HGb

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at High Wycombe

in the County of Buckinghamshire 3

by H. S. Wheeler

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·03		·08	·02		·08	·28		·15	1
2			·07			·16	·41	·06		·01		·01	2
3	·06		·11		·25	·18	·03	·36	·01		·02	·15	3
4	·37	·01	·59		·14	·27		·05			·32	·01	4
5	·40	·08	·25					·30	·02		·01	·01	5
6	·53	·05			·01		·03	·29				·06	6
7			·01		·04	·52	·12	·07				·11	7
8	·58	·26	·20				·02	·21	·01			·07	8
9	·03	·21	·08	·06		·51	·02	·06				·37	9
10		·03						·23			·11	·16	10
11	·12	·30				·02		·02	·01		·09	·19	11
12	·07	·27	·18		·04	·06	·03				·10		12
13		·02				·01	·01				·16	·01	13
14	·02		·09		·01			·02		·03		·01	14
15	·04	·05	·17		·36	·41		·03			·01	·27	15
16	·32	·01	·14		·08	·08		·10		·14	·06		16
17	(·64)		·17			·09		·19				·05	17
18	(·05)		·21					·30		·03		·06	18
19	·13	·14	·33				·10	·24					19
20	·02		·51				·11	·28		·41	·01		20
21	·01	·08	·33		·46			·14		·11	·05		21
22	·27	·22	·10		·02		·12	·21		·03		·02	22
23	·41	·36	·46		·01		·82	·43		·01	·20	·37	23
24	·29	·01				·08	·01	·14				·10	24
25						·25		·28		·03	·32	·52	25
26		·05					·17	·38		·60	·51	·22	26
27			·05			·11	·05			·32		·22	27
28		·11				·02	·03	·35	·09	·46	·51	·42	28
29		·04				·08	·13	·27	1·91	·24			29
30					·28		·05	·10	·71	·15			30
31			·17		·06		·46	·12		·01		·05	31
Total	(4·36)	2·30	4·25	·09	1·76	2·93	2·74	5·23	2·84	2·86	2·48	3·61	TOTAL for year 35·45
No. of Rain Days.	19	19	21	2	13	17	20	27	8	16	15	24	201

W. 8,000, X. '11.

82

166

FORM A. BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at High Wycombe
in the County of Buckinghamshire 3
by H. S. Wheeler

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·19	·09	·13					·23		·16	·02	1
2	·01	·10	·02	·02			·05			1·01	·10		2
3	·02		·02	·10	·62					·01		·11	3
4	·44				·05		·07			·21	·06	·10	4
5	·13					·01	·12	·01	·33	·02	·01	·06	5
6		·09	·06		·20	·13	·02			·85		·18	6
7	·01	·19			·17	·07	·01	·19		·45	·13	·01	7
8		·01			·13	·03				·11	·01		8
9		·21			·02	·02	·07		·07		·05	·04	9
10	·08		·08	·05	·06		·04	·08			·44		10
11	·46			·44	·13			·16		·72	·44		11
12		·01			·10						·35		12
13	·03		·01	·02	·01				·02		·32		13
14	·10	·01	·14	·16			·02	·07	·03	·14			14
15	·14	·03	·30	·54			·08		·13				15
16	·14		·42	·12					·05				16
17	·04		·07	·02			·09	·01			·02		17
18	·03		·17	·23			·05				·03	·01	18
19	·66		·05	·01	·02	·02	·07		·39	·01		·01	19
20	·09		·06	·06		·31				·50	·05		20
21	·01		·18	·06	·05		·06			·06	·50		21
22	·52	·01	·24	·02				·06	·25				22
23			·02			·08		·01				·16	23
24				·09				·18			·01		24
25		·03		·20		·01							25
26		·01	·12	·17				·11		·42		·20	26
27		·01	·05	·07	·01					·04			27
28	·25		·23	·18						·09			28
29	·02		·08	·52	·43			·08		·20		·07	29
30	·30				·01			·01		·24	·08		30
31			·06					·33		·02		·02	31
Total	3·55	·90	2·47	3·21	2·01	·68	·75	1·30	1·50	5·10	2·76	·99	YEAR'S TOTAL 2522
Rain Days.	21	13	21	21	15	9	13	13	9	18	17	13	183

W. 7,500, XI. 12

82 6X ML 15-8

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at High Wycombe
in the County of Buckinghamshire 3
by H. S. Wheeler

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01							·15			·05	·01	1
2				·02			·16	·13			·32	·11	2
3			·01	·02	·27		·27	·05				·07	3
4	·15		·02	·30	·13		·01	·15			·38	·63	4
5			·09	·15	·03	·15	·29	·23			·07	·01	5
6		·14	·06		·07	·06	·01	·05			·10	·32	6
7		·32	·31	·07	·52	·08	·16	·05				·27	7
8	·03	·09	·78	·05	·08	·28	·17	·16				·01	8
9	·15		·52	·22		·41		·01	·06			1·42	9
10	·01	·12	·02	·07	·09				·26			·02	10
11		·27	·57		·04	·50			·02		·31	·27	11
12	·01	·07	·14				·27		·30	·02	·03	·33	12
13		·33	·22						·21	·08	·03	·38	13
14		·16	·29				·05			·30	·16	·39	14
15	·05	·01	·23				·02	·02	·04	·01	·06	·03	15
16			·03						·25		·02		16
17		·42	·10						·02	·01		·32	17
18			·07									·54	18
19		·08	·39				·15		·01		·18	·08	19
20		·21	·20			·01		·02				·23	20
21		·53	·06					·01		·10	·01	·08	21
22		·11			·03	·08	·07	·05		·69			22
23		·08	·10		·07	·01	·04			·13			23
24	·01		·06	·02	·05		·04			·10	·15		24
25	·05		·18				·01	·24		·41	·01	·21	25
26			·04				·07	·03		·04	·13	·51	26
27	·05										·02	·32	27
28		·05			·02					·27	·34	1·19	28
29	·06		·17		·03					·20	·12	·01	29
30			·05							·10	·41	·37	30
31	·02				·06		·03					·06	31
Total	·60	2·99	4·71	·92	1·49	1·58	1·82	1·35	1·17	2·46	2·90	8·19	YEAR'S TOTAL 30·18
Rain Days.	12	16	25	9	14	9	17	15	9	14	20	27	187

W.7,000, XI. 13

82

1076
15-0

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at High Wycombe
in the County of Buckinghamshire
by H. S. Wheeler

3

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.54	.18	.08		.02		.45		.12	.10	.05	.19	1
2	.14	.19	.39	.09		.03		.84	.03	.08	.01	.17	2
3	.54		.06	.08			.12	.11	.05			.30	3
4	.03							.10				.42	4
5	.02	.40		.03				.02			.01	.28	5
6	.27	.07	.10	.34			.64	.08				.13	6
7	.07	.29	.05	.01			.44	.05			.01	.33	7
8	.11	.48	.03	.04				.11					8
9	.01	.03		.23		.04		.01			.25	.73	9
10	.41		.02					.06				.04	10
11	.05		.01	.01							.82	.01	11
12	.07	.13		.30	.48			.44		.02	.59	.02	12
13		.42		.01	.99			.01			.01		13
14		.09					.65	.29	.07			.76	14
15	.16	.02			.05		.01	.07			.11	.13	15
16	.01	.62			.06		.94	.06		.01		.23	16
17		.30			.83		.02	.38				.01	17
18		.20	.14		.02						.02		18
19		.02			.01		.13						19
20	.40			.11	.03							.22	20
21	.14	.05			.09		.07			.01		.10	21
22	.63	.20	.40	.02			.73					.20	22
23	.02	.22	.04			.07	.38		.17	.61		.30	23
24			.04			.01	.20		.56	.20		.26	24
25				.03		.06	.10			.03		.21	25
26		.08				.02	.15		.06			.56	26
27						.13	.16			.46		.02	27
28		.05				.14	.01		1.15	.13			28
29						.01	.02	.12	.02		.12	.02	29
30	.04	X				.25				.14	.16	.08	30
31		X		X		X		.05	X	1.18	X	.20	31
													YEAR'S TOTAL
Total	3.66	4.04	1.36	1.30	2.58	.76	5.22	2.80	2.23	2.97	2.16	5.92	35.00
Rain Days.	19	20	12	13	10	10	18	17	9	12	12	26	178

W. 8,000. X. 14.

8h

Exe Oh

1046
~~130~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at High Wycombe

in the County of Buckinghamshire

by H. S. Wheeler

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	–	·03		·30	·02			·10	·05	·49		1
2	·45	·07	·20		·17				·09	·53	·05		2
3		·67	·01		·02				·17	·38	·17		3
4	27	·18		·01		·60			·15	·26	·36		4
5	·02	·03			·11	·18				·08	·41		5
6		·06	·26	·14	·03	·17	·51			·09	·54		6
7	08	·01	·25		·13	·02	·17			·02	·74	·03	7
8			·03		·31							·25	8
9					·22					·10		·15	9
10		·28	·07	·05	–	·21	·05	–				·01	10
11	06	·05	·02	·19	·02	·38			·02			·12	11
12	·03	·04	·05		·15	·11	·08	·05	·01	·10		·01	12
13		·41	·22	·06		·20	·11	·39		·02			13
14		·43	·01		·09			·55		·12		·03	14
15		·19	·24	·01			·18	·28		·01			15
16	·03	·01	·42	·17	·01		·30	·52					16
17	·13	·16		·07			·02	·19	·37	·59			17
18		·05	·05	·17				·69	·16	·30	·58		18
19	·10		·20	·25				·02	·07	·01	·61	·07	19
20	·21		·30	·03				·01			·03	·71	20
21	·05		·64				·08					·52	21
22		·05	·01		·06	·02				·12		·45	22
23	·02	·30				·19		·06		·02	·03	·10	23
24		·20		·02	·08	·26		·04		·26	·07	·38	24
25		·52	·06		–			·17		·03	·16		25
26		·11	·01			·09		·06		·10	·02		26
27	·06	·03	·84			·02		·39	·05	·63		·02	27
28		·27	·35			·03		·02	·11	·11	·02	·21	28
29		·15				·29		·91	·01	·66	·02	·21	29
30		✕		·02		·02		·02		·35			30
31		✕		✕		✕		·06	✕	·14	✕	·04	31
Total	1·55	4·27	4·27	1·19	1·70	2·81	1·50	4·43	1·31	5·08	4·30	3·31	YEAR'S TOTAL 35·72
Rain Days.	14	23	22	13	14	17	9	18	12	25	16	17	200

W. 8,000. X. 15.

81 ✓ See 81 1016

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at High Wycombe

in the County of Buckinghamshire

by H. S. Wheeler

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·30				·80	·06		·07		1
2				·32		·01		·35		·01	·01		2
3				·02			·01	·45		·36	·03		3
4		·24	·12				·09	·25		·35		·04	4
5	·33		·03	·13					·06	·15	·14		5
6			·36						·06	·02	·08		6
7	·33		·01				·21			·26		·02	7
8	·54			·13			1·02	·27	·01	·32	·18	·12	8
9	·02		·04	·15	·01		·12	·21	·02	·01	·13	·01	9
10	·30		·22	·24				·14			·04	·01	10
11	·16	·01	·48	·12						·39			11
12	·09		·04	·03	·08			·08		·51	·01		12
13	·10		·12					·16	·04	·01			13
14				·21				·11		·10			14
15	·02						·16	·04		·03			15
16	·03	·10		·26	·07	·51	·03			1·01		·40	16
17	·01	·02		·16	·68		·33	·06	·48	·28		·01	17
18	·03	·06		·13	·06	·19	·13	·05	·66	·03			18
19	·01	·20	·10			·03			·29				19
20	·01	·19	·02		·73	·01	·07	·02	·01		·12		20
21		·01	·02		·03	·04				·04	·01		21
22			·05			·17		·10		·09	·01		22
23	·03	·16			·07	·03		·19		·16		·01	23
24	·01	·07				·07	·02	·03		·38	·01	·02	24
25		·04	·03						·01	·02	·07		25
26			·08					·52	·10		·23		26
27			·01		·22	·01		·81				·02	27
28			·01			1·74		·27				·02	28
29					·36	·10	·45	·02		·45		·13	29
30	·01	✕	·07				1·25	·20		·01			30
31	·01	✕	·06	✕		✕	·47	·02	✕	·01	✕	·01	31
													YEAR'S TOTAL
Total	2·04	1·10	1·88	2·20	2·31	2·91	4·36	5·15	1·80	5·00	1·14	·82	30·71
Rain Days.	18	11	20	13	10	12	14	23	12	24	15	13	185

W. 8,000, VIII. 16

3·77

81 ~~138~~ 18

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 27.1.19

Kept at High Wycombe
in the County of Buckinghamshire
by H. S. Wheeler

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.03		.28				.02		.01	.30	.08	1
2				.16				.42		.01	.17	.16	2
3		.02	.02	.12	.26			.01	.08	.02	.43	.01	3
4		.07	.04	.01				.02	.56	.02	.53	.03	4
5		.19			.11			.13	.11	.18	.01	.01	5
6	.16	.13		.32	.07			.02	.01	.01		.10	6
7	.02	.15	—	.14	.24			.01	.23	.10	.20		7
8		.01		.02					.17	.05	.02	.02	8
9	.02	.08		.07		.27	.27		.40	.28		.19	9
10	.03			.09		.03	.41		.09	.06		.28	10
11	.01			.02	.03		.31		.20	.36	.02	.12	11
12		.13			.34		.16		.02			.01	12
13		.01			.27		.23		.23	.02		.07	13
14	.22		.05			.15	.18		.41	.20		.24	14
15	.95		—	1.11		.14	.07		.01	.01	.01	.15	15
16	.20		.01	.49		.06	.01		.68			.03	16
17	.21			.19			.59	.08	.11			.10	17
18	.60					.27	.49		.39	.13		.07	18
19	.06	.02	.08	.02		.02	.26	.03	.02	.04	.01	.11	19
20	.02	.19		.61		.05	.09		.25	.14		.01	20
21	.09	.01		.71		.01	.01		.38	.02			21
22	.11				1.08		.12		.27			.21	22
23	.05			.01	.37	.01	.54	.02	.03			.01	23
24	—	.24			.01	.02	.01		.07		.08		24
25						.01	.20	.59		.01	.01		25
26							.20	.01		.02	.16	.17	26
27		.01	.01	.02			.10	.30	.07		.11	.04	27
28	.01	.07	.14	.07				.13			.15	.22	28
29	.01		.05		—		—	.01	1.19		.01	.06	29
30		×	.43						.07		.06	.23	30
31		×	.16	×		×		.03	×	.11	×	.02	31
Total	2.78	1.36	.99	4.46	2.78	1.04	4.25	1.83	6.05	1.80	2.28	2.75	YEAR'S TOTAL 32.37
Rain Days.	18	16	10	19	10	12	19	16	25	21	17	27	210

W. 8,000, IX. 17.

87

957 130

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at High Wycombe

in the County of Buckinghamshire

by H. S. Wheeler

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.66	.01	.03	.09	.17		.13			.03	.04	1.66	1
2	.25		.01		.07		.05	.01	.30	.09	.12	.12	2
3	.54		.27		.02		.09		.21		.03	.29	3
4	.06	.06	.43			.04	.15	.04	.12		.02	.18	4
5	.01	.25	.62				.17		1.26		.01	.31	5
6	.06		.13		.04						.01	.03	6
7	.04		.78										7
8	.11		.04	.07									8
9				.03	.01						.06		9
10	.04		.41	.05						.04	.03	.19	10
11	.03		.11	.19	.03		.24					.01	11
12	.01		.14	.09		.19	.09			.08			12
13	.01	.05		.49						.04		.05	13
14	.34			.43			.13		.20			.03	14
15	.41	.02	.20	.07						.01	.04	.66	15
16	.01	.79									.16	.01	16
17	.02	.40									.26	.01	17
18		.05	.31					.05	.05		.13	.09	18
19	.06	.23	1.29			.18	.50	.19	.01		.21	.01	19
20	.56	.11	.11			.43	.09	.39	.06				20
21	.18	.43	.04			.07	.16				.02	.08	21
22		.27					.11		.37			.36	22
23						.05		.04	.10	.15	.02		23
24				.10		.01	.11	.02		.41	.15	.04	24
25	.06			.01	.06			.70				.04	25
26	.13	.21	.17	.09				.04	.10			.52	26
27	.81	.04	.09	1.08			.04	.51				.07	27
28			.21	.05				.88			.31	.36	28
29	.03			.07				.20		.28		.03	29
30		X	.01	.23		.15		.14		.04	.56	.59	30
31	.01	X	.02	X		X	.01		X	.02	X	.04	31
Total	4.44	2.92	5.42	3.14	.40	1.12	2.07	3.21	2.78	1.19	2.18	5.78	YEAR'S TOTAL 34.65
Rain Days.	24	14	21	16	7	8	15	13	11	11	18	25	183

W, 6,500, VII. 18. W W C

159 911

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

Kept at High Wycombe
in the County of Buckinghamshire
by H. S. Wheeler

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·46	·21		·27	·01	·07	·54		·20	1
2	·01		·01	·03			·09	·50	·08	·04		·21	2
3	·05	·05		·04			·25		·09	·08		·01	3
4		·02		·16			·09	·18	·01	·44		·05	4
5			·05	·04	·07		·71	·02	·02	·01		·02	5
6			·18		·19		·50					·01	6
7	·01		·03	·20	·01		·16						7
8	·03	·05		·23	·11		·20	·02					8
9	·42			·06				·02					9
10	·37	·05	·08	·02		·10	·19				·01		10
11	·28	·01	·10	·31	·09	·06	·22					·03	11
12	·07	·01		·21		·90	·01				·05		12
13	·11	·02	·16	·27			·08				·02		13
14	·03	·02	·56	·25		·18			·16	·19	·41	·01	14
15	·02	·10	·06	·15			·06		·14	·05	·03	·01	15
16				·59		·04			·02	·05			16
17	·02				·20		·07		·39	·02		·02	17
18	·13				·02			·55	·14			·06	18
19	·08			·29	·14	·08					·01	·01	19
20	·06	·11		·17		·60						·10	20
21				·04			·49	·04	·36			·05	21
22	·02			·35			·02	·02	·17			·34	22
23	·01						·77	·01				·45	23
24	·02		·13	·02			·01	·01				·07	24
25	·01	·03	·10				·40						25
26	·13		·23	·01	·70		·11					·03	26
27	·25	·10	·01	·27		·24	·04				·33	·26	27
28	·44	·01	·33	·06	·32	·01	·17				·03	·03	28
29	·20		·06	·01	·24	·01	·02				·16	·27	29
30	·05			·02	·01	·20	·38		·38		·30	·27	30
31	·06						·01			·64		·07	31
Total	2.88	·58	2.09	4.26	2.31	2.42	5.32	1.38	2.03	2.06	1.35	2.58	Year's Total 29.26
Days with ·01 in. or more	25	13	15	25	13	11	25	11	13	10	10	23	194
04	15	6	12	19	10	9	20	4	10	8	5	13	131

(44283). Wt.21,958—218/7500. 10/19. Gp.132. A.&E.W.

1000

HIGH WYCOMBE Royal Grammar SCH.

1917 – 20

yd C7

…NFALL IN 1917.

FORM A.
BRITISH RAINFALL.

JAN 1918

Lat. 51° 37′ N. Long. 0° 45′ W.
Time of Observation 9 a.m.
Nearest Railway Station G.W.R. 1 mile. S.W.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 545 ft.

…rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·07	·19	–	–	–	·86	·09	–	·08	–	1
2	–	–	·07	·28	–	·01	–	·15	–	–	·01	–	2
3	·01	–	·07	·07	–	–	·07	·44	–	·4	·04	–	3
4	–	–	–	–	–	–	·05	·20	–	·26	–	·04	4
5	·27	·06	·10	·13	–	–	–	·02	·06	·14	·13	–	5
6	–	·03	·31	–	–	–	–	–	·05	·03	·07	–	6
7	·35	–	–	–	–	–	·38	–	–	·35	–	·025	7
8	·45	–	–	·14	–	–	1·03	·17	·07	·50	·16	·14	8
9	·01	–	·02	·08	·01	–	·01	·26	·07	–	·11	·10	9
10	–	–	·19	·20	–	–	–	·14	–	–	·05	·01	10
11	·14	–	·57	·10	–	–	–	·01	–	·4	·07	–	11
12	·07	–	·04	–	·03	–	–	·06	–	·5	–	–	12
13	·05	–	·14	–	–	–	–	·21	·04	–	–	·01	13
14	–	–	–	·20	–	–	–	·14	–	·05	–	–	14
15	·02	–	–	–	–	–	·11	·03	–	·05	–	–	15
16	·02	·07	–	·26	·10	·4	–	–	–	·10	–	·30	16
17	·01	·03	–	·15	·74	·03	·3	·12	·45	·28	·01	·09	17
18	·04	·05	–	·13	·08	·15	7.15	–	·65	·03	·01	–	18
19	·07	·15	·07	–	·01	Trace	·07	–	·30	–	–	–	19
20	·02	·15	·02	–	·67	–	·05	·07	·07	–	·14	–	20
21	·04	·01	·07	–	–	·07	–	·11	·01	·03 #	·02	–	21
22	–	–	–	–	–	·25	–	·18	·07	·09 ~~·03~~	–	–	22
23	–	·13	·03	–	·07	·05	–	·05	·02	·11 ~~·09~~	–	–	23
24	–	–	–	–	–	·07	Trace	·06	–	·31 ~~·4~~	·02	·01	24
25	–	·03	·03	–	–	–	·01	–	–	– ~~·31~~	·07	·02	25
26	–	–	·04	–	–	–	–	·50	·11	–	·19	–	26
27	–	–	·07	–	·27	·01	–	·98	–	·07 #	–	·01	27
28	–	–	·07	–	–	2·00	–	·25	–	– ~~·2~~	–	·01	28
29	–	–	–	–	·06	·02	·57	·03	–	·43 #	Trace	·13	29
30	–		·06	–	–	–	1.33	·17	–	–	·01	Trace	30
31	·02		·06		–		·5	·05		–		Trace	31
Total	1·53 ✓	·65 ✓	1·74 ✓	1·87 ✓	2·04 ✓	3·00 ✓	4·57 ✓	5·20 ✓	1·82 ✓	4·07 ✓	1·13 ✓	·895 ✓	YEAR'S TOTAL 28·515 ✓
Rain Days.	16 ✓	10 ✓	20 ✓	12 ✓	10 ✓	11 ✓	14 ✓	25 ✓	14 ✓	19 ✓	17 ✓	13 ✓	181 ✓

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

REC. JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Royal Gram. School. High Wycombe.

in the County of Buckinghamshire.

by R. Mathews.

Lat. 51° 37′ N. Long. 0° 45′ W.

Time of Observation 9 a.m.

Nearest Railway Station G.W.R. 1 mile. S.W.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·07	·19	–	–	–	·86	·09	–	·08	–	1
2	–	–	·07	·28	–	·01	–	·15	–	–	·01	–	2
3	·01	–	·07	·07	–	–	·07	·44	–	·4	·04	–	3
4	–	–	–	–	–	–	·05	·20	–	·26	–	·04	4
5	·27	·06	·10	·13	–	–	–	·02	·06	·14	·13	–	5
6	–	·03	·31	–	–	–	–	–	·05	·03	·07	–	6
7	·35	–	–	–	–	–	·38	–	–	·35	–	·025	7
8	·45	–	–	·14	–	–	1·03	·17	·07	·50	·16	·14	8
9	·01	–	·02	·08	·01	–	·01	·26	·07	–	·11	·10	9
10	–	–	·19	·20	–	–	–	·14	–	–	·05	·01	10
11	·14	–	·57	·10	–	–	–	·01	–	·4	·07	–	11
12	·07	–	·04	–	·03	–	–	·06	–	·5	–	–	12
13	·05	–	·14	–	–	–	–	·21	·04	–	–	·01	13
14	–	–	–	·20	–	–	–	·14	–	·05	–	–	14
15	·02	–	–	–	–	–	·11	·03	–	·05	–	–	15
16	·02	·07	–	·26	·10	·4	–	–	–	·10	–	·30	16
17	·01	·03	–	·15	·74	·03	·3	·12	·45	·28	·01	·09	17
18	·04	·05	–	·13	·08	·15	7.15	–	·65	·03	·01	–	18
19	·07	·15	·07	–	·01	Trace	·07	–	·30	–	–	–	19
20	·02	·15	·02	–	·67	–	·05	·07	·07	–	·14	–	20
21	·04	·01	·07	–	–	·07	–	·11	·01	·03 ~~4~~	·02	–	21
22	–	–	–	–	–	·25	–	·18	·07	·09 ~~·03~~	–	–	22
23	–	·13	·03	–	·07	·05	–	·05	·02	·11 ~~·09~~	–	–	23
24	–	–	–	–	–	·07	Trace	·06	–	·31 ~~·4~~	·02	·01	24
25	–	·03	·03	–	–	–	·01	–	–	~~·31~~	·07	·02	25
26	–	–	·04	–	–	–	–	·50	·11	–	·19	–	26
27	–	–	·07	–	·27	·01	–	·98	–	·07 ~~4~~	–	·01	27
28	–	–	·07	–	–	2·00	–	·25	–	– ~~·2~~	–	·01	28
29	–		–	–	·06	·02	·57	·03	–	·43 ~~4~~	Trace	·13	29
30	–	☒	·06	–	–	–	1.33	·17	–	–	·01	Trace	30
31	·02	☒	·06	☒	–	☒	·5	·05	☒	–	☒	Trace	31
Total	1·53 ✓	·65 ✓	1·74 ✓	1·87 ✓	2·04 ✓	3·00 ✓	4·57 ✓	5·20 ✓	1·82 ✓	4·07 ✓	1·13 ✓	·895 ✓	YEAR'S TOTAL 28·515 ✓
Rain Days.	16 ✓	10 ✓	20 ✓	12 ✓	10 ✓	11 ✓	14 ✓	25 ✓	14 ✓	19 ✓	17 ✓	13 ✓	181 ✓

W. 8,000. X. 14.

W 8L [illegible]

19

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Royal Grammar School, High Wycombe
in the County of Buckingham.
by R. Mathews.

Lat. 51° 37′ N Long. 0° 45′ W.
Time of Observation 9 a.m.
Nearest Railway Station G. W. R 1 mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 545 ft.

4. 2. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·05	·06	·25	—	—	—	Trace	—	Trace	·02	—	1
2	-	·08	·02	·17	—	—	—	·31	—	·01	·01	·18	2
3	-	·03	·01	·13	·28	—	—	Trace	·09	—	·21	·01	3
4	-	·08	·02	Trace	·01	—	—	·02	·56	·03	·30	·64	4
5	-	·19	·06	—	·13	—	—	·13	·12	·15	—	·01	5
6	·15	·13	-	·26	·14	—	—	Trace	·01	Trace	·15	·12	6
7	·05	·14	-	·14	·17	—	—	·02	·24	-	-	·01	7
8	·07	·01	-	·01	—	—	—	-	·17	·06	-	—	8
9	-	·01	-	·09	—	·25	·28	-	·41	·26	—	·20	9
10	·05	—	-	·12	—	·01	·40	-	·05	·06	·02	·24	10
11	·02	—	-	·01	·12	—	·30	-	·19	·34	-	·11	11
12	Trace	·10	-	—	·34	—	·07	-	·02	Trace	-	·02	12
13	"	·02	-	·02	·11	—	·24	-	·37	·01	-	·17	13
14	·27	—	·05	Trace	·07	·10	·11	-	·27	·18	—	·25	14
15	1·50	—	-	·87	—	·20	·07	-	·01	Trace	-	—	15
16	·28	Trace	·01	·63	Trace	·08	—	Trace	·17	-	-	·01	16
17	·20	—	Trace	·24	·05	—	·20	·08	·04	-	-	·13	17
18	·59	—	—	·02	—	·25	·83	—	·38	·11	—	—	18
19	·06	·01	(·09)	·01	—	·01	·25	·03	·02	·11	—	—	19
20	·03	·18	—	·42	—	·04	·08	Trace	·24	·10	·01	·11	20
21	·09	Trace	—	1·05	—	Trace	·01	—	·37	·02	—	—	21
22	·11	·02	—	—	·89	—	·19	—	·19	—	—	·21	22
23	·06	—	—	Trace	·34	·01	·30	·01	·03	—	·01	·02	23
24	Trace	·23	—	—	—	·02	·01	—	·02	—	·09	—	24
25	—	Trace	—	—	—	—	·18	-	—	-	·01	—	25
26	Trace	—	—	—	—	—	·19	·47	Trace	Trace	—	·17	26
27	·01	·02	·02	·06	—	—	·11	·29	·09	—	·15	·04	27
28	·01	·06	·16	·09	—	·01	—	·17	-	-	·19	·20	28
29	·01		·04	—	—	—	—	—	1·27	—	·03	·03	29
30	—	X	·42	—	—	—	—	—	·04	—	·15	·22	30
31	—	X	·12	X	—	X	—	·02	X	—	X	·01	31
Total	3·56	1·36	1·08 ✓	4·59	2·59	·98	3·82	1·55	5·37	1·44	1·35	2·51	YEAR'S TOTAL 30·20
Rain Days.	18	17	13 ✓	19	12	11	18	11	25	13	14	23	30·20 194 ✓

W. 8,000. X. 15.

Imp tt RR [illegible] 958

18 JUN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Royal Grammar School High Wycombe
in the County of Bucks.
by J. H. Robinson (Captain) F.R.G.S.

Lat. 51° 37' Long. 0° 45'
Time of Observation
Nearest Railway Station High Wycombe
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 544 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	Trace	Trace	·07	·16	—	·19			·09	~~·87~~	(1·44)	1
2	·15	"	—	—	·06	—	·06			·10	·88	·375	2
3	·39	—	·28	—	—	—	·17		·17	—	·03	·31	3
4	·16	Trace	·43	—	—	·05	·15		·19	—	02 ~~·07~~	·15	4
5	·06	·26	·61	—	Trace	—	·15		1·23	—	·09	·98	5
6	·05	—	·15	—	·03	—	Trace		—	—	~~·002~~	—	6
7	·04	—	·65	—	—	—	—		—	—	~~·001~~	·03	7
8	·13	—	·05	·10	—	—	—		—	—	—	—	8
9	·08	—	Trace	·02	—	—	—		—	—	·10	—	9
10	·01	—	·40	·04	—	—	—		—	—	·09	—	10
11	—	—	·12	·20	·3	—	·25		—	·03	—	·03	11
12	—	—	·20	·04	—	—	·08		—	·07	—	·01	12
13	·11	—	—	·52	—	—	—		—	·005	—	·03	13
14	·06	·05	Trace	·32	—	—	·06		·9	—	—	·03	14
15	·70	·01	—	·15	—	—	—		—	·01	·09	·66	15
16	·1	·67	—	·09	—	—			—	—			16
17	·01	Trace	·19	·01	—	—			—	—	·94		17
18	—	—	Trace	—	—	—			·05	·05	·13		18
19	—	—	·22	—	—	·20	·27		—	·005	·185		19
20	·16	·20	1·2	—	—	·42	·35		·03	~~·5~~	·01		20
21	·50	·07	·01	—	—	·25	·19		—	·005	·09		21
22	·13	·45	·15	—	—	·01	·07		·35	—	—		22
23	—	·25	Trace	—	—	·09	·08 +		·11	·05	·01		23
24	—	—	—	·10	—	Trace			—	·30	·13	(2·455)	24
25	·18	Trace	—	·01	·1	—			·1	·45	·01		25
26	—	·18	—	·09	—	—			·07	—	—		26
27	·19	·06	·19	·92	—	—	+ (05)		—	—	—		27
28	·14	—	·08	·30	—	—			—	—	—		28
29	·01	—	·12	·07	—	—			·09	—	·11		29
30	—		Trace	·25	—	·16			·1	—	(·40)		30
31	·02		"		—		+			(·20)			31
TOTAL	3·54	2·20	4·87	3·30	·65	1·11	(2·05)	(3·20)	2·55 ~~2·44~~	(1·295) ~~1·46~~	(2·535)	(5·80)	YEAR'S TOTAL 33·10 ~~22·57~~
Days with ·01 in. or more	23	10	14	18	5	7	16	(13)	~~11~~ 12	12 12	20	(24)	~~136~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

187

~~W 3 L~~ ext for High Wycombe

912

11 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Royal Grammar School High Wycombe
in the County of Bucks
by F. H. Robinson.

Lat. 51° 37′ N Long. 0° 45′ W.
Time of Observation 9 AM.
Nearest Railway Station Wycombe
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—.	—.	·5	·21	—.	·26	—.	·04	·51	—.	·2	1
2		—.	·025	—.	—.	—.	·14	·47	—.	·057	—.	·15	2
3		·035	·02	·035	—.	—.	·1	—.	·10	·058	—	·06	3
4		·035	—.	·07	—.	—.	·12	·20	·10	—.	—	·6	4
5		—.	·045	·11	·065	—.	·75	·01	·01	—.	—.	·02	5
6		—.	·15	—.	·175	—.	·52	—.	·005	—.	—	·02	6
7		—.	·05	·19	—.	—.	·235	—.	—.	—.	—	—.	7
8		·07	·03	·21.	·11	—.	·18	·15	—.	—.	—	—.	8
9		—.	·03	·06.	—.	—.	—.	·07	—.	—.	—.	—.	9
10		·06	·03	·02	—.	·11	·18	—.	—.	—.	—	—.	10
11		—.	·09	·30.	·07	—.	·2	—.	—.	—.	—.	—	11
12	(1·70)	·02	—.	·24	—.	—.	·335	—.	—.	—.	—.	Trace	12
13		·025	·12	·27	—.	·8	—.	—.	·02	—.	·20	—.	13
14		·03	·325	·26	—.	·22	·03	—.	·16	·185	·06	·03	14
15		·15	·195	·18	—.	—.	·05	—.	·15	·035	·20	—	15
16		—.	—.	·32	—.	·025	—.	—.	·06	·03	—.	—.	16
17		—.	—.	·01	·2	—.	·08	—.	·215	·03	—.	·05	17
18		—.	—.	—.	·015	—.	—.	·65	·11	—.	—.	·01	18
19		—.	—.	·29	·12	—.	—.	·015	—.	—.	—.	·07	19
20		·2	—.	·2	—.	·635	—.	—.	—.	—.	—.	·01	20
21		—.	—.	·22	—.	—.	·47	·051	·365	—.	·02	·15	21
22	·025	·02	—.	·35	—.	—.	·01	·02	·22	—.	—	·07	22
23	·015	—.	—.	·01	—.	—.	·865	·005	—.	—.	—	·45	23
24	·03	—.	·145	·02	—.	—.	—.	·01	—.	—.	—.	·46	24
25	·02	·035	·11	·01	·01	—.	·375	—.	·01	—	—	·095	25
26	·145	—.	·2	·005	·21	·07	·135	—	—.	·01	—	·00	26
27	·275	·09	·02	·28	—.	·2	·05	—	—.	—.	·28	·04	27
28	·42	—.	·345	·09	·32	·015	·15	—.	—.	—.	·18	·01	28
29	·225	—.	·06	·005	·22	·015	·06	—.	—.	—.	·02	·05	29
30	·05	✕	—.	·02	·015	·22	·30	—.	·35	—.	·31	·25	30
31	·07	✕	—.	✕	—.	✕	—.	—.	✕	·53	✕	·28	31
TOTAL	2975 ~~[illegible]~~	·77	1·99	4·27 ~~4·285~~	1·74	2·31	5·595	1·651	2·115	1·445	1·27 ~~1·77~~	3·215	29·346 YEAR'S TOTAL ~~26·886~~
Days with ·01 in. or more	(25	~~7~~ 12	~~6~~ 18	~~6~~ 26	~~3~~ 13	~~3~~ 10	~~2~~ 23	~~5~~ 11	~~4~~ 14	~~4~~ 9	~~3~~ 8	~~8~~ 21	~~57~~ (190)
Days with ·04 in. or more	(15)	5	~~18~~ 12	~~14~~ 18	10	7	21	6	9 11	5	~~5~~ 6	14	~~119~~ (130)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

996

~~TAPLOW~~ HITCHAM GRANGE

1915 – 20

LN.

ALL IN 1915

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Taplow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.
8. JAN 1916

ured daily at 9 a.m. and the result entered to the form to this almost universal rule, he is earnestly requested to add the reading … uary of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·58	·18	·07	·01	„	„	·17	„	·04	„	·30	·28	1
2	·13	·28	·30	·02	·03	·02	·15	1·04	·06	·13	„	·27	2
3	·47	„	·05	·10	·01	„	„	·03	„	„	„	·34	3
4	·10	„	„	„	„	„	·01	·02	„	„	„	·23	4
5	·03	·36	·14	„	„	„	·55	·01	„	„	„	·25	5
6	·24	·10	·02	·20	„	„	„	·04	„	„	„	·15	6
7	·23	·19	„	„	„	„	·27	·08	„	„	„	·29	7
8	·12	·55	„	„	„	„	„	·07	„	„	„	·59	8
9	·01	·04	„	·20	„	„	„	·03	„	„	·24	·07	9
10	·30	„	·02	„	„	„	„	·13	„	„	„	„	10
11	„	„	„	„	„	„	„	·04	„	„	·62	„	11
12	·08	·03	„	·22	·43	„	„	·30	„	„	·31	„	12
13	„	·45	„	„	·82	„	„	·03	„	„	„	„	13
14	·11	·03	„	„	·09	„	·83	·07	·06	„	„	·43	14
15	„	·03	„	„	„	„	·02	·02	„	„	·07	·09	15
16	„	·28	„	„	„	„	·71	·06	„	„	„	·08	16
17	„	·26	„	„	1·07	„	„	·02	„	„	„	„	17
18	„	·11	„	„	·17	„	„	„	„	„	„	„	18
19	„	·01	·07	·04	·03	„	·13	„	„	„	„	·20	19
20	34	„	„	„	·13	„	„	„	„	„	„	„	20
21	·06	„	„	„	„	„	„	„	„	„	„	·05	21
22	·59	·10	„	„	„	„	·80	„	·04	„	„	·14	22
23	„	·07	·39	„	„	„	·25	„	·10	·48	„	·29	23
24	„	„	„	„	„	·06	·15	„	·67	·25	„	·25	24
25	„	„	„	„	„	·01	·05	„	„	·03	„	·17	25
26	„	·08	„	·06	„	·05	·16	„	·02	„	„	·42	26
27	„	„	„	„	„	·05	·16	„	„	·29	„	·05	27
28	„	·03	„	„	„	·22	„	„	1·16	·12	„	„	28
29	„	✕	„	„	„	·01	„	·10	„	„	·05	·04	29
30	·04	✕	„	„	„	„	·04	„	„	·28	·23	·04	30
31	„	✕	„	✕	„	✕	„	·08	✕	·70	✕	·16	31
Total	3·43	3·18	~~·81~~ 1·06	~~1·10~~ ·85	2·78	·42	~~4·47~~ 4·45	2·17	2·15	2·28	1·82	4·88	YEAR'S TOTAL 29·47 29·43
Rain Days.	16	19	8	7 8	9	7	17	18	8	8	7	23	148 148

W. 8,000. X. 15.

LN.

ALL IN 1915

FORM A. BRITISH RAINFALL
8. JAN 1916

Kept at Hitcham Grange Taplow
in the County of Bucks
by The Honble C Irby.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Taplow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·58	·18	·07	·01	"	"	·17	"	·04	"	·30	·28	1
2	·13	·28	·30	·02	·03	·02	·15	1·04	·06	·13	"	·27	2
3	·47	"	·05	·10	·01	"	"	·03	"	"	"	·34	3
4	·10	"	"	"	"	"	·01	·02	"	"	"	·23	4
5	·03	·36	·14	"	"	"	·55	·01	"	"	"	·25	5
6	·24	·10	·02	·20	"	"	"	·04	"	"	"	·15	6
7	·23	·19	"	"	"	"	·27	·08	"	"	"	·29	7
8	·12	·55	"	"	"	"	"	·07	"	"	"	·59	8
9	·01	·04	"	·20	"	"	"	·03	"	"	·24	·07	9
10	·30	"	·02	"	"	"	"	·13	"	"	"	"	10
11	"	"	"	"	"	"	"	·04	"	"	·62	"	11
12	·08	·03	"	·22	·43	"	"	·30	"	"	·31	"	12
13	"	·45	"	"	·82	"	"	·03	"	"	"	"	13
14	·11	·03	"	"	·09	"	·83	·07	·06	"	"	·43	14
15	"	·03	"	"	"	"	·02	·02	"	"	·07	·09	15
16	"	·28	"	"	"	"	·71	·06	"	"	"	·08	16
17	"	·26	"	"	1·07	"	"	·02	"	"	"	"	17
18	"	·11	"	"	·17	"	"	"	"	"	"	"	18
19	"	·01	·07	·04	·03	"	·13	"	"	"	"	·20	19
20	34	"	"	"	·13	"	"	"	"	"	"	"	20
21	·06	"	"	"	"	"	"	"	"	"	"	·05	21
22	·59	·10	"	"	"	"	·80	"	·04	"	"	·14	22
23	"	07	·39	"	"	"	·25	"	·10	·48	"	·29	23
24	"	"	"	"	"	·06	·15	"	·67	·25	"	·25	24
25	"	"	"	"	"	·01	·05	"	"	·03	"	·17	25
26	"	·08	"	·06	"	·05	·16	"	·02	"	"	·42	26
27	"	"	"	"	"	·05	·16	"	"	·29	"	·05	27
28	"	·03	"	"	"	·22	"	"	1·16	·12	"	"	28
29	"		"	"	"	·01	"	·10	"	"	·05	·04	29
30	·04		"	"	"	"	·04	"	"	·28	·23	·04	30
31	"		"		"		"	·08		·70		·16	31
Total	3·43	3·18	~~·81~~ 1·06	~~1·10~~ ·85	2·78	·42	~~4·47~~ 4·45	2·17	2·15	2·28	1·82	4·88	YEAR'S TOTAL 29·47
Rain Days.	16	19	8	~~9~~ 8	9	7	17	18	8	8	7	23	148

148

W. 8,000. X. 15.

1038

FORM A.
BRITISH RAINFALL.
4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Hitcham Grange, Taplow
in the County of Bucks
by The Honble C. Irby

Lat. .... Long. ....
Time of Observation 9
Nearest Railway Station Taplow G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ...... ft. 9 in.
" " " " Sea Level ...... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	..	·06	..	·40	..	..	..	·16	..	·35	..	1
2	·28	·03	·05	..	..	..	..	..	·10	·51	·03	..	2
3	..	·46	..	..	·01	..	..	..	·16	·22	·12	..	3
4	·18	·06	..	..	·07	·30	..	..	·14	·03	·36	..	4
5	·03	·01	..	..	·06	·19	..	..	..	·05	·39	..	5
6	·02	·07	·14	·15	·01	·08	·31	..	..	·04	·32	..	6
7	·01	..	·17	..	·15	·06	..	..	..	·03	·67	..	7
8	..	..	·04	..	·18	·15	·16	..	..	..	..	·34	8
9	..	·03	..	..	·22	..	..	..	..	·06	..	·14	9
10	·01	·36	·07	·05	·01	·41	·01	..	..	..	..	·01	10
11	·03	..	·02	·11	·10	·29	..	..	..	..	..	·11	11
12	..	·04	·08	·03	..	·06	·06	·14	..	·11	..	..	12
13	..	·35	·36	·08	..	·05	·05	·62	..	·02	..	..	13
14	..	·31	·05	·02	·15	..	..	·11	..	·11	..	..	14
15	..	·27	·19	..	..	..	·10	·22	..	·03	..	·08	15
16	·02	..	·36	·19	..	..	·26	·40	..	..	..	..	16
17	·08	·11	..	·05	..	..	..	·73	·31	·56	..	..	17
18	..	·08	·05	·11	..	..	..	·51	·12	·28	·57	..	18
19	·05	..	·21	·21	..	..	..	..	·07	..	·52	..	19
20	·16	..	·20	..	..	..	..	..	..	..	·02	·61	20
21	·01	..	·66	..	..	..	..	..	..	..	..	·30	21
22	..	..	·01	..	..	..	..	..	..	·04	..	·40	22
23	·03	·20	..	..	..	·26	..	·04	..	·02	·01	·06	23
24	..	·37	..	..	..	·22	..	·03	..	·23	·05	·27	24
25	..	..	·09	..	·15	..	..	·12	..	·31	·15	..	25
26	..	·09	·02	..	..	·11	..	·13	..	·12	..	..	26
27	·09	..	·66	..	..	·12	..	·27	..	·11	..	..	27
28	..	·20	·08	..	..	·05	..	..	..	·04	..	·13	28
29	..	·14	..	..	..	·30	..	1·01	·03	·36	..	·14	29
30	..	X	..	·60	..	..	..	·03	..	·44	..	..	30
31	..	X	..	X	..	X	..	·06	X	·16	X	·11	31
Total	1·15	3·18	3·57	1·60	1·51	2·65	·95	4·42	1·09	3·88	3·56	2·70	YEAR'S TOTAL 30·26
Rain Days.	15	18	21	11	12	15	7	15	8	23	13	13	170

W. 8,000, VIII. 16

1008

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Hitcham Grange
in the County of Buckingham
by The Hon^{ble} C Irby.

Lat. 51·30N Long. 0-35 W
Time of Observation 9 am
Nearest Railway Station Taplow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	〃	〃	〃	·14	〃	〃	〃	·90	·05	〃	·06	〃	1
2	〃	〃	〃	〃	〃	·07	〃	·02	〃	〃	〃	〃	2
3	〃	〃	〃	〃	〃	〃	·05	〃	〃	〃	·05	·01	3
4	〃	〃	·01	·30	〃	〃	·25	·28	〃	·39	·01	〃	4
5	·28	〃	〃	·39	〃	〃	〃	·21	〃	·43	〃	〃	5
6	〃	〃	·15	〃	〃	·01	·10	〃	·07	·16	·12	〃	6
7	·22	〃	〃	·26	〃	〃	·79	〃	〃	·19	·10	·20	7
8	·29	〃	·08	〃	〃	〃	·17	〃	〃	·26	〃	〃	8
9	〃	·06	〃	·05	〃	〃	〃	·07	·15	〃	〃	〃	9
10	〃	〃	·09	〃	〃	〃	〃	·38	·04	〃	·21	〃	10
11	·40	〃	〃	·31	〃	〃	〃	·12	〃	·20	·02	〃	11
12	〃	〃	·47	〃	〃	〃	〃	〃	〃	·50	〃	〃	12
13	·10	〃	·11	〃	〃	〃	〃	·03	〃	·01	〃	〃	13
14	·01	〃	〃	·22	〃	〃	〃	·11	·05	〃	〃	〃	14
15	〃	〃	〃	〃	〃	〃	·75	·08	〃	〃	〃	·35	15
16	·02	〃	〃	·26	·08	·58	·09	〃	〃	〃	〃	〃	16
17	〃	〃	〃	·13	·78	·08	·27	〃	〃	·78	〃	〃	17
18	〃	〃	〃	·10	·07	·22	·17	·11	·15	·33	〃	〃	18
19	〃	·54	·08	〃	〃	·08	〃	·01	·28	·04	·06	〃	19
20	〃	〃	·03	〃	·48	〃	〃	〃	·40	〃	〃	〃	20
21	〃	〃	·05	〃	〃	·01	·20	〃	·05	〃	〃	〃	21
22	〃	〃	〃	〃	〃	〃	〃	〃	〃	·01	〃	·05	22
23	〃	〃	〃	〃	·06	〃	〃	·06	〃	〃	〃	〃	23
24	〃	·13	〃	〃	〃	·06	〃	〃	〃	〃	·03	〃	24
25	〃	·04	〃	〃	〃	〃	〃	·15	〃	·48	〃	〃	25
26	〃	〃	〃	〃	·56	〃	〃	〃	〃	〃	〃	〃	26
27	〃	〃	〃	〃	〃	〃	〃	·37	〃	〃	·24	·01	27
28	〃	〃	·10	〃	·06	1·35	〃	·56	〃	〃	〃	·02	28
29	〃	〃	〃	〃	〃	·03	·41	〃	〃	·51	〃	·13	29
30	〃	X	·16	〃	〃	〃	1·28	·10	〃	〃	〃	〃	30
31	〃	X	·07	X	〃	X	·30	·15	X	〃	X	〃	31
Total	1·32	·77	1·40	2·16	2·09	2·49	4·83	3·71	1·24	4·29	·90	·77	YEAR'S TOTAL 25·97
Rain Days.	7	4	12	10	7	10	13	18	9	14	10	7	121

W. 8,000, IX. 17.

2.91

W D.L Cor. for auth & lysuw. dats.

10

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

16 5 19

✓Kept at Hitcham Grange

in the County of Buckingham

by Honble C Irby

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Taplow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	"	·03	"	"	"	"	"	"	·25	·11	1
2	"	"	"	"	"	"	"	·30	"	"	·20	"	2
3	"	·04	"	·20	·45	"	"	·36	·05	"	·42	"	3
4	"	·07	·05	"	·10	"	"	·01	·37	"	·32	"	4
5	"	·14	·04	"	"	"	"	·12	·33	·10	"	·11	5
6	·01	·06	"	"	"	"	"	·10	"	"	"	"	6
7	·23	·07	"	·33	·35	"	"	·04	·20	·05	·13	"	7
8	·01	·10	"	"	"	"	"	·18	"	"	"	·09	8
9	"	·04	"	·16	"	·28	·30	"	·10	·23	"	·28	9
10	·01	"	"	·06	"	"	·47	"	·25	·01	·05	·14	10
11	"	"	"	·02	·05	"	(·30)	"	·13	·35	"	"	11
12	·08	"	"	"	"	"	"	"	·35	"	"	"	12
13	"	"	"	"	·29	"	·25	"	·15	"	"	·17	13
14	·15	"	·05	"	"	·16	·06	"	·30	·22	"	·19	14
15	·86	"	"	·50	"	"	·16	"	·02	"	"	"	15
16	·27	"	"	·65	"	·05	"	"	·98	"	"	"	16
17	·21	"	"	·20	"	"	·34	"	·37	"	"	·10	17
18	·50	"	"	"	"	·18	·30	"	·16	·10	"	"	18
19	·05	"	·10	·03	"	·03	·16	·06	"	·05	"	·11	19
20	·01	·08	"	·45	"	·04	·12	"	·30	·16	"	"	20
21	·08	·02	"	·53	"	"	·08	"	"	"	"	"	21
22	·03	"	"	"	1·04	"	·07	"	·08	"	"	·20	22
23	·10	"	"	"	·20	"	·86	·07	·04	"	"	"	23
24	"	·21	"	"	"	"	·06	"	·06	·01	"	"	24
25	"	"	"	"	"	"	·36	·26	"	"	"	"	25
26	"	"	·20	"	"	"	·45	·26	"	"	·38	·11	26
27	"	"	"	"	"	"	·01	·05	·05	·05	·09	·01	27
28	"	·07	"	·06	"	"	"	"	"	"	·03	·23	28
29	"	✕	"	"	"	"	"	"	1·10	"	·04	"	29
30	"	✕	·40	"	"	"	"	"	·09	·05	·05	·10	30
31	"	✕	·06	✕	"	✕	"	·13	✕	"	✕	"	31
Total	~~2·52~~ 2·60	·90✓	·90	3·22	2·48	·74	4·35✓	1·76✓	5·66✓	1·38	1·96	1·95	YEAR'S TOTAL ~~27·82~~ 27·90
Rain Days.	~~14~~ 15	11✓	7	13	7	6	~~16~~ 17	12✓	22✓	12	11	14	~~145~~ 147

W, 6,500, VII. 18. W W C

951

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Hitcham Grange
in the County of Buckingham
by The Hon^ble Cecil S Irby.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Taplow G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following: Nil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	..	..	..	·18	..	·05	..	..	·08	..	1·23	1
2	·20	..	..	..	..	..	·05	·08	·08	..	·14	·17	2
3	..	..	·30	..	..	·05	·10	..	·05	..	..	·43	3
4	·42	..	·34	..	..	..	·10	..	·03	..	..	·14	4
5	..	·20	·85	..	..	..	1·72	..	·39	..	·04	·25	5
6	·08	..	·09	..	..	..	..	..	..	..	..	·06	6
7	..	..	·42	..	..	..	..	..	..	..	..	..	7
8	·17	..	·05	·06	..	..	..	..	..	..	..	..	8
9	..	..	..	..	..	..	..	..	..	..	..	..	9
10	·06	..	·11	..	..	..	..	..	..	·02	..	·09	10
11	·05	..	·09	·26	..	..	·11	..	..	..	..	·03	11
12	..	..	·03	..	..	·12	·15	..	..	..	..	..	12
13	..	..	..	·21	..	..	..	..	..	..	..	·03	13
14	·75	..	..	·62	..	..	·09	..	..	..	..	..	14
15	..	..	·15	·09	..	..	..	..	·71	..	..	·48	15
16	..	·62	..	·05	..	..	..	..	..	..	·03	..	16
17	..	·30	..	..	..	..	..	..	·04	..	·12	·02	17
18	..	·10	·22	..	..	..	..	..	..	..	·23	·03	18
19	..	·17	·71	..	..	·22	·66	·13	·12	..	·11	..	19
20	·25	..	·16	..	..	·56	·17	·10	..	..	·09	..	20
21	·25	·32	·01	..	..	·03	·10	·07	·60	..	·01	·07	21
22	..	·16	..	..	..	·01	·15	..	·04	·12	·01	·37	22
23	..	..	..	..	..	..	..	·02	..	·30	·02	..	23
24	..	..	..	·08	·10	..	·13	·02	..	..	..	·08	24
25	·05	..	..	..	..	..	..	·43	·06	..	..	·02	25
26	·15	·24	·12	·03	..	..	..	·05	..	..	..	·27	26
27	·60	..	·03	·68	..	..	..	·36	..	..	..	·06	27
28	..	..	·19	·05	..	..	..	·60	..	·15	..	·32	28
29	..	✕	..	·05	..	..	..	·21	..	..	·33	·03	29
30	..	✕	..	·20	..	·14	..	·17	..	..	·31	·46	30
31	..	✕	..	✕	..	✕	..	..	✕	..	✕	·04	31
TOTAL	3·38	2·11	3·87	2·38	·28	1·13	3·58	2·24	2·12	·67	1·44	4·68	YEAR'S TOTAL 27·88
Days with ·01 in. or more	13	8	17	12	2	7	13	~~11~~ 12	10	5	12	22	~~132~~ 133

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

905

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hitcham grange, Taplow
in the County of Buckingham
by The Honble C S Irby.

Lat 51·30 N Long 0·20 W
Time of Observation 9 am
Nearest Railway Station Taplow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·30

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	"	"	·47	·17	"	·20	"	"	·33	"	·20	1
2	"	"	"	"	"	"	·17	·69	·15	·48	"	·04	2
3	"	"	"	·16	"	"	·47	"	"	·01	"	·07	3
4	"	·06	"	·14	"	"	"	·08	"	·24	"	"	4
5	"	"	·07	·07	"	"	1·03	"	"	"	"	·12	5
6	"	"	·17	"	·15	"	·50	"	"	"	"	"	6
7	"	"	·01	·27	"	"	·12	"	"	"	"	"	7
8	·02	"	"	·27	·11	"	·08	·06	"	"	"	"	8
9	·29	"	"	·12	"	"	·01	"	"	"	"	"	9
10	·55	·08	·05	·04	"	·04	·12	"	"	"	"	"	10
11	·07	"	·08	"	·05	·06	·17	"	"	"	"	·05	11
12	·05	"	·16	·33	"	1·33	"	"	"	"	"	"	12
13	·13	"	·33	·12	"	"	"	"	"	"	"	"	13
14	·01	"	·11	·28	"	"	·09	"	"	·45	·04	·01	14
15	"	"	"	·20	"	·11	"	"	·18	·39	·18	"	15
16	"	"	"	·15	"	·02	"	"	·16	"	·05	"	16
17	·02	"	"	·12	·17	·23	·05	"	·27	·20	·07	·02	17
18	·08	"	"	"	·02	·07	"	·60	·10	·10	"	·02	18
19	·06	"	"	·05	"	"	"	"	"	"	"	"	19
20	"	·11	"	·21	"	"	"	"	"	"	"	·02	20
21	"	"	"	·25	"	·63	·62	·03	·26	"	"	"	21
22	"	"	"	·05	"	"	"	·05	·08	"	"	·48	22
23	"	"	"	·25	"	"	1·50	·02	"	"	"	·37	23
24	"	"	·04	"	"	"	"	"	"	"	"	"	24
25	"	·05	·10	"	"	"	·26	"	"	"	"	"	25
26	·10	·05	·09	"	·06	"	·63	"	"	"	"	·02	26
27	·20	"	·01	·23	"	·10	·21	"	"	"	·21	·12	27
28	·34	"	·24	"	·21	·05	·16	"	"	"	·13	·02	28
29	·17	"	·07	"	·01	"	"	"	"	"	·25	·16	29
30	·04	X	"	"	·05	·05	·38	"	"	"	·17	·17	30
31	"	X	"	X	"	X	"	"	X	·73	X	·06	31
													YEAR'S TOTAL
TOTAL	2·13	·35	1·53	3·78	1·00	2·69	6·77	1·53	1·20	2·93	1·10	1·95	26·96
Days with ·01 in. or more	15	5	14	20	10	11	19	7	7	9	8	17	142
Days with ·04 in. or more	12	5	12	20	8	10	18	5	7	8	8	11	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8l

Sa

168a

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

BUCKS

IVER

1911 + 1912 ONLY

—

19 11

Kept at Iver

in the County of B

by A. Chapm

er of top 5 in.

of top above Ground 3 ft. 0 in.

" " Sea Level 160 ft. about

tion

y Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01	·01										1
2					·21			·05			·20		2
3					·14						·07		3
4		·02	·06	1·02					·01				4
5		·01									·17	1·63	5
6			·14	·05									6
7				·02						·32	·22		7
8			·21										8
9			·05	·02				·01					9
10		·06	·12		·08								10
11		·01			·01						1·09	·02	11
12			·49		·09								12
13			·04		·09				·41	·11		·46	13
14		·07	·01		·14							·35	14
15		·06	·10							·02	·03	·02	15
16			·05			·26					·31	·04	16
17						·19				·01	·38	·20	17
18		·15	·09			·18						·23	18
19						·28			·21	·07		·15	19
20		·04	·01					·20	·10	·04	·60	·63	20
21		·06						·31		·41		·07	21
22			·08							·07		·45	22
23		·06	·09			·48						·08	23
24		·11	·03			·05	·01	·05	·20	·79	·05	·14	24
25		·04	·01	·10	·06	·14	·37			·02		·02	25
26		·03		·16	·05	·08	·03			·14		·28	26
27		·41	·06	·02			·11		·10			·18	27
28		·31		·23	·05			·08			·04		28
29				·08		·18	·10		·19	·19	·01		29
30				·02	·14	·02		·13	·01			·01	30
31					·15					·12			31
Total	1·22	1·45	1·65	1·72	1·21	1·86	·62	·83	1·23	2·31	3·17	4·96	TOTAL for year 22·23
No. of Rain Days	16	16	18	?14	12	10	?7	?8	?	?	?	?	...

9,000, IX. '10.

81 S

1911

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Iver

in the County of Buckinghamshire 4

by A. Chapman

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 0 in.
" " " Sea Level 160 ft. about

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01	·01										1
2					·21			·05			·20		2
3					·14						·07		3
4		·02	·06	1·02					·01				4
5		·01									·17	1·63	5
6			·14	·05									6
7				·02						·32	·22		7
8			·21										8
9			·05	·02				·01					9
10		·06	·12		·08								10
11		·01			·01						1·09	·02	11
12			·49		·09								12
13			·04		·09				·41	·11		·46	13
14		·07	·01		·14							·35	14
15		·06	·10							·02	·03	·02	15
16			·05			·26					·31	·04	16
17						·19				·01	·38	·20	17
18		·15	·09			·18						·23	18
19						·28			·21	·07		·15	19
20		·04	·01					·20	·10	·04	·60	·63	20
21		·06						·31		·41		·07	21
22			·08							·07		·45	22
23		·06	·09			·48						·08	23
24		·11	·03			·05	·01	·05	·20	·79	·05	·14	24
25		·04	·01	·10	·06	·14	·37			·02		·02	25
26		·03		·16	·05	·08	·03			·14		·28	26
27		·41	·06	·02			·11		·10			·18	27
28		·31		·23	·05			·08			·04		28
29				·08		·18	·10		·19	·19	·01		29
30				·02	·14	·02		·13	·01			·01	30
31					·15					·12			31
Total	1·22	1·45	1·65	1·72	1·21	1·86	·62	·83	1·23	2·31	3·17	4·96	TOTAL for year 22·23
No. of Rain Days	16	16	18	?14	12	10	?7	?8	?	?	?	?	…

Jl ✓ 12 Rn 164

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Iver

in the County of Buckinghamshire 4

by A. Chapman

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2		·02											2
3	·04		·36										3
4	·24		·59										4
5	·20	·07	·05										5
6	·46	·02											6
7	·01												7
8	·41	·26											8
9	·02	·19	·34										9
10	·01	·04											10
11	·09	·19											11
12	·07	·09	·08										12
13													13
14			·02										14
15		·04	·20										15
16	·38	·01	·07										16
17	·69		·16										17
18	·08		·20										18
19	·09	·09	·11										19
20	·03	·01	·12										20
21	·01	·04	·43										21
22	·19	·14											22
23	·34	·39											23
24	·40	·01											24
25	·06		·47										25
26		·01											26
27													27
28		·03											28
29		·02											29
30													30
31			·24										31
Total	3·82	1·67	3·44 ✓										TOTAL for year
No. of Rain Days.	21	19											

W. 8,000, X. '11.

R 11

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

LANGLEY
THE FIRS
BUCKS
1911 - 1920

Kept at Lang
in the County of B
by R.H. M

Glaisher
8 in.
ove Ground ft. 10 in.
„ Sea Level 85 ft.
9. a.m
Name Langley G.W.
Distance mile 5/8 Direction NNE

IMPORTANT NO nd the result entered to the previous day. If an C niversal rule, he is earnestly requested to add the re year in the space provided for it at the end of th rement of rain, the selection and plac British Rainfall Organization are given on application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04			.63			.02	03				.01	1
2	.09		.01	.32	.24			02			.19	05	2
3	02	.02			.15						.08	.07	3
4	07		.07	05					.01	.04	08	29	4
5	–			.07						.13	.09	.02	5
6	34		.16	.03								.39	6
7	.01										.27	.18	7
8	.12		.19							.08	13	.26	8
9	.09		.03					.02				07	9
10	.02	.07	.11		.01						05	.49	10
11	.28										.61		11
12			.47		.14						.24		12
13			.07		.04				.36	.22		.52	13
14		.06	.06		.13							.38	14
15		.06	.09							.02	.04	05	15
16			.03			.18					.29	05	16
17			.02			.18					.36	.21	17
18		.20				.17					.45	.22	18
19						.30	.02		.23	.07	.22	.16	19
20		.02				.01		.10	.09			.63	20
21	03	.08						.24		.46		.10	21
22	.07		.10					.02		.08		.47	22
23		.06	.10			.45			.18		05	.08	23
24		.09	.03			.06				.87		.13	24
25		.03		.10	.02	.18	.34	.04	.01	.05		.02	25
26				.16	.07	.04				.13		.26	26
27		.40	.07	.03			.10		.11			.17	27
28		.26		.24				.10			.05	.01	28
29				.10		.16	.12		.18	.18			29
30				.04	.05	.01		.01	.02	.14	01		30
31					.20								31
Total	1.18	1.35	1.61	1.77	1.05	1.74	.60	58	1.19	2.47	3.21	5.29	TOTAL for year 22.04
No. of Rain Days.	12	12	16	11	10	11	5	9	9	13	17	26	151

W. 8,000, X. '11.

R 11

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

Kept at Langley

in the County of Bucks 4

by R.H. Major

Rain Gauge
Pattern Glaishier
Diameter of top 8 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 85 ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Langley G.W.
Distance 5/8 mile Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	04			.63			.02	03				.01	1
2	.09		.01	.32	.24			02			.19	05	2
3	02	.02			.15						.08	.07	3
4	07		.07	05					.01	.04	08	29	4
5	–			.07						.13	.09	.02	5
6	34		.16	.03								.39	6
7	.01										.27	.18	7
8	.12		.19							.08	13	.26	8
9	.09		.03					.02				.07	9
10	.02	.07	.11		.01						05	.49	10
11	.28										.61		11
12			.47		.14						.24		12
13			.07		.04				36	.22		.52	13
14		.06	.06		.13							.38	14
15		.06	.09							.02	.04	05	15
16			.03			.18					.29	05	16
17			.02			.18					.36	.21	17
18		.20				.17					.45	.22	18
19						.30	.02		23	.07	.22	.16	19
20		.02				.01		.10	.09			.63	20
21	03	.08						.24		.46		.10	21
22	.07		.10					.02		.08		.47	22
23		.06	.10			.45			.18		05	.08	23
24		.09	.03			.06				.87		.13	24
25		.03		.10	.02	.18	.34	.04	.01	.05		.02	25
26				.16	.07	.04				.13		.26	26
27		.40	.07	.03			.10		.11			.17	27
28		.26		.24				.10			.05	.01	28
29				.10		.16	.12		.18	.18			29
30				.04	.05	.01		.01	.02	.14	01		30
31					.20								31
Total	1.18	1.35	1.61	1.77	1.05	1.74	.60	58	1.19	2.47	3.21	5.29	TOTAL for year 22·04
No. of Rain Days.	12	12	16	11	10	11	5	9	9	13	17	26	157

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

18 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Langley
in the County of Bucks 4
by R. H. Major

Lat. 51 30 N Long. 0 33 W
Time of Observation 9 am
Nearest Railway Station Langley G.W.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	04	03	–	.09	.28	–	02	27	–	14	1
2		03	.08			.09	.36	.03		03			2
3	03		07			24	.02	28				.06	3
4	19	.01	.64		.11	.27		.02			.23		4
5	.21	04	.04					40			.02	.01	5
6	.49	.02				.04		15				.09	6
7					.08	64	.02	.24				.05	7
8	42	.29	.30			.11		.40				.01	8
9	.01	.15	.10			.23	.03	.02	.01			.18	9
10	.02	03				.02		41			07	21	10
11	08	.22						05				17	11
12	04	.09	.09		.30	.14					05		12
13	.01										.05		13
14			.02		.02			.16		.05			14
15	.03	.03	.17		22	.52		.02				.25	15
16	32		.07		.09	.11		.05		.05	.03		16
17	53		.13			.03		.07				.02	17
18	18		.22					.32				.11	18
19	.09	.08	.10				16	.39					19
20	02		.13			.03	.03	.29		.38	.02	–	20
21	.01	04	46		31		.04	.18		.04	08		21
22	20	.14	05		.04			.16				03	22
23	34	36	.37					.41		.07	.17	.17	23
24	46					03		19			07	.17	24
25	13					.19		39			28	.53	25
26			.01				.01	35		46	36	27	26
27						04				.19		.22	27
28		.04				.02		10	22	36	.42	17	28
29		.03				.19	.32	24	1.55	.22	02		29
30					29			02	.85	20			30
31			.23		.14		20	15				.06	31
Total	3.81	1.60	3.32	.03	1.60	3.03	1.47	5.49	2.65	2.32	1.87	2.92	YEAR'S TOTAL 30.11
Rain Days.	21	16	20	1	10	19	11	27	5	12	14	20	176

W. 7,500, XI. 12

[illegible]

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9 - JAN 1914

Kept at Langley [illegible]

in the County of Bucks

by R H Major 4

Lat. 51 30 Long. 0.33 W.

Time of Observation 9 am.

Nearest Railway Station Langley G.W.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 10" in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.17	.06	.10		.03			31	03	.08	10	1
2	05	.10		.01			.06		.03	.16	04	01	2
3	.02		.05	.19	45					.12		05	3
4	23				08		.04			.11	02	.09	4
5	.08					05	.08	.01	·33	.01		02	5
6		01	.09			.09	.08		.02	43	13	18	6
7		.14			.08	.01		.16		17	08		7
8		03			.09	.06				07	02		8
9		.17			.02				.07		02	.02	9
10	01		.07	04	.07		.05	01			·36		10
11	.52			.44	.02					.69	.40		11
12					.08						.18		12
13	.02	.02						.01	.10		.20		13
14	07		.10	.05			32	.10		.11	.02	03	14
15	15	.06	.14	.22			.14		22				15
16	13		.29	.14					.17				16
17	02		.07	.06			.17					.06	17
18			.15	.08					.07		.07		18
19	36		.02		.04		.10		.19			03	19
20	.08		.05			.17				43			20
21		.02	.18	.08			.02			15	.72		21
22	·46		.25	.02				.08	·14				22
23						02		.12	.02			35	23
24				.04				.02					24
25				.14							02	.02	25
26		.08	16	.10				.05		.56		.18	26
27				.08	.10					03			27
28	.39		23	.14						11			28
29	.03		.06	.43	.48			.08		.04			29
30	·24			.04				05		.30			30
31			.08					·48				02	31
Total	287	.80	2.05	2.40	157	.43	1.06	1.17	1.67	352	2.36	1.16	YEAR'S TOTAL 21.00
Rain Days.	18	10	17	19	11	7	10	12	12	17	15	14	162

W. 7,500, XI. 12

Ex. Mg.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

8 JAN 1915

Kept at The Firs, Langley
in the County of Bucks. 4
by R. H. Major

Lat. 51 30 N Long. 0 33 W.
Time of Observation 9 a.m
Nearest Railway Station Langley G.W.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.10				–	.07			03	.03	1
2			–				.18	.25			04	20	2
3			.03		.17		20				.09	.02	3
4	.10		–	.18			.01	.07			.34	.28	4
5	.05		.09	.23	15	.05	33	.42					5
6		.12	.03	.04	03	13	03	.01			13	.14	6
7		.26	.16	.12	1.00	03	08					.10	7
8	.04	.22	.54		.01	07	.08	.12					8
9	.15		.53	.05		30			.08			1.59	9
10		.18	.05	.03	.07				21			.02	10
11		.18	.37			.12			.03		35	.23	11
12	.01	.09	.12				.43		.17			.35	12
13		.20	.08						15	.02	.02	.48	13
14		.08	.39				.06			.45	.07	.39	14
15	.07		.10				.02	.04			.02		15
16			.02				.02		.08		.02		16
17		.34	–						.06			.16	17
18			24				.07					37	18
19		07	.24								.12	21	19
20		.26	.17						.01			14	20
21		.57	.04							.05			21
22		.05	.02		11	14	.08	.03		.18			22
23		.10	.08		24	03	.15			.10			23
24			.06		.01		.01	.01		.05	.10		24
25	.02		.09				.02	.14		24		.14	25
26			.11				.13	.02		.05	.21	.52	26
27	.04										.03	.18	27
28		05			.02					.08	.30	1.14	28
29	.05		.12							.21	.07		29
30	.01	✕	03							06	44	34	30
31		✕		✕	11	✕	.02		✕	.01	✕	.06	31
Total	.54	2.71	3.81	.65	1.92	.87	1.92	1.18	.79	1.50	2.38	7.09	YEAR'S TOTAL 25.36
Rain Days.	10	15	25	6	11	8	18	12	8	12	17	22	164

W. 8,000. X. 14.

1080

REGISTER OF RAINFALL IN 1915

Kept at The Firs Langley
in the County of nr Slough Bucks
by R. H. Major 4

Lat. 51.30 Long. 0.33 W
Time of Observation 9 a.m.
Nearest Railway Station Langley G.W.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 85 ft.

FORM A. BRITISH RAINFALL. 3 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	50	15	05		03		04		.07	06	23	35	1
2	.09	12	22	11		.03		.85	03	06		.20	2
3	55		.05	07				.06	06			36	3
4	03							.04				23	4
5	03	38			03			.02		03		30	5
6	25	06	04	18			.61					30	6
7	30	25	02				39	.05				16	7
8	14	60	03	05				.07					8
9		.07		.28		08		02			25	.64	9
10	.26							.04				13	10
11			05					.06			.67		11
12	.07	.04		.32	.41			16			.34		12
13		.63			1.16								13
14		.02					.93	23	.07			45	14
15	07				.07		.01	06			08	08	15
16		.40					63	22				07	16
17		30			1.20		.01						17
18		.14	.05		.16								18
19			02		.02		.09						19
20	30			03						.01		.17	20
21	07	.06			03					.02		05	21
22	.96	03	33				.59					13	22
23	.02	15	03				.41		44	57		23	23
24						02	43		55	37		17	24
25				07		06	45			01		07	25
26		04				05	23					.46	26
27						73	01					.03	27
28		05							1.17	.29		.02	28
29						.07	03	13		.02	15		29
30	03	X				.16				30	.19	04	30
31		X		X		X			X	63	X	18	31
Total	3.67	349	·89	1.11	3.11	120	486	201	239	237	1.91	482	YEAR'S TOTAL 31·83
Rain Days.	16	18	11	~~32~~ 8	~~120~~ 9	~~73~~ 8	~~.93~~ 15	~~85~~ 14	~~117~~ 7	~~63~~ 12	~~67~~ 7	~~.64~~ 23	3183 148

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Langley

in the County of Bucks.

by R. H. Major

Lat. 51.30 Long. 0 33 W
Time of Observation 9 am
Nearest Railway Station Langley G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	05		.06		.44				.28	07	.26		1
2	24	.03	.09		.18				.03	45	.13		2
3		.55	.06		.01		.02		.12	15	.26		3
4	.21	.04				.39			13	.09	.57		4
5	02	.01			.10	.19	.04			05	.65		5
6		.08	.27	16		01	25			.03	.42		6
7	.03		28		.08	16	.04				.92	10	7
8			.01		.22	02						.24	8
9					.19	23				06		.11	9
10		23	.07	05		.22	.02					.06	10
11	.03	10	09	13	.02	.23						08	11
12		.02	02	02	10	08	07	.20		.07			12
13		26	31	.09		05	05	17	.02	.01			13
14		.42	–	.01	.05			.44				.12	14
15		26	25				.10	.09					15
16		01	.44	.14			.33	.26					16
17	.13	.12					.01	.76	24	.49			17
18	.03		05	.15				61	13	.26	.76		18
19	04		22	.16					.36		.54		19
20	.14		23	.03								55	20
21			44				.03					37	21
22		03	.02		02	.02				.04	03	55	22
23	.05	.25				02		.02		05		06	23
24		06			.11	29		.05		21	03	31	24
25		57	08					.13		02	15		25
26		.16				12		.33		13			26
27	05		1.00			.02		25	05	25			27
28		33	.16			.02		06	03	.01		.12	28
29		.10				.21		1.20	.02	25	.02	13	29
30		×						04		46			30
31		×		×		×		.05	×	15	×	08	31
Total	102	363	415	94	152	228	.96	466	1.41	330	468	288	YEAR'S TOTAL 31.43
Rain Days.	12	20	20	.10	12	17	11	16	11	21	13	14	177

W. 8,000, VIII. 16

1020

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Langley

in the County of Bucks

by R. H. Major

Lat. 51 30 N Long. 0 33 W

Time of Observation 9 am

Nearest Railway Station Langley GWR

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		01		23				95	.03		.06		1
2		03		24		11		03			17		2
3				.04			.17	.33		.32	10		3
4		.27	21				.30	.10		31			4
5	.29		01	26				.25	.21	15	08		5
6			21	04		.07			.15	01	.12		6
7	.18						.18			.22			7
8	.23			.09			.82	10	.02	23	12	23	8
9			03	04				29			11	10	9
10	20		11	24				05			03		10
11	08		33	06					31	23			11
12	02		01					.36		.47			12
13	04		12	.03				.26	.02				13
14				.22				.05					14
15							28			04			15
16	03	11		21	.05	.01	24			53		53	16
17	.02			.12	.74		.30	.03	41	23			17
18		.08		05	.19	.27	.05		17	04			18
19	03	17	.12	.01					.37				19
20	02	08			.79		12	.05	01		05		20
21	.02					.13							21
22			10					.07		.06			22
23		16	01		.07			.10		.11	03		23
24		.02		—		.02		.02		25			24
25							.02						25
26			.04					35			30		26
27						.01		1.00				04	27
28						1.50		.08				03	28
29		X			.07	.01	2.65	02		26		13	29
30		X	38				1.55	08					30
31		X	.04	X		X	.38		X		X	04	31
Total	1.16	.93	1.72	1.88	1.91	2.13	7.06	4.57	1.70	3.46	1.17	1.10	YEAR'S TOTAL 2879
Rain Days.	12	9	14	15	6	9	13	21	10	16	11	7	143

W. 8,000, IX. 17.

Exd. E.F.E

22

REGISTER OF RAINFALL IN 19 18

FORM A. BRITISH RAINFALL.

8.1.19

Kept at The Firs Langley Bucks

in the County of

by R. H. Major

Lat. 51 30 N Long. 0.33 W.

Time of Observation 9 a m

Nearest Railway Station Langley G.W.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		01		05				~~77~~			25	08	1
2		11		12				.43			35	10	2
3		02	02	05	.54			.07	.02		35		3
4		06	08						.31		46		4
5		03			11			.08	25	12			5
6	.23	11		.24	17				06			08	6
7	01	07		.11	22			.04	05	10	09	.01	7
8	01	08							07	03	08	01	8
9		04		05		16	.35		.40	11		12	9
10	01			.12		01	29				02	36	10
11	01			.04	02		.61		.13	42	08	15	11
12		05			14		08					01	12
13	01				21		18		22			03	13
14	16		03			.19	04		23	14		18	14
15	1.18			.78			.22					12	15
16	24		01	39		03			63			03	16
17	.21			.14	05		29	06	02			14	17
18	.56					.22	05		41	.25		04	18
19	05	11	.05	.01		13	.27	02	06	03		.06	19
20				.89		03	08		14	11		.01	20
21	18	.01		.63			01		36				21
22	10				43		28		13			22	22
23	02			.01	20		54		02			04	23
24		.23				.08	28	.05	05		15		24
25							.14	14		02	01		25
26							.28			03	15	09	26
27				.05			.14	17	04		09	02	27
28		09	.24					.12			13	.20	28
29									1.08				29
30	01	X	35						.04		03	14	30
31	01	X		X		X		.06	X	.06	X	01	31
Total	3.00	1.02	.78	368	212	85	413	1.24	475	145	224	225	YEAR'S TOTAL
Rain Days.	17	14	7	16	10	8	18	11	22	12	14	24	173

27.51

W. 8,000, IX. 17.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** W 961

REGISTER OF RAINFALL IN 1919

Kept at The Firs Langley
in the County of Bucks
by R H Major

Lat. 51 30 N Long. 0 33 W
Time of Observation 9 am
Nearest Railway Station Langley GWR
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft 10 in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.01			10		.26			03	13	1.12	1
2	.20				.09		05	.06	08	05	01	12	2
3	.32		39				08		03		03	.41	3
4	08	09	.42			.07	16	.01	.05		05	.15	4
5	01	31	52	.03			16		.27			.25	5
6	05		05									05	6
7	06		29										7
8	.12		05	.04									8
9	.04		02		.04								9
10	.17		.075	.04						01	05	.10	10
11	03		.08	20	.01		29					.04	11
12	01		.06	.05		.08	05			.06			12
13	01			30						02	03		13
14	21			28			.09		.37				14
15	28	.01	.11	.08						02	02	48	15
16	.09	69									10	03	16
17		32									.22		17
18		11	.07								08	.03	18
19	.07	13	.97			.22	75	33			06		19
20	24	05	.13			.59	24	.12	.11		03		20
21	25	31				05	07				03	.03	21
22		08					.14		.16		02	43	22
23						.04		03			02	.01	23
24	~~04~~			.13		02	.09		.02	26	06	.06	24
25	.04	.01			04	.03		.44		.01			25
26	.10	26	.11	.04				.20	.14		01	.31	26
27	.79	.02	04	1.08			.02	53				05	27
28			30					63			25	25	28
29				10				19		10	05	.07	29
30		X		22		.14		12		01	.29	.42	30
31	.01	X		X		X			X	02	X	03	31
TOTAL	3 50	2 40	3 66	2.59	.28	1.24	2 45	2 66	1.23	.59	1.54	4 44	YEAR'S TOTAL 26.58
Days with ·01 in. or more	23.	14	19	13	5	9	14	11	9	11	20	21	169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1.12 in on Dec 1

5º WND 915

2 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Firs Langley
in the County of Bucks
by R. H. Major

Lat. 51.30 Long. 0.33 W
Time of Observation 9 a.m.
Nearest Railway Station Langley GW
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.34	.15		26		03	31		21	1
2							29	.51	04			06	2
3		.02		.51			51		04	.03			3
4		.05		08			05	.07	01	.22		05	4
5			06	04	03		.88					03	5
6			.19		09		.30					.04	6
7	.02		.02	24	08		.09						7
8		.04		20	13		35	.05					8
9	.24			03									9
10	.65		04		06	.09	09				.02		10
11	16		06	.21		02	.23					.08	11
12	.04			13		1.10							12
13	14		.09	12						.02	.08		13
14			.32	24		.12	03		.12	.14	14		14
15			.06	25		.09	01		.34	.10	08		15
16			.01	21		06			06	24			16
17	03				15	.47	01		.52	.04		05	17
18	.02							.54	14			02	18
19	.10			.13		.08		.02					19
20	06	13		14		.61						.02	20
21				.02			.61	.02	.41			.04	21
22				31								.53	22
23							.46	.06				.34	23
24	.02		06									.04	24
25		05	04		.02		.22					—	25
26	.05		15		55		41					.02	26
27	21	.04	01	.26		.10	.04				.38	.14	27
28	.39		.25		.09		15				09	.02	28
29	.33		06		02						.09	.14	29
30	03	✕			04	03	32		30		.24	18	30
31	01	✕		✕	01	✕			✕	.70	✕	.06	31
TOTAL	2.59	.36	1.45	3.52	1.45	2.77	5.31	1.27	2.04	1.80	1.18	2.13	YEAR'S TOTAL 25.84
Days with ·01 in. or more	17	6	15	18	13	11	20	5	11	9	8	19	154
Days with ·04 in. or more	11	5	12	16	9	9	17	5	9	7	7	14	121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NEWPORT PAGNELL
LOVAT BANK
BUCKS
1911 - 1916

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REC

Kept at Lorat-Bank
5 in.
ove Ground 2 ft. in.
in the County of Bu
, Sea Level 190 ft.
a m
by Fred^k J Tay
Name
Distance Direction

IMPORTANT NOTE
nd the result entered to the
previous day. If an Obse
niversal rule, he is earnestly
requested to add the readi
year in the space provided
for it at the end of this
rement of rain,
the selection and placing
British Rainfall
Organization are given in '
n application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			17				.01			02	02	1
2	.02			25	11			.04		01	09	11	2
3	.~~03~~	.02			20						06		3
4	.03	.03	.09	.03					.01	38	13	38	4
5								22		01		01	5
6	29								.05		.02	40	6
7	.02			1							25	13	7
8	.09		13							01	05	10	8
9	.12			.03							01	03	9
10	.02		14	.02							05	30	10
11	.25	10									58	01	11
12	.02		41							02	25		12
13			04		.03				.25	.06	03	47	13
14			.02		.07							23	14
15		.07	.09							03	13	01	15
16			.10		.01	.04					35	06	16
17						.04					04	19	17
18		27				.02					04	09	18
19					02	12	.06		24	04	28	03	19
20		.05	.02					24	26	07		42	20
21		11	.01					.02	.01	15		09	21
22			.04			.03				23		40	22
23	.01	11	.22			33	.20		.20			13	23
24		.07				30		.03		46		12	24
25		11	.03	.03	50	.14						02	25
26		.03		19	1.35	.03				16	13	11	26
27		.17	.12	.02			.14	.04	.16	01		06	27
28		.16		22		.02		16			07	.02	28
29				.08		.36	.12		26	17			29
30				09		.01		.03	.05	15		.01	30
31			.01		13			[illegible]		04			31
Total	.89	1.30	1.47	1.13	2.42	1.44	.52	79	1.49	2.00	2.58	3.95	TOTAL for year 1998
No. of Rain Days.	11	13	15	11	9	12	4	9	10	17	19	27	157

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REC

Kept at Lorat-Bank Newport Pagnell

in the County of Bucks 5

by Fredk J Taylor

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 190 ft.

Time of Observation 9 a m

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			17				.01			02	02	1
2	.02			25	11			.04		01	09	11	2
3	~~.03~~	.02			20						06		3
4	.03	.03	.09	.03					.01	38	13	38	4
5								22		01		01	5
6	29								.05		.02	40	6
7	.02										25	13	7
8	.09		13							01	05	10	8
9	.12			.03							01	03	9
10	.02		14	.02							05	30	10
11	.25	10									58	01	11
12	.02		41							02	25		12
13			04		.03				.25	.06	03	47	13
14			.02		.07							23	14
15		.07	.09							03	13	01	15
16			.10		.01	.04					35	06	16
17						.04					04	19	17
18		27				.02					04	09	18
19					02	12	.06		24	04	28	03	19
20		.05	.02					24	26	07		42	20
21		11	.01					02	.01	15		09	21
22			.04			.03				23		40	22
23	.01	11	.22			33	.20		.20			13	23
24		.07				30		.03		46		12	24
25		11	.03	.03	50	.14						02	25
26		.03		19	1.35	.03				16	13	11	26
27		.17	.12	.02			.14	04	.16	01		06	27
28		.16		22		.02		16			.07	.02	28
29				.08		.36	.12		26	17			29
30				09		.01		03	.05	15		.01	30
31			.01		13			[illegible]		04			31
Total	.89	1.30	1.47	1.13	2.42	1.44	.52	79	1.49	2.00	2.58	3.95	TOTAL for year 1998
No. of Rain Days.	11	13	15	11	9	12	4	9	10	17	19	27	157

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

7 - JAN 1913

Kept at Lovat-Bank Newport Pagnell

in the County of Bucks 5

by Fredk J Taylor

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.01		.02				28		11	1
2			.09			.09	40		06		01	01	2
3	.06				10	.11	.01	35	02			06	3
4	12		69		16	.12		.08			14		4
5	12	.08	14			10		28	04		13		5
6	23	.06			.02		03	56				05	6
7					.02	53		20	.05			.02	7
8	26	.19	20					13					8
9	03	11	.06	.05		37	01	.01				24	9
10		.06						.55			10	.01	10
11	12	.23				06					03	19	11
12	.09	.02	07		.02	.16					09		12
13								.07			08	01	13
14	.02	.01	06		11	02		14					14
15			11		17	14		03				14	15
16	69		.05		.07	15		.04		05			16
17	50		17			.07		.20				18	17
18	10		14					06		.02	.02	02	18
19	13	06	03				12	34			.01		19
20	02		12			.04	18	61		24			20
21			29		43			61		28	05		21
22	48	.07			.04		29	25		03		08	22
23	16	47	32				1.18	26		02	14	26	23
24	25	01				.04		.13				11	24
25						13		.51			30	37	25
26		.02	01			.05	46	73		40	23	21	26
27						.04	.09			39		23	27
28		.03					.01	33	05	29	.16	84	28
29		.01				05	30	.02	77	33	01	.01	29
30					30	.03	45		27	26			30
31			.03		53			22					31
Total	3.38	1.43	2.60	.06	1.97	2.32	3.53	6.71	1.26	2.59	1.50	3.15	YEAR'S TOTAL 30.50
Rain Days.	17	15	18	2	12	20	13	25	7	12	15	20	176

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Lovat Bank Newport Pagnell

in the County of Bucks

by Fred J Taylor

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.2	22	.09	.05	.02				1.22		.09		1
2	0.1	14					10		.43	1.42	.01		2
3			20		70					.01		.05	3
4	.30				.02		05			12	.03	31	4
5	.01	0.1	.02							32	.02	.03	5
6		03	.04		19	14	.06			25		.06	6
7		.16			16	.04	.05			36	.06		7
8			.03		.09					.05	.02		8
9		22	.01		.01	16		.06	18		.05	.03	9
10		0		.05		.06	.09	.01			.53		10
11	79			42				14		29	.15		11
12					10						.40		12
13	.04			.02					.04		23		13
14	.08	.02	14	.03				.08		15	.01		14
15	11		15	20			.05		.09				15
16	.02		52	23					.01				16
17	.07	.02	.05	12		23	.07					.05	17
18	.02		11	16			.04					.03	18
19	19		.09				.12		11			.04	19
20	22		.13			12				42	.02		20
21	.02		.13	03	06		.04			02	.17		21
22	45		25	06	.01			08	17				22
23						03	01 ~~.04~~	.02	.03			04	23
24	.04			.06				.01			.01		24
25	.01	.02		17		07							25
26		.03	16	11				0.5		31	.03	13	26
27		.02	03										27
28	42		.11	16						10		.07	28
29	01		10	44	22			.04		.08		.05	29
30	20									.05	.09	01	30
31					.01			07					31
Total	3.03	.89	2.36	2.31	160	.85	.68	56	2.28	3.95	1.92	90	YEAR'S TOTAL 21.33
Rain Days.	20	11	19	16	12	8	11	10	9	15	17	13	161

W.7,000, XI. 13

Ex. M9

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 15

Kept at Lovat Bank, Newport Pagnell
in the County of Buckinghamshire 5
by F. J. Taylor

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Newport Pagnell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03			.04	.16			.18			.06		1
2								.04	—		.22	.18	2
3							.46		—		.05		3
4	.20			.23				.18			.28	.20	4
5			.02	.19	.02	.09	.26	.21			.01		5
6		.03			.04	.01		.02			.04	.05	6
7		.13	.37		.17	.06	.07					.10	7
8	.07	.04	.29	.07	.04	.81		.10	.01				8
9	.21		.37	.20		.81		.01	.06			.05	9
10	.08	.11	.04	.05	.05			.01	.14				10
11		.07	.30	.15	.10	.43					.25	.31	11
12		.05	.07				.02		.55		.03	.28	12
13		.17	.18			—			.13	.17	.05	.16	13
14		.03	.33	—			.08			2.07	.07	.22	14
15	.03	.03	.18					.02	.15		.04	.08	15
16			.06						.09				16
17	.01	.35	.05						.15			.17	17
18			.04								—	.49	18
19		.04	.15				.09	—	.03		.11	.02	19
20		.15	.33						.02			.18	20
21		.21	.05			.10		.06	.01	.07	.02	.15	21
22		.03	.02		.08	.05	.11	.03		.30			22
23		.03	.08		.06					.12		.03	23
24			.02	.01				.02		.60	.09		24
25	.08		.09					.09		.31		.07	25
26			.10					.04		.04	.13	.41	26
27	.02		.01							.01	.01	.16	27
28		.06								.07	.32	1.37	28
29	.02		.21		.03					.39	.11		29
30		X	.01			.05				.05	.19	.20	30
31	.01	X		X	.06	X	.02		X		X	.03	31
													YEAR'S TOTAL
Total	.76	1.55	3.37	.94	.81	2.41	1.11	1.01	1.34	4.20	2.10	4.91	24.51 ✓
Rain Days.	11	16	24	8	11	9	8	14	11	12	19	22	165 ✓

W. 8,000. X. 14.

Exd Lnt

1105

FORM A.
BRITISH RAINFALL.
10. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Lovat Bank. Newport Pagnell.

in the County of Buckinghamshire 5

by F. J. Taylor

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Newport Pagnell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41	·06	·06		·08				·29	·06	·03	·15	1
2	·03	·19	·21	·11				·29	·16	·11		·07	2
3	·39		·04	·11			·08	·61	·11		·01	·14	3
4	·02						·52	·19				·67	4
5	·03	·18			·11							·16	5
6	·21	·06		·18			·89	·04				·04	6
7	·03	·28	·05			·01	·41	·02				·14	7
8	·01	·25	·01	·04			·01	·01					8
9				·02		·05					·23	·47	9
10	·26		·03										10
11			·01	·02	·07						·80		11
12	·04			·27	·33			·17			·85	·05	12
13	·01	·44			·90								13
14		·04					·03	·37	·07			·33	14
15	·15				·02			·07			·17	·14	15
16	·05	·33					·50	·60				·08	16
17		·27			·14		·12	·12				·01	17
18		·11	·06								·02		18
19			·01		·01		·34						19
20	·37											·25	20
21	·08	·01			·35		·10			01		·05	21
22	·34		·39	·01			·66		·01			·17	22
23	·01	·13	·09			·01	·37		·08	37		·27	23
24			·06			·14	·13		70	10		·09	24
25						·01	·41			02		·17	25
26		·13	·02				·11					·18	26
27		·03				·03	·02			32		·03	27
28		·29						·04	48	14			28
29								·09			·06	·04	29
30	·04	X				·37		·04			·01	·03	30
31	·08	X		X		X			X	49	X	·12	31
													YEAR'S TOTAL
Total	2·56	2·80	1·04	0·76	2·01	0·62	4·70	2·66	1·90	1·64	2·18	3·85	26·72
Rain Days.	19	16	13	8	9	7	16	14	8	9	9	24	152

W. 8,000. X. 15.

Ent Mr 9

1073

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Lovat Bank, Newport Pagnell
in the County of Buckinghamshire
by J. J. Taylor

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Newport Pagnell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. · in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03				·02		·10		·01		·77		1
2	·29	·05	·12		·24	·10				·54	·02		2
3	·21	·42	·02						·18	·19	·02		3
4		·09			·05	·12	·05			·01	·15		4
5	·04			·02	·02	·39	·08			·05	·31		5
6		·15	·13	·38	·05	·10	·37			·13	·29		6
7	·04		·30		·04	·06	·24			·15	·16	·07	7
8			·01		·33	·03						·17	8
9			·02		·25	·02	·15					·04	9
10		·15	·13	·07		·10			·01	·04			10
11	·05	·10	·10	·14	·03	·19						·09	11
12	·04	·02	·14	·02	·32	·10	·10			·15			12
13	·02	·34	·12	·04	·03	·04	·08	·10	·01	·02			13
14		·46		·07	·01			·01		·05			14
15		·10	·46	·18			·05	·13					15
16		·05	·38	·04	·07		·17	·27					16
17	·08	·03		·07	·17		·04	·10	·25	·31			17
18		·10	·04	·05				·04	·08		·78		18
19	·10	·02	·24	·07					·10		·78	·06	19
20	·17		·25	·01							·02	·48	20
21	·02		·59				·06					·55	21
22		·10	·02			·06				·02		·60	22
23	·03	·50				·16		·03		·10	·03	·12	23
24		·14	·02			·24				·04	·01	·26	24
25		·20	·15		·05			·27		·11	·05		25
26		·13	·04			·04				·03	·04		26
27	·05	·12	1·09			·40		·03	·10	·27			27
28		·34	·60			·03			·12			·13	28
29		·08				·11		·86		24		·08	29
30		✕			·30	·01		·06		28		·01	30
31		✕		✕		✕		·01	✕	·05	✕	·01	31
Total	1·17	3·69	4·97	1·16	1·98	2·30	1·49	1·91	·86	2·78	3·43	2·67	YEAR'S TOTAL 28·41
Rain Days.	14	22	22	13	16	19	12	12	9	20	14	14	187

W. 8,000, VIII. 16

BUCKS
NEWPORT PAGNELL THE CROFT
1911 — 1920

R 19 11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Newpor

in the County of B

by Francis

of top 5 in.
top above Ground 1 ft. 9 in.
„ „ Sea Level 191 ft.
on 9. a.m

Station { Name Newport Pagnell
Distance 150 yards Direction N.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·01	·16			·01	·04			·01	·08	1
2	·01			·27	·12			·03	·02	·01	·10	·11	2
3		·01			·21						·08	·01	3
4	·02	·03	·07	·02						·40	·15	·36	4
5		·01		·01				·25		·01		·02	5
6	·29										·01	·39	6
7	·02										·28	·09	7
8	·09		·13								·05	·15	8
9	·11			·01								·02	9
10	·01	·10	·15	·02							·07	·30	10
11	·26										·15		11
12			·43						·04	·03	·72		12
13	·02		·04		·03	~~·03~~			·25		·03	·57	13
14		·01	·02		·06							·24	14
15		·08	·08							·07	·14	·01	15
16			·10			·03					·35	·06	16
17		5 ·26				·03					·03	·20	17
18						·01					·03	·08	18
19						·11	·05		·25	·04	·31	·03	19
20		·05	·03					·23	·23	·06		·45	20
21		·12	·01					·02	·01	·15		·09	21
22		·01	·04			·03		·01		·25		·40	22
23		·10	·21			·33	·22		·20			·13	23
24		·07				·30		·03		·48		·13	24
25	·02	·13	·03	·03	·65	·15						·01	25
26				·19	1·49	·02				·18	·12	·12	26
27		·19	·12	·03			·12	·04	·16	·01		·07	27
28		·18		·22		·02		·17				·02	28
29				·07		·36	·13		·29	·18			29
30			·01	·04		·01		·04	·04	·16			30
31					·12					·04		·01	31
Total	0·87	1·35	1·48	1·07	2·68	1·40	·53	·86	1·49	2·07	2·63	4·09	TOTAL for year 20·52
No. of Rain Days.	11	15	16	12	7	12	5	10	10	15	17	27	157

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Newport Pagnell

in the County of Bucks 5

by Francis Littleboy

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 9 in.
" " " Sea Level 191 ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Newport Pagnell
Distance 150 yards Direction N.N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·01	·16			·01	·04			·01	·08	1
2	·01			·27	·12			·03	·02	·01	·10	·11	2
3		·01			·21						·08	·01	3
4	·02	·03	·07	·02						·40	·15	·36	4
5		·01		·01				·25		·01		·02	5
6	·29										·01	·39	6
7	·02										·28	·09	7
8	·09		·13								·05	·15	8
9	·11			·01								·02	9
10	·01	·10	·15	·02							·07	·30	10
11	·26										·15		11
12			·43						·04	·03	·72		12
13	·02		·04		·03	~~·03~~			·25		·03	·51	13
14		·01	·02		·06							·24	14
15		·08	·08							·07	·14	·01	15
16			·10			·03					·35	·06	16
17		5 ·26				·03					·03	·20	17
18						·01					·03	·08	18
19						·11	·05		·25	·04	·31	·03	19
20		·05	·03			·		·23	·23	·06		·45	20
21		·12	·01					·02	·01	·15		·09	21
22		·01	·04			·03		·01		·25		·40	22
23		·10	·21			·33	·22		·20			·13	23
24		·07				·30		·03		·48		·13	24
25	·02	·13	·03	·03	·65	·15						·01	25
26				·19	1·49	·02				·18	·12	·12	26
27		·19	·12	·03			·12	·04	·16	·01		·07	27
28		·18		·22		·02		·17				·02	28
29				·07		·36	·13		·29	·18			29
30			·01	·04		·01		·04	·04	·16			30
31					·12					·04		·01	31
Total	0·87	1·35	1·48	1·07	2·68	1·40	·53	·86	1·49	2·07	2·63	4·09	TOTAL for year 20·52
No. of Rain Days.	11	15	16	12	7	12	5	10	10	15	17	27	157

W. 8,000, X. '11.

REGISTER Ex DL OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
JAN 1913

Kept at Newport Pagnell
in the County of Buckingham 5
by Francis Littleboy

Lat. 52°·1 Long. 0°·40′ W
Time of Observation 9 a.m
Nearest Railway Station Newport Pagnell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·01		·02			·06	·29		·11	1
2		·01	·10			·10	·46					·01	·01 2
3	·07				·11	·12	·01	·35	·02			·05	3
4	·12		·73		·16	·16		·03			·28		4
5	·03		·15			·16		·30	·03			·01	5
6	·23	·09			·01		·02	·53				·03	6
7	~~[illegible]~~	·06			·01	·56	·01	·19				·02	7
8	·27	·21	·20			·01	·01	·16	·05				8
9	·03	·10	·06	·05		·25						·27	9
10								·54			·12		10
11	·12	·06				·05		·01			·04	·21	11
12	·09	·25	·09		·01	·18					·08		12
13		·01						·03			·07	·01	13
14	·01		·05		·11	·01		·14		·02			14
15	·01	·01	·11		·19	·15		·02			~~·17~~	·16	15
16	·68		·05		·11	·19		·04		·05			16
17	·36		·18			·07		·22				·16	17
18	·09		·14					·07		·02		·02	18
19	·13	·06	·02			·01	·11	·28			·03		19
20	·01		·13			·04	·20	·67		·25			20
21		·01	·29		·46			·59		·30	·05		21
22	·49	·07	·01		·05		·27	·27		·03		·07	22
23	·13	·50	·34				1·00	·32		·02	·16	·26	23
24	·25					·02		·14	·01			·11	24
25						·16		·54		·43	·32	·36	25
26		·03					·37	·80			·23	·21	26
27			·01			·09	·16			·40		·25	27
28		·03				·01	·01	·34	·04	·30	·17	·84	28
29		·01				·07	·30	·02	·84	·32			29
30					·31	·03			·31	·27		·01	30
31	·01		·02		·50		·45	·22					31
Total	3·23	1·51	2·70	·06	2·03	2·46	3·38	6·82	1·36	2·70	1·55	3·17	YEAR'S TOTAL 30·97
Rain Days.	19	16	19	2	12	22	14	25	8	13	11	20	181

181

Thelrofs **REGISTER OF RAINFALL IN 1913**

FORM A.
BRITISH RAINFALL.
2 JAN 1914

Kept at Newport Pagnell
in the County of Bucks
by F Littleboy

5

Lat. 52·1 Long. ·40 W
Time of Observation 9 am
Nearest Railway Station Newport Pagnell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·22	·09	·05	·02				1·28		·10	·01	1
2		·13					·13		·46	1·60	·01		2
3			·21	·01	·71				·01	·01	·01	·05	3
4	·34		·02		·01	·01	·06			·23	·03	·32	4
5	·01	·01					·02		·01	·33	·02	·05	5
6		·02	·04		·18	·17	·06			·26	·01	·06	6
7		·16			·17	·05	·05			·39	·06		7
8			·03		·08	·18				·06	·02		8
9		·22	·01			·08		·06	·18		·06		9
10				·04			·03	·02			·51		10
11	·77			·46	·02			·15		·28	·15		11
12					·10						·42		12
13	·03			·01				·04	·04		·23		13
14	·08	·02	·14	·03				·09		·16	·01		14
15	·16		·13	·25			·07		·07		·01		15
16	·01		·56	·25					·01				16
17	·07	·03		·14		·15	·08		·01		·01	·06	17
18	·01		·13	·16			·04				·01	·03	18
19	·19		·09				·13		·13			·03	19
20	·21		·13			·13			·01	·49	·01		20
21	·02		·13	·03	·06		·04			·02	·18		21
22	·47		·27	·05	·01			·13	·18				22
23	·04					·01	·01	·03	·02			·04	23
24				·06				·01			·01		24
25				·18		·09	·01			·02			25
26		·04	·18	·11				·05		·32	·03	·14	26
27		·02	·01										27
28	·48		·17	·19						·10		·07	28
29	·01		·10	·45	·23			·04		·07		·05	29
30	·20							·01		·05	·10		30
31					·01			·06					31
Total	3·12	·87	2·44	2·47	1·60	·87	·73	·69	2·41	4·39	2·00	·91	YEAR'S TOTAL 22·50
Rain Days.	18	10	18	17	12	9	13	12	13	16	22	12	192

W.7,000, XI. 13

Ex. Mq.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 - JAN 1915

Kept at The Croft Newport Pagnell
in the County of Bucks 5
by Francis Littleboy

Lat. 52·1 Long. 0·4 west
Time of Observation 9 am
Nearest Railway Station Newport Pagnell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·04				·21			·08		1
2								·03			·21	·19	2
3					·17		·50	·01			·10	·01	3
4	·21			·23				·19			·29	·20	4
5			·02	·20		·09	·27	·20			·01		5
6		·04			·07	·01		·02			·03	·05	6
7		·14	·40	·03	·17	·06	·07					·15	7
8	·07	·04	·31	·06	·04	·85		·10	·01				8
9	·22		·38	·19		·88		·01	·06			·03	9
10	·08	·13	·03	·05	·05			·01	·15				10
11		·06	·31	·11	·11	·47			·01		·26	·34	11
12		·05	·07			·01	·05		·57		·01	·28	12
13		·19	·20						·14	·18	·07	·17	13
14		·02	·38				·09			2·21	·07	·22	14
15		·02	·19				·01	·02	·11		·03	·10	15
16	·02		·05						·11				16
17	·01	·37	·05						·15			·18	17
18			·04				·10					·51	18
19		·03	·16				·01		·02		·11	·01	19
20		·17	·33						·02			·19	20
21		·20	·05				·	·08		·06	·01	·15	21
22		·02	·01	·01	·09	·06	·13	·03		·29		·06	22
23		·03	·07		·07	·07				·11			23
24			·01				·01	·02		·61	·09		24
25	·09		·09				·01	·09		·30	·01	·08	25
26			·09					·04		·03	·13	·39	26
27	·02		·01							·01	·10	·17	27
28	·01	·07								·06	·22	1·42	28
29	·01		·22		·02					·38	·13	·	29
30	·01	X	·01			·05				·06	·30	·18	30
31	·01	X		X	·07	X	·02		X		X	·02	31
Total	·79	1·58	3·48	·92	·86	2·55	1·27	1·06	1·35	4·30	2·16	5·10	YEAR'S TOTAL 25·42
Rain Days.	13	16	24	9	10	10	12	15	11	12	20	23	175

W. 8,000. X. 14.

esd 78.

1104

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

✓

Kept at The Croft Newport Pagnell

5

in the County of Bucks

by Francis Littleboy

Lat. 52·1 Long. ·40 W

Time of Observation 9 a m

Nearest Railway Station Newport Pagnell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·42	·05	·04		·08		·02		·35	·08	·01	·14	1
2	·03	·19	·20	·11		rain, less than ·01		·31	·23	·11		·06	2
3	·46		·03	·11			·09	·73	·11			·16	3
4	·02						·61	·23				·58	4
5	·02	·23			·13			·02			·02	·18	5
6	·22	·04	·01	·18			·80	·05		·01		·02	6
7	·02	·29	·08			·03	·44	·05				·15	7
8	·01	·24	·01	·04			·02	·02					8
9				·01		·03					·25	·48	9
10	·27		·02									·01	10
11	·01		·01	·02	·07						·88		11
12	·02			·24	·36			·22			·92	·05	12
13	·01	·44			·92								13
14	·01	·01					·03	·33	·08			·36	14
15	·15				·02		·01	·06			·18	·12	15
16	·05	·28					·49	·65				·09	16
17		·29			·14		·14	·09				·01	17
18		·09	·10								·02		18
19		·01	·02		·02		·35			·02			19
20	·38			·01								·25	20
21	·08	·01			·28		·11					·04	21
22	·32	·12	·41				·66		·01			·21	22
23			·10			·04	·39		·09	·41		·30	23
24	·01		·07			·13	·15		·74	·09		·08	24
25							·46					·17	25
26		·13					·14		·01			·19	26
27		·01				·05	·03			·34		·02	27
28		·27				·01		·01	·51	·12			28
29			·02					·13			·08	·03	29
30	·04					·43				·03	·01	·02	30
31	·08							·04		·48		·13	31
Total	2·63	2·70	1·12	·72	2·02	·69	4·94	2·94	2·13	1·69	2·37	3·85	YEAR'S TOTAL 27·80
Rain Days.	21	17	14	8	9	7 7	18	15	9	10	9	25	162

W. 8,000. X. 15.

1072

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Croft, Newport Pagnell
in the County of Buckingham
by Francis Littleboy

Lat. 52·1 Long. 0·40 West
Time of Observation 9 am
Nearest Railway Station Newport Pagnell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03				·05	·02	·13		·01	·01	·75		1
2	·31	·05	·14		·23	·10			·04	·53			2
3		·42	·02						·12	·21	·08		3
4	·23	·10			·04	·14	·06				·13		4
5	·04	·01			·06	·39	·09			·06	·32		5
6		·14	·13	·43	·02	·12	·50			·15	·29		6
7	·04		·37		·04	·06	·17			·16	·17	·06	7
8			·02		·33	·01						·18	8
9					·27	·02						·02	9
10		·15	·15	·05		·15	·15		·01	·04	·01	·04	10
11	·05	·12	·10	·14	·02	·19						·08	11
12	·03	·02	·12	·02	·37	·09	·11		·02	·15			12
13		·34	·12	·01	·03	·04	·08	·10		·02			13
14		·51		·11	·01		·01			·04			14
15		·10	·50		·02		·05	·16					15
16	·02	·06	·40	·19	·05		·19	·28					16
17	·07	·02		·09			·04	·41	·26	·34			17
18		·10	·03	·06				·04	·10		·84		18
19	·10	·02	·23	·07				·02	·11		·80	·06	19
20	·16		·26	·02					·01		·02	·40	20
21	·02		·63				·15					·65	21
22		·10	·01		·17	·05				·02		·58	22
23	·03	·62				·17		·03		·10	·02	·14	23
24		·22	·01		·04	·29		·01		·02	·01	·26	24
25		·27	·15		·01			·27	·01	·10	·05		25
26		·16	·04			·03		·01		·02	·05		26
27	·06	·14	1·39			·48	·05	·04	·11	·25			27
28		·34	·80			·04			·14	·01		·15	28
29		·07			·39	·12		1·03		·23		·08	29
30		X				·01		·03		·29		·01	30
31		X		X		X		·01	X	·06	X		31
Total	1·19	4·08	5·62	1·19	2·15	2·52	1·78	2·14	0·94	2·81	3·54	2·71	YEAR'S TOTAL 30·67
Rain Days.	14	23	21	11	18	20	14	14	12	21	14	14	196

W. 8,000, VIII. 16

Ex Bd

1041

FORM A.
BRITISH RAINFALL.
2 JAN 19

REGISTER OF RAINFALL IN 1917

Kept at The Croft, Newport Pagnell

in the County of Bucks

by Francis Littleboy

Lat. 52·1 Long. 0·40 W

Time of Observation 9 a.m

Nearest Railway Station Newport Pagnell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·15				1·09	·17		·28	·01	1
2		·03						·08		·02	·03		2
3				·05		·02		·45		·21	·12		3
4		·25	·18					·14		·44			4
5	·15		·03	·21				·01	·17	·11	·15		5
6			·02			·05			·04	·04	·01		6
7	·25						·14			·41			7
8	·46			·09			·72	·25		·23	·10	·03	8
9	·04		·09	·09	·03		·01	·15	·01	·01	·05		9
10	·27		·26	·21	·02			·19			·01		10
11	·03	·01	·24	·26				·10	·01	·24			11
12	·05			·03		·01		·19		·20			12
13	·04		·01	·02			·01	·16	·03				13
14	·04			·05				·34				·01	14
15	·01							·17		·02		·01	15
16	·04	·13		·23		·30	·14			·71		·06	16
17		·05		·11	·83		·25	·06	·33	·24			17
18	·02			·09	·08	·06	·15		·91	·03			18
19	·02	·18	·11		·12				·09		·01		19
20	·04	·17	·02		·89			·01			·06		20
21	·01	·08	·05	·02	·02					·01	·01		21
22			·02					·14	·01	·23			22
23		·15			·04			·26		·06			23
24	·01	·03				·35		·10		·16		·01	24
25		·06	·06			·07	·01	·			·09		25
26			·01					·48	·08		·15	·01	26
27						·11	·01	·65					27
28			·13			·63		·16		·01	·01	·05	28
29			·01		·07	·37	·29	·02		·34		·32	29
30	·05	✕	·01				·74	·17		·01		·01	30
31		✕	·07	✕		✕	·19	·05	✕		✕	·11	31
Total	1·56	1·14	1·32	1·61	2·10	1·97	2·66	5·42	1·85	3·73	1·08	·63	YEAR'S TOTAL 25·07
Rain Days.	18	11	17	14	9	10	12	24	11	21	14	11	172

2.84

W. 8,000, IX. 17.

End E.R.E.

42

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2.1.19

Kept at The Croft Newport Pagnell

in the County of Bucks

by F Littleboy

Lat. 52·1 Long. 0·40 W.

Time of Observation 9 am

Nearest Railway Station Newport Pagnell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04						·01	·18	·02	1
2	·01	·12		·13				·08			·07	·11	2
3		·04	·01		·38			·01	·23		·49	·02	3
4		·01	·05				·06		·22	·01	·41	·02	4
5		·19			·32			·02	·02	·06	·02		5
6		·15		·16				·09	·01			·01	6
7	·04	·10		·10		·01			·08	·05	·15		7
8		·04		·03					·23	·02	·01	·03	8
9		·13		·01		·03	·17		·51	·11		·09	9
10	·04			·11		·10	·65		·04	·15		·16	10
11	·01			·01	·06		·11		·07	·33	·01	·04	11
12	·02	·04	·05		·09		·23		·11				12
13	·01			·03	·12		·07		·12			·13	13
14	·24			·03		·05	·32		·46	·13		·07	14
15	1·25			1·26			·21		·01			·16	15
16	·18			·49					·30			·01	16
17	·12			·06			1·20	·01	·01			·14	17
18	·55					·15	·17		·15			·49	18
19	·02	·03		·08			·03		·01	·08		·26	19
20	·01	·06		·57		·07	·02		·14	·18		·03	20
21				·23		·04			·57	·02			21
22	·11				·33		·02		·09	·01		·21	22
23	·02				·53	·01	·19	·03	·02			·02	23
24		·14				·02	·06		·02	·01	·20		24
25						·03	·09	·29		·01			25
26							·12	·07		·02	·08	·10	26
27		·01	·01	·03			·10	·16	·15		·06	·04	27
28		·04	·12					·02			·28	·09	28
29									1·57		·01	·02	29
30			·24						·05	·01	·02	·43	30
31			·05							·06		·01	31
Total	2·63	1·10	·53	3·37	1·83	·51	3·82	·78	5·19	1·27	1·99	2·71	YEAR'S TOTAL 25·73
Rain Days.	15	14	8	17	7	10	18	10	25	18	14	25	181

180

7

W, 6,500, VII. 18. W W C

981

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

9 JAN 20

Recd

REGISTER OF RAINFALL IN 1919.

Kept at The Croft Newport Pagnell

in the County of Bucks

by F Littleboy

Lat. 52° 1′ Long. ·40′ W

Time of Observation 9 am true time

Nearest Railway Station Newport Pagnell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·03	·02		·03	·01	·17			·04	·02	·86	1
2	·16		·01		·01		·12	·01	·21	·15	·27	·31	2
3	·76		·13				·07		·18		·15	·19	3
4	·05		·40			·11	·04	·07	·05			·06	4
5	·05	·32	·32				·21		·68			·20	5
6	·01		·05		·84					·02	·03	·08	6
7	·02		·27										7
8	·06		·06	·12							·02		8
9	·02		·01	·07	·03						·01		9
10			·41	·01			·02			·01	·01	·08	10
11	·06		·32	·08			·58				·01	·02	11
12			·49	·01		·11	·02		·01	·12	·01		12
13	·06			·26		·01	·01		·01	·07			13
14	·25			·31			·07		·26	·01			14
15	·08	·06	·21	·01						·03	·09	·38	15
16	·06	·59		·01							·20		16
17		·50										·01	17
18		·02	·12					·23			·16	·15	18
19	·03	·24	·74			·20	·27	·18			·07	·02	19
20	·34	·04	·10			·23	·40	·35	·12		·02		20
21	·19	·36	·03			·02	·41				·01	·14	21
22		·22				·03	·02					·25	22
23								·01	·16	·29	·01	·03	23
24				·13			·17	·04		·33		·03	24
25	·04			·01		·01		·20				·05	25
26	·15	·01	·15	·04			·01	·02				·31	26
27	·84	·03	·03	·82		·01		·44	·09			·08	27
28	·03		·02	·04			·01	·61			·12	·23	28
29	·05			·03		·01		·14		·49	·06	·33	29
30			·09	·26		·25		·06		·11	·20	·21	30
31	·01						·03			·02		·01	31
Total	3·59	2·42	3·98	2·21	·91	1·00	2·63	2·36	1·77	1·69	1·49	4·03	YEAR'S TOTAL 28·06
Days with ·01 in. or more	23	12	21	16	4	12	18	13	10	13	19	23	184
Days with ·04 in.	17	8	15	10	1	5	11	10	8	8	9	17	119

Max daily Fall 0·86 in on Dec 1

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

931

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Croft Newport Pagnell

in the County of Bucks

by F. Littleboy

Lat. 52° 6' Long. 45' W

Time of Observation 9 am

Nearest Railway Station Newport Pagnell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·25	·24	~~·40~~	·40	·06		·20	·02	·12	1
2				·07		~~·01~~	·01	·21	·09	·06		·08	2
3		·03		·07	·03	~~·44~~	·14		·05	·05		·05	3
4			·06	·06		~~·19~~	·19	·30	·01	·30		·01	4
5			·05		·13		·45	·06	·04			·02	5
6			·27		·12		·35	·06					6
7	·01		·02	·14	·04		·10						7
8	·24	·03		·46	·01		·08						8
9	·28	·01		·25			·01	·17					9
10	·14	·04	·01	·01		·03	·09					·10	10
11	·31		·03	·48	·19	·03	·05	·02				·03	11
12	·02		·12	·10		·66	·01					·02	12
13	·01	·01	·11	·06		·10			·05		·03	·04	13
14	·01	·02	·27	·22			·01		·20	·13	·17	·03	14
15		·03	·34	·15					·01	·01	·11		15
16			·01	·07	·09				·20	·11	·03		16
17	·01		·04	·05	·12		·02		·29	·01	[illegible]		17
18	·13			·06	·23		·01	·22	·32		[illegible]	·11	18
19	·04	·02		·28	·01	·09		·16				·01	19
20	·08	·28		·18		·34						·01	20
21				·01			·03	·06	·08			·04	21
22				·18					·28			·10	22
23	·01	·01					·31					·35	23
24	·01		·17	·01								·05	24
25		·09	·04	·06	·01		·43	·01					25
26	·12	·01	·04	·02	·01	·03	·06					·02	26
27	·26	·01		·26		·28	·06				·52	·12	27
28	·40		·08		·46		·02		·35		·01	·01	28
29	·12		·05		·19	·01	·07				·10	·33	29
30	·02	X	·11	·06		·14	·06				·17	·11	30
31	·06	X	·02	X	·04	X			X	·25	X	·06	31
TOTAL	2·28	·59	1·84	3·56	1·92	1·71	2·96	1·33	1·97	1·12	1·16	1·82	YEAR'S TOTAL 22·26
Days with ·01 in. or more	20	13	19	25	16	10	23	11	13	9	9	23	191
Days with ·04 in. or more	12	3	14	21	11	6	15	9	11	7	5	14	128

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

163 Dup

931

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.....

Kept at Newport Pagnell, The Croft

in the County of Buckinghamshire

by F. Littleboy

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.25	.24		.40	.06		.20	.02	.12	1
2				.07			.01	.21	.09	.06		.08	2
3		.03		.07	.03		.14		.05	.05		.05	3
4			.06	.06			.19	.30	.01	.30		.01	4
5			.05		.13		.45	.06	.04			.02	5
6			.27		.12		.35	.06					6
7	.01		.02	.14	.04		.10						7
8	.24	.03		.46	.01		.08						8
9	.28	.01		.25			.01	.17					9
10	.14	.04	.01	.01		.03	.09					.10	10
11	.31		.03	.48	.19	.03	.05	.02				.03	11
12	.02		.12	.10		.66	.01					.02	12
13	.01	.01	.11	.06		.10			.05		.03	.04	13
14	.01	.02	.27	.22			.01		.20	.13	.17	.03	14
15		.03	.34	.15					.01	.01	.11		15
16			.01	.07	.09				.20	.11	.03		16
17	.01		.04	.05	.12		.02		.29	.01			17
18	.13			.06	.23		.01	.22	.32			.11	18
19	.04	.02		.28	.01	.09		.16				.01	19
20	.08	.28		.18		.34						.01	20
21				.01			.03	.06	.08			.04	21
22				.18					.28			10	22
23	.01	.01					.31					.35	23
24	.01		.17	.01								.05	24
25		.09	.04	.06	.01		.43	.01					25
26	.12	.01	.04	.02	.01	.03	.06					.02	26
27	.26	.01		.26		.28	.06				.52	.12	27
28	.40		.08		.46		.02				.01	.01	28
29	.12		.05		.19	.01	.07				.10	.33	29
30	.02		.11	.06		.14	.06		.35		.17	.11	30
31	.06		.02		.04					.25		.06	31
Total	2.28	.59	1.84	3.56	1.92	1.71	2.96	1.33	1.97	1.12	1.16	1.82	Year's Total 22.26
Days with ·01 in. or more	20	13	19	25	16	10	23	11	13	9	9	23	191
	12	3	14	21	11	6	15	9	11	7	5	14	128

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

RE 9

Kept at Marlo

in the County of Buck

by Sidney H.

—

Bucks.

Marlow Mills - Thames Bank

1911-1920

op 8 in.
above Ground 2 ft. — in.
„ Sea Level 105 ft.
9. a.m.
ion { Name Marlow
Distance 1/2 Mile Direction

IMPORTANT NOT and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	—	.53	—	—	—	.06	—	—	—	.01	1
2	.02	—	—	.36	.16	—	.01	—	—	.04	.21	.13	2
3	.02	.01	—	.01	.20	1.20	—	.03	—	—	.09	.05	3
4	.03	.01	.09	.04	—	—	—	—	—	.24	.08	.49	4
5	.01	.02	—	.01	—	—	—	.04	—	.09	.05	.01	5
6	.45	—	.10	—	—	—	—	.01	—	—	.01	.36	6
7	.06	—	.02	.02	—	—	—	—	—	.15	.23	.09	7
8	.12	—	.19	—	—	—	—	—	—	—	.17	.31	8
9	.10	—	.02	.01	—	—	—	—	—	—	.03	.09	9
10	.06	.15	.21	—	—	—	—	—	—	—	—	.45	10
11	.26	—	.04	—	.02	—	—	—	—	—	.64	.03	11
12	.01	—	.47	—	.26	.06	—	—	.03	—	.39	.02	12
13	—	—	.11	—	.45	—	—	—	.47	.46	.02	.62	13
14	—	.10	.02	—	.35	—	—	—	—	—	—	.35	14
15	—	.06	.12	—	—	—	—	—	—	.01	.07	.01	15
16	—	—	—	—	—	.13	—	—	—	—	.39	.10	16
17	—	.01	—	—	—	.12	—	—	—	—	.14	.28	17
18	—	.25	.02	.01	—	.18	—	—	—	.01	.30	.31	18
19	—	—	—	—	—	.39	—	—	.19	.09	.26	.12	19
20	.02	.10	.01	—	—	—	—	.26	.34	.05	—	.65	20
21	.03	.12	.01	—	—	.01	—	.16	—	.43	.01	.13	21
22	.02	—	.09	—	—	.16	—	.02	—	.07	—	.72	22
23	—	.06	.17	—	—	.29	—	—	.24	.01	.01	.19	23
24	.01	.13	.01	—	—	.15	—	.02	—	.65	—	.12	24
25	—	.05	.01	.10	.86	.19	—	—	.03	—	—	.03	25
26	—	.04	—	.14	.23	.12	—	.04	—	.14	.01	.30	26
27	—	.52	.10	.04	—	—	.04	.03	.13	—	.02	.19	27
28	.01	.29	—	.31	.03	—	—	.09	—	—	.08	—	28
29	—		—	.03	—	.21	.29	—	.34	.39	.01	—	29
30	—		—	.06	.29	.03	—	.13	—	.15	—	.01	30
31	—		—		.21		.02	—		—		—	31
Total	1.24	1.92	1.81	1.67	3.06	3.24	.36	.89	1.74	2.98	3.22	6.17	TOTAL for year 28.30
No. of Rain Days.	17	16	19	14	11	14	4	12	8	16	22	28	181.

W. 8,000, X. '11.

RE 9

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Marlow Mills

in the County of Buckinghamshire 3

by Sidney H. Wright

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. — in.
" " " Sea Level 105 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Marlow
Distance 1/2 mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	—	—	.53	—	—	—	.06	—	—	—	.01	1
2	.02	—	—	.36	.16	—	.01	—	—	.04	.21	.13	2
3	.02	.01	—	.01	.20	1'20	—	.03	—	—	.09	.05	3
4	.03	.01	.09	.04	—	—	—	—	—	.24	.08	.49	4
5	.01	.02	—	.01	—	—	—	.04	—	.09	.05	.01	5
6	.45	—	.10	—	—	—	—	.01	—	—	.01	.36	6
7	.06	—	.02	.02	—	—	—	—	—	.15	.23	.09	7
8	.12	—	.19	—	—	—	—	—	—	—	.17	.31	8
9	.10	—	.02	.01	—	—	—	—	—	—	.03	.09	9
10	.06	.15	.21	—	—	—	—	—	—	—	—	.45	10
11	.26	—	.04	—	.02	—	—	—	—	—	.64	.03	11
12	.01	—	.47	—	.26	.06	—	—	.03	—	.39	.02	12
13	—	—	.11	—	.45	—	—	—	.47	.46	.02	.62	13
14	—	.10	.02	—	.35	—	—	—	—	—	—	.35	14
15	—	.06	.12	—	—	—	—	—	—	.01	.07	.01	15
16	—	—	—	—	—	.13	—	—	—	—	.39	.10	16
17	—	.01	—	—	—	.12	—	—	—	—	.14	.28	17
18	—	.25	.02	.01	—	.18	—	—	—	.01	.30	.31	18
19	—	—	—	—	—	.39	—	—	.19	.09	.26	.12	19
20	.02	.10	.01	—	—	—	—	.26	.34	.05	—	.65	20
21	.03	.12	.01	—	—	.01	—	.16	—	.43	.01	.13	21
22	.02	—	.09	—	—	.16	—	.02	—	.07	—	.72	22
23	—	.06	.17	—	—	.29	—	—	.21	.01	.01	.19	23
24	.01	.13	.01	—	—	.15	—	.02	—	.65	—	.12	24
25	—	.05	.01	.10	.86	.19	—	—	.03	—	—	.03	25
26	—	.04	—	.14	.23	.12	—	.04	—	.14	.01	.30	26
27	—	.52	.10	.04	—	—	.04	.03	.13	—	.02	.19	27
28	.01	.29	—	.31	.03	—	—	.09	—	—	.08	—	28
29	—		—	.03	—	.21	.29	—	.34	.39	.01	—	29
30	—		—	.06	.29	.03	—	.13	—	.15	—	.01	30
31	—		—		.21		.02	—		—		—	31
Total	1"24	1"92	1"81	1"67	3"06	3"24	.36	.89	1"74	2"98	3"22	6"17	TOTAL for year 28"30
No. of Rain Days.	17	16	19	14	11	14	4	12	8	16	22	28	181.

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

4- JAN 3

REGISTER OF RAINFALL IN 1912.

Kept at Marlow Mill
in the County of Bucks 3
by Sidney H. Wright

Lat. Long.
Time of Observation 9 o'clock a.m.
Nearest Railway Station Marlow Statn
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.04	.03	-	.14	.03	-	.05	.30	-	.21	1
2	-	.01	.07	-	-	.10	.34	.09	-	.05	-	-	2
3	.06	.01	.23	-	.01	.22	.01	.35	.02	-	.02	.12	3
4	.29	-	.64	-	.15	.36	-	.03	-	-	.34	-	4
5	.25	.08	.25	-	-	.02	-	.30	-	-	-	.04	5
6	.57	.04	-	-	-	-	.05	.29	.01	-	-	.12	6
7	-	.01	.02	-	.13	.49	.03	.45	-	-	-	.07	7
8	.59	.23	.25	-	-	.03	-	.48	.01	-	-	.07	8
9	.02	.24	.08	.02	-	.36	.03	.05	-	-	-	.25	9
10	.01	.08	.01	-	-	.03	-	.73	-	.01	.09	.17	10
11	.10	.21	-	-	-	.02	.01	.05	.01	.01	.06	.17	11
12	.08	.18	.15	-	.05	.29	.07	-	-	~~.01~~	.14	.02	12
13	-	.03	.01	-	-	-	.08	.01	-	.01	.10	.01	13
14	.03	-	.04	-	.01	-	-	.03	-	.03	.01	.02	14
15	.04	.04	.19	-	.18	.52	-	.02	-	.02	.01	.25	15
16	.35	.02	.15	-	.15	.25	-	.10	-	.02	.11	-	16
17	.29	-	.15	-	-	.07	-	.09	-	.02	-	.03	17
18	.13	-	.23	-	-	-	.01	.23	-	.02	.01	.12	18
19	.08	.17	.23	-	-	-	.09	.31	-	-	.02	-	19
20	.06	.02	.19	-	-	-	.06	.17	-	.38	.03	-	20
21	.02	.06	.48	-	.47	-	-	.13	-	.09	.07	-	21
22	.24	.21	.09	-	.18	-	.08	.22	-	.01	.01	.02	22
23	.10	.35	.42	-	-	-	.31	.45	-	.05	.19	.23	23
24	.32	.02	-	-	-	.01	-	.12	-	.01	-	.14	24
25	-	-	-	-	-	.22	-	.28	-	.05	.28	.57	25
26	-	.05	-	-	-	-	.10	.35	-	.59	.41	.21	26
27	-	-	.06	-	-	.12	.21	-	-	.23	-	.19	27
28	-	.06	-	-	-	.07	.11	.30	.18	.46	.62	.30	28
29	-	.05	-	-	-	.37	.17	.33	1.51	.19	-	.01	29
30	-		-	-	.18	.01	.05	.02	.71	.11	-	-	30
31	-		.18		.12		.51	.16		.04		.08	31
Total	3".63	2".17	4".16	.05	1".63	3".69	2".35	6".14	2".50	2".78	2".52	3".42	YEAR'S TOTAL 35".04
Rain Days.	20	22	23	2	11	20	20	28	8	22	18	24	218

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 4 - JAN 1914

3

Kept at Marlow Mill

in the County of Bucks

by Sidney H. Wright

Lat. Long.

Time of Observation 9 o'clock a.m.

Nearest Railway Station Marlow

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.16	.10	.13	–	.20	–	–	.28	–	.09	.09	1
2	.05	.11	.02	.04	–	–	.08	–	.04	.65	.10	.04	2
3	.02	–	.05	.21	.56	–	–	–	–	.13	.01	.13	3
4	.37	.01	.02	–	.07	–	.01	–	–	.36	.04	.09	4
5	.13	–	–	–	–	.02	.13	–	.26	.04	.02	.03	5
6	.01	.04	–	–	.16	.10	–	–	.02	.53	–	.16	6
7	.01	.16	–	–	.06	.07	–	.13	–	.52	.06	.02	7
8	–	.03	–	–	.16	.12	–	–	–	.11	.11	.01	8
9	–	.23	–	–	.03	.03	.08	.02	.12	–	.04	.04	9
10	.05	–	.09	.05	.02	–	.21	.02	–	–	.45	–	10
11	.54	–	–	.48	.21	–	–	–	–	.71	.49	.01	11
12	–	.03	–	–	.18	–	–	–	–	.01	.32	–	12
13	.04	.02	.01	.01	–	–	–	.02	.04	.01	.28	–	13
14	.08	.03	.11	.08	–	–	.05	.07	.06	.17	.03	.03	14
15	.15	.04	.24	.35	–	–	.09	–	.25	–	.01	–	15
16	.13	–	.42	.21	–	–	–	–	.04	–	–	–	16
17	.01	–	.09	.03	–	–	.19	–	–	–	.03	.02	17
18	–	–	.28	.14	.02	–	.01	–	–	–	.04	–	18
19	.66	–	.03	.04	.06	.13	.12	–	.43	–	–	.01	19
20	.11	–	.06	.07	–	.08	–	–	–	.49	.01	–	20
21	.01	.01	.19	.03	.04	–	.05	–	–	.11	.56	–	21
22	.54	–	.21	.07	–	–	–	.06	.25	.01	.01	–	22
23	–	–	.01	–	–	.09	–	.01	.02	.01	.02	.10	23
24	.03	–	.02	.09	–	–	–	.01	–	.01	.01	–	24
25	–	.03	–	.22	–	–	–	–	–	.03	–	.02	25
26	–	.04	.13	.15	–	–	–	.13	–	.45	.02	.15	26
27	–	.02	.02	.07	.21	–	–	–	–	.07	.01	–	27
28	.24	–	.28	.15	–	–	–	–	.01	.11	.01	–	28
29	.04		–	.65	.41	–	–	.06	–	.12	–	.04	29
30	.25		–	–	–	–	–	.05	–	.27	.01	.01	30
31	–		.05		–		–	.36		.01		–	31
Total	3″.49	.96	2″.43	3″.27	2″.19	.84	1″.02	.94	1″.82	4″.93	2″.77	1″.00	YEAR'S TOTAL 25″66
Rain Days.	22	15	21	21	14	9	11	12	13	23	25	18	204

W.7,000, XI. 13

Ex. M.g.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at Marlow Mills . Marlow .

in the County of Buckinghamshire 3

by Sidney H. Wright

Lat. ______ Long. ______

Time of Observation 9 o'clock. a.m.

Nearest Railway Station Marlow

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	.10	-	-	.06	.05	1
2	-	-	-	.02	-	-	.07	.35	-	-	.25	.12	2
3	-	-	.03	.01	.25	-	.22	.08	-	-	-	.06	3
4	.14	-	.02	.28	.06	-	.04	.42	-	-	.39	.42	4
5	.02	-	.12	.19	.05	.11	.32	.38	-	-	.08	-	5
6	-	.12	.03	.01	.04	.05	.02	.02	-	-	.39	.21	6
7	-	.34	.34	.15	.62	.04	.16	.04	-	-	.01	.14	7
8	.06	.11	.64	.10	.04	.28	.83	.15	-	-	-	.03	8
9	.15	-	.53	.16	.01	.59	-	-	.12	-	-	1".60	9
10	.01	.08	.01	.13	.12	-	-	-	.25	-	.02	-	10
11	-	.21	.59	.01	.01	.56	-	-	.06	-	.15	.27	11
12	-	.09	.17	-	-	-	.29	-	.25	.01	.04	.39	12
13	-	.31	.12	-	-	-	-	-	.21	.04	.05	.47	13
14	-	.14	.69	-	-	-	.06	-	.01	.23	.18	.28	14
15	.07	.06	.18	-	-	-	.10	.04	.11	.02	.04	.03	15
16	-	-	.02	-	-	-	-	-	.09	-	.03	-	16
17	-	.36	.14	-	-	-	-	-	.06	.01	-	.17	17
18	-	-	.10	-	-	-	-	-	-	-	-	.48	18
19	-	.05	.32	-	-	-	.13	-	-	-	.15	.08	19
20	-	.26	.27	-	-	-	.02	.03	-	-	-	.23	20
21	-	.63	.06	-	-	-	-	.05	-	.12	-	.05	21
22	-	.06	.04	-	.05	.17	.05	.07	-	.62	-	-	22
23	-	.21	.15	-	.11	.02	.26	-	-	.11	-	-	23
24	-	-	.06	.01	.01	.01	.04	-	-	.16	.16	-	24
25	-	-	.13	-	-	-	.02	.17	-	.32	.04	.10	25
26	.04	-	.02	-	-	-	.12	.06	-	.09	.23	.54	26
27	-	-	-	-	-	-	-	-	.01	-	.09	.21	27
28	.03	.04	.03	-	.05	-	-	-	-	.16	.37	1".36	28
29	.05	-	.15	-	.04	-	-	-	-	.21	.10	-	29
30	-	X	.06	-	-	-	-	-	-	.12	.42	.36	30
31	.02	X	-	X	.03	X	.05	-	X	-	X	.04	31
													YEAR'S TOTAL
Total	.59	3".07	5".02	1".07	1".49	1".83	2".80	1".96	1".17	2".22	3".25	7".69	32".16
Rain Days.	10	16	27	11	15	9	18	14	10	14	21	24	189

W. 8,000. X. 14.

ex 75

1075

FORM A.
BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at "Thames Bank"

in the County of Bucks 3

by Sidney H. Wright

Lat. Long.

Time of Observation 9 o'clock a.m.

Nearest Railway Station Marlow

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	~~March.~~ April	~~April.~~ March	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.57	.19	-	.11	.06	-	.15	-	.22	.05	.23	.35	1
2	.16	.24	.06	.37	-	.05	-	1".10	.02	.21	-	.29	2
3	.52	-	.15	.05	.02	-	.10	.03	.07	-	-	.38	3
4	.10	-	-	-	-	-	-	-	-	-	-	.42	4
5	.02	.43	.05	-	.01	-	-	.02	-	-	-	.33	5
6	.26	.15	.26	.12	-	-	.74	.04	-	-	-	.09	6
7	.10	.26	-	.05	-	-	.35	.05	-	-	.01	.11	7
8	.15	.56	.17	.03	-	-	-	.10	-	-	.01	-	8
9	.07	.02	.19	-	-	.04	-	.06	-	.03	.29	.72	9
10	.28	-	-	.02	-	-	-	.12	-	-	-	.09	10
11	.03	-	.01	.02	.01	-	-	-	-	-	.83	.02	11
12	.07	.04	.27	-	.46	-	-	.56	-	.04	.53	.02	12
13	-	.65	-	-	1".00	-	-	.05	-	-	-	-	13
14	-	.07	-	-	-	-	.74	.02	.10	-	-	.62	14
15	.17	.01	-	-	.11	-	-	.07	-	-	.04	.21	15
16	.02	.34	-	-	.01	-	.86	.34	-	-	-	.26	16
17	-	.39	-	-	.99	-	.04	.04	-	-	-	-	17
18	-	.25	-	.06	.16	-	-	-	-	-	.01	-	18
19	-	.04	-	-	.02	-	.15	-	-	-	-	-	19
20	.46	-	.04	-	-	-	-	-	-	-	-	.32	20
21	.05	.04	-	-	.14	-	.03	-	.05	.01	-	.09	21
22	.71	.16	.02	.42	-	-	.72	-	-	-	-	.16	22
23	.02	.05	-	.08	-	.04	.29	-	.17	.68	-	.35	23
24	-	-	-	.03	-	-	.23	-	.69	.31	-	.26	24
25	-	-	.05	-	-	.14	.07	-	-	.07	-	.17	25
26	-	.04	-	-	-	.03	.18	-	.03	-	-	.56	26
27	-	.01	-	-	-	.17	.41	-	.02	.43	-	.07	27
28	-	.02	-	-	-	.19	-	.19	1".12	.12	-	-	28
29	-		-	-	-	-	.10	-	.01	-	.11	.05	29
30	.03	X	-	-	-	.39	.06	-	-	.19	.19	.06	30
31	-	X	X	X	-	X	-	.10	X	1".12	X	.15	31
Total	3".79	3".96	1."27 April	1"36 March	2".99	1".05	5".22	2".89	2".50	3".26	2".25	6".15	YEAR'S TOTAL 36".69
Rain Days.	19	21	11	12	12	8	17	16	11	12	10	25	174

W. 8,000. X. 15.

Esd FW

1045

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Marlow Mills

in the County of Bucks

by Sidney H. Wright

Lat. .... Long. ....

Time of Observation 9 o'clock a.m.

Nearest Railway Station Marlow

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 5 in.

" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	-	.09	-	.49	.01	-	-	.15	.06	.41	-	1
2	.47	.08	.14	-	.30	-	-	-	.24	.56	.05	-	2
3	.01	.63	.03	-	.04	-	-	-	.06	.35	.15	-	3
4	.27	.21	-	-	-	.36	-	-	.18	.18	.42	-	4
5	.08	.05	.01	-	.37	.13	-	-	-	.05	.47	-	5
6	-	.11	.06	.12	.06	.02	.45	-	-	.05	.48	-	6
7	.10	-	.14	-	.11	.02	.73	-	-	.02	.62	.04	7
8	-	-	.05	-	.37	.05	-	-	-	-	.01	.30	8
9	-	-	-	-	.32	-	-	-	-	.09	-	.23	9
10	-	.32	.05	.07	.01	.32	.02	-	-	.02	-	.02	10
11	.06	.08	.02	.16	.02	.42	-	-	.02	-	.01	.18	11
12	.03	.06	.04	.04	.21	.09	.04	.08	.01	.06	.01	-	12
13	-	.47	.32	.08	-	.12	.05	.43	.01	.03	.01	-	13
14	-	.38	.06	.01	.06	-	-	.63	-	.07	-	.02	14
15	-	.31	.32	.01	-	-	.12	.21	.02	.02	-	-	15
16	.03	-	.48	.19	.01	-	.29	.74	-	-	-	-	16
17	.10	.14	-	.10	-	-	.01	.75	.42	.75	-	-	17
18	.02	.07	.05	.12	-	-	-	.72	.13	.28	.82	.01	18
19	.07	.02	.18	.45	-	-	-	.04	.08	-	.76	.03	19
20	.23	-	.34	-	-	-	-	-	-	-	.02	.73	20
21	.03	-	.87	-	-	-	.02	-	-	-	-	.43	21
22	-	.03	.05	-	.05	.02	-	-	-	.19	.01	.48	22
23	.02	.26	-	-	-	.11	-	.13	-	.02	.02	.15	23
24	-	.03	-	.01	.16	.32	-	.06	-	.28	.05	.31	24
25	-	.25	.10	-	.02	-	-	.21	.01	.13	.21	-	25
26	-	.19	.02	-	-	.12	-	.32	.02	.10	.03	-	26
27	.11	.01	1".15	-	-	.10	-	.35	.08	.67	-	-	27
28	-	.31	.25	-	-	.11	.01	.02	.04	.05	.02	.18	28
29	-	.16	-	-	-	.34	-	1".14	.03	.56	.01	.21	29
30	-	X	-	-	-	-	-	.02	.01	.45	-	-	30
31	-	X	-	X	-	X	-	.12	X	.13	X	.09	31
Total	1".82	4".17	4".82	1".36	2".60	2".66	1".74	5".97	1".51	5".17	4".59	3".41	YEAR'S TOTAL 39".82
Rain Days.	16	22	23	12	16	17	10	17	17	25	21	16	212

W. 8,000, VIII. 16

Exd HW

1015

FORM A.
BRITISH RAINFALL.

3 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Marlow Mills, Marlow
in the County of Bucks
by Sidney H. Wright

Lat. Long.
Time of Observation 9 o'clock a m
Nearest Railway Station Marlow
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02	.42				1".10	.05	.01	.06	.02	1
2				.21	~~.03~~	.02		.06		.02	.04	.01	2
3	.03			.05			.08	.39	.01	.26	.05		3
4		.20	.10				.27	.10		.46			4
5	.35		.08	.17				.13	.12	.21	.15		5
6			.38						.10	.08	.09	.02	6
7	.37		.01				.31			.36		.04	7
8	.58			.18			1".06	.21	.02	.41	.21	.14	8
9	.03		.06	.06	.04		.08	.16	.06		.09	.02	9
10	.20		.28	.36				.18	.01		.04	.01	10
11	.19		.42	.22						.36			11
12	.10	.02	.07	.06	.14			.10		.54	.01		12
13	.07		.10	.01				.16	.05	.03		.01	13
14			.01	.24				.36			.02		14
15	.05						.17	.05	.01	.04	.01	.01	15
16	.03	.19		.32	.09	1".14	.05			.94	.01	.58	16
17	.01	.01		.29	.96		.35	.06	.54	.32			17
18	.03	.13		.21	.16	.17	.23	.08	.63	.03			18
19	.01	.24	.16		.03	.07		.02	.48		.01		19
20		.35	.03		.56		.19	.04			.05		20
21	.02	.01	.08		.01	.03				.08	.04		21
22	.03		.04			.01		.13		.10			22
23		.22			.11	.01		.21	.01	.10		.02	23
24		.11				.04	.03	.03		.67			24
25		.04	.04		—					.03	.04		25
26			.04					.52	.05		.25		26
27			.01		.31			.94				.01	27
28			.03			2".21		.34		—		.02	28
29			.02		.45	.06	.62	.04	.01	.46		.09	29
30	.02	X	.10				1".29	.35	.01	.02		.01	30
31	.03	X	.08	X		X	.42	.03	X	.03	X	.01	31
Total	2".15 ✓	1".52 ✓	2.16 ✓	2".80 ✓	2".86 ✓	3".76 ✓	5".15 ✓	5".79 ✓	2".16 ✓	5".55 ✓	1".14 ✓	1".02 ✓	YEAR'S TOTAL 36".06 ✓
Rain Days.	18 ✓	11 ✓	22 ✓	14 ✓	11 ✓	10 ✓	14 ✓	25 ✓	16 ✓	23 ✓	17 ✓	16 ✓	197 ✓

W. 8,000, IX. 17.

17

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

8. 1. 19

Kept at Marlow Mills
in the County of Bucks.
by Sidney H. Wright

Lat. .... Long. ....
Time of Observation 9 o'clock. a.m.
Nearest Railway Station Marlow
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	-	.04	.02	.17	-	-	-	.03	-	.01	.43	.13	1
2	-	.26	-	.08	-	-	-	.27	-	.04	.38	.29	2
3	-	.05	.03	.10	.31	-	-	.02	.08	.03	.52	.01	3
4	-	.08	.06	.03	-	-	-	.02	.49	.02	.57	-	4
5	-	.15	-	-	.25	-	-	.27	.31	.17	-	.02	5
6	.24	.06	-	.35	.05	-	-	.02	.02	.01	-	.10	6
7	.06	.24	-	.26	.42	-	-	.05	.16	.05	.34	.03	7
8	-	.03	-	.02	-	-	-	-	.15	.08	.04	.05	8
9	.03	.28	-	.14	-	.31	.43	-	.46	.45	-	.23	9
10	.02	-	-	.17	-	.01	.52	-	.08	.04	-	.38	10
11	.04	-	-	.06	.07	-	.48	-	.36	.46	.09	.45	11
12	-	.10	-	-	.21	-	.26	-	.21	-	-	.09	12
13	.01	-	-	-	.23	-	.36	-	.22	.02	-	.07	13
14	.24	-	.04	-	-	.24	.32	-	.41	.41	-	.42	14
15	.75	-	-	.85	-	.04	.21	-	.02	-	-	.13	15
16	.25	-	.02	.73	-	.05	.01	-	.79	-	-	.06	16
17	.46	-	.03	.34	-	-	.72	.06	.29	-	-	.10	17
18	.62	-	-	.01	-	.42	.18	-	.38	.10	-	.08	18
19	.12	.04	.11	.02	-	.08	.35	.10	.03	.06	.03	.13	19
20	.03	.16	-	.79	-	.09	.23	-	.34	.35	.02	-	20
21	.07	.01	-	.73	-	.02	.05	-	.32	.05	-	.03	21
22	.14	-	-	-	.93	-	.07	-	.19	.01	-	.51	22
23	.04	-	-	.02	.37	-	.73	.05	.02	-	.01	.02	23
24	-	.29	-	-	-	.05	.03	-	.09	-	.09	.04	24
25	-	-	-	-	-	-	.10	.36	-	.02	.02	-	25
26	-	-	-	-	-	-	.42	-	.01	.04	.25	.10	26
27	.01	.04	.04	.04	-	-	.03	.46	.06	-	.31	.05	27
28	.01	.08	.34	.06	-	-	-	.04	-	-	.41	.35	28
29	.02		-	-	-	-	-	-	1".29	-	-	.04	29
30	.01	X	.49	-	-	-	-	-	.16	-	.10	.11	30
31	.01	X	.23	X	-	X	-	.10	X	.16	X	.03	31
Total	3".18	1".91	1".41	4".97	2".84	1".31	5".50	1".85	6".93	2".58	3".61	4".05	YEAR'S TOTAL 40".14
Rain Days.	~~16~~ 21	16	11	20	9	10	19	14	26	21	16	28	~~206~~ 211

TELEGRAPHIC ADDRESS:
"WRIGHTS, MARLOW."

LONDON AGENT:
A. K. WRIGHT,
18/19, QUEENHITHE, E.C.
TEL. Nº 15299 CENTRAL.

William Wright & Sons,
Marlow Mills,
Marlow,
Bucks.

MILLS: 276, 277, 674.

PROPRIETOR:
S. H. WRIGHT.

May 13. 1919.

Carle Salter Esq.
62 Camden Sq. London.

"The rainfall at Marlow Mills for 1918."

Dear Sir,

I thank you for your letter relative to the above. My gauge is of the Glaisher type (according to your diagram) & round in shape, which I have carefully examined, & find that it is thoroughly sound & no rain can enter it at the joint of the flange indicated. The measuring glass is one of Negretti & Zambras for a 8" gauge. I am at a loss to know why the total of my registration should be so much in excess over Bisham Vicarage or Bourne End. My gauge is placed in a very open space & gets the full quantity of rain or snow from whatever quarter the wind is blowing, the other gauges may be placed in more sheltered positions, but as to that, I cannot say. I have not seen them. According to the abnormally wet year, I thought my register was only a fair aggregate. namely 40"·14 & was much surprised myself, on reading your report of the rainfall at various places in the Thames Valley how to account for it. My opinion is, that the return sent you is a correct one.

Yours faithfully
Sidney H. Wright.

956

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Marlow Mills
in the County of Bucks
by Sidney H. Wright

Lat. Long.
Time of Observation 9 o'clock a.m
Nearest Railway Station Marlow
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	.02	.04	.08	.07	-	.18	-	-	.08	.03	1".42	1
2	.35	-	.02	.04	.19	-	.05	.04	.24	.06	.07	.30	2
3	.45	-	.38	-	.03	-	.11	-	.25	-	.03	.46	3
4	.10	.04	.57	-	-	.06	.21	.04	.11	-	.03	.14	4
5	-	.26	.65	.01	-	-	.76	-	1".30	-	-	.30	5
6	.25	-	.14	-	.05	-	-	-	-	-	-	.04	6
7	.09	-	.59	-	-	-	-	-	-	-	.06	-	7
8	.07	-	.05	.10	-	-	-	-	-	-	.01	-	8
9	.03	-	.02	.03	.06	-	-	-	-	-	.02	-	9
10	.04	-	.28	.07	-	-	-	-	-	.06	.03	.15	10
11	.10	-	.16	.20	.03	-	.21	-	-	-	.01	.04	11
12	.01	-	.07	.02	.01	.24	.16	-	-	.11	.02	-	12
13	.02	.04	-	.29	-	-	-	-	-	.03	-	.03	13
14	.43	-	-	.54	-	-	.06	-	.23	-	-	.02	14
15	.35	.03	.14	.08	-	-	-	-	-	.02	.03	.82	15
16	.05	.75	-	.06	-	-	-	-	-	-	.15	-	16
17	.02	.37	-	-	-	-	-	-	-	-	.30	-	17
18	-	.08	.33	-	-	-	-	.04	.04	-	.14	.07	18
19	.08	.24	1".28	-	-	.15	.41	.06	-	-	.17	-	19
20	.64	.09	.24	-	-	.52	.03	.28	.08	-	.03	-	20
21	.23	.48	.02	-	-	.05	.10	-	-	-	.03	.10	21
22	-	.28	-	-	-	.01	.10	-	.56	-	-	.46	22
23	-	-	-	-	-	.02	-	-	.08	.15	-	.01	23
24	-	-	-	.05	-	.02	.03	-	-	.46	.12	.08	24
25	.04	-	-	-	.05	-	-	.51	-	-	-	-	25
26	.16	.15	.17	.08	-	-	-	.02	.09	-	-	.46	26
27	.43	.03	.04	.94	-	-	-	.49	-	-	-	.04	27
28	.05	-	.36	.02	-	-	-	.78	-	-	.25	.36	28
29	.02		-	.05	-	-	-	.21	-	.26	.03	-	29
30	.01		.01	.22	-	.15	-	.23	-	.04	.42	.56	30
31	.02		.02		-		-	-		.02		.05	31
Total	4".69	2".86	5".58	2".88	.49	1".22	2".41	2".70	2".98	1".28	1".98	5".91	Year's Total 34".98
Days with ·01 in. or more	26	14	22	18	8	9	13	11	10	11	21	21	184

.910

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Thames Bank Marlow
in the County of Bucks
by Sidney H. Wright

Lat. Long.
Time of Observation 9 o'clock A.M.
Nearest Railway Station Marlow
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	.52	.20	-	.35	-	.02	.70	-	.31	1
2	-	-	.03	.01	-	-	.30	.68	.16	.01	-	.11	2
3	.06	-	-	.02	-	-	.34	-	.05	.06	-	.02	3
4	.01	.05	.01	.18	.01	-	.01	.15	.01	.47	-	.03	4
5	-	-	.03	.05	.03	-	1".21	.01	-	.01	-	.02	5
6	-	-	.23	-	.13	-	.41	-	-	-	-	-	6
7	.03	-	.02	.28	.01	-	.17	-	-	-	-	-	7
8	-	.04	-	.20	.09	-	.21	.02	-	.01	-	-	8
9	.38	-	-	.05	-	-	-	-	-	-	-	-	9
10	.75	.04	.08	.09	-	.10	.15	-	-	-	.01	-	10
11	.16	-	.11	.32	.05	.08	.20	-	-	-	-	.02	11
12	.05	.01	-	.20	-	1".51	.01	-	-	-	.03	-	12
13	.14	-	.18	.19	-	-	-	-	-	-	.04	.01	13
14	.03	.02	.48	.20	-	.08	.07	-	.12	.15	.26	.01	14
15	.03	.07	.20	.15	-	-	-	-	.04	.22	.05	.01	15
16	-	-	-	.13	-	.02	-	-	.05	.14	.01	-	16
17	.03	-	-	.01	.19	.01	.05	-	.21	.02	-	-	17
18	.05	-	-	-	.02	-	-	.59	.23	-	-	.03	18
19	.09	-	-	.25	.01	.09	-	-	-	-	.01	.01	19
20	.06	.13	-	.24	-	.71	-	-	-	-	-	.01	20
21	-	-	-	.01	-	-	.56	.04	.27	-	-	.05	21
22	-	-	-	.38	-	-	-	.01	.16	-	-	.31	22
23	.01	-	-	-	-	-	1".13	.01	-	-	-	.40	23
24	-	-	.08	.01	-	-	-	.01	-	-	-	.05	24
25	.02	.03	.10	-	-	-	.34	-	.01	-	-	.01	25
26	.13	-	.20	.02	.01	-	.31	-	-	-	-	.03	26
27	.25	.05	-	.23	-	.15	-	-	-	-	.40	.23	27
28	.52	.02	.25	-	.40	.02	.24	-	-	-	.02	.01	28
29	.19	-	.10	-	.13	-	-	-	-	-	.20	.34	29
30	.04	×	.01	-	.02	.15	.37	7 -	.33	.02	.30	.25	30
31	.03	×	-	×	-	×	-	-	×	.81	×	.14	31
TOTAL	3".06	.46	2".11	3".74	1".30	2".92	6".43	1".52	1".66	2".62	1".33	2".41	YEAR'S TOTAL 29".56 ✓
Days with ·01 in. or more	22	10	16	23	14	11	19	9	13	12	11	23	183 ✓
Days with ·04 in. or more	14	6	11	17	8	8	17	4	10	7	6	10	118 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1021

MURSLEY HALL

1920

FORM A 2. METEOROL… …ANIZATION.

RE… …O.

1 MAR 1921

…0°49' W

…9h & 17h G.M.T.

Kept at Mursle…

…cation

in the County of B…

…nnel of Rain Gauge 8 in.

…p of Gauge above Ground 1 ft. - in.

by A. W. Beec…

,, ,, ,, Sea Level 490 ft.

IMPORTANT NOTE. …m. and the result entered to the previous day. If an Observer prefers not … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1		(Station not used till [illegible]) -	0.1	10.3		-	16.2	3.2	0.5	4.0	-	4.6	1
2		-	0.4	2.6		-	-	4.1	2.6	1.6	-	3.4	2
3		1.4	-	-		0.1	9.8	-	5.2	0.7	-	0.3	3
4		-	2.5	2.4		-	2.8	9.5	0.5	7.6	0.1	-	4
5		-	1.7	0.9		-	12.2	1.1	0.8	-	-	0.3	5
6		-	4.4	-		-	10.0	-	-	-	0.1	0.5	6
7		0.1	0.4	2.0		-	1.1	-	-	-	0.1	-	7
8		(1.0)	-	(9.7)		-	3.8	0.1	-	0.3	-	0.1	8
9		-	-	2.9		-	-	0.9	-	-	-	-	9
10		3.0	0.6	0.5		1.0	3.6	-	-	-	0.2	1.1	10
11		0.1	1.0	4.8	inches	1.1	2.6	-	-	0.1	0.3	0.5	11
12	inches	-	0.2	3.4		12.3	0.6	0.4	-	-	0.8	-	12
13		0.8	2.5	4.2		-	-	-	0.6	0.1	-	-	13
14		0.4	5.3	8.0		5.2	0.3	-	5.4	5.5	6.8	0.3	14
15		0.8	5.1	4.5		-	-	-	2.2	1.8	2.7	-	15
16		-	-	2.6		17.3	-	-	3.2	2.8	0.6	-	16
17		0.7	-	0.9		-	0.6	-	5.4	0.2	0.2	0.8	17
18		-	-	1.9		-	0.1	7.0	4.9	-	0.1	1.2	18
19		-	-	9.7		3.0	0.1	1.6	0.1	-	0.2	0.6	19
20		6.0	-	6.4		8.5	0.2	-	-	-	0.2	0.8	20
21		-	-	-		-	2.5	1.0	3.3	-	-	2.2	21
22		-	-	4.6		-	0.2	0.3	12.4	-	0.5	3.3	22
23		-	-	-		-	9.1	0.6	-	0.2	0.2	8.6	23
24		0.1	5.5	0.1		-	-	0.1	-	0.2	-	1.3	24
25		1.5	2.1	0.2		0.2	13.2	-	-	0.1	0.2	-	25
26		0.1	3.4	0.5		2.0	1.4	-	0.2	0.2	-	1.4	26
27		2.3	0.1	5.4		9.5	0.5	-	0.2	0.2	14.6	3.0	27
28		-	3.4	-		-	1.6	-	-	0.2	0.8	0.2	28
29		-	0.6	-		-	3.1	-	-	0.1	2.0	7.0	29
30			21.9	0.7		3.8	3.7	-	6.6	0.1	5.4	5.0	30
31			1.8				-	-		4.7		3.3	31
TOTAL	55.8	18.3	63.0 ~~62.7~~	87.2 87.4	49.9	64.0	99.3	29.9 ~~29.9~~	54.1 ~~54.2~~	30.7	36.1	49.8	YEAR'S TOTAL 638.1
Days with 0·2 mm. or more	15	10	18	23	13	11	22	11	16	15	16	22	192
16	13	1	13	14	9	10	16	4	10	4	5	13	126

(44,284). Wt. 21,958—21… 500. 10/19. Gp.132. A.&E.W.

Copied from [illegible]

Form A 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1 MAR 1921

REGISTER OF RAINFALL IN 1920.

(MO)

Kept at Mursley

in the County of Bucks.

by A. W. Beecham.

Lat. 51°57'N Long. 0°49'W

Time of Observation 9h & 17h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

(Station [illegible])

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1		-	0.1	10.3		-	16.2	3.2	0.5	4.0	-	4.6	1
2		-	0.4	2.6		-	-	4.1	2.6	1.6	-	3.4	2
3		1.4	-	-		0.1	9.8	-	5.2	0.7	-	0.3	3
4		-	2.5	2.4		-	2.8	9.5	0.5	7.6	0.1	-	4
5		-	1.7	0.9		-	12.2	1.1	0.8	-	-	0.3	5
6		-	4.4	-		-	10.0	-	-	-	0.1	0.5	6
7		0.1	0.4	2.0		-	1.1	-	-	-	0.1	-	7
8		(1.0)	-	(9.7)		-	3.8	0.1	-	0.3	-	0.1	8
9		-	-	2.9		-	-	0.9	-	-	-	-	9
10		3.0	0.6	0.5		1.0	3.6	-	-	-	0.2	1.1	10
11		0.1	1.0	4.8		1.1	2.6	-	-	0.1	0.3	0.5	11
12		-	0.2	3.4		12.3	0.6	0.4	-	-	0.8	-	12
13		0.8	2.5	4.2		-	-	-	0.6	0.1	-	-	13
14		0.4	5.3	8.0		5.2	0.3	-	5.4	5.5	6.8	0.3	14
15		0.8	5.1	4.5		-	-	-	2.2	1.8	2.7	-	15
16		-	-	2.6		17.3	-	-	3.2	2.8	0.6	-	16
17		0.7	-	0.9		-	0.6	-	5.4	0.2	0.2	0.8	17
18		-	-	1.9		-	0.1	7.0	4.9	-	0.1	1.2	18
19		-	-	9.7		3.0	0.1	1.6	0.1	-	0.2	0.6	19
20		6.0	-	6.4		8.5	0.2	-	-	-	0.2	0.8	20
21		-	-	-		-	2.5	1.0	3.3	-	-	2.2	21
22		-	-	4.6		-	0.2	0.3	12.4	-	0.5	3.3	22
23		-	-	-		-	9.1	0.6	-	0.2	0.2	8.6	23
24		0.1	5.5	0.1		-	-	0.1	-	0.2	-	1.3	24
25		1.5	2.1	0.2		0.2	13.2	-	-	0.1	0.2	-	25
26		0.1	3.4	0.5		2.0	1.4	-	0.2	0.2	-	1.4	26
27		2.3	0.1	5.4		9.5	0.5	-	0.2	0.2	14.6	3.0	27
28		-	3.4	-		-	1.6	-	-	0.2	0.8	0.2	28
29		-	0.6	-		-	3.1	-	-	0.1	2.0	7.0	29
30		✕	21.9	0.7		3.8	3.7	-	6.6	0.1	5.4	5.0	30
31		✕	1.8	✕		✕	-	-	✕	4.7	✕	3.3	31
TOTAL	55.8	18.3	~~62.7~~ 63.0	~~87.4~~ 87.2	49.9	64.0	99.3	~~29.9~~ 29.9	~~54.2~~ 54.1	30.7	36.1	49.8	YEAR'S TOTAL 688.1
Days with 0·2 mm. or more	15	10	18	23	13	11	22	11	16	15	16	22	192
	13	[illegible]	13	14	9	10	16	7	10	4	5	13	126

(44,284). Wt. 31,958—213. 500. 10/19. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1920.

(M0)

Kept at Mursley
in the County of Bucks.
by A. W. Beecham

Lat. 51° 57' N Long. 0° 49' W
Time of Observation 9h & 17h GMT.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	(Station not used till May)				0.25								
1	–				–								1
2	–				0.01								2
3	–				–								3
4	–				0.12								4
5	–				0.20								5
6	–				–								6
7	–				0.03								7
8	0.13	millimetres			–	millimetres							8
9	0.23				–								9
10	0.14				0.18								10
11	0.30				–								11
12	0.04				–								12
13	–				–								13
14	–				–								14
15	–				–								15
16	–				0.14								16
17	–				0.16								17
18	0.18				0.05								18
19	0.05				–								19
20	0.08				–								20
21	–				–								21
22	–				–								22
23	–				–								23
24	0.06				–								24
25	0.005 ✓				0.01								25
26	0.26				0.01								26
27	0.26				–								27
28	0.36				0.62								28
29	0.09				0.18								29
30	0.01	X			–								30
31	–	X		X	0.005	X			X		X		31
Total	2.195 ✓				1.965 ✓								YEAR'S TOTAL
Rain Days	15				14 ✓ (3)								

01 7.04 15 Copied from 13 3202. 9

W, 6,500, VII. 18. W W C

BUCKS

LATIMER HOUSE

1912 — 1919

FORM A.
BRITISH RAINFALL.

27 FEB 1913

REGIS 2

g.

Kept at Latimer Hou 7. a.m.

in the County of Buck Chalfont Road

8 in.

by William S above Ground 1 ft. 7 in.

" Sea Level About 400 ft.

IMPORTANT NOTE and the result entered to the previous day. If an Observer prefers not to conform to this universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·10	·02		·04	·03	·02	·05	·28		·15	1
2		·03	·11	·02		·15	·40	·10				·02	2
3	·09		·10		·06	·19	·02	·23	·03			·12	3
4	·31		·65		·22	·17	·03	·12			·22		4
5	·19	·13	·23					·33	·03		·06		5
6	·71	·04	·05		·01			32	·03			·11	6
7	·06					·62	·04	·12				·13	7
8	·47	·30	·20		·05	·03	·03	·36	·02			·07	8
9	·10	·25	·04	·10		·32		·02				·32	9
10	·11	·05				·04		·25			·11	·17	10
11		·19		·02				·04				·20	11
12	·05	·27	·10		·03	·11					·20		12
13		·03	·04				·01				·21	·03	13
14	·03		·06		·02	·02		·08		·07	·02	·03	14
15	·04		·12		·26			·04			·03	·27	15
16	·30		·12		·04	·40		·14		·16	·07		16
17	·72		·23			·09		·13					17
18	·06		·12					·17		·03	·01	·13	18
19	·10	·10	·24				·30	·50		·02			19
20	·05		·11				·04	·24		·38			20
21	·03	·02	·95		·55			·14		·14	·09		21
22	·27	·26	·19		·10		·10	·09		·01			22
23	·44	·32	·39				·11	·52			·16	·25	23
24	21	·03	·01					·20				·07	24
25	·02					·24		·17			·28	·30	25
26		·05				·02	·16	·55		·50	·53	·52	26
27			·04				·02			·24		·25	27
28		·03				·13	·06	·09	·10	·62	·43	·37	28
29		·08		·02		·15	·25	·53	1·38	·05	·07	·02	29
30					·43		·11	·10	1·21	·29			30
31			·19		·02		35	·09				·03	31
Total	4·36	2·18	4·39	·18	1·79	2·72	2·06	5·69	2·85	2·79	2·49	3·56	YEAR'S TOTAL 35·06
Rain Days.	21	17	23	5	12	16	17	28	8	13	15	21	196

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

27 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at *Latimer House, Gardens*

in the County of *Buckinghamshire* 4

by *William Stephens*

Lat. Long.

Time of Observation 7. a.m.

Nearest Railway Station Chalfont Road

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level About 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·02		·04	·03	·02	·05	·28		·15	1
2		·03	·11	·02		·15	·40	·10				·02	2
3	·09		·10		·06	·19	·02	·23	·03			·12	3
4	·31		·65		·22	·17	·03	·12			·22		4
5	·19	·13	·23					·33	·03		·06		5
6	·71	·04	·05		·01			·32	·03			·11	6
7	·06					·62	·04	·12				·13	7
8	·47	·30	·20		·05	·03	·03	·36	·02			·07	8
9	·10	·25	·04	·10		·32		·02				·32	9
10	·11	·05				·04		·25			·11	·17	10
11		·19		·02				·04				·20	11
12	·05	·27	·10		·03	·11					·20		12
13		·03	·04				·01				·21	·03	13
14	·03		·06		·02	·02		·08		·07	·02	·03	14
15	·04		·12		·26			·04			·03	·27	15
16	·30		·12		·04	·40		·14		·16	·07		16
17	·72		·23			·09		·13					17
18	·06		·12					·17		·03	·01	·13	18
19	·10	·10	·24				·30	·50		·02			19
20	·05		·11				·04	·24		·38			20
21	·03	·02	·95		·55			·14		·14	·09		21
22	·27	·26	·19		·10		·10	·09		·01			22
23	·44	·32	·39				·11	·52			·16	·25	23
24	21	·03	·01					·20				·07	24
25	·02					·24		·17			·28	·30	25
26		·05				·02	·16	·55		·50	·53	·52	26
27			·04				·02			·24		·25	27
28		·03				·13	·06	·09	·10	·62	·43	·37	28
29		·08		·02		·15	·25	·53	1·38	·05	·07	·02	29
30					·43		·11	·10	1·21	·29			30
31			·19		·02		35	·09				·03	31
Total	4·36	2·18	4·39	·18	1·79	2·72	2·06	5·69	2·85	2·79	2·49	3·56	YEAR'S TOTAL 35·06
Rain Days.	21	17	23	5	12	16	17	28	8	13	15	21	196

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 19 13

BRITISH RAINFALL
4 - JAN 1914
FORM A.

Kept at Latimer Gardens
in the County of Buckinghamshire
by William Stephens

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Chalfont Road
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level About 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.17	.14	.15	.03	.10			.35		.18	.14	1
2	.01	.11	.02	.04			.11		.01	.10	.16		2
3	.03		.06	.11	.52					.03		.13	3
4	.54		.03		.03		.11			.07	.06	.10	4
5	.15	.02			.02	.02	.20		.10	.03	.02	.11	5
6		.09	.06		.11	.15	.02			.03 ~~.74~~	.01	.14	6
7		.16			.15	.03		.03		.74 ~~[illegible]~~	.04	.01	7
8			.03		.09	.14	.01			.30	.15	.02	8
9		.18			.03	.03			.06		.02	.01	9
10			.02	.12			.23	.06			.34		10
11	.66			.46	.17			.03		.65	.45		11
12					.03						.40		12
13	.03								.09		.21		13
14	.08	.04	.13	.08			.02	.09	.01	.18	.24		14
15	.25	.06	.33	.34			.36		.04		.01		15
16			.35	.27					.07				16
17	.05	.02	.12	.05			.15					.11	17
18	.03		.18	.25	.02						.09	.02	18
19	.58		.03	.05			.14					.03	19
20	.11		.04	.08	.02	.01			.49	.40	.02		20
21	.05		.14	.03	.09					.11	.47		21
22	.48		.24	.07			.01						22
23	.02					.05		.07	.19			.16	23
24			.03			.01		.02	.06				24
25		.01		.27							.02		25
26		.04	.14	.19				.08		.50	.02	.25	26
27		.03	.03	.08									27
28	.34		.27	.15						.16		.01	28
29	.03		.10	.45	.32			.10		.12		.06	29
30	.31		.03	.02				.07		.24		.01	30
31								.29					31
Total	3.84	.93	2.52	3.26	1.63	.54	1.36	.84	1.47	3.66	2.91	1.31	YEAR'S TOTAL 24.27
Rain Days.	19	12	22	20	14	9	11	10	11	15	19	16	178

W. 7,500, XI. ·12

Esc. W9.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Latimer Gardens
in the County of Buckinghamshire 4
by M. Stephens

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Chalfont Road
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·07	·05	1
2				·02				·10			·09	·07	2
3			·01		·23		28	·09			·11	·07	3
4	·18		·02	·30	·03			·17			·41	·50	4
5	·02		·10	·24	·09	·14	·50	·55			·01		5
6		·17	·02		·07	·14	·06	·05			·24	·28	6
7		·40	·45	·10	·45	·04	·01					·26	7
8		·19	·75	·03	·09	·20	·40	·17				·02	8
9	·07		·61	·11	·07	·33			·06			1·60	9
10	·22	·16	·06	·11	·04			·02					10
11	·02	·31	·52	·01		·61			·26		·25	·32	11
12		·08	·07				·18		·33		·04	·42	12
13		·41	·20						·06	·02	·04	·42	13
14		·20	·44				·10			·30	·13	·30	14
15	·07	·03	·23				·02		·04		·09	·06	15
16			·05				·04		·34				16
17		·57	·14							·01		·20	17
18		·04	·11									·49	18
19		·10	·13			·02	·10				·22	·09	19
20		·34	·36						·02	·02	·03	·12	20
21		·53	·07			·02		·01		·05		·07	21
22		·04	·13		·05	·07	·05	·03		·84			22
23		·16	·03		·12	·05				·10			23
24	·02	·02	·05	·03	·06		·03			·15	·11		24
25	·06		·14					·13		·44	·02	·11	25
26	·05		·04							·06	·21	·60	26
27			·07				·05				·06	·31	27
28		·07			·02					·12	38	1·48	28
29			·18		·02					25	·06		29
30	·07		·07							·09	·46	·41	30
31	·03				·06		·07					·02	31
Total	·81	3·82	5·05	·95	1·40	1·62	1·99	1·32	1·11	2·45	3·03	8·27	YEAR'S TOTAL 31·82
Rain Days.	11	18	27	9	14	10	·14	10	7	13	20	24	177

W. 8,000. X. 14.

exd JS

1091

FORM A.
BRITISH RAINFALL.
3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Latimer Gardens

in the County of Buckinghamshire 4

by W Stephens

Lat. Long.

Time of Observation 9. a m

Nearest Railway Station Chalfont Road

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	64		7			3	5	4	7	8	21	38	1
2	10	42	37	10	5			84	3		2	17	2
3	59	1	6	11			14	53	4			28	3
4	5				3							46	4
5		44						4		2		28	5
6	22	8	4	46				3				14	6
7	8	36	8				63	5			1	32	7
8	6	44	4	4			40						8
9	3	8		14		3		13		2	26	71	9
10	33 38							7				8	10
11	3		3							2	93		11
12	8			25	44			37		1	58	4	12
13	1	54			1·58								13
14		8					69	5	8			76	14
15	24	2			5		2	11				21	15
16		57					82	9			17	8	16
17		41			60		8	2				2	17
18		20			12								18
19	1	3	14		2		18						19
20	32		4	7								21	20
21	13	3					3			2		10	21
22	88	19	42				82		3			16	22
23	2	39	14			3	48		13	62		32	23
24			5			1	10		81	15		26	24
25				4			19		1	7		12	25
26		15					16		5			51	26
27		2	3			10	29		1	45		12	27
28		7					2		131	15			28
29							1	16	2		17	3	29
30	4	×				80				10	12	6	30
31		×		×		×		5	×	1·20	×	21	31
Total	3·86	4·53	1·51	1·21	2·89	1·00	5·11	2·58	2·59	2·91	2·47	6·03	YEAR'S TOTAL 36·69
Rain Days.	19	20	13	8	8	6	18	15	12	13	9	25	166

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Latimer Gardens
in the County of Buckinghamshire
by W. Stephens

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Chalfont Road
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.12				.26	.05	.07			.02	.39		1
2	.58	.04	.16		.17				.09	.38	.10		2
3		.68	.04						.18	.36	.20		3
4	.30	.11				.61	.10		.10	.27	.57		4
5	.04	.04	.02	.04	.08	.10			.04	.06	.56		5
6	.01	.09	.32	.20	.04	.17	.46			.18	.60		6
7	.12	.02	.36		.12	.07	.52			.03	.63	.04	7
8			.05		.38	.03				.01	.03	.40	8
9					.34						.02	.09	9
10		.20	.13	.07		.14	.17					.03	10
11	.09	.10	.07	.18	.02	.31	.10		.02			.08	11
12		.04	.12	.08	.19	.16	.12	.13	.02	.10			12
13	.04	.44	.40	.17		.15		.35		.02			13
14		.46		.02	.13			.42		.06		.08	14
15		.16	.32				.05	.21		.10			15
16	.02	.06	.42	.17	.03		.21	.40					16
17	.10	.16		.08			.02	.09	.39	.49		.03	17
18		.09	.06	.17				.34	.13	.07	.88		18
19	.11		.22	.31				.02	.47		67	.10	19
20	.19	.06	32	.08							.04	.57	20
21	.04		.61				.08					.45	21
22		.08	.05		.05	.03				.06		.56	22
23	.04	.43				.10		.04		.05	.04	.12	23
24		.06	.05		.11	.40		.04		.20	.04	.41	24
25		.85	.08					.15		.46	16		25
26		.16				.17		.07		.10			26
27	.14	.05	1.27			.07		.47	.15	.19			27
28	.02	.44	.29			.24			.09	.11	.02	.21	28
29		.10				.47		1.25		.52	.06	.18	29
30		✕			.10	.13		.05		.36	.01		30
31		✕		✕		✕		.05	✕	.19	✕	.03	31
Total	1.96	4.92	5.36	1.57	2.02	3.40	1.90	4.08	1.68	4.39	5.02	3.38	YEAR'S TOTAL 39.68
Rain Days.	16	24	21	12	14	18	11	16	11	24	18	16	201

W. 8,000, VIII. 16

1027

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Latimer Gardens
in the County of Buckinghamshire
by Mr Stephens

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Chalfont Road
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			03	30				90	08		13	04	1
2	01	02		15		09		14			10		2
3				07				63		38	08		3
4	28	32	26				01	20		39			4
5			04	20				05	14	10	11	02	5
6			15	02		06			10	02	08		6
7	30						21			39	06	04	7
8	42			14			94	30		35	17	08	8
9	03		08	13			04	19	02	38	11	07	9
10	36		28	30				14			09		10
11	11	03	41	04					05	38			11
12	16		02	03		08		10		56			12
13	17		09					23	04	02	02		13
14			02	23				14				03	14
15	05			01			06	08		05			15
16	04	12		28	21	1·42	05			1·04		35	16
17		04		15	60		28	15	47	29			17
18	03	08		19	09	16	16		60	14			18
19	04	21	10	01	01	15	04	02	33				19
20	02	16	09		47			07	08		12		20
21	05		04	01	09					04	04	03	21
22			14			11				08			22
23		12			11	04		05		03			23
24		04				03		18	01	27	04	05	24
25		04						11		02	13		25
26			13					37	10		24		26
27			03			10		78			02	05	27
28			02			1·83		21				04	28
29					51	11	1·18	15		42		13	29
30	02	X	09				1·23	17		01		06	30
31	03	X	07	X		X	34	04	X	02	X	05	31
Total	2·12	1·18	2·09	2·26	2·09	4·18	4·54	5·40	2·02	5·38	1·54	1·04	YEAR'S TOTAL 33·84
Rain Days.	17	11	19	17	8	12	12	24	12	22	16	14	184

W. 8,000, IX. 17.

29

FORM A.
BRITISH RAINFALL.

16. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Latimer House Gardens
in the County of Buckinghamshire
by W. Stephens

Lat. ________ Long. ________
Time of Observation 9 A.M.
Nearest Railway Station Chalfont Road
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		06											
1		10.		15							24	06	1
2		02,		13				25		03	23	21	2
3		07.	08	07	64			04	11		52	02	3
4		08,	05					02	50	04	49	04	4
5		18,			12			27		14		02	5
6	18	13.		24	15			02	10	02		10	6
7	05	.		22	12	02			16	13	15		7
8				02				03	14	07	10	02	8
9	03	07		06		23	42		45	21		16	9
10	06			09			40		07	02		25	10
11				03	13		37		14	48	06	16	11
12	02	10			23		13		02			01	12
13	02						21		26			14	13
14	23		03	02		11	09		25	21		23	14
15	1·16			1·33		02	42		05			15	15
16	22			44			02		1·05	02		02	16
17	25			32		16	21	08	05	09		17	17
18	56			02		27	36		30	06		12	18
19	08	02	06			08	29		05	22		12	19
20	03	17		1·09		04	05		28	04	03	02	20
21	09	02		71		02		03	42		02	01	21
22	12				58		28		08			21	22
23	06				42		51	05	05			03	23
24		22				04	05		09		20		24
25						03	16				08		25
26							25	43	07		15	21	26
27			02	07			15	17		04	11	07	27
28		10	20	04				36			17	23	28
29			03					05	1·26		02	02	29
30	02	X	38						14		04	04	30
31	04	X	13	X		X			X	12	X	03	31
Total	3·22	1·34	·93	5·05	2·39	1·02	4·37	1·80	6·09	1·94	2·61	2·87	YEAR'S TOTAL 33·63
Rain Days.	18	14	9	18	8	11	18	13	24	17	16	28	194

W, 6,500, VII. 18. W W & S

Ex. Hob 968

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

JAN 20

REGISTER OF RAINFALL IN 19......

Kept at Latimer Gardens
in the County of Buckinghamshire
by W. Stephens

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Chalfont Road
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	57	04	04	02	16		40						1
2	29		04		08		12						2
3	46		35		05		13						3
4	10	09	41			10	10						4
5	03	37	83	02			05						5
6	07		11		03								6
7	09		72										7
8	21		09	11									8
9	02		01	06	09								9
10	07		20	03									10
11	07		11	22	02		28						11
12			09	04		12	10						12
13	03			42									13
14	36	06		37			07						14
15	31		17	21									15
16	03	85		03									16
17	01	60		02									17
18		10	12										18
19		19	96			20	33						19
20	43	10	10			57	13						20
21	25	44	06			08	15						21
22		24				02	13						22
23						04							23
24				16		02							24
25	10			10	08	04	12						25
26	17	25	20	12									26
27	1.06	04	06	1.38									27
28			15										28
29				16									29
30	02		07	24		12							30
31	03		05				01						31
Total	4.78	3.37	4.94	3.71	.51	1.31	2.12						Year's Total
Days with ·01 in. or more	23	13	22	18	7	10	14						

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

BUCKS
NORTH CRAWLEY [RECTORY]
1911–1913

1911

Snowdon

Kept at North Cra

er of top 5 in.

of top above Ground 1 ft. – in.

in the County of B

„ „ Sea Level 300 ft.

tion 9 a.m.

by Rev J.H.H

Station { Name Newport Pagnell.
Distance 3¾ Direction W by S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	-	-	20	07	-	-	02	-	-	·02	02	1
2	03	-	-	20	11	-	-	03	-	-	08	11	2
3	-	04	-	-	14	-	-	02	-	01	03	02	3
4	03	03	12	06	-	-	-	-	02	32	08	37	4
5	01	0	-	-	-	-	-	19	-	02	-	02	5
6	22	-	01	-	-	-	-	-	-	01	02	30	6
7	-	-	-	02	-	-	-	-	-	07	16	14	7
8	09	-	14	-	-	-	-	-	-	03	04	07	8
9	12	-	-	-	-	-	-	-	-	-	02	03	9
10	01	07	07	03	-	-	-	-	-	-	05	30	10
11	23	-	-	-	0	-	-	-	-	-	52	-	11
12	-	-	37	-	-	-	-	-	06	03	23	01	12
13	03	-	10	-	01	-	-	-	29	02	02	56	13
14	-	-	02	-	17	-	-	-	-	-	-	24	14
15	-	05	17	-	-	-	0	-	0	04	-	-	15
16	-	-	12	-	-	07	-	-	-	02	43	06	16
17	-	-	02	-	-	01	-	-	-	01	-	12	17
18	-	26	0	-	-	02	-	-	-	01	08	07	18
19	-	0	-	-	03	20	11	-	25	02	20	02	19
20	01	05	05	-	-	03	-	30	23	06	-	47	20
21	-	08	-	-	-	-	-	04	0	11	-	12	21
22	01	-	05	0	-	04		-	-	25	-	43	22
23	-	06	29	-	-	37	22	-	19	-	-	11	23
24	-	06	-	-	-	22	-	02	-	37	-	12	24
25	-	07	04	01	53	17	-	04	-	-	0	02	25
26	-	-	-	11	68	02	0	0	-	13	11	12	26
27	-	17	14	02	-		47	04	15	01	01	06	27
28	-	10	-	21	-		-	18	-	-	07	02	28
29	-		-	07	-	34	13	-	23	13	-	-	29
30	-		02	07	-	01	-	04	0	09	01	02	30
31	-		-		10		-	-		03		01	31
Total	·80	1·04	1·73	1·00	1·84	1·50	·93	·92	1·42	1·79	2·18	3·96	TOTAL for year 19·11
No. of Rain Days.	~~11~~ 12	12	16	11	9	12	4	11	8	22	19	28	~~163~~ 164

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

REGISTER OF RAINFALL IN 1911

Kept at North Crawley Rectory

in the County of Bucks

by Rev J. H. Harvey

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 300 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Newport Pagnell.
Distance 3¾ Direction W by S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	–	20	07	–	–	02	–	–	·02	02	1
2	03	–	–	20	11	–	–	03	–	–	08	11	2
3	–	04	–	–	14	–	–	02	–	01	03	02	3
4	03	03	12	06	–	–	–	–	02	32	08	37	4
5	01	0	–	–	–	–	–	19	–	02	–	02	5
6	22	–	01	–	–	–	–	–	–	01	02	30	6
7	–	–	–	02	–	–	–	–	–	07	16	14	7
8	09	–	14	–	–	–	–	–	–	03	04	07	8
9	12	–	–	–	–	–	–	–	–	–	02	03	9
10	01	07	07	03	–	–	–	–	–	–	05	30	10
11	23	–	–	–	0	–	–	–	–	–	52	–	11
12	–	–	37	–	–	–	–	–	06	03	23	01	12
13	03	–	10	–	01	–	–	–	29	02	02	56	13
14	–	–	02	–	17	–	–	–	–	–	–	24	14
15	–	05	17	–	–	–	0	–	0	04	–	–	15
16	–	–	12	–	–	07	–	–	–	02	43	06	16
17	–	–	02	–	–	01	–	–	–	01	–	12	17
18	–	26	0	–	–	02	–	–	–	01	08	07	18
19	–	0	–	–	03	20	11	–	25	02	20	02	19
20	01	05	05	–	–	03	–	30	23	06	–	47	20
21	–	08	–	–	–	–	–	04	0	11	–	12	21
22	01	–	05	0	–	04		–	–	25	–	43	22
23	–	06	29	–	–	37	22	–	19	–	–	11	23
24	–	06	–	–	–	22	–	02	–	37	–	12	24
25	–	07	04	01	53	17	–	04	–	–	0	02	25
26	–	–	–	11	68	02	0	0	–	13	11	12	26
27	–	17	14	02	–		47	04	15	01	01	06	27
28	–	10	–	21	–		–	18	–	–	07	02	28
29	–		–	07	–	34	13	–	23	13	–	–	29
30	–		02	07	–	01	–	04	0	09	01	02	30
31	–		–		10		–	–		03		01	31
Total	·80	1·04	1·73	1·00	1·84	1·50	·93	·92	1·42	1·79	2·18	3·96	TOTAL for year 19·11
No. of Rain Days.	~~11~~ 12	12	16	11	9	12	4	11	8	22	19	28	~~163~~ 164

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

14 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at North Crawley Rectory.

in the County of Bucks 5

by Rev. J. H. Harvey

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 300 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Newport Pagnell
Distance 3 3/4 m. Direction N-y-S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	02	-	-	05	04	-	06	·28	-	07	1
2	-	05	08	01	-	15	44	-	0	-	-	-	2
3	·06	01	-	-	08	06	02	32	01	01	01 mist	03	3
4	·10	-	63	-	12	14	-	02	-		11	-	4
5	18	09	14	-	.	11	-	20	06		09	0	5
6	22	06	-	-	02	-	05	59	02		-	04	6
7	.	-	-	-	02	60	02	28	-		.	02	7
8	29	12	14	-	-	04	-	03	08		-	-	8
9	03	17	04	05	-	17	-	-	-	01 mist	-	13	9
10	-	01	-	-	-	11	-	1·14	.	01 "	09	-	10
11	14	07	01	-	-	05	-	0	-	-	02	12	11
12	09	24	04	-	02	23	0	-	-	-	09	-	12
13	-	04	-	-	01	-	-	05	-	-	10	0	13
14	03	-	06	-	10	05	-	07	.	01 mist.	-	-	14
15	01	02	15	-	18	11	-	01	-	-	-	12	15
16	46	-	04	-	09	08	-	03	-	03	01	-	16
17	51	-	10	-	-	06	-	12	-	-	-	13	17
18	04	-	17	-	-	-	0	04	-	01	04	02	18
19	13	03	05	-	-	01	15	26	-	01	01	.	19
20	01	01	13	-	02	02	20	43 ~~26~~	0	24	.	-	20
21	01	01	20	-	66	-	0	59	.	38	07	-	21
22	53	06	0	-	07	-	16	24 ~~07~~	.	02	-	03	22
23	19	41	30	-	-	-	53	26	.	04	11	22	23
24	21	02	-	-	-	04	0	17 ~~26~~	-	-	-	06	24
25	-	-	-	-	-	11	0	37	-	-	19	39	25
26	-	02	01	-	-	07	20	84 ~~37~~	.	40	14	10	26
27	-	-	01	-	-	02	24	-	-	28	-	17	27
28	.	03	01	-	-	-	0	31	05	21	14	75	28
29	-	01	01	0	-	01	27	01	63	30	-	-	29
30	.		-	-	25	02	0	-	29	13	-	-	30
31	-		04		19		41	23		-		-	31
Total	3·24	1·48	2·38	·06	1·73	2·31	2·73	6·71	1·20	2·43	1·22	2·40	TOTAL for year 27·89
No. of Rain Days.	19	20	22	2	14	23	13	24	8	~~16~~ 17	15	16	~~192~~ 193

W. 8,000, X. '11.

+7 days of <·005

Ex JL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

24 APR 1914

Kept at North Crawley Rectory
Newport Pagnell
in the County of Bucks. 5
by Rev. J. H. Harvey.

Lat. 52°-10' N. Long. 0°-35' W.
Time of Observation 9 a.m.
Nearest Railway Station Newport Pagnell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·21	·06	09	·07	-	-	0	1·04	-	·04	·03	1
2	·01	10	-	-	-	-	11	-	·62	-	-	-	2
3	·01	-	11	01	67	-	01	-	0	24	02	14	3
4	·21	-	01	-	02	01	04	-	-	22	03	28	4
5	·02	0	-	-	-	03	02	-	01	21	03	-	5
6	-	02	01	-	15	09	~~04~~ 03	-	-	40	-	05	6
7	-	11	-	-	13	01	09	0	-	31	04	-	7
8	-	-	01	-	13	05	~~02~~ -	-	-	04	04	-	8
9	-	21	01	-	-	02	~~10~~ 02	01	10	-	07	05	9
10	·01	-	-	05	01	-	16	01	-	-	55	-	10
11	·76	-	-	42	12	-	-	06	-	29	08	-	11
12	-	01	-	-	15	-	-	-	-	-	33	-	12
13	02	01	-	01	-	-	~~02~~ -	0	03	01	16	-	13
14	·05	-	13	02	-	-	~~38~~ 02	05	-	14	03	-	14
15	·11	01	08	12	-	-	38	-	02	-	02	-	15
16	02	-	33	14	-	-	~~26~~ -	-	0	-	-	-	16
17	09	04	05	24	-	23	06	-	02	-	0	07	17
18	-	-	07	10	-	-	~~14~~ 02	-	-	-	0	05	18
19	20	-	05	-	-	04	15	-	12	-	-	05	19
20	10	-	12	-	-	14	~~03~~ -	-	-	23	-	-	20
21	01	-	09	06	00	-	03	-	-	0	14	-	21
22	40	-	18	02	-	-	0	06	16	-	01	-	22
23	-	-	-	-	-	04	02	08	04	-	-	05	23
24	02	-	01	07	-	-	-	03	-	-	0	-	24
25	-	02	-	12	-	05	-	-	-	02	0	-	25
26	-	04	20	06	-	-	01	05	-	32	02	09	26
27	-	01	02	0	-	-	-	-	-	-	02	-	27
28	36	-	11	12	-	-	-	-	-	09	0	05	28
29	-		13	47	24	-	-	05	-	06	01	07	29
30	12		-	0	-	-	-	01	-	04	07	03	30
31	-		-		0		-	07		-		-	31
Total	2·53	·79	1·78	2·12	1·75	·71	1·18	·48	2·22	3·18	1·70	1·01	YEAR'S TOTAL 19·45
Rain Days.	19	~~10~~ 12	20	17	11	11	16	11	10	~~18~~ 15	19	13	17~~0~~ 174

W.7,000, XI. 13

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

OVING HOUSE

BUCKS

1911 - 1920

RE 11.

Kept at Oving H urdon 5 in.

e Ground 1 ft. — in.

in the County of Buc Sea Level 515 ft.

a.m. (daily)

by George wh Name Waddesdon Manor

Distance 3 miles. Direction S.W.

IMPORTANT NOTI d the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the read ear in the space provided for it at the end of this nent of rain, the selection and placin itish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·01	·39	—	—	·04	—	—	—	·02	·03	1
2	·02	—	—	·25	·14	—	·03	·02	—	—	·18	·19	2
3	·02	·03	—	·01	·20	—	—	—	—	—	·10	·04	3
4	·02	·03	·10	·04	—	—	—	—	·01	·14	·12	·44	4
5	·02	·02	—	·02	—	—	—	·27	—	·06	·02	·01	5
6	·39	—	·02	·01	—	—	—	—	—	·01	·02	·23	6
7	·04	—	—	—	—	—	—	—	—	·02	·31	·15	7
8	·18	—	·14	—	—	—	—	—	—	·02	·08	·19	8
9	·14	—	·02	·02	—	—	—	—	—	—	·01	·05	9
10	·03	·12	·26	·01	—	—	—	—	—	—	·03	·45	10
11	·21	—	·03	—	·04	—	—	—	—	—	·63	·03	11
12	·02	—	·42	—	—	—	—	—	·01	·07	·32	—	12
13	—	—	·04	—	·06	—	—	—	·19	·18	·01	·55	13
14	—	—	·04	—	·03	—	—	—	—	—	—	·22	14
15	—	·10	·07	—	—	—	—	—	—	·02	·09	·02	15
16	—	—	·01	—	—	·07	—	—	—	—	·33	·07	16
17	—	—	·03	—	—	·08	—	—	—	·01	·04	·22	17
18	—	·14	·02	—	—	·03	—	—	—	—	·03	·14	18
19	·02	·01	—	—	·01	·27	—	—	·20	·03	·15	·06	19
20	·02	·07	·04	·02	—	·06	—	·12	·43	·03	—	·52	20
21	·02	·08	·03	—	—	·02	—	·03	—	·36	—	·07	21
22	·02	·01	·19	—	—	·04	—	·02	—	·11	—	·53	22
23	·01	·12	·42	—	—	·19	·05	~~·10~~	·19	·01	·01	·20	23
24	—	·11	·02	—	—	·25	—	·03	—	·23	—	·19	24
25	—	·05	·02	·04	·77	·12	—	·18	·01	·10	—	·03	25
26	—	·06	—	·13	·07	·05	—	·01	—	·11	·06	·17	26
27	—	·32	·09	·02	—	—	·08	·05	·21	—	·01	·15	27
28	—	·27	—	·28	·05	—	—	·17	—	—	·06	·01	28
29	—		·02	—	—	·30	·07	—	·31	·26	·01	—	29
30	—		·03	·08	·10	·02	—	·27	·03	·14	—	·02	30
31	—		—		·07		—	—		—		—	31
Total	1·20	1·54	2·07	1·32	1·54	1·50	·27	1·17	1·59	1·91	2·64	4·98	TOTAL for year 21·73
No. of Rain Days	17	16	23	14	11	13	5	11	10	19	23	28	190

9,000, IX. '10.

RE 11.

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

Kept at Oving House.

in the County of Buckingham 5

by George White.

Rain Gauge	Pattern Snowdon
	Diameter of top 5 in.
	Height of top above Ground 1 ft. — in.
	„ „ „ Sea Level 515 ft.

Time of Observation 9. a.m. (daily)

Nearest Railway Station: Name Waddesdon Manor; Distance 3 miles. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·01	·39	—	—	·04	—	—	—	·02	·03	1
2	·02	—	—	·25	·14	—	·03	·02	—	—	·18	·19	2
3	·02	·03	—	·01	·20	—	—	—	—	—	·10	·04	3
4	·02	·03	·10	·04	—	—	—	—	·01	·14	·12	·44	4
5	·02	·02	—	·02	—	—	—	·27	—	·06	·02	·01	5
6	·39	—	·02	·01	—	—	—	—	—	·01	·02	·23	6
7	·04	—	—	—	—	—	—	—	—	·02	·31	·15	7
8	·18	—	·14	—	—	—	—	—	—	·02	·08	·19	8
9	·14	—	·02	·02	—	—	—	—	—	—	·01	·05	9
10	·03	·12	·26	·01	—	—	—	—	—	—	·03	·45	10
11	·21	—	·03	—	·04	—	—	—	—	—	·03	·03	11
12	·02	—	·42	—	—	—	—	—	·01	·07	·32	—	12
13	—	—	·04	—	·06	—	—	—	·19	·18	·01	·55	13
14	—	—	·04	—	·03	—	—	—	—	—	—	·22	14
15	—	·10	·07	—	—	—	—	—	—	·02	·09	·02	15
16	—	—	·01	—	—	·07	—	—	—	—	·33	·07	16
17	—	—	·03	—	—	·08	—	—	—	·01	·04	·22	17
18	—	·14	·02	—	—	·03	—	—	—	—	·03	·14	18
19	·02	·01	—	—	·01	·27	—	—	·20	·03	·15	·06	19
20	·02	·07	·04	·02	—	·06	—	·12	·43	·03	—	·52	20
21	·02	·08	·03	—	—	·02	—	·03	—	·36	—	·07	21
22	·02	·01	·19	—	—	·04	—	·02	—	·11	—	·53	22
23	·01	·12	·42	—	—	·19	·05	—	·19	·01	·01	·20	23
24	—	·11	·02	—	—	·25	—	·03	—	·23	—	·19	24
25	—	·05	·02	·04	·77	·12	—	·18	·01	·10	—	·03	25
26	—	·06	—	·13	·07	·05	—	·01	—	·11	·06	·17	26
27	—	·32	·09	·02	—	—	·08	·05	·21	—	·01	·15	27
28	—	·27	—	·28	·05	—	—	·17	—	—	·06	·01	28
29	—		·02	—	—	·30	·07	—	·31	·26	·01	—	29
30	—		·03	·08	·10	·02	—	·27	·03	·14	—	·02	30
31	—		—		·07		—	—		—		—	31
Total	1·20	1·54	2·07	1·32	1·54	1·50	·27	1·77	1·59	1·91	2·64	4·98	TOTAL for year 21·73
No. of Rain Days	17	16	23	14	11	13	5	11	10	19	23	28	190

9,000, IX. '10.

82

Ex. H.E.G.

167

FORM A2. BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Oving House

in the County of Buckinghamshire 5

by G. White

RAIN GAUGE Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " Sea Level ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·02			·08	·19	·20	·06	·46		·17	1
2		·02	·18			·16	·46						2
3	·08		·04		·10	·04	·09	·27	·04		·02	·13	3
4	·26		·49		·21	·24		·03			·27		4
5	·16	·09	·16		·02	·01		·24	·02		·03	·03	5
6	·28	·07			·01	·05	·03	·69	·03			·09	6
7					·03	·50	·01	·03				·06	7
8	·32	·24	·12					·04	·02				8
9	·06	·12	·08	·05	·09	·34	·04	·04		·01		·32	9
10		·04				·14		·26			·22	·08	10
11	·17	·10	·02			·04	·01	·12			·06	·20	11
12	·08	·25	·13		·02	·09		·09			·07	·01	12
13		·05	·01			·07		·08			·09		13
14	·05		·08		·14			·17					14
15	·02	·07	·08		·28	·26		·07				·20	15
16	·53		·13		·32	·10		·05		·07	·08		16
17	·78		·23			·10		·30			·02	·12	17
18	·07		·27					·14		·03	·01	·04	18
19	·07	·14	·20				·07	·65			·03	·01	19
20	·04		·15				·18	·11		·21			20
21	·02	·06	·38		·42			·24		·15	·04		21
22	·50	·16	·08		·25		·17	·23		·05		·05	22
23	(·47)	·47	·33				·18	·34			·19	·19	23
24	·15	·02				·02	·04	·23				·17	24
25						·19		·42			·37	·36	25
26		·03	·01				·24	·48		·49	·29	·16	26
27		·01	·06			·07	·01			·38		·19	27
28		·05				·02	·11	·34	·07	·28	·13	·90	28
29		·12	·03			·07	·31	·06	·96	·57	·01	·01	29
30					·34	·09		·02	·40	·18			30
31			·06		·10		·38	·10		·01		·02	31
Total	4.11	2.13	3.34	·05	2.33	2.68	2.52	6.04	1.60	2.89	1.93	3.51	TOTAL for year 33·13
No. of Rain Days.	19	20	24	1	14	21	17	29	8	13	17	22	205

W. 8,000, X. '11.

6x·112

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

JAN 1914

Kept at Oving House.

in the County of Bucks.

by H. Yates Thompson Esq.
per G. White.

5

Lat. 0° 52' W. Long. 51° 53' N.
Time of Observation 9. a.m.
Nearest Railway Station Waddesdon Manor
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·26	·14	·14	·12	—	—	—	·54	—	·16	·02	1
2	·02	·09	·01	·02	—	—	·10	—	·05	·17	·02	—	2
3	·01	—	·11	·02	·73	—	·02	—	·01	—	—	·14	3
4	·37	—	·03	—	—	—	·14	—	—	·40	·08	·07	4
5	—	·02	—	—	—	·08	·07	—	·01	·17	·01	·04	5
6	·01	·09	·10	—	·22	·42	·15	—	·02	·37	—	·12	6
7	—	·20	—	—	·27	—	·07	—	—	·44	·09	—	7
8	—	·03	·01	—	·11	·15	—	—	—	·25	·07	·02	8
9	—	·23	·02	—	·03	·06	·02	—	·13	—	·09	·01	9
10	—	—	·01	·06	—	—	·71	·09	—	—	·61	—	10
11	·51	—	—	·37	·12	—	—	·12	—	·53	·27	—	11
12	—	·01	—	—	·26	—	—	—	—	·01	·68	—	12
13	·04	·01	—	·04	—	—	—	·02	·03	—	·28	—	13
14	·05	·02	·15	·02	—	—	—	·06	—	·16	·03	—	14
15	·13	·01	·32	·37	—	—	·09	—	·11	—	·08	—	15
16	·06	—	·42	·22	—	—	—	—	—	—	—	—	16
17	·05	·03	·04	·13	—	·07	·06	—	—	—	·01	·04	17
18	·03	—	·15	·12	—	—	·04	—	·07	—	·04	·02	18
19	·27	—	·05	—	·07	·03	·11	—	·23	—	—	·03	19
20	·19	—	·19	·04	—	·05	—	—	—	·53	·05	—	20
21	·02	—	·14	·08	·13	—	·03	—	—	·05	·24	—	21
22	·56	—	·18	·02	·02	—	—	·12	·24	—	·01	—	22
23	—	—	·01	—	—	·05	—	·01	·03	—	·01	·07	23
24	·05	—	—	·14	—	—	—	·02	—	—	—	—	24
25	—	·06	—	·15	—	·02	—	—	—	·03	—	—	25
26	—	·04	·13	·12	—	—	—	·08	—	·40	·02	·17	26
27	—	—	—	·02	—	—	—	—	—	·02	—	—	27
28	·32	—	·24	·13	—	—	—	—	—	·10	—	·05	28
29	·03		·10	·49	·33	—	—	·06	—	·08	—	·02	29
30	·23		—	—	—	—	—	·03	—	·10	·11	·02	30
31	—		·03		—		—	·18		—		—	31
Total	3·01	1·10	2·58	2·70 2·70	2·41	·93	1·61	·79	1·47	3·81	2·96	·84	YEAR'S TOTAL 24·21
Rain Days.	20	14	22	20	12	9	13	11	12	17	21	15	186

W.7,000, XI. 13

162

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
28 JAN 1915

Kept at Oving House
in the County of Buckinghamshire 5
by G. White

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02					·19			·04		1
2	·03						·39	·07			·24	·21	2
3					·23		·25	·04			·03	·02	3
4	·23			·36	·01		·01	·25			·36	·33	4
5	·04		·05	·22	·01	·21	·54	·08			·05		5
6		·10			·06	·14	·01	·04			·05	·27	6
7		·18	·25	·10	·21	·11	·20	·03				·39	7
8	·08	·07	·56	·05	·07	·60	·04	·11					8
9	·32	·01	·37	·07		·56		·02	·02			·10	9
10	·07	·17		·06	·10				·27				10
11		·12	·38	·03	·23	·49			·02		·15	·17	11
12		·07	·10				·18		·34		·03	·20	12
13	·02	·31	·12						·28	·04	·05	·21	13
14		·06	·43				·14		·02	·77	·10	·15	14
15	·05	·04	·08				·02		·06	·02	·05	·12	15
16	·01		·07				·04		·05		·02		16
17		·33	·04						·18			·37	17
18			·03				·05					·47	18
19		·03	·40				·05				·15	·09	19
20		·20	·13				·04					·25	20
21		·28	·04			·01		·01		·10		·11	21
22		·08		·03	·08	·09	·03	·04		·51			22
23		·05			·09		·12			·09		·06	23
24			·07	·02	·43	·02	·10	·03		·48	·10		24
25	·07		·20				·01	·18		·32	·02	·15	25
26			·09				·10	·04		·04	·13	·39	26
27	·05											·30	27
28	·01	·08	·02							·04	·54	·96	28
29	·04		·20		·01					·26	·18		29
30			·04		—	·06				·05	·38	·27	30
31					·08		·04					·03	31
Total	1·02	2·18	3·69	·94	1·61	2·29	2·36	1·13	1·24	2·72	2·67	5·62	YEAR'S TOTAL 2747
Rain Days.	13	17	22	9	13	10	20	14	9	12	19	23	181

W.7,000, XI. 13

87 ✓

1093
163

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Oving House G+H

in the County of Buckinghamshire 5

by G. White

Lat. ____ Long. ____
Time of Observation ____
Nearest Railway Station ____
Diameter of Rain Gauge ____ in.
Height of top of Gauge above Ground ____ ft. ____ in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·46	·16	·09		·10				·13	·10	·03	·30	1
2	·06	·18	·22	·10				·48	·04	·09		·08	2
3	·38		·03	·12	·02		·05	·71	·17		·03	·17	3
4	·08						·20	·04				·61	4
5	·03	·29						·04				·24	5
6	·20	·21		·22			·71	·02		·02		·03	6
7	·04	·32	·04	·10		·06	·19	·03				·20	7
8	·03	·26	·01	·04			·03				·02		8
9				·13		·01					·25	·54	9
10	·23	·06	·02									·02	10
11			·04	·03	·03						·81	·02	11
12	·05	·04		·35	·38			·20			·78	·05	12
13		·41			·86			·03					13
14	·03	·03					·25	·07	·06			·60	14
15	·16				·02			·23			·11	·21	15
16		·38			·02		·68	·12				·15	16
17		·28			·45		·02					·02	17
18		·11	·15								·01		18
19		·01	·02		·02		·27						19
20	·40			·02			·02					·21	20
21	·10	·03			·05		·09			·03		·09	21
22	·41	·08	·49				·52		·04			·18	22
23		·25	·14				·41		·10	·57		·22	23
24			·17				·30		·97	·27		·11	24
25						·11	·08					·20	25
26		·09				·03	·17		·03			·30	26
27		·05				·04	·20		·01	·38		·03	27
28		·07				·04		·05	·86	·05			28
29							·15	·18			·08	·03	29
30	·02					·01	·01			·11	·04	·04	30
31								·04		·63		·23	31
Total	2·68	3·31	1·42	1·11	1·95	·30	4·35	2·24	2·41	2·25	2·16	4·88	YEAR'S TOTAL 29·06
Rain Days.	16	20	12	9	10	7	19	14	10	10	10	26	163

W. 8,000. X. 14.

8h

Exc 9t

1060
~~15a~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Oving House

in the County of Buckinghamshire

by G. White

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17				·03		·02		·01	·06	·39		1
2	·39	·07	·11		·11					·43	·02		2
3		·46	·02		·02				·04	·27	·10		3
4	·20	·13			·02	·22	·63		·03	·50	·20		4
5	·06				·08	·16	·02			·08	·29		5
6	·01	·04	·16	·13	·02	·14	·66			·14	·40		6
7	·04		·20		·06		·16			·08	·21	·07	7
8					·31	·06						·12	8
9	·01		·05		·36	·03				·03		·07	9
10		·16	·07	·12		·17	·17		·01				10
11	·10	·09	·06	·15	·05	·24						·13	11
12	·05	·02	·04	·03	·19	·09	·27	·01	·05	·21	·02		12
13		·41	·19	·04		·04	·57	·07		·06			13
14		·36		·03	·08			·02		·07			14
15		·09	·31				·15	·17		·08			15
16	·03	·02	·37	·16	·12		·20	·45					16
17	·10	·12		·27			·04	·04	·35	·43			17
18	·01	·08	·08	·09				·72	·11	·03	·67	·04	18
19	·03	·02	·27	·15				·03	·13		·73		19
20	·19		·36	·07				·02			·02	·44	20
21	·02		·44				·21					·67	21
22		·07			·15	·02				·04		·41	22
23	·03	·65				·08		·06		·15	·04	·12	23
24		·10			·04	1·16		·04		·12	·06	·27	24
25		·26	·19					·23		·16	·10		25
26		·07	·02			·06		·05		·09			26
27	06	·04	1·09			·07	·20	·12	·01	·31			27
28		·21	·51			·02			·32	·02		·21	28
29		·08				·21		·87	·01	·19		·24	29
30		X				·09		·03		·32		·04	30
31		X		X		X		·04	X	·09	X	·09	31
Total	1·50	3·55	4·54	1·24	1·64	2·86	3·30	2·97	1·07	3·96	3·25	2·92	YEAR'S TOTAL 32·80
Rain Days.	17	22	19	11	15	17	13	17	11	24	14	14	194

W. 8,000. X. 15.

81 ✓ Ex 81

1029
~~445~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Oving House

in the County of Buckinghamshire

by G. White

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.15				1.23	.06		.10	.05	1
2	.02	.05						.09		.02	.03		2
3				.04				.40		.47	.07		3
4		.48	.13					.09		.66			4
5	.21		.02	.13					.05	.13	.13		5
6			.12			.02			.03	.04	.06		6
7	.31		.01				.33			.45		.02	7
8	.29			.08			.79	.20		.37	.13	.11	8
9	.03		.09	.08	.05		.01	.17	.01		.06	.02	9
10	.32		.31	.24	.02			.16			.03		10
11	.13		.26	.29				.06		.35			11
12	.09		.03		.03			.38	.01	.34	.02		12
13	.04		.04					.22	.09	.05			13
14	.02			.10				.07		.01		.04	14
15	.02				.01		.01	.05		.06		.02	15
16	.03	.22		.24	.12		.17			.94		.22	16
17		.02		.17	.85		.31	.14	.57	.25			17
18	.04	.04		.07	.05	.10	.27		.83	.06			18
19	.02	.23	.08		.01				.14				19
20	.06	.13	.03		.53		.02				.09		20
21	.01	.02	.08	.02	.03	.05					.02		21
22			.03					.23		.12			22
23		.11	.02		.06			.19		.07			23
24		.06				.29		.07		.53	.02	.06	24
25		.07	.08						.01		.10		25
26			.01					.40	.13		.16		26
27					.02	.02		.84				.03	27
28			.04			.81		.10				.04	28
29			.08		.06	.17	.39	.49		.26		.11	29
30	.04	X	.09				.56	.17		.01			30
31	.01	X	.07	X		X	.28	.06	X		X	.07	31
													YEAR'S TOTAL
Total	1.69	1.43	1.62	1.61	1.84	1.46	3.14	5.81	1.93	5.19	1.02	.79	27.53
Rain Days.	18	11	20	12	13	7	11	22	11	20	14	12	171

W. 8,000, VIII. 16

2.95

31
~~142~~

FORM A.
BRITISH RAINFALL.

27·1·19

REGISTER OF RAINFALL IN 1918

Kept at Oving House
in the County of Buckinghamshire
by G. White

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·22							·21	·03	1
2		·18		·19				·14	·07		·10	·12	2
3		·03	·02	·02	·19			·07	·19		·40	·05	3
4		·03	·06					·04	·12		·63	·03	4
5		·09			·20			·10	·02	·11		·02	5
6	·09	·10		·21	·02					·02		·04	6
7	·03	·15		·08	·11				·24	·16	·25		7
8		·01							·22	·16	·02		8
9		·10		·10		·46	·28		·72	·17		·16	9
10	·05			·05		·03	·33			·14		·22	10
11				·04	·14		·15		·06	·21	·05	·06	11
12	·02	·05			·24		·08		·02				12
13		·03		·01	·16		·20		·23	·03		·23	13
14	·30			·02		·17	·22		·48	·14		·20	14
15	1·03			·94			·19		·02			·19	15
16	·26			·28		·05			·27	·04		·05	16
17	·14			·02			1·19	·04				·16	17
18	·54			·02		·22	·28		·22	·05		·31	18
19	·05	·04	·02	·03			·26		·12	·05		·09	19
20	·03	·14		·69		·06	·04		·16	·12			20
21	·04			·70		·04	·06		·66	·03	·02		21
22	·13				·19		·14		·09		·02	·27	22
23	·05				·49		·38	·03	·03			·01	23
24		·23					·03		·04		·23		24
25						·03	·13	·35		·03	·05		25
26		·02					·25	·05		·02	·10	·25	26
27		·04	·03	·04			·03	·31	·28		·14	·07	27
28		·03	·16	·02				·03			·15	·15	28
29			·04						1·39		·01		29
30		×	·27						·07	·03	·08	·11	30
31		×	·04	×		×		·02	×	·10	×		31
Total	2·76	1·30	·64	3·68	1·74	1·06	4·24	1·18	5·72	1·61	2·46	2·82	YEAR'S TOTAL 29·21
Rain Days.	14	17	8	19	9	8	18	11	23	18	16	22	183

W. 8,000, IX. 17.

82

97°

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Oving House

in the County of Buckinghamshire

by G. White

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·03	·02		·03	·03	·14			·05	·03	1·22	1
2	·19		·02		·06		·11	·05	·44	·10	·17	·24	2
3	·70		·21		·02		·23		·18		·07	·36	3
4	·06	·04	·34			·06	·02	·04	·04		·02	·20	4
5	·05	·33	·33	·02			·06		·68			·26	5
6	·02		·10		·30						·02	·08	6
7	·04		·45								·02		7
8	·10		·06	·21									8
9			·04	·11							·02		9
10			·51	·03						·02	·04	·13	10
11	·09		·16	·14	·03		·53				·03	·02	11
12			·29			·23	·10			·11	·03		12
13	·07			·31						·09	·01	·03	13
14	·36	·05		·12			·09		·08	·11			14
15	·16	·03	·11	·27						·02	·08	·48	15
16	·03	·59		·09							·20		16
17		·37		·02							·15		17
18		·04	·24					·35			·04	·11	18
19	·06	·26	·71			·25	·49	·28	·02		·05	·04	19
20	·50	·07	·13			·26	·34	·36	·03		·06	·05	20
21	·08	·40	·03			·04	·29				·03	·04	21
22		·12				·05	·04		·08			·31	22
23						·11		·04		·31	·06		23
24				·12		·01	·05	·03		·49	·05	·08	24
25	·12			·06		·01		·28				·04	25
26	·15	·03	·14	·09				·10	·20			·37	26
27	·59	·07	·02	·89				·54				·04	27
28			·09					·88			·13	·30	28
29				·08		·01		·25		·27		·09	29
30		×	·12	·26		·23		·06		·04	·35	·34	30
31	·05	×	·02	×		×	·03		×	·03	×	·02	31
Total	3·82	2·43	4·14	2·82	·44	1·29	2·52	3·26	1·75	1·64	1·66	4·85	YEAR'S TOTAL 30·62
Rain Days.	20	14	22	16	5	12	14	13	9	12	22	23	182

W, 6,500, VII. 18. W W C

TY
161

922

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Oving House

in the County of Buckinghamshire

by H. Yates Thompson G. White

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·34	·31		·59	·14	·04	·15		·21	1
2			·03	·04				·26	·12	·11		·14	2
3		·06			·04		·84		·10	·05			3
4			·09	·10			·14	·39	·01	·31		·01	4
5			·05	·09	14		47	·03	·07				5
6			·17		·17		·70					·04	6
7			·03	·07			·07						7
8	·15	·03		·43	·06		·23	·02		·02			8
9	·24			·08				·03					9
10	·28	·08	·05	·02		·08	·14				·03	·07	10
11	·21		·05	·21	·21	·06	·09					·02	11
12	·04			·15		·87	·03	·01			·04		12
13	·03	·03	·07	·13					·02		·02	·02	13
14		·03	·33	·31		·29	·02		·19	·14	·29		14
15		·06	·14	·19		·13			·09	·08	·13		15
16				·03	·07	·55			·16	·09			16
17	·02			·05	·17		·03		·22	·01		·05	17
18	·13			·05	·07			·33	·19			·05	18
19	·06	·01		·32		·11		·01					19
20	·09	·21		·28		·41	·02					·04	20
21				·03			·12	·04	·22			·10	21
22	·02			·15			·02	·14	·62			·11	22
23	·02						·63	·02				·37	23
24	·06		·24					·01			·04	·05	24
25		·07	·08			·01	·48				·01		25
26	·23		·15	·03		·05	·07					·06	26
27	·20	·11	·02	·21		·46	·02			·03	·75	·12	27
28	·34		·08		·49	·01	·07				·07	·02	28
29	·07		·07	·01	·24		·17				·07	·29	29
30	·03		·13		·01	·14	·19		·27		·09	·22	30
31	·07				·02		·01			·28		·13	31
TOTAL	2·29	·69	1·81	3·32	2·00	3·16	5·15	1·43	2·32	1·27	1·54	2·12	YEAR'S TOTAL 27·10
Days with ·01 in. or more	19	10	18	23	13	13	23	13	14	11	11	20	188
4-04	14	6	14	18	11	11	16	6	12	8	8	16	140

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1002

PENN, RAYNERS

1914 – 20

15-S A

FORM A.
BRITISH RAINFALL.

28 JAN 1915

NFALL IN 1914

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
„ „ „ „ Sea Level ft.

ain should be measured daily at 9 a.m. and the result entered to the
server prefers not to conform to this almost universal rule, he is earnestly
eading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01				·10			·06	·05	1
2						·01	·03	·14			·37	·10	2
3	·01		·01	·01	·26		·32	·04			·06	·06	3
4	·14		·02	·37	·10	·03	·01	·19			·40	·53	4
5	·04		·10	·16	·05	·11	·36	·39			·02		5
6		·17	·03		·08	·09	·02	·06			·18	·39	6
7		·40	·36	·07	·55	·06	·08	·02				·23	7
8	·06	·14	·77	·06	·09	·32	·28	·20				·01	8
9	·18	·02	·50	·18	·01	·53		·01	·06		·01	1·49	9
10	·02	·12	·02	·08	·09				·25		·01		10
11		·30	·65		·04	·52			·03		·40	·33	11
12		·08	·15				·45		·33		·01	·44	12
13		·42	·13						·22	·08	·07	·44	13
14		·22	·40				·06	·01		·32	·16	·32	14
15	·06	·03	·26				·04		·04	·03	·09	·05	15
16			·03						·15		·01		16
17		·52	·10				·01		·20			·27	17
18			·10									·60	18
19		·11	·25				·12				·17	·10	19
20		·29	·19				·01					·20	20
21		·54	·08							·09	·01	·08	21
22		·07	·03		·02	·07	·03	·09		·69			22
23		·18	·15		·11		·03			·08		·04	23
24			·03		·08					·21	·12		24
25	·06		·14				·02	·06		·47	·02	·20	25
26			·03				·06	·19		·05	·18	·59	26
27	·05										·05	·36	27
28		·07								·12	·37	1·39	28
29	·10		·17		·04					·27	·12		29
30	·01		·07							·10	·45	·41	30
31	·03				·06		·05			·01		·06	31
Total	·76	3·68	4·77	·94	1·58	1·74	1·98	1·50	1·28	2·52	3·34	8·74	YEAR'S TOTAL 32·83
Rain Days.	~~12~~	~~17~~	~~26~~	~~8~~	~~14~~	~~9~~	~~18~~	~~13~~	~~8~~	~~13~~	~~23~~	5 ~~24~~	~~185~~ 165

W.7,000, XI. 13

13-5 A

FORM A.
BRITISH RAINFALL.

28 JAN 1915

NFALL IN 1914

Kept at Rayners Penn
in the County of Buckinghamshire 3
by P. F. Rose

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01				·10			·06	·05	1
2						·01	·03	·14			·37	·10	2
3	·01		·01	·01	·26		·32	·04			·06	·06	3
4	·14		·02	·37	·10	·03	·01	·19			·40	·53	4
5	·04		·10	·16	·05	·11	·36	·39			·02		5
6		·17	·03		·08	·09	·02	·06			·18	·39	6
7		·40	·36	·07	·55	·06	·08	·02				·23	7
8	·06	·14	·77	·06	·09	·32	·28	·20				·01	8
9	·18	·02	·50	·18	·01	·53		·01	·06		·01	1·49	9
10	·02	·12	·02	·08	·09				·25		·01		10
11		·30	·65		·04	·52			·03		·40	·33	11
12		·08	·15				·45		·33		·01	·44	12
13		·42	·13						·22	·08	·07	·44	13
14		·22	·40				·06	·01		·32	·16	·32	14
15	·06	·03	·26				·04		·04	·03	·09	·05	15
16			·03						·15		·01		16
17		·52	·10				·01		·20			·27	17
18			·10									·60	18
19		·11	·25				·12				·17	·10	19
20		·29	·19				·01		—			·20	20
21		·54	·08							·09	·01	·08	21
22		·07	·03		·02	·07	·03	·09		·69			22
23		·18	·15		·11		·03			·08	—	·04	23
24			·03		·08					·21	·12		24
25	·06		·14				·02	·06		·47	·02	20	25
26			·03				·06	·19		·05	·18	59	26
27	·05										·05	·36	27
28		·07								·12	·37	1·39	28
29	·10		·17		·04					·27	·12		29
30	·01		·07							·10	·45	·41	30
31	·03				·06		·05			·01		·06	31
Total	·76	3·68	4·77	·94	1·58	1·74	1·98	1·50	1·28	2·52	3·34	8·74	YEAR'S TOTAL 32·83
Rain Days.	12	17	26	8	14	9	18	13	8	13	23	~~24~~ 25	~~185~~ 186

W.7,000, XI. 13

82

1077
151

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Rayners Penn Ex Ph

in the County of Buckinghamshire 3

by P. F. Rose

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·21	·13		·03		·26		·09	·08	·13	·33	1
2	·12	·23	·31	·08				·85	·04	·09		·17	2
3	·56	·01	·06	·10		·04	·13	·34	·05		·01	·31	3
4	·06							·06				·42	4
5	·03	·47						·02				·30	5
6	·27	·13	·10	·41			·76	·04				·15	6
7	·08	·33	·02	·02		·01	·34	·06			·02	·25	7
8	·10	·55	·02	·02			·01	·05					8
9	·01	·01		·23		·05		·08			·30	·73	9
10	·47		·02					·09				·07	10
11	·08		·03					·01			·84		11
12	·09	·05		·30	·41			·75		·02	·55		12
13	·01	·61			1·19			·01					13
14	·01	·05			·01		·72	·44	·09			·83	14
15	·20	·01			·05		·01	·06			·13	·25	15
16		·58					·85	·04				·26	16
17		·46	—	—	·90		·03	·30				·01	17
18	—	·26	·11		·07				—		·01		18
19	·04	·03			·01		·17						19
20	·36			·19	·01							·27	20
21	·11	·04			·19							·12	21
22	·63	·20	·42	·11			·93		·03		—	·17	22
23	·01	·25	·04	·02		·02	·38		·15	·63		·30	23
24			·04			·11	·11		·66	·27		·31	24
25				·02		·05	·13			·04		·26	25
26		·09				·07	·18		·04			·62	26
27		·01				·08	·28		—	·43		·08	27
28		·05				·11	·01		1·28	·24			28
29		×					·02	·11	·01		·15	·02	29
30	·04	×			—	·38				·16	·13	·06	30
31		×		×		×		·04	×	1·51	×	·16	31
Total	3·89	4·63	1·30	1·50	2·87	·92	5·32	3·35	2·44	3·47	2·27	6·45	YEAR'S TOTAL 38·41
Rain Days.	21	22	12	11	10	10	18	18	10	10	10	24	176

W. 8,000. X. 14.

DL

[illegible] cwd pr S (mn. 13) obs. agree.

1047
154

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Rayners, Penn
in the County of Buckinghamshire
by P. F. Rose

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·03		·32	·01			·13	·03	·45		1
2	·64	·09	·16		·18				·12	·58	·05		2
3	·01	·73			·02				·20	·36	·17		3
4	·31	·13			·01	·61			·12	·25	·46		4
5	·03	·05			·10	·17				·11	·43		5
6	·01	·08	·20	·18	·11	·20	·45			·09	·61		6
7	·10	·01	·23		·11	·01	·36			·01	·75	·03	7
8			·04		·28							·29	8
9					·35					·10		·09	9
10		·24	·07	·05		·12	·14			·01	·01		10
11	·08	·09	·04	·17	·02	·39			·03			·15	11
12	·06	·05	·02	·01	·37	·11	·10	·10		·11			12
13	·01	·45	(·25)	·12		·12	·20	·32		·02			13
14		·51	·01		·11			·54		·11		·04	14
15		·23	·26				·12	·13	·02	·01			15
16	·03	·02	·47	·21	·01		·35	·43				·01	16
17	·14	·09		·08			·01	·31	·39	·61			17
18	·01	·14	·07	·28				·58	·20	·31	·67		18
19	·15		·20	·37				·01	·10		·59	·14	19
20	·24		·19	·03							·03	·58	20
21	·06		·67				·07			·10		·52	21
22	·01	·05	·04		·06	·01				·02		·41	22
23	·04	·23				·37		·05		·10	·03	·11	23
24		·01		·02	·09	·48		·04		·24	·06	·35	24
25		·43	·07		·04			·18		·20	·17		25
26		·15				·10		·04		·12			26
27	·08		1·08			·02		·30	·11	·60			27
28		·27	·14			·08			·06	·09	·03	·26	28
29		·15				·32		1·26	·01	·68	·03	·21	29
30		×		·01		·01		·02		·34			30
31		×		×		×		·06	×	·14	×	·04	31
Total	2·03	4·20	4·24	1·53	2·18	3·13	1·80	4·37	1·49	5·34	4·54	3·23	YEAR'S TOTAL 38·08
Rain Days.	19	22	20	12	16	17	9	16	12	26	16	15	200

W. 8,000. X. 15.

1017

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Rayners Penn
in the County of Buckinghamshire
by P. F. Rose

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·36				·80	·05		·10		1
2				·26		·02		·13			·06		2
3				·02				·45		·38	·04		3
4		·23	·19	·01			·04	·17		·38			4
5	·29		·02	·15				·02	·07	·13	·15		5
6			·23						·08	·01	·07		6
7	·35						·21			·29		·06	7
8	·29			·14			·98	·13		·34	·20	·11	8
9	·01		·03	·13	·01		·12	·18	·02		·09	·01	9
10	·40		·23	·24				·19			·04		10
11	·13		·52	·12						·43			11
12	·08		·04	·02	·05			·08		·52			12
13	·07		·10					·13	·04				13
14				·23				·13		·10			14
15	·03						·07	·01		·04			15
16	·04	·11		·29	·08	·72	·05			1·06		·47	16
17		·03		·17	·79		·33	·07	·56	·44			17
18	·04	·07		·12	·13	·17	·14	·04	·69	·06			18
19	·01	·23	·06			·02			·32				19
20	·03	·18	·05		·81		·04				·10		20
21	·03	·01	·02		·04	·06				·04	·01		21
22			·03			·22		·06		·08			22
23		·16			·05	·05		·18		·10		·02	23
24		·08				·05	·02	·03		·43		·02	24
25		·04	·03							·02	·06		25
26			·05					·34	·12		·22		26
27						·01		·83				·02	27
28			·02			1·72		·28				·01	28
29	·01	×			·80	·10	1·17	·03		·49		·10	29
30	·01	×	·09				1·29	·25					30
31	·01	×	·07	×		×	·49	·01	×	·01	×	·01	31
Total	1·83	1·14	1·78	2·26	2·76	3·14	4·95	4·54	1·95	5·35	1·14	·83	YEAR'S TOTAL 31·67
Rain Days.	17	10	17	14	9	11	13	23	9	20	12	10	165

W. 8,000, VIII. 16

4.33

Dh

~~139~~ 20

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
27.1.19

Kept at Rayners Penn

in the County of Buckinghamshire

by P. F. Rose

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05		·34							·30	·10	1
2		·09		·10				·36		·02	·15	·22	2
3		·03	·01	·10	·39			·02	·07	·01	·48	·02	3
4		·11	·04					·03	·46	·02	·56	·04	4
5		·17			·13			·19	·09	·17		·02	5
6	·14	·18		·31	·06			·03	·01			·11	6
7	·01	·19		·13	·25			·02	·19	·10	·15		7
8	·02								·15	·06	·05	·02	8
9		·08		·08		·23	·29		·40	·30		·18	9
10	·02			·09		·01	·25		·13	·04		·31	10
11				·02	·06		·40		·20	·33	·03	·12	11
12		·16			·30		·17					·02	12
13					·26		·25		·26	·01		·13	13
14	·25		·03			·15	·19		·44	·21		·26	14
15	·93			·81		·14	·13		·01			·10	15
16	·23			·41		·10			·92			·02	16
17	·25			·23	·22	·01	·48	·08	·16			·11	17
18	·67					·34	·42		·34	·14		·07	18
19	·06	·01	·07	·01		·16	·31	·05	·01	·03		·07	19
20	·02	·21		·78		·03	·09		·31	·14			20
21	·09	·02		·88		·05			·35	·04			21
22	·10				·52		·11		·08			·23	22
23	·07				·38		·62	·04	·03			·02	23
24		·24				·02			·09		·12		24
25						·01	·26	·61			·02		25
26							·23	·01		·04	·18	·22	26
27		·01	·01	·03			·04	·33	·07		·12	·07	27
28		·05	·16	·04				15 ~~·16~~			·20	·23	28
29			·03		—				1·22			·06	29
30			·48		—				·08		·07	·22	30
31			·15					·03		·10		·02	31
Total	2·86	1·60	·98	4·36	2·57	1·25	4·24	1·95	6·07	1·76	2·43	2·99	YEAR'S TOTAL 33·06
Rain Days.	14	15	9	16	10	12	16	14	24	17	13	26	186

W. 8,000, IX. 17.

959

FORM A.
BRITISH RAINFALL.

8 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Rayners
in the County of Penn - Bucks
by Sir Philip J Rose Bt

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Loudwater
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 547 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·74	·02	·04	·06	·16	—	·15	—	—	·04	—	1·51	1
2	·24	—	·02	—	·13	—	·05	—	·20	—	·13	·37	2
3	·48	—	·31	—	·03	—	·16	—	·06	—	—	·34	3
4	·09	·06	·44	—	—	·06	·07	·06	·08	—	·05	·19	4
5	·02	·36	·54	—	—	—	·15	—	·93	—	·03	·32	5
6	·06	—	·15	—	·02	—	—	—	—	—	·01	—	6
7	·07	—	·82	—	·02	—	—	—	—	—	·02	—	7
8	·16	—	·05	·04	—	—	—	—	—	—	·01	—	8
9	—	—	·01	·02	—	—	—	—	—	—	·10	—	9
10	—	—	·44	·06	—	—	—	—	—	·04	~~—~~ ·06	21	10
11	05	—	·08	·22	·02	—	·26	—	—	—	—	05	11
12	—	—	·20	·08	·01	·17	·11	—	—	·09	·01		12
13	·02	·01	—	·45	—	—	—	—	—	·06	—	10	13
14	·41	·04	—	·55	—	—	·07	—	·26	—	—	03	14
15	·41	·02	·20	·15	—	—	—	—	—	—	—	62	15
16	·02	·79	—	·05	—	—	—	—	—	—	·15		16
17	·02	·35	—	—	—	—	—	—	—	—	·31	04	17
18	—	·01	·21	—	—	—	—	·07	·06	—	·15	11	18
19	·07	·23	1·22	—	—	·15	·52	·13	·01	—	·25		19
20	·59	·12	·13	—	—	·54	·06	·41	—	—	03	01	20
21	·24	·51	·04	—	—	·08	·16	—	·02	—	—	·01	21
22	—	·30	—	—	—	·02	·11	·01	·37	—	·01	·44	22
23	—	—	—	—	—	·06	—	·03	·14	·11	·02	—	23
24	—	—	—	·13	—	·02	·08	·05	—	·40	·17	·03	24
25	·07	—	—	·01	·15	—	—	·76	—	—	—	—	25
26	·14	·18	·22	·06	—	—	—	·04	·10	—	—	·55	26
27	·62	·03	·07	·92	—	—	·01	·41	—	—	—	·06	27
28	—	—	·19	·03	—	—	·01	·86	—	·01	·41	·39	28
29	—	X	—	·05	—	—	—	·23	—	·22	—	·02	29
30	—	X	·02	·28	—	·16	—	·11	—	·04	·50	·60	30
31	·04	X	—	X	—	X	·01	—	X	·02	X	·02	31
Total	4·56	3·03	5·40	3·16	0·54	1·26	1·98	3·17	2·23	1·03	2·42	6·02	YEAR'S TOTAL 34·80
Rain Days.	21	15	21	17	8	9	16	13	11	10	19	22	182

W, 6,500, VII. 18. W W C

Max Daily fall 1·51 in on Dec 1.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Rayners Penn

in the County of Bucks.

by The Gardener (E. Peett.)

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Loudwater

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground 1 ft 10 in.

" " " " Sea Level 547 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·55	·21	—	·53	·59	·06	·57	—	·23	1
2	—	—	—	—	—	—	·07	—	·12	·07	—	·15	2
3	·05	·03	·01	·12	—	—	·27	—	·08	·06	—	·10	3
4	—	·04	·01	·15	—	—	·05	·18	—	·36	—	·07	4
5	—	—	·02	·04	·06	—	·93	·02	·03	·01	—	·03	5
6	—	—	·22	—	·21	—	·52	—	—	—	—	—	6
7	·02	·01	·03	·26	—	—	·13	—	—	—	·01	—	7
8	·03	·05	·01	·22	·08	—	·11	·02	—	—	—	—	8
9	·43	—	·01	·05	—	—	—	—	—	—	—	—	9
10	·46	·06	·08	—	—	·07	·18	—	—	—	—	·07	10
11	·40	—	·10	·40	·05	·11	·22	—	—	—	—	·04	11
12	·08	·01	·01	·22	—	·79	·01	—	—	—	·02	—	12
13	·10	·02	·18	·20	—	—	—	—	—	—	·06	—	13
14	·02	·02	·55	·27	—	·21	·07	—	·17	·13	·40	·01	14
15	·02	·09	·22	·17	—	—	·10	—	·04	·01	·06	·01	15
16	·01	—	—	·56	—	·11	—	—	·09	·06	—	—	16
17	·03	—	—	·04	·20	—	—	—	·15	·03	—	·02	17
18	·10	—	—	—	—	—	·07	·58	·38	—	—	·04	18
19	·10	—	—	·28	·05	·06	—	·02	—	—	—	·01	19
20	·08	—	—	·21	—	·71	—	—	—	—	—	·03	20
21	—	—	—	·02	—	—	·53	·05	·31	—	—	·10	21
22	·02	—	—	·37	—	—	—	·04	·20	—	—	·32	22
23	·01	—	—	—	—	—	·99	·02	—	—	—	·48	23
24	—	—	·13	—	—	—	·02	—	—	—	—	·07	24
25	·02	·06	·09	·02	—	—	·42	—	—	—	—	—	25
26	·15	—	·23	·01	—	—	·11	—	—	—	—	·03	26
27	·27	·12	—	·29	—	·26	·04	—	—	·01	·27	·24	27
28	·45	·02	·32	·20	·26	·01	·20	—	—	·01	·05	·01	28
29	·21	—	—	·01	·21	—	·04	—	—	—	·20	·130	29
30	·05	╳	—	·01	·01	·05	·44	—	·36	—	·29	·21	30
31	·07	╳	—	╳	—	╳	—	—	╳	·31	╳	·15	31
TOTAL	3·18	0·52	2·22	4·67	1·34	4. ~~2·39~~ 2·38	6·75	1·52	1·99	1·63	1·36	2·66	YEAR'S TOTAL 29·62 ~~29·63~~
Days with ·01 in. or more	24	12	17	24	10	10	23	9	12	12	9	23	185
	·04	15	6	10	19	9	9	21	5	11	7	7	14 133

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Section A **for the entry of Daily Observations** **Station No.**

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1920

Kept at RAYNERS PENN

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				55	21		53	59	06	57		23		1
2							07		12	07		15		2
3	05	03	01	12			27		08	06		10		3
4		04	01	15			05	18		36		07		4
5			02	04	06		93	02	03	01		03		5
6			22		21		52							6
7	02	01	03	26			13				01			7
8	03	05	01	22	08		11	02						8
9	43		01	05										9
10	46	06	08			07	18					01		10
11	40		10	40	05	11	22					04		11
12	08	01	01	22		79	01				02			12
13	10	02	18	20					~~13~~		06			13
14	02	02	55	27		21	07		17	13	40	01		14
15	02	09	22	17			10		04	01	06	01		15
16	01			56		11			09	06				16
17	03			04	20			38	15	03		02		17
18	10						07	02	38			04		18
19	10			28	05	06						01		19
20	08			21		71		05				03		20
21				02			53	04	31			10		21
22	02			37				02	20			32		22
23	01						99					48		23
24			13				02					07		24
25	02	05	09	02			42							25
26	15		23	01			11			01		03		26
27	27	12		29		26	04			01	27	24		27
28	45	02	32	20	26	01	20				05	01		28
29	21			01	21		04		~~36~~		20	130		29
30	05	X		01	01	05	44		36	31	29	21		30
31	07	X		X		X			X		X	15		31
TOTAL	3·18	0·52	2·22	4·67	1·34	2·38	6·15	1·52	1·99	1·63	1·36	2·66	Year's Total 29·62	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

[illegible]

REGIS

BUCKS

SLOUGH- AMERSHAM LODGE

1917-1918

FORM A.
BRITISH RAINFALL.

Kept at Amersham
in the County of Buck
by C Sainty

g.
9 am
Slough G.W
Rain Gauge 5 in.
above Ground 1 ft. – in.
„ Sea Level 91 ft.

IMPORTANT NOTE and the result entered to the previous day. If an Obse prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·01	0·23				0·92			0·06		1
2				0·21		0·09	0·31	0·03		0·01	0·07		2
3	0·02			0·04			0·13	0·33		0·31	0·05		3
4		SW 0·28	0·13	0·26				0·12		0·33		0·01	4
5	S+R 0·26		0·04	SW 0·02				0·13	0·13	0·18	0·11	0·02	5
6			SW 0·23			0·05	0·19		0·14	0·31	0·16	0·18	6
7	S+R 0·20			0·08			0·80			0·33	0·01	0·06	7
8	S+R 0·21			0·08			0·06	0·19	0·03	0·23	0·17	0·04	8
9			0·05	0·26				0·18			0·08		9
10	S+R 0·21		0·11	0·26				0·05			0·04		10
11	0·11	0·01	0·34	0·01					0·29	0·21			11
12	0·09		0·02	0·01				0·19		0·49	0·01		12
13			0·13	0·02				0·06	0·03	0·03		0·01	13
14				0·30			0·28	0·03					14
15							0·08			0·02			15
16	S+R 0·04	0·08		0·23	0·05		0·28			0·66		S+R 0·39	16
17				0·13	0·72		0·08	~~0·42~~ ×	0·42	0·25		0·01	17
18	0·03	0·08	~~1·06~~	0·10	0·11	0·35	0·09	~~0·17~~ ×	0·17	0·05			18
19	0·01	0·18	0·11			0·03	0·28	~~0·38~~	0·38				19
20	0·01	0·17	0·02		0·58		0·17	×			0·06		20
21	0·01		0·01			0·04				0·03	0·06		21
22	0·02		SW 0·06		0·06			170 ×		0·06			22
23		0·15						×		0·06			23
24		0·03				0·03	0·01	×		0·26	0·03	0·03	24
25		0·03	0·05							0·03	0·05		25
26			0·05					~~0·03~~ ×	0·03		0·21		26
27					0·12	0·03		~~0·01~~ ×	0·01	0·01	0·02	0·05	27
28			0·02		0·12	1·57		×					28
29	SW 0·01		0·03		0·08		0·58	~~0·25~~ ×	0·25			0·15	29
30	SW 0·01	X	SW 0·20				1·33	×				0·03	30
31		X	SW 0·14	X		X	0·39	×	X		X	0·01	31
Total	1·24	1·01	~~1·11~~ 1·75	~~2·26~~ 2·24	1·84	2·19	~~6·06~~ 5·06	3·93	~~1·85~~ 1·63	~~3·86~~ 4·11	1·19	0·99	YEAR'S TOTAL ~~27·37~~ 27·18
Rain Days.	15	9	~~20~~ 19	16	8	8	16	23 ✓	10 ✓	20	16	13	174 ✓

W. 8,000, IX. 17.

[illegible]

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.

Kept at Amersham Lodge Slough
in the County of Bucks
by C Sainty

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Slough G.W
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·01	0·23				0·92			0·06		1
2				0·21		0·09	0·31	0·03		0·01	0·07		2
3	0·02			0·04			0·13	0·33		0·31	0·05		3
4		SW 0·28	0·13	0·26				0·12		0·33		0·01	4
5	S+R 0·26		0·04	SW 0·02				0·13	0·13	0·18	0·11	0·02	5
6			SW 0·23			0·05	0·19		0·14	0·31	0·16	0·18	6
7	S+R 0·20			0·08			0·80			0·33	0·01	0·06	7
8	S+R 0·21			0·08			0·06	0·19	0·03	0·23	0·17	0·04	8
9			0·05	0·26				0·18			0·08		9
10	S+R 0·21		0·11	0·26				0·05			0·04		10
11	0·11	0·01	0·34	0·01					0·29	0·21			11
12	0·09		0·02	0·01				0·19		0·49	0·01		12
13			0·13	0·02				0·06	0·03	0·03		0·01	13
14				0·30			0·28	0·03					14
15							0·08			0·02			15
16	S+R 0·04	0·08		0·23	0·05		0·28			0·66		S+R 0·39	16
17				0·13	0·72		0·08	~~0·42~~ x	0·42	0·25		0·01	17
18	0·03	0·08	~~1·06~~	0·10	0·11	0·35	0·09	~~0·17~~ x	0·17	0·05			18
19	0·01	0·18	0·11			0·03	0·28	~~0·38~~	0·38				19
20	0·01	0·17	0·02		0·58		0·17	x			0·06		20
21	0·01		0·01			0·04				0·03	0·06		21
22	0·02		SW 0·06		0·06			170 x		0·06			22
23		0·15						x		0·06			23
24		0·03				0·03	0·01	x		0·26	0·03	0·03	24
25		0·03	0·05							0·03	0·05		25
26			0·05					~~0·03~~ x	0·03		0·21		26
27					0·12	0·03		~~0·01~~ x	0·01	0·01	0·02	0·05	27
28			0·02		0·12	1·57		x					28
29	SW 0·01		0·03		0·08		0·58	~~0·25~~ x	0·25			0·15	29
30	SW 0·01	X	SW 0·20				1·33	x				0·03	30
31		X	SW 0·14	X		X	0·39	x	X		X	0·01	31
Total	1·24	1·01	1·75 ~~1·11~~	2·24 ~~2·26~~	1·84	2·19	5·06 ~~6·06~~	3·93 ✓	1·63 ~~1·85~~	4·11 ~~3·86~~	1·19	0·99	YEAR'S TOTAL 27·18 27·58
Rain Days.	15	9	19 ~~20~~	16	8	8	16	23 ✓	10 ✓	20	16	13	174

W. 8,000, IX. 17.

Esd. [illegible]

Amersham Lodge

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

10 1. 19

Kept at 56 Hildcroft Street Slough
in the County of Bucks
by Mr C Sainty per A Sainty

Lat. .... Long. ....
Time of Observation 9 - am
Nearest Railway Station Slough G.W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
No ~~signed~~ Rain

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.02		0.05	0.01			0.03	0.07	-	0.17	0.08	1
2	0.03	0.12		0.18				0.40	.	0.04	0.30	0.09	2
3		0.01	0.02	0.08	0.49			0.05	0.03	0.01	0.40	0.07	3
4		0.05	0.06					0.02	0.39	0.01	0.37	0.02	4
5		0.03			0.11			0.08	0.76	0.08	.	.	5
6	0.26	0.10		0.24	0.15			0.04	0.03	0.01	.	.	6
7	sw 0.01	0.08		0.11	0.30			0.04	0.15	0.09		0.06	7
8		0.09						.	0.18	0.04	0.06	.	8
9	sw 0.02	0.03		0.05		0.21	0.61	.	0.31	0.18	0.06	0.02	9
10	sw 0.01			0.12		0.04	0.21		0.05	.	0.01	0.10	10
11	0.03			0.03	0.07		0.42		0.10	0.44	0.01	0.30	11
12		0.05			0.16		0.06		0.20	.	0.08	0.17	12
13	snow 0.01				0.34		0.16		0.22	.	.	0.07	13
14	sw 0.13		0.04	0.02		0.19	0.05		0.19	0.17	.	0.03	14
15	1.20			s.m 0.84			0.18		[illegible]	.		0.18	15
16	0.18		0.05	s.m 0.33		0.04		.	1.18	.		0.10	16
17	0.20			0.14	0.28		0.17	0.07	.	.		0.03	17
18	0.53					0.21	0.07		0.39	0.10		0.08	18
19	0.08		0.03			0.06	0.26	0.07	0.06	0.04		0.03	19
20	0.03	0.10		0.76		0.03	0.08	.	0.18	0.11		0.07	20
21	0.13	0.02		0.55			0.02	.	0.34	0.04		.	21
22	0.11				0.48		0.31	.	0.19	.		.	22
23	0.02				0.18		0.53	0.04	0.03	.		0.20	23
24		0.21				0.12	0.47	.	0.04			0.03	24
25							0.23	0.15	.	.	0.11	.	25
26							0.48	0.01		0.04	.	.	26
27		s.m 0.03		0.06			0.07	0.17	0.05	.	0.15	0.07	27
28		s.m 0.05	0.22	0.07				0.21	..	.	0.10	0.01	28
29									1.05	.	0.11	0.19	29
30			0.35						0.04	.		0.10	30
31			0.01					0.06	.	0.05		-	31
Total	2.92	0.97	0.78	3.55	2.57	0.90	4.38	1.38	6.17	1.45	1.96	2.04	YEAR'S TOTAL 29.07
Rain Days.	17	15	8	16	11	8	18	15	24	16	13	23	184

W.7,000, XI. 13

BUCKS.

SLOUGH — M.T. REPAIR DEPOT

1919 ONLY

R 1919

FORM A. BRITISH RAINFALL.

FEB 20

Long. 0°-38-0"

Kept at MT REPAIR D

ation 9 a.m.

y Station Slough

in the County of Buc

nel of Rain Gauge 8 in.

by E. Kennell

Gauge above Ground 4 ft. 6 in.

" " Sea Level 110-6 ft.

IMPORTANT N a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				—	·03	—	·24	—	—	·015	·08 }	1·06	1
2				—	·135	—	·04	—	·06	·045		·07	2
3				—	—	—	·12	—	·045	—	·025	·335	3
4				—	—	·075	·135	·05	·04	—	·02	·125	4
5				—	—	—	1·80 }	—	·17	—	·02	·205	5
6				—	—	—		—	—	—	—	—	6
7				·045	—	—	—	—	—	—	—	—	7
8				·015	—	—	—	—	—	—	—	·6	8
9				—	—	—	—	—	—	—	—	·1	9
10				·02	·02 }	—	—	—	—	—	—	·18	10
11				·19		—	—	—	—	—	—	·18	11
12				·03	—	·085	·15 }	—	—	·04	—	·03	12
13				·29	—	—		—	·63 }	·02	—	—	13
14				·345	—	—	·0925	—		—	—	·06	14
15				·07	—	—	—	—	—	—	—	—	15
16				·015	—	—	—	—	—	—	—	—	16
17				—	—	—	—	—	—	—	—	·01	17
18				—	—	—	·91 }	—	·035	—	—	—	18
19				—	—	·22		·17	—	—	·02	·03	19
20				—	—	·57		·115	·175 }	—	—	—	20
21				—	—		·055	—		—	·03	·05	21
22				—	—	·02	·13	—	·175	—	·01	·02	22
23				—	—	·02	—	·025 }	—	·08	—	·64 }	23
24				·06	·083 }	—	·095		·03	·312	—		24
25				—		—	—	·46	—	—	—		25
26				·78 }	—	—	—	·04	·09	—	·04		26
27			·025		—	—	—	·45	—		·02		27
28			·175	—	—	—	—	·58	—	—	·07		28
29			—	·07	—	—	—	·15	—	·115	—	·02	29
30		╳	—	·23	—	·143	—	·12 }	·4	—	·63	·415	30
31		╳	·015	╳	—	╳	—		╳	—	╳	·09	31
Total			·215"	2·16"	~~·238~~ ·268" ·268	1·133"	3·7675"	2·16"	1·55"	·63	·965	~~4·16~~ 4·26 4·26	YEAR'S TOTAL ~~16·9785~~
Rain Days.			9	14	5 6	7	15	12	12	7	12	24	107

W. 8,000. X. 15.

W.H. Booth Water Engineer

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

FEB 20

Kept at MT REPAIR DEPÔT SLOUGH
in the County of Buckinghamshire
by E Hammell & R Benson

Lat. 51°31'10" Long. 0°38'0"
Time of Observation 9 a.m.
Nearest Railway Station Slough
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 110'6" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				—	·03	—	·24	—	—	·015	·08	1·06	1
2				—	·135	—	·04	—	·06	·045		·07	2
3				—	—	—	·12	—	·045	—	·025	·335	3
4				—	—	·075	·135	·05	·04	—	·02	·125	4
5				—	—	—	1·80	—	·17	—	·02	·205	5
6				—	—	—		—	—	—	—	—	6
7				·045	—	—	—	—	—	—	—	—	7
8				·015	—	—	—	—	—	—	—	·6	8
9				—	—	—	—	—	—	—	—	·1	9
10				·02	·02	—	—	—	—	—	—	·18	10
11				·19		—	—	—	—	—	—	·18	11
12				·03	—	·085	·15	—	—	·04	—	·03	12
13				·29	—	—		—	·63	·02	—	—	13
14				·345	—	—	·0925	—		—	—	·06	14
15				·07	—	—	—	—	—	—	—	—	15
16				·015	—	—	—	—	—	—	—	—	16
17				—	—	—	—	—	—	—	—	·01	17
18				—	—	—		—	·035	—	—	—	18
19				—	—	·22	·91	·17	—	—	·02	·03	19
20				—	—	·57		·115		—	—	—	20
21				—	—		·055	—	·175	—	·03	·05	21
22				—	—	·02	·13	—	·175	—	·01	·02	22
23				—	—	·02	—		—	·08	—		23
24				·06	·083	—	·015	·025	·03	·315	—		24
25				—		—	—	·46	—	—	—	·64	25
26				·78	—	—	—	·04	·09	—	·04		26
27			·025		—	—	—	·45	—	—	·02		27
28			·175	—	—	—	—	·58	—	—	·07		28
29			—	·07	—	—	—	·15	—	·115	—	·02	29
30		✕	—	·23	—	·143	—	·12	·4	—	·63	·415	30
31		✕	·015	✕	—	✕	—		✕	—	✕	·09	31
Total			·215	2·16 ✓	·268 ✓ ~~·238~~ ·268	1·133	3·7675 ✓	2·16 ✓	1·55 ✓	·63 ✓	·965 ✓	4·26 ~~4·16~~ 4·26	YEAR'S TOTAL ~~16·9785~~
Rain Days.			9	14 ✓	~~5~~ 4	7 ✓	15 ✓	12 ✓	12 ✓	7 ✓	12 ✓	24	107

W. 8,000. X. 15.

W.H. Booth Met. Engineer

DL

REC

SLOUGH
UPTON
BUCKS
1911 - 1920

FORM A2.
BRITISH RAINFALL.

155

23 JAN 1912

Kept at Slough

in the County of Bu

by R. Bentley

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE. … the result entered to the previous day. If an Obs… ersal rule, he is earnestly requested to add the readi… r in the space provided for it at the end of this … ent of rain, the selection and placing … tish Rainfall Organization are given in " … pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·55			·01	·03					1
2	·06			·39	·19		·01	·01		·02	·18	·05	2
3	·06	·01			·15						·07	·07	3
4	·03	·01	·09	·06	·01				·01	·05	·09	·31	4
5	·03	·01								·11	·10	·02	5
6	·32		·16							·01		·39	6
7	·02		·01	·01						·09	·29	·17	7
8	·11		·17								·14	·29	8
9	·09		·02	·01							·02	·06	9
10	·05	·09	·12		·10						·04	·56	10
11	·24		·01		·01						·61	·02	11
12	·01		·46		·12						·26	·01	12
13			·06		·05				·38	·26	·01	·58	13
14		·07	·01		·14					·01		·40	14
15		·07	·08							·02	·03	·03	15
16						·13					·27	·05	16
17			·02			·23					·38	·25	17
18		·19	·01			·18					·38	·30	18
19						·37			·17	·04	·21	·09	19
20	·01	·04	·01			·01		·07	·06	·03	·01	·70	20
21	·01	·08	·01			·01		·21		·29	·01	·08	21
22	·06		·10			·01				·11		·48	22
23		·08	·13			·40			·18	~~·01~~	·04	·08	23
24		·11	·01			·04		·05		·79		·14	24
25		·05	·01	·10		·16	·16	·02	·01	·09		·02	25
26		·02		·18	·12	·07	·03			·12	·01	·28	26
27		·39	·04	·02			·05		·10		·03	·17	27
28		·32		·22				·07			·06	·01	28
29				·11		·18	·12		·19	·19	·01		29
30				·04	·09	·02		·01	·01	·13	·01	~~·01~~	30
31					·21					·01			31
Total	1.12	1.54	1.53	1.69	1.19	1.82	·38	·47	1.11	2.37	3.26	5.61	TOTAL for year 22.08
No. of Rain Days	15	15	20	11	16	13	6	8	9	18	24	29	177

9,000, IX. '10.

DL

155

23 JAN 1912

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1911

Kept at Slough, Upton

in the County of Buckinghamshire 3

by R. Bentley

Rain Gauge
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·55			·01	·03					1
2	·06			·39	·19		·01	·01		·02	·18	·05	2
3	·06	·01			·15						·07	·07	3
4	·03	·01	·09	·06	·01				·01	·05	·09	·31	4
5	·03	·01								·11	·10	·02	5
6	·32		·16							·01		·39	6
7	·02		·01	·01						·09	·29	·17	7
8	·11		·17								·14	·29	8
9	·09		·02	·01							·02	·06	9
10	·05	·09	·12		·10						·04	·56	10
11	·24		·01		·01						·61	·02	11
12	·01		·46		·12						·26	·01	12
13			·06		·05				·38	·26	·01	·58	13
14		·07	·01		·14					·01		·40	14
15		·07	·08							·02	·03	·03	15
16						·13					·27	·05	16
17			·02			·23					·38	·25	17
18		·19	·01			·18					·38	·30	18
19						·37			·17	·04	·21	·09	19
20	·01	·04	·01			·01		·07	·06	·03	·01	·70	20
21	·01	·08	·01			·01		·21		·29	·01	·08	21
22	·06		·10			·01				·11		·48	22
23		·08	·13			·40			·18	~~·01~~	·04	·08	23
24		·11	·01			·04		·05		·79		·14	24
25		·05	·01	·10		·16	·16	·02	·01	·09		·02	25
26		·02		·18	·12	·07	·03			·12	·01	·28	26
27		·39	·04	·02			·05		·10		·03	·17	27
28		·32		·22				·07			·06	·01	28
29				·11		·18	·12		·19	·19	·01		29
30				·04	·09	·02		·01	·01	·13	·01	~~·01~~	30
31					·21					·01			31
Total	1.12	1.54	1.53	1.69	1.19	1.82	·38	·47	1.11	2.37	3.26	5.61	TOTAL for year 22.08
No. of Rain Days	15	15	20	11	11	13	6	8	9	18	24	28	177

9,000, IX. '10.

81

Ex. H86

159

REGISTER OF RAIN~~FALL IN~~ 1912

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

Kept at Slough, Upton

in the County of Buckinghamshire 3

by R. Bentley

RAIN GAUGE	Pattern
	Diameter of top ... in.
	Height of top above Ground ... ft. ... in.
	„ „ „ Sea Level ... ft.
Time of Observation	
Nearest Railway Station	Name
	Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·02		·09	·04		·06	·28		·13	1
2		·02	·07	·01		·13	·35	·02		·03	·03	·01	2
3	·04		·12			·24	·04	·30	·01			·07	3
4	·21		·62		·09	·26		·03			·22		4
5	·18	·07	·04		·01	·01		·36			·02	·01	5
6	·53	·02				·04		·18				·07	6
7		·01			·09	·63		·25				·06	7
8	·44	·27	·26		·01	·13		·34	·01			·01	8
9	·02	·21	·12	·05		·17	·02	·02				·18	9
10	·01	·05				·01		·47			·08	·22	10
11	·08	·26				·03		·05		·01	·02	·16	11
12	·07	·12	·10		·27	·14	·02			·01	·05	·01	12
13	·01	·01								·01	·03		13
14			·02		·02			·06		·01	·01	·01	14
15	·03	·02	·17		·20	·49		·02			·01	·24	15
16	·33	·01	·09		·11	·14		·05		·06	·03		16
17	·64		·15			·03		·08				·02	17
18	·05		·23					·46		·02		·13	18
19	·08	·09	·12				·35	·67				·01	19
20	·05	·01	·14			·02	·02	·20		·35	·01		20
21	·02	·03	·44		·39			·23		·06	·07		21
22	·20	·16	·05		·07		·05	·14		·02	·01	·02	22
23	·30	·36	·38					·43		·05	·18	·19	23
24	·36	·01				·03	·01	·15			·01	·14	24
25	·10					·16		·38		·04	·25	·57	25
26		·01						·35		·38	·35	·31	26
27			·04			·06				·17	·01	·23	27
28		·04				·11	·04	·12	·14	·43	·39	·24	28
29		·02		·02		·15	·17	·31	1·50	·12	·02		29
30					·29	·02		·01	·86	·23			30
31			·25		·10		·20	·17		·02		·05	31
Total	3·75	1·80	3·45	·10	1·65	3·09	1·31	5·85	2·58	2·30	1·80	3·09	TOTAL for year 30·77
No. of Rain Days.	21	21	20	4	12	22	12	27	6	19	20	24	208

W. 8,000, X. '11.

82 ✓ LX cod for towing 25.11.14 164

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

27 JAN 1914

Kept at Slough, Upton

in the County of Buckinghamshire 3

by R. Bentley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·16	·07	·09		·03			·28	·01	·07	·09	1
2	·02	·12	·01	·02			·06		·03	·45	·06	·01	2
3	·02	·01	·06	·19	·46					·10		·06	3
4	·27			·01	·08		·04			·13	·02	·07	4
5	·06				·01	·02	·06		·32	·02	·01	·03	5
6		·03	·08		·07	·10	·20		·02	·46	·12	·16	6
7	·01	·12			·05	·02	~~·01~~	·11		·27	·07		7
8	·01	·02			·10	·11				·11	·03		8
9		·17			·02	·01	·09	·02	·09	·01	·02	·03	9
10	·02		·07	·06	·03		·19		·01		·45		10
11	·62			·44	·04					·76	·41		11
12		·01			·12						·19		12
13	·02		·02	·01					·08		·21		13
14	·07	·01	·09	·05	·02		·22	·10	·01	·10	·04		14
15	·22	·05	·13	·22			·19	·01	·18		·02	·01	15
16	·11		·31	·15			·01		·18				16
17	·02	·02	·08	·11			·18				·03	·10	17
18	·01		·16	·07					·05		·03		18
19	·50		·01	·01	·08	·01	·10		·26			·04	19
20	·08		·11	·04		·22				·48		·01	20
21	·01	·01	·14	·05			·03			·13	·77		21
22	·46		·28	·02				·05	·14	·01			22
23						·02		·07	·01			·36	23
24	·01		·01	·03		·01		·01			·02		24
25		·02		·14							·01	·02	25
26		·03	·16	·12				·08		·52		·18	26
27		·02	·01	·08	·18					·02			27
28	·36		·26	·11						·11			28
29	·02		·08	·40	·52			·09		·09	·01	·01	29
30	·22							·06		·20			30
31			·07					·48		·01			31
Total	3·17	·80	2·21	2·42	1·78	·55	1·37	1·08	1·66	3·99	2·59	1·18	YEAR'S TOTAL 22·78
Rain Days.	23	15	21	22	14	10	12	11	14	20	20	15	198

W. 7,500, XI. 12

82

Write NMS 4·VI·15

6 × 9

15·6

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Slough, Upton

in the County of Buckinghamshire 3

by R. Bentley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09					·08			·05	·05	1
2				·01		·02	·21	·24			·07	·17	2
3			·04	·01	·18		·32				·09	·02	3
4	·09		·01	·17			·01	·12			·36	·32	4
5	·05		·09	·28	·20	·04	·37	·60			·01	·01	5
6		·12	·02	·04	·03	·15	·01	·02			·20	·15	6
7		·28	·19	·10	·91	·04	·08	·01			·01	·13	7
8	·05	·19	·60	·02	·02	·10	·09	·11				·06	8
9	·15		·44	·08		·75		·01	·07			1·65	9
10	·01	·16	·03	·04	·09				·22				10
11		·19	·40		·01	·15			·02		·23	·24	11
12	·01	~~·09~~ ·10	·13				·35		·18	·01	·01	·38	12
13		·21	·13						·17	·10	·02	·54	13
14		·08	·46			·01	·07		·02	·34	·07	·38	14
15	·08	·01	·11				·03	·02	·02	·01	·07	·01	15
16	·01		·03				·03		·07		·01		16
17		·39	·11						·06	·01	·01	·14	17
18		·01	·13									·37	18
19		·06	·25				·08				·13	·20	19
20		·30	·17				·01		·03		·01	·15	20
21		·56	·04							·05		·04	21
22		~~·01~~	·03		·09	·15	·11	·02		·26			22
23		·08	·11		·14	·03	·15			·10		·01	23
24		·01	·07	·01	·01	·01	·01			·12	·10		24
25	·02		·10				·01	·16		·24	·01	·11	25
26	·04		·02				·10	·04		·06	·21	·50	26
27	·01										·02	·16	27
28	·04	·03			·02					·11	·29	1·22	28
29			·13							·22	·09		29
30			·04							·07	·38	·34	30
31					·10		·02			·01		·07	31
Total	·56	2·78	3·97	·76	1·80	1·45	2·06	1·43	·86	1·71	2·45	~~7·41~~ 7·42	YEAR'S TOTAL 27·24
Rain Days.	12	~~18~~ 17	27	10	12	11	19	12	10	15	23	26	194

W.7,000, XI. 13

82

1067
148

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Slough, Upton
in the County of Buckinghamshire 3
by R Bentley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·56	·16	07		·04		·06	15	·07	·07	·23	·38	1
2	·11	·12	·24	08		·02		·91	·03	·06		·21	2
3	·52	·01	·06	·09			·02	06	·03			·36	3
4	·03							·07				·25	4
5	·03	·40		·01	·10			·03		·03		·29	5
6	·25	·08	·06	·19			·66	·02				·28	6
7	·26	·25	·03				·34	·04				·21	7
8	·11	·61	·01	·05			·01	·06				·01	8
9	·01	·07		·20		·05		·04		·01	·24	·65	9
10	·28		·03					·09				·12	10
11	·01		·04					·07		·02	·73	·02	11
12	·05	·04		·30	·41			·19			·39	·01	12
13	·01	·61			1·10								13
14		·01					1·00	·03	·06			·42	14
15	·08	·02			·08		·01	·16			·08	·11	15
16	·01	·34			·01		·60	·09				·09	16
17		·32			1·21								17
18		·14	·06		·15								18
19		·05			·02		·11						19
20	·29			·03	·01							·18	20
21	·09				·46							·04	21
22	·73	·05	·34				·58					·18	22
23		·15	·04			·02	·30		·23	·55		·23	23
24							·22		·66	·33		·33	24
25				·07		·06	·19			·01		·10	25
26	·01	·04				·07	·18					·41	26
27		·02				·45	·07			·29		·07	27
28		·05				·02			1·21	·08			28
29						·22	·10	·13		·01	·13	·02	29
30	·04	✕				·24				·17	·24	·04	30
31	·01	✕		✕		✕		·02	✕	1·01	✕	·19	31
Total	3·49	3·54	·98	1·02	3·59	1·15	4·45	2·16	2·29	2·64	2·04	5·20	YEAR'S TOTAL 32·55
Rain Days.	21	21	11	9	11	9	16	17	7	13	7	26	168

W. 8,000. X. 14.

1036
~~148~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Slough Upton

in the County of Buckinghamshire

by R. Bentley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09		·07		·40	·02			·26	·06	·28		1
2	·24	·02	·06		·20		·01		·05	·47	·02		2
3		·69	·03		·01				·13	·22	·23		3
4	·14	·09				·46			·15	·02	·60		4
5	·03	·01	·01		·10	·20	·01			·05	·64		5
6		·05	·30	·15	·01	·09	·31		·01	·03	·41		6
7	·04		·17		·07	·08	·07			·01	·73	·09	7
8			·02		·24	·08						·28	8
9					·26	·22				·06		·12	9
10		·24	·03	·05	·02	·29	·03			·01		·05	10
11	·05	·10	·03	·11		·27						·08	11
12	·05	·02	·03	·03	·08	·09	·04	·20		·07		·01	12
13		·28	·26	·09		·04	·09	·12	·03	·03			13
14		·41	·01	·01	·05			·29		·01		·10	14
15		·25	·25	·01			·07	·05		·01			15
16	·01		·41	·14	·01		·35	·33					16
17	·07	·11	·01	·04				1·20	·24	·51			17
18	·02	·08	·06	·10				·36	·13	·29	·69	·01	18
19	·04	·01	·17	·24					·43		·52	·07	19
20	·15		·17	·03							·03	·47	20
21	·01		·53				·06				·01	·42	21
22		·01	·02		·02	·01				·03	·01	·52	22
23	·04	·13				·06		·02		·02	·02	·08	23
24		·03			·14	·30		·05		·22	·02	·33	24
25		·37	·09		·01	·01		·11		·08	·13	·02	25
26		·16	·05			·10		·29	·02	·16			26
27	·06		1·07			·04		·30	·04	·18			27
28		·31	·07			·04		·04	·04		·01	·12	28
29	·01	·12				·22		1·21	·01	·27		·15	29
30		✕						·04		·50		·01	30
31		✕		✕		✕		·05	✕	·14	✕	·10	31
Total	1·05	3·49	3·92	1·00	1·62	2·62	1·04	4·65	1·54	3·45	4·35	3·03	YEAR'S TOTAL 31·76
Rain Days.	16	21	24	12	15	19	10	16	13	24	16	19	205

W. 8,000. X. 15.

8h

1007
~~130~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Upton, Slough
in the County of Buckinghamshire
by R. Bentley

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·01	·28				·92	·02	·01	·06		1
2		·01		·21		·08		·03		·01	·06		2
3	·01			·03			·18	·32		·30	·05		3
4		·27	·16				·28	·11		·34		·01	4
5	·25		·03	·29				·15	·11	·16	·11		5
6	·01		·23			·04			·13	·02	·14		6
7	·20		·01				·20			·21	·01	·02	7
8	·21			·11			·84	·19	·02	·23	·12	·19	8
9	·01		·04	·04			·06	·18	·02	·01	·09	·07	9
10	·22		·12	·28	·01			·06			·03	·03	10
11	·14		·33	·06					·39	·23		·01	11
12	·08	·01	·02	·01				·18		·51	·01		12
13	·03		·13	·02				·07	·04	·02			13
14				·29				·03					14
15	·01						·25	·01		·04			15
16	·02	·07		·21	·06		·06			·67		·47	16
17		·01		·14	·70		·29	·06	·42	·24			17
18	·02	·09		·09	·11	·29	·10	·02	·18	·07			18
19	·01	·15	·10			·04			·38		·01		19
20	·01	·16	·01		·57		·17	·08	·02		·06		20
21	·02		·01			·03				·02	·03		21
22	·01		·06			·01		·05		·05	·01		22
23		·14			·07	·01		·13		·06		·02	23
24		·03				·03		·03		·27	·02	·01	24
25		·03	·04							·03	·05		25
26			·04					·48	·03		·22	·01	26
27					·13	·03		·66		·01	·01	·05	27
28			·01			1·54		·09				·01	28
29			·03		·08		·55	·02		·28		·14	29
30	·02	╳	·29				1·39	·10		·01		·01	30
31	·01	╳	·07	╳		╳	·38	·01	╳	·01	╳	·03	31
Total	1·30	·97	1·74	2·06	1·73	2·10	4·75	3·98	1·76	3·81	1·09	1·08	YEAR'S TOTAL 26·37
Rain Days.	20	11	~~19~~ 20	14	8	10	13	24	12	25	18	15	190

W. 8,000, VIII. 16

Bl E32 Bl

~~136~~ 8

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
27·1·19

Kept at Slough, Upton

in the County of Buckinghamshire

by R. Bentley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·05				·02	·01		·25	·08	1
2		·10		·11				·38		·03	·25	·09	2
3		·02	·02	·09	·48			·04	·04	·01	·45	·02	3
4		·06	·06	·01	·01			·02	·38	·01	·41	·01	4
5		·02	·01		·11			·08	·71	·09			5
6	·23	·10		·24	·14			·02	·02	·01		·07	6
7	·03	·08		·12	·30			·04	·14	·09	·09	·01	7
8	·01	·10		·01					·20	·04	·06	·01	8
9	·01	·04		·05		·19	·59		·34	·13	·01	·12	9
10	·02	·01		·12		·03	·21		·05	·01	·01	·32	10
11	·01			·03	·07		·45		·10	·44	·08	·17	11
12		·04			·16		·06		·15		·01	·01	12
13	·02				·40		·16		·23			·01	13
14	·14		·04	·01	·01	·17	·06		·21	·18		·20	14
15	1·27			·85		·01	·18				·01	·12	15
16	·20		·01	·31		·03	·01		1·10		·01	·03	16
17	·21		·01	·14	·18		·18	·07	·01			·10	17
18	·59					·24	·05		·37	·12		·04	18
19	·06	·01	·03	·02		·05	·27	·02	·05	·04	·01	·09	19
20	·05	·10		·87		·03	·06		·18	·12	·01	·01	20
21	·15	·01		·60			·02		·34	·04			21
22	·11				·78		·32		·13		·01	·23	22
23	·03				·19	·03	·59	·05	·03				23
24	·01	·23				·10	·42		·04		·10	·02	24
25							·21	·16		·02	·02	·01	25
26							·47		·01	·03	·16	·09	26
27		·02	·01	·06			·08	·17	·05	·01	·11	·02	27
28	·01	·06	·22	·08				·11			·10	·20	28
29			·01						1·09		·01	·01	29
30	·01	X	·36					·01	·03		·03	·10	30
31		X	·01	X		X		·03	X	·05	X	·01	31
Total	3·17	1·02	·79	3·77	2·83	·88	4·39	1·22	6·01	1·47	2·20	2·20	YEAR'S TOTAL 29·95
Rain Days.	20	17	12	19	12	10	19	15	26	19	22	28	219

W. 8,000, IX. 17.

82

949
~~128~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Slough Upton
in the County of Buckinghamshire
by R. Bentley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·325	·03	·01		·08		·20			·03	·01	1·09	1
2	·19		·01		·07		·04	·07	·10	·07	·14	·11	2
3	·40		·39		·02		·06		·08		·03	·42	3
4	·08	·06	·44			·08	·16	·02	·07		·03	·13	4
5	·01	·32	·56	·01			·70		·19		·03	·27	5
6	·06		·05		·01							·05	6
7	·07		·33									·01	7
8	·19		·05	·04									8
9	·06		·01	·03	·03								9
10	·13		·06	·03						·01	·03	·08	10
11	·05		·07	·20	·02		·26				·01	·05	11
12	·01		·04	·05		·09	·06			·06		·01	12
13	·02		·01	·31						·03		·01	13
14	·19	·02		·34			·09		·47			·025	14
15	·32	·03	·11	·09							·01	·46	15
16	·14	·71		·02							·10	·02	16
17	·02	·34		·01							·22	·01	17
18	·01	·09	·16						·03		·08	·05	18
19	·06	·13	1·04			·24	·71	·32		·01	·07	·01	19
20	·23	·04	·16			·59	·19	·11	·16	·01	·02	·005	20
21	·26	·31	·02			·05	·08		·01	·01	·02	·04	21
22		·09					·15		·16		·02	·38	22
23	·01					·03		·02	·03	·06	·02	·01	23
24				·11		·02	·11	·02		·28	·06	·07	24
25	·05	·02		·02	·08	·02		·49				·01	25
26	·12	·26	·12	·03			·01	·12	·12			·31	26
27	·86	·02	·05	1·02				·48			·01	·05	27
28	·01		·23					·66			·34	·27	28
29	·02			·08	—			·17		·13	·03	·05	29
30	·005	✕		·25		·15		·20		·02	·29	·46	30
31		✕	·02	✕		✕	·01		✕		✕	·04	31
Total	3·90	2·47	3·94	2·64	·31	1·27	2·83	2·68	1·42	·72	1·57	4·50 ~~4·495~~	YEAR'S TOTAL 28·25
Rain Days.	27	15	22	17	7	9	15	12	11	12	21	28	196

W, 6,500, VII. 18. W W C

TV 157 904

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Slough, Upton
in the County of Buckinghamshire
by R. Bentley

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·01	42½	15¼	—	·22	·01	·03¾	24		22½	1
2			·01½	·01			·64	·57½	·09¾	·01		07	2
3		·03		·62			·04½		03	·04		·01½	3
4	·00½	·06½		07½	·00¾		·04	·07¼	·01	·26		07	4
5		·01	·05	·03	·03		·93½	·03	·00¼	·01		·02¼	5
6			·17		·09½		39¾	·00½				04	6
7	·01	·00¾	·01	·27¼	·06½		·07			·00½			7
8		·03	·00½	·24	·12		·16	·07		·00½			8
9	·27	·01	·01	·02¾			·01	·02½				·00½	9
10	·68	·03½	·04¾	·01¼		·09¼	09¼				·00¼	·01	10
11	·18¼		·07	·17¾	06	·04½	·26½					07	11
12	·07	·00¾	·00¾	·07		1·15	·02½				·00¼		12
13	·19¼	·01	·12½	·23½							·03¾		13
14	·00¾	·01¼	·28	·24		·10	·03½		·13¾	·25	·17¾	·01	14
15	·01	·02	·06	·14		·10¼	·01		·33	·14	·06¼	·00¼	15
16	·00¾	·00½		·23¾		·06¾			·07	·21½	·00¼		16
17	·00¾			·01½	·17	·17	·03¼		·50¼	·07		02	17
18	·02½			·01	·02	·00¼		·51½	·14½	·00¾		·02	18
19	·18½			·16½	·01	·07¾		·02¼	·00¾		·00¾	01	19
20	·06¼	·07½		·16¼		·65½	·00½		·01		·00¾	·02¾	20
21				·02		·00½	·53	·02¼	·39½			06½	21
22	·01	·00¼		·30¼			·01¼	·03	17	·00½		·53	22
23		·00½		·00¾			·55	·03¾	01	·00¼	·00¾	33½	23
24	·01¼		·06	·00½				·00¾		·00¼	·00½	04	24
25	·00½	·06½	·10				·20½				·00½	·00½	25
26	·04¾		·11	·01¼	1·35		30½				·00¼	·02	26
27	·20	·06	·01	·25		·08¾	·29				·21	·15¼	27
28	·38	·01	·27¼	·03	16	·01¼	·14				·11	·01½	28
29	·25		·06¾	·03	·00¾		·00¾				·14	·16	29
30	·03¼		·00½	·00½	·06½	·05	·33		·32		·26	·17	30
31	·01				·00¾		·00¾			·79		·08	31
Total	2·67¼	·46	1·48½	3·82¾	2·32	2·61¾	5·36	1·42¼	2·27½	2·05¼	1·04	2·19	Year's Total 27·72
Days with ·01 in. or more	23	16	19	27	15	13	25	13	15	13	11	25	215
	~~19~~	~~13~~	~~17~~	~~25~~	~~12~~	~~12~~	~~23~~	~~11~~	~~14~~	10	7	23	~~186~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

·04 11 4 12 15 9 11 17 5 10 8 7 13 122

DL

168

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

BUCKS
SPEEN - 'RED GABLES'
1911 – 1914

REC 911

Kept at Speen

in the County of Bu

by H. R. McCarth

op .... in.

above Ground .... ft. .... in.

,, Sea Level .... ft.

on { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08												1
2				·84	·25						·15	·23	2
3					·25	·03		·05			·09	·07	3
4		·06	·16								·13	·69	4
5				·05				·12		·06			5
6	·54									·06			6
7			·08							·12	·55	·67	7
8	·11		·18							·01		·30	8
9			·02									·15	9
10	·15	·15			·02								10
11	·41		·23		·40						·70		11
12					·21					·25	·40		12
13			·63		·45				·42	·25		1·50	13
14					·08								14
15		·12	·13							·03	·10		15
16						·28					·43		16
17			·03			·14					·09	2·01	17
18		·15	·03	·01		·31					·24		18
19						·26			·04	·09	·16		19
20		·08						·28	·18	·04			20
21			·05							·31		·46	21
22						·10			·27	·16		·62	22
23			·14			·21	·03					·26	23
24		·50	·02							·65		·08	24
25	·05		·01			·30		·28	·04				25
26				·25	·89	·09				·14			26
27		·42					·06		·12		·08	·47	27
28		·35		·37									28
29				·02			·12	·36	·20	·30			29
30			·01		·24	·28			·02	·17			30
31							·05						31
Total	1·34	1·83	1·72	1·54	2·79	2·00	·26	1·09	1·29	2·64	3·12	7·51	TOTAL for year 27·13
No. of Rain Days	~~5~~ 6	11?	15	8	10	12	4	~~7~~ 6	9	15	14?	22 3	~~132~~

9,000, IX. '10.

8L ✓

168

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Speen

in the County of Bucks 3

by H. R. McCarthy

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08												1
2				·84	·25						·15	·23	2
3					·25	·03		·05			·09	·07	3
4		·06	·16								·13	·69	4
5				·05				·12		·06			5
6	·54									·06		·	6
7			·08							·12	·55	·67	7
8	·11		·18							·01		·30	8
9			·02									·15	9
10	·15	·15			·02								10
11	·41		·23		·40						·70		11
12					·21					·25	·40		12
13			·63		·45				·42	·25		1·50	13
14					·08								14
15		·12	·13							·03	·10		15
16						·28					·43		16
17			·03			·14					·09	2·01	17
18		·15	·03	·01		·31					·24		18
19						·26			·04	·09	·16		19
20		·08						·28	·18	·04			20
21			·05							·31		·46	21
22						·10			·27	·16		·62	22
23			·14			·21	·03					·26	23
24		·50	·02							·65		·08	24
25	·05		·01			·30		·28	·04				25
26				·25	·89	·09				·14			26
27		·42					·06		·12		·08	·47	27
28		·35		·37									28
29				·02			·12	·36	·20	·30			29
30			·01		·24	·28			·02	·17			30
31							·05						31
Total	1·34	1·83	1·72	1·54	2·79	2·00	·26	1·09	1·29	2·64	3·12	7·51	TOTAL for year 27·13
No. of Rain Days	~~5~~ 6	11?	15	8	10	12	4	~~7~~ 6	9	15	14?	22?	~~132~~

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
7 - JAN 191

Ex DS

REGISTER OF RAINFALL IN 1912

Kept at "Red Gables" Speen
in the County of Bucks. 3
by H. R. McCarthy

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Saunderton 23 mls
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 650 about ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			2 dys			·15	·12		·07	·38		·15	1
2			·57			·16	·82	·02					2
3	·10				·17	·17		·35	·02				3
4	·45		·90		·42	·30		·02			·27		4
5	·24		(2 dys)					·38			2 dys rain		5
6	·49	3 dys.						·51				·48	6
7		·09	·36 3 dys)		·04	·48	·02					2 dys	7
8	·54	·43						·40			·03		8
9	·07	·13	·10				·02	3 dys rain					9
10		·04				4 wet days		·23			·08	·68	10
11	·07	·30	·19			·58		·02			·07		11
12	·06				·02								12
13		·40		Summer weather		·08	·04 2 dys		·02		·23 2 dys		13
14	·02	2 dys (12 & 14)			·03			·05		·06			14
15	·05		·29 2 dys		·47	·41		·02				·46	15
16	·27		·13		·05	·06		·09		·13	·02	3 dys	16
× ·17	---		·20			·09		·28					17
and 18	·78		·50									·18 3 dys	18
× ·19	(2 dys) rain	·16	2 dys				·11	·81					19
20	·05						·04	3 dys rain		·38			20
21			1·48		·41					·13			21
22			4 dys	Bright	·05		·19	·69 2 dys		·04			22
4 dys rain 23	·97				·02		·78	·08			·27	·27	23
24						·03						·23	24
25			·05			·47	·02	·34			1·02	·55	25
26		·57 (3 days)					·08	·38		·60	3 dys	·58	26
27				nil.		·08				·86		3 dys	27
28						·03	·11 2 dys	·14	·08	3 dys	·42	·34	28
29						·12	·10	·46	1·98	·21			29
30					·43		·43	·02	·60	·11			30
31			·17		2 dys							·03	31
Total	4·16	2·12	4·94	nil	2·11	3·21	2·88	5·39	2·77	3·90	2·41	3·95	YEAR'S TOTAL 36·74
Rain Days.	18	13	21	nil	12	18	16	25	6	11	12	15	167

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
4 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at Speen Princes Risboro

in the County of Bucks 3

by H. R. McCarthy

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Saunderton Stn 4 ml

Diameter of Rain Gauge as in.

Height of top of Gauge above Ground before ft. in.

" " " " Sea Level before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.	·11		.	.	.	.		.		·18	1
2	.	·27	·01		.	.	.	.	·56	·70	·36	.	2
3	·68	.	·03	·18	·39	.	.	.		.	.	·08	3
4		.	·11	2 wet days out of 5	·05		·11	.	.	·40	·05	·10	4
5	·05	.	.		·01	.	·18	.	·25	.	-	·03	5
6	.	.	·05	.	·25	·17	.	.	.	·25	.	·18	6
7	.	·05	.	.	·15	·12	.	.	.	·70	.	.	7
8	.	.	.	.	·15	-	·07	·13	.	·18	·19	.	8
9	.	·18	.	.	·01	·02	·08	.	·08	.	.	.	9
10	·62	.	.		.	.	.	.	.	.	·46	.	10
11		.	.	·46	·05	.	.	·10	.	·75	·56	.	11
12	.	.	.	.	·07	.	.	.	.	.	·25	.	12
13	.	.	.	.	·01	.	.	.	.	.	·56	.	13
14		.	·13		.	.	.	.	·03	·33	.	.	14
15	·50	.	·28	·72	.	.	·25	.	·32	.	.	.	15
16		.	.	.	.	.	.	.	.	.	.	.	16
17	·05	.	×	·18	.	.	.	.	.	.	.	.	17
18		.	·86	.	.	.	.	.	.	.	.	.	18
19	·70	·03	× 3 days	.	.	·36	.	.	·47	.	.	.	19
20	·15	.	× ×	·07	.	.	·12	.	.	·66	.	.	20
21		.	·13	.	.	.	.	.	.	·05	.	.	21
22	·37	.	·27	.	·06	.	·05	.	·20	.	·63	.	22
23	.	.	·13	.	.	·12	.	.	·04	.	.	·15	23
24	.	.	.	.	.	.	.	.	.	.	.	.	24
25		.	.	·69	.	.	.	.	.	.	.	.	25
26	.	.	.		.	.	.	.	.	·45	.	.	26
27	·26	·06	·13	·32	·04	.	.	.	.	.	.	·16	27
28	.	.	·26		.	.	.	.	.	·18	.	.	28
29		.	·08	·54	·49	.	.	·30	.	·22		.	29
30	·37	.			·01	.	.	.	.	·32	.	.	30
31		.					.	.				.	31
Total	3·75	·59	2·58	3·16	1·74	·79	·86	·53	1·95	5·09	2·46	·88	YEAR'S TOTAL 21·38
Rain Days.	18	5	16	14	14	5	7	3	10	13	8	7	120

Ex M

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
26 APR 1915

Kept at "Red Gables" Speen
in the County of Buckingham 3
by H R McCarthy

Lat. Long.
Time of Observation
Nearest Railway Station all as before
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·15					1
2						·01		·07			·33		2
3					·27		·68	·41					3
4								·09					4
5	·28		·15	·37	·07	·21	·40	·31			·59		5
6					·05		·02	·03					6
7		·10	1·45	·06	·50		·03	·03					7
8		·52		·05	·10	1·01	·37	·16					8
9			·50	·11					·04				9
10		·17		·21	·05			·01	·25				10
11		·30	·55		·12	·48			·01				11
12		·09	·10				·26		·30				12
13		·35	·16				·03		·20		·75		13
14		·33								·45			14
15													15
16			·11				·14						16
17		·63							·17				17
18													18
19		·03	·63			·12	·11						19
20		·35											20
21		·40	·15							·98			21
22		·05	·12		·03	·17		·05					22
23			·16		·10					·10			23
24			·07		·08		·08			·24			24
25	·20		·17				·04			·35			25
26							·10	·21		·02			26
27													27
28		·06			·01								28
29	·12		·17		·05					·55			29
30		X	·07										30
31		X		X	·10	X	·04		X		X		31
Total	·60	3·40	4·56	·80	1·53	2·00	2·30	1·55	·97	2·69	✓ mp		YEAR'S TOTAL
Rain Days.	3	13	18	5	13	11	15	11	7	11	✓		

W. 8,000. X. 14.

from original MS.
Entered 28.XI.14

REGI … 11

BUCKS
STOKE POGES - STOKE COURT
1911 - 1920

12 MAR 1914

FORM A.
BRITISH RAINFALL.

Kept at Stoke Court … ong.

in the County of Buck… ion

by Henry All… ge in.

ge above Ground ft. in.

„ Sea Level ft.

IMPORTANT NOT… and the result entered to the previous day. If an Observer prefers … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.70									1
2				.24	.16			.04			.21		2
3	.18				.21							.13	3
4		.04	.08							.09	.33	.34	4
5				.08						.07			5
6	.31											.34	6
7										.12	.36		7
8	.18		.33								.15	.44	8
9												.12	9
10	.11	.08	.17								.13	.49	10
11	.25										.63		11
12			.44		.12						.30		12
13					.11				.38			.60	13
14		.07	.10		.10							.35	14
15		.06											15
16						.15					.38	.08	16
17						.26					.25	.21	17
18		.29				.45				.23	.34	.30	18
19						.32			.12		.29	.10	19
20		.05						.15	.15	.12		.70	20
21			.26					.78		.38			21
22	.09		.08							.17		.52	22
23		.16				.39			.25			.09	23
24						.09				.72		.15	24
25		.16		.06		.13	.14						25
26					.10	.07	.01	.08		.12		.30	26
27		.51					.05		.10			.17	27
28		.26		.27				.12			.10		28
29						.22	.12		.26	.23			29
30				.02	.29			.04		.15			30
31					.11								31
Total	1.12	1.68	1.46	1.37	1.20	2.08	.32	1.21	1.26	2.40	3.42	5.43	YEAR'S TOTAL 22.95
Rain Days.	6	10	7	6	8	9	4	6	6	11	12	18	103

W.7,000, XI. 13

from original MS.
Entered 28 · XI · 14

REGISTER OF RAINFALL 11

12 MAR 1914

FORM A. BRITISH RAINFALL.

Kept at Stokeford Stoke Poges

in the County of Buckinghamshire

by Henry Allhusen

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.70									1
2				.24	.16			.04			.21		2
3	.18				.21							.13	3
4		.04	.08							.09	.33	.34	4
5				.08						.07			5
6	.31											.34	6
7										.12	.36		7
8	.18		.33								.15	.44	8
9												.12	9
10	.11	.08	.17								.13	.49	10
11	.25										.63		11
12			.44		.12						.30		12
13					.11				.38			.60	13
14		.07	.10		.10							.35	14
15		.06											15
16						15					.33	.08	16
17						.26					.25	.21	17
18		.29				.45				.23	.34	.30	18
19						.32			.12		.29	.10	19
20		.05						.15	.15	.12		.70	20
21			.26					.78		.38			21
22	.09		.08							.17		.52	22
23		.16				.39			.25			.09	23
24						.09				.72		.15	24
25		.16		.06		.13	.14						25
26					.10	.07	.01	.08		.12		.30	26
27		.51					.05		.10			.17	27
28		.26		.27				.12			.10		28
29						.22	12		.26	.23			29
30				.02	.29			.04		.15	—		30
31					.11								31
Total	1.12	1.68	1.46	1.37	1.20	2.08	.32	1.21	1.26	2.40	3.42	5.43	YEAR'S TOTAL 22.95
Rain Days.	6	10	7	6	8	9	4	6	6	11	12	18	103

W.7,000, XI. 13

from original MS.
Entd 28 XI.14

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

12 MAR 1914

Kept at Stoke Court Stoke Poges
in the County of Buckinghamshire
by Henry Allhusen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.14	.20		.06	.31			1
2			.16			.05	.32			.02			2
3			.33			.35		.28				.20	3
4	.22		.62		.15	.25					.50		4
5	.20		.08					.35					5
6	.55							.68				.10	6
7					.14	.62		.12					7
8	.47	.33					.05	.34					8
9		.27	.34			.18		.08				.27	9
10								.48			.08	.18	10
11	.10	.23										.12	11
12	.05	.17	.10		.17	.20							12
13								.22					13
14			.03					.03		.08			14
15		.04	.19		.40	.58		.05				.28	15
16	.33		.05		.07	.11		.10		.07	22		16
17	.65		.15					.08					17
18			23					.46				.10	18
19	.09	.13	.13				.37	.74					19
20	.04		.14					.17		.35			20
21			.36		.41			.09					21
22	.21	.22	.08		.16		.07	.24				.02	22
23	.20	.35	.37					.48		.10	.28	.22	23
24	.27							.13				.12	24
25						.22		.32			.30	.55	25
26								.37		.44	.47	.19	26
27						.16				.15		.18	27
28						.10		.35	.14	.38	.36	.38	28
29						.13	.20	.10	1.46	.11			29
30			.31		.30				.80				30
31			08		.15		.17	.13				06	31
Total	3.38	1.74	3.75	.00	1.95	3.09	1.38	6.34	2.46	2.01	2.21	2.97	YEAR'S TOTAL 31.28
Rain Days.	13	8	18	.	9	13	7	24	4	10	7	15	128

W.7,000, XI. 13

from Original MS
[illegible]

FORM A.
BRITISH RAINFALL.

12 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Stoke Court, Stoke Pages [illegible]

in the County of Buckinghamshire

by Henry Allhusen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.17	.04	.40			.06		.20		.09	.12	1
2		.10		.06					.02	.93	.03		2
3	.06			.21	52					.03			3
4	.27				.05		.06			.09		.20	4
5	.11					.11	.12		.36	.02			5
6		.12	.06		.11		.49			.45	.12	.18	6
7		.11			.09			.29		.35	.07		7
8		.51			.08	.12				.18			8
9		.20							.06				9
10							.15				.35		10
11	.67			45						.75	.30		11
12					.13						.21		12
13			.07						.06		.21		13
14	.11		.08	.06			16			.14			14
15	.18	.08	.18	.27			.24		.25				15
16	.18		.30	.10					.10				16
17			.07	.04			.14				.07	13	17
18			.16	.06							.03		18
19	.61						.10		34				19
20	.10		.07			.03				.42			20
21			.07				.03			.10	.55		21
22	.46		.22	.18				.12	.18			.32	22
23													23
24				.03				.04					24
25				12									25
26			.16	.14				.09		54		.18	26
27		.11			.12								27
28	.33		.22	.22						.10			28
29			.07	.41	.64			.08		07			29
30	.24							.03		.15			30
31								.28					31
Total	3.32	.90	1.77	2.75	1.74	.26	1.55	.93	1.57	4.32	2.03	1.13	YEAR'S TOTAL 22.27
Rain Days.	12	8	14	15	8	3	10	7	9	15	11	6	118

W.7,000, XI. 13

W.D. rep written 25.II.15

cord for W.D. 2.III.15

Ex. W.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

Kept at Stoke Court Gardens, Stoke Poges

in the County of Bucks 3

by F. W. Beevers

Lat. 51.N Long. 0.5

Time of Observation 9 a.m.

Nearest Railway Station Slough

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 196 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05			·12		·04				·38	1
2			·05					·07			·05	·04	2
3							·18	·43			·06	·13	3
4			·03		·19		·22	·03			·14		4
5	·14			·24				·03			·35	·34	5
6		·14	·13	·18	·11	·04	·35	·50					6
7				·17		·11						·20	7
8		·28	·27		·69		·22					·08	8
9	·06	·20	·60	·12		·12	·55	·13					9
10	·13		·63	·08	·06	·55			·10			1·45	10
11		·07		·05	·10				·20				11
12		·19	·44			·25					·24	·23	12
13		·11	·15				·43		·25			·40	13
14		·25	·10						·18	·05		·51	14
15		·09	·49							·31	·13	·40	15
16	·10		·11				·17	·05	·06		·05	·03	16
17			·03						·11				17
18		·36	·11									·15	18
19			·08									·34	19
20		·09	·25				·08					·10	20
21		·25	·25						08			·15	21
22		·54	·05										22
23					13		·07	·03		·40			23
24		·10	·10		·15		·26			·07			24
25			·09							·17	·10		25
26			·12			·18		·21		·25		·13	26
27			·03				·10			·08	·23	·54	27
28											·07	·16	28
29										·04	·33	1·24	29
30	·09	X	·15							·24	·07		30
31		X	·04	X		X			X	·07	X	·28	31
	–	·05	–	–	·12	–	·04	–			·38	·03	YEAR'S TOTAL
Total	~~·52~~ ·52	~~2·62~~ 2·67	~~4·35~~ 4·30	~~·84~~ ·84	~~1·43~~ 1·55	~~1·37~~ 1·25	~~2·63~~ 2·67	~~1·52~~ 1·48	~~·98~~ ·98	~~1·68~~ 1·68	~~1·82~~ 2·20	~~7·28~~ 6·93	~~27·04~~ 27·07
Rain Days.	5	13	24	6	7	7	11	10	7	10	12	21	133

W. 8,000. X. 14.

corr for W.D 25.iii.16.

1071

FORM A.
BRITISH RAINFALL.

1 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Gardens, Stoke Court, Slough
in the County of Bucks
by F. W. Beevers (Gardener) 3

Lat. 51 Long. 0 5
Time of Observation 9 a.m.
Nearest Railway Station Slough.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 196 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·17

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03						·40		·07		·99	·21	1
2	54	·20	·07		·02		·02	·18		·07	·29	·30	2
3	·10	·18	·30	·08		·02		1·12	·10	·04		·25	3
4	·48		·05	·08				·06				·35	4
5	·05											·23	5
6	·06	·35		·03								·28	6
7	·24	·05	·06	·21			·66	·02				·21	7
8	·23	·23	·08				·34					·23	8
9	·15	·55		·10				·10					9
10		·05		·20		·03		·03			·26	·66	10
11	·32		·03					·05				·10	11
12			·03								·73		12
13	·06			·28	·41			·18			·32		13
14		·60			1·11								14
15							·96		·13			·46	15
16	·11	·04			·07						·10	·10	16
17		·33					·68	·17				·05	17
18		·28			1·08								18
19		·11	·07		·09								19
20		·05					·13						20
21	·33											·24	21
22	·10				·25							·05	22
23	·70	·05	·32	·04			·69					·16	23
24		·18	·04				·22		·21	·60		·27	24
25							·22		·60	·30		·23	25
26				·06		·05	·10			04		·10	26
27		·05				·06	·18					·48	27
28						·28	·20			·48		·06	28
29									1·29				29
30		✕					·07	·16			13		30
31	·05	✕		✕		✕	·06		✕	·20	✕	·06	31
	–	–	–	–	–	·40	–	·07	–	·99	·21	·17	YEAR'S TOTAL
Total	~~3·55~~ 3·52	3·30	1·05	1·98	3·03	~~·44~~ ·84	~~4·93~~ 4·53	~~2·07~~ 2·14	~~2·40~~ 2·33	~~1·73~~ 2·72	~~2·82~~ 2·04	~~5·08~~ 5·04	~~31·48~~ 31·62 ✓
Rain Days.	~~16~~ 15	16	10	9	7	~~5~~ 6	~~15~~ 14	~~10~~ 11	5 6	~~7~~ 8	7	22	130 ✓

W. 8,000. X. 15.

cnd pr WD Exam'd 1041

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
19. JAN 1917

Kept at The Gardens Stoke Court
in the County of Bucks.
by J. W. Beevers

Lat. 51·2. Long. 0·5
Time of Observation 9 a.m.
Nearest Railway Station Slough
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 196 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·06

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10						·05		·18		1
2	·20		·07		·37				·17	·08	·30		2
3	·32	·02	·06		·17				·13	·47			3
4		·64	·04						·11	·23	·20		4
5	·24	·08				·30			16	·03	·61		5
6		trace			·10	·12				·05	·56		6
7	·02	·05	·41	·18			·33			·03	·37		7
8	·08		·24			·10	·25				·55	·08	8
9					·35	·24						·27	9
10					·32	·02				·07		·08	10
11		·16	·06	·05		·13						·04	11
12	·06	·10	·03	·14		·26						·07	12
13	·04	·03	·03	·03	·13	·08	·08	·17		·06			13
14		·36	·28				·09	·25					14
15		·41			·06			·46		·14		·10	15
16		·34	·24				·08	·12					16
17	·03	·02	·41	·22			·36	·37					17
18		·15		·04				1·71	·33	·61			18
19		·05	·05	·16				·63	20	·20	·77		19
20	·15		·21	·29					·47		·61		20
21	·17		·22									·62	21
22			·64				·06					·39	22
23		·04	trace							·06		·48	23
24		·16				·15				·10	·05	·30	24
25	trace				·10	·25		·03		·23	·03	·10	25
26		·43	·11					·11		·14	·15		26
27	·03	·12				·07		·10		·08			27
28	·08		·92					·27	·07	·10			28
29		·30	·23									·10	29
30		✕				·25		1·29		·30		·14	30
31		✕		✕		✕		·02	✕	·40	✕		31
Total	1·42 1·42	·10 ~~3·46~~ 3·56	~~4·35~~ 4·25	1·11	1·60	1·97	1·25	·05 ~~5·53~~ 5·58	~~1·69~~ 1·64	·18 ~~3·38~~ 3·56	~~4·38~~ 4·20	·06 ~~2·77~~ 2·83	YEAR'S TOTAL ~~32·91~~ 32·97
Rain Days.	12	18	18	8	8	12	7	13 4	9	19	12	13 4	150

W. 8,000, VIII. 16

1011

FORM A.
BRITISH RAINFALL.

19 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Gardens Stoke Court Slough
in the County of Bucks
by F. W. Beevers

Lat. 51 N Long. 0·5
Time of Observation 9 a.m
Nearest Railway Station Slough
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 196 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·07				·35				·03	1
2				·25				·80	·06		·06		2
3				·36		·08		·04			·06		3
4				·04				·32		·34	·04		4
5	·32	·41	·14				·30	·12		·43			5
6				·25					·14	·14	·15		6
7	·25		·23						·13	·02	·08		7
8	·27						·10			·20		·06	8
9				·08			·86	·17		·29	·12	·16	9
10	·28						·05	·13			·10	·07	10
11	·10		·15	·29				·10			·04		11
12	·06		·33	·06						·21			12
13	·05		·08					·18		·54			13
14								·10	·04				14
15				·22				·05					15
16	·04						·64			·01			16
17		·08		·25	·06	·22	·05			·68		·50	17
18				·15	·77		·31	·14	·53	·31			18
19		·12		·09	·15	·27	·22		·23	·04			19
20		·20	·07			·16	·11		·37				20
21		·15			·71				·05		·08		21
22						03				·04			22
23			·09							·08			23
24		·13			·04					·16			24
25		·03						·17				·08	25
26											·08		26
27								·48	·05		·27		27
28						·04		·58					28
29			·08			1·61		·13					29
30		X			·08	·03	·46	·02		·75		·20	30
31		X	·25	X		X	1·28	·10	X		X		31
Total	1·37	1·12	·07 ~~1·42~~ 1·49	~~2·41~~ 2·04	1·81	2·44	·35 4·38 4·73	3·98 3·63	1·60	4·24	·03 ~~1·08~~ 1·11	·02 ~~1·10~~ 1·09	YEAR'S TOTAL ~~26·65~~ 26·67
Rain Days.	8	7	~~9~~ 10	~~12~~ 11	6	8	11	~~18~~ 19	9	·16	11	7	~~122~~ 123

W. 8,000, IX. 17.

3·25?

cnd for WD

Exc 8L

13

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

7. 1. 19

Kept at The Gardens Stoke Court Stoke Poges

in the County of Bucks

by J. W. Beevers

Lat. 51 N Long. 0·5

Time of Observation 9 a.m

Nearest Railway Station Slough

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 196 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02					·22	·06	·06	·05	1
2		·06		·08							·24	·06	2
3		·10		·12				·45			·30	·10	3
4				·10	·50			·02	·04		·39		4
5		·03	·11	·02					·33		·40		5
6		·02			·10			·13	·32	·17			6
7	·17	·14		·23								·12	7
8		13		·12	·35			·07	·16	·08	15		8
9	·05	·10							·29	·04		·02	9
10		·05		·07		·26	·33		·33	·15		·12	10
11	·02			·10			·24		·05			·34	11
12				·05			·38		·15	·37		·14	12
13		·09			·20		·03						13
14					·24		·49		·20			·09	14
15	·14					·16	·07		·32	·20		·15	15
16	1·05			·57		·06	·1					·10	16
17	·12			·60		·09			1·03			·03	17
18	·25			·17	·55		·17	·06				·10	18
19	·53					·21	·22		·56	·10			19
20	·08	·12	·08			·10	·23	·06	04	·05		·13	20
21	·03			·73			·08		·16	·12			21
22	·10			·96			·03		·36				22
23	·10				·38	·02	·19		·08			·20	23
24	·03				·21		·80	·03	·02			·04	24
25		·22					·18		·07		·16		25
26							·3	·21					26
27							·4			·08	·23	·09	27
28				·06			·12	·25			·11		28
29			·37	·03							·13	·28	29
30			·03						1·16				30
31			·42									·13	31
Total	2·67	1·06	·02 ~~1·01~~ 1·03	~~4·03~~ 4·01	2·53	·90	4·27	·22 ~~1·28~~ 1·50	·06 ~~5·87~~ 5·71	·06 ~~1·42~~ 1·42	·05 ~~2·17~~ 2·16	~~2·29~~ 2·24	YEAR'S TOTAL 29·50
Rain Days.	13	11	~~5~~ 6	~~17~~ 16	8	7	18	~~9~~ 10	20	11	10	~~17~~ 18	148

W, 6,500, VII. 18. W W C

corrd for WD

2112

952

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Gardens Stoke Court
in the County of Bucks
by F. W. Brewers

Lat. 51·N. Long. 0·5
Time of Observation 9 a.m.
Nearest Railway Station Slough
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 196 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·26		·19					·23	1
2	·36				·18		·14			·03		1·09	2
3	·20		·02		·11		·05		·09	·10	·12	·18	3
4	·37		·35				·15				·04	·41	4
5	·07	·11	·41			·09	·13	·06	·08			·10	5
6		·30	·63	·06			·26		·20		·05	·29	6
7	·07		·10									·03	7
8	·06		·46								02		8
9	·18		·04	·04									9
10	·03			·03	·03								10
11	·12		·12	·03						·02			11
12	·05		·09	·22			·18					·11	12
13			·10			·10	·09						13
14	·01		·14	·27						·18		·02	14
15	·25	·08		·57			·15		·35				15
16	·28			·06								·48	16
17	·19	·65		·03							·19		17
18	·02	·24									·26		18
19		·20	·15								·13	·09	19
20	·05	·15	·98			·21	·91	·17			·08		20
21	·28	·05	·14			·62	·26	·17	·08				21
22	·25	·31				·09	·08					·09	22
23		·18					·12		·25		·06	·40	23
24						·05		·03	·02	·09			24
25				·11			·09	·02		·27	·08	·04	25
26	·07				·05			·45					26
27	·13	·26	·16	·09				·02	·08			·32	27
28	·85	·02	·06	1·01				·42				·02	28
29			·19					·65			·28	·35	29
30				·09				22		·15	18		30
31								·12				·48	31
TOTAL	3·89	2·55	4·14	·26 ~~2·61~~	~~·63~~	·19 ~~1·16~~	~~2·80~~	2·33	1·15	·84	·23 ~~1·49~~	·03 ~~4·73~~	YEAR'S TOTAL ~~28·32~~
Days with ·01 in. or more	21	12	17	2·87 14 ~~13~~	·37 4 ~~6~~	1·35 7 ~~6~~	2·61 13 ~~14~~	11	8	7	1·72 13 ~~12~~	4·53 18	28·35 ~~144~~

145

(44,283). Wt.21,958—218 7500. 10/19. Gp.132. A.&E.W.

WD 906

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

28 JAN 1921

Kept at The Garden Stoke Court Stoke Poges
in the County of Bucks
by F. W. Beevers "Gardner"

Lat. 51. 2. Long. 0.5
Time of Observation 9 a.m.
Nearest Railway Station Slough
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 196 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·09

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02					·09			·35	·77	·22	1
2				·49	·18		·25		·07	·25		·23	2
3							·40	·42	·10			·06	3
4				·24			·96		·04	·04			4
5				·10				·10		·27		·12	5
6			·06				·95					·05	6
7			·12		·18		·41					·03	7
8				·34			·12						8
9	·02	·12		·16	·10		·14	·10					9
10	·36			·03									10
11	·48	·08	·07				·13						11
12	·20		·08	·22	·04	·13	·32					·08	12
13	·12			·13		·96	·03				·03		13
14	·08		·18	·18							·03		14
15			·26	·18		·65	·07			·30	·19		15
16	·03		·26	·13					·32	·30	·[illegible]		16
17				·11					·18	·22	·03		17
18					·19	·09			·23	·05			18
19	·09			·17				·56	·16			·07	19
20	·07			·19		·09							20
21	·07	·08				·62						·05	21
22							·58	·02	·34			·10	22
23				·31					·08			·43	23
24							1·41					·39	24
25			·07									·05	25
26			·07				·22						26
27	·06		·08		·05		·19					·03	27
28	·22	·13		·26		·11	·11				·28	·12	28
29	·35		·31		27		·22				·[illegible]		29
30	20		·05								·16	·24	30
31	·04				·10		·57					·18	31
TOTAL	·02 ~~2·39~~ 2.41	~~·43~~ ·41	1·61	3·24	1·11	·09 ~~2·65~~ 2.74	~~7·17~~ 7.08	1·20	·35 ~~1·52~~ 1.87	·77 ~~1·78~~ 2.20	·22 1·64 1.09	·09 ~~2·46~~ 2.32	YEAR'S TOTAL 27·28 ~~27·19~~
Days with ·01 in. or more	16	~~5~~ 4	12	16	8	~~7~~ 8	~~19~~ 18	5	~~9~~ 10	8	9	17	~~131~~
Days with ·04 in. or more	13	4	12	15	~~8~~	~~7~~ 8	~~18~~ 17	4	~~9~~ 10	8	6	15	120 ~~119~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

STONY STRATFORD

CALVERTON LIMES

BUCKS

1912 – 1917

---

cor for arith Jan est } 10

-REC 12

FORM A. BRITISH RAINFALL.

2 - JAN 1913

Kept at Stony Stra wolverton 2 miles

in the County of Buck 7 am

5 in.

by Mr Hawkin bove Ground 1 ft. 3 in.

Sea Level 230 ft.

NOTE.—Rain should be measured Full instructions for the measurement of rain and particulars as to the Britis servers," sent post-free on application to Dr. H. R. Mill, 62, Camden Squa

Jan .01

Date.	Jan.	Feb.	March.							Oct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1			—							.29	—	.13	1
2			.09							—	—	—	2
3			—	—	.07	.13	—	.28	.03	—	.01	.08	3
4			.70	—	.16	.30	—	.02	—	—	.15	—	4
5			.17	—	—	.15	—	.37	.01	—	.04	—	5
6			—	—	.00	—	—	.44	—	—	—	.02	6
7		—	—	—	.01	.61	—	.17	—	—	—	.03	7
8		.16	.21	—	.02	—	—	.01	.01	.00	—	—	8
9		.14	.05	.08	—	.36	.02	.00	—	.00	—	.40	9
10		.01	—		—	.01	—	.21	—	.00	.14	.01	10
11		.04	.15	—	—	.04	—	—	—	—	.11	.22	11
12		.30	—	—	.02	.04	min 61° —	—	—	—	.09	—	12
13		.06	.06	—	—	.03	—	—	—	—	.01	—	13
14		—	.17	—	.13	—	—	.15	—	—	—	—	14
15		.03	.07	—	.12	.17	—	.01	—	—	.01	.17	15
16		—	.25	—	.04	.04	—	.09	—	.06	.01	.17	16
17		—	—	—	—	.07	—	.32	—	—	—	.02	17
18		—	.17	—	—	—	—	.09	—	.02	.01	—	18
19		.07	.03	—	—	.00	.10	.24	—	.00	.01	—	19
20		.01	.16	—	.02	.01	.23	.75	—	.18	—	—	20
21		—	.27	—	.42	—	—	.46	—	.25	.03	—	21
22		.08	.03	—	.03	—	.25	.23	—	.03	—	.10	22
23		.65	.63	.01	—	—	.30	.28	.00	.01	—	.30	23
24		—	—	—	—	.02	—	.14	—	.00	.15	.15	24
25		—	—	—	—	.16	—	.45	—	—	.23	.36	25
26		.02	—	—	—	—	.13	.86	—	.30	.33	.16	26
27		—	.01	—	—	.05	.00	—	—	.47	.17	.29	27
28		.04	.02	—	—	.01	.36	.39	.10	.27	—	.81	28
29		.01	—	—	—	.22	.32	.04	.76	.34	—	—	29
30			—	—	.41	.08	.00	—	.30	.22	—	—	30
31			—		.05		.38	.14		—		—	31
Total	(3.25)	1.60	3.04	.12	1.50	2.68	2.49	6.19	1.27	2.44	1.40	3.50	TOTAL for year (29.48)
No. of Rain Days	(20)	14	18	4	13	21	10 12	23	8 7	12	16	17	(175)

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

cor for aith Jan est } 10

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 [illegible] 1913

Kept at Stony Stratford
in the County of Bucks 5
by Mr Hawkins

Lat. .... Long. ....
Nearest Railway Station Wolverton 2 miles
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " Sea Level 230 ft.

Jan ·01

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			—	·01	—	·02	—	—	·06	·29	—	·13	1
2			·09	·02	—	·16	·40	—	—	—	—	—	2
3			—	—	·07	·13	—	·38	·03	—	·01	·08	3
4			·70	—	·16	·30	—	·02	—	—	·15	—	4
5			·17	—	—	·15	—	·37	·01	—	·04	—	5
6			—	—	·00	—	—	·41	—	—	—	·02	6
7		—	—	—	·01	·61	—	·17	—	—	—	·03	7
8		·16	·21	—	·02	—	—	·01	·01	·00	—	—	8
9		·14	·05	·08	—	·36	·02	·00	—	heavy mist ·00	—	·48	9
10		·01	—	—	—	·01	—	·21	—	·00	·14	·01	10
11		·04	·15	—	—	·04	—	—	—	—	·11	·22	11
12		·30	—	—	·02	·04	min 61 —	—	—	—	·09	—	12
13		·06	·06	—	—	·03	—	—	—	—	·01	—	13
14		—	·17	—	·13	—	—	·15	—	—	—	—	14
15		·03	·07	—	·12	·17	—	·01	—	—	·01	·17	15
16		—	·25	—	·04	·04	—	·09	—	·06	·01	·17	16
17		—	—	—	—	·07	—	·32	—	—	—	·02	17
18		—	·17	—	—	—	—	·09	—	·02	·01	—	18
19		·07	·03	—	—	·00	·10	·24	—	·00	·01	—	19
20		·01	·16	—	·02	·01	·23	·75	—	·18	—	—	20
21		—	·27	—	·42	—	—	·46	—	·25	·03	—	21
22		·08	·03	—	·03	—	·25	·93	—	·03	—	·10	22
23		·65	·43	·01	—	—	·30	·25	·00	·01	—	·30	23
24		—	—	—	—	·02	—	·14	—	·00	·15	·15	24
25		—	—	—	—	·16	—	·45	—	—	·23	·36	25
26		·02	—	—	—	—	·13	·86	—	·30	·23	·16	26
27		—	·01	—	—	·05	·00	—	—	·47	·17	·29	27
28		·04	·02	—	—	·01	·36	·39	·10	·27	—	·81	28
29		·01	—	— 3·27	—	·22	·32	·04	·76	·34	—	—	29
30			—	—	·41	·08	·00	—	·30	·22	—	—	30
31			—		·05		·38	·14		—		—	31
Total	(3·25)	1·60	3·04	·12	1·50	2·68	2·49	6·19	1·27	2·44	1·40	3·50	TOTAL for year (29·48)
No. of Rain Days	(20)	14	18	4	13	21	10 12	23	8 7	12	16	17	(175)

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3 X 91 8

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

15 JAN 1914

Kept at Stony Stratford

in the County of Bucks 5

by Mr Hawkins

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Wolverton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Ther: min 26°
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.02	.25	.10	.07	06	—	—	—	1·15	—	.07	—	1
2	.04	.15	—	—	—	—	.06	—	.52	.76	.01	—	2
3	—	—	.15	—	.68	—	—	—	—		.04	.03	3
4	.38	—	.01	—	.02	—	.09	—	—	.30	.04	.23	4
5	—	—	—	—	—	.01	.10	—	—	.46	.01	.11	5
6	—	.03	.05	—	.23	.16	.02	—	—	.36	—	.05	6
7	—	.21	—	—	.08	.04	.22	—	—	.36	.07	.01	7
8	—	—	.05	—	.10	.20	—	—	—	.16			8
9	—	.22	—	—	.01	.10	—	.03	.12	—	.10		9
10	—	—	.02	.02	.02	—	.01	.02	—	—	.61		10
11	.71	—	—	.41	.08	—	—	.11	—	.31	.13		11
12	—	.01	—	.01	.01	—	—	—	—	—	.44		12
13	.03	—	—	.04	—	—	—	.04	—	—	.34		13
14	.08	—	.12	—	—	very warm	—	—	—	.14	—		14
15	.12	—	.17	.28	—	—	.17	—	.02	—	—		15
16	.05	—	.56	.30	—	—	—	—	.03	gale more	—		16
17	.06	.01	.02	.03	—	—	.07	—	—	—	—	.03	17
18	.01	—	.10	.15	—	—	.06	—	—	—	—	.04	18
19	.28	—	.04	—	—	—	.14	—	.15	—	—	—	19
20	.25		.24	.01	—	.08	—	—	—	.34	.03	—	20
21	.01	—	.10	.12	.07	—	.09	.07	—	.01	.22	—	21
22	.49	—	.44	.02	—	—	—	.01	.19	—	—	—	22
23	—	—	—	.01	—	.06	—	—	.02	—	—	.04	23
24	.05	—	—	.10	—	—	—	—	—	—	—	—	24
25	.39	.01	—	.18	—	.01	—	—	—	—	—	.02	25
26	—	.05	.15	.13	—	—	—	.07	—	.34	.01	.15	26
27	—	—	—	.03	01		—	—	—	—	—	—	27
28	—	—	.17	.16	—		—	—	—	.16	—	.06	28
29	.01		.09	.44	.12		—	05	—	.04	—	Ther: min 6°	29
30	.21		—		—		—	—	—	.11	.07	—	30
31	—		—		.06		—	.11		—		—	31
Total	3·21	.94	2.58	2.51	1.55	.66	1.03	.51	2·20	3.85	2.19	.77	YEAR'S TOTAL 22·00
Rain Days.	18	9	18	19	14	8	11	9	8	14	15	12	155
												11	154

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 JAN 1915

Kept at Stony Stratford

in the County of Bucks 5

by Mr Hawkins

X after June 30 height 1ft 8½

Lat. Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground X 1 ft. 3 in. To 30 June

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·35

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.01	—	04	—	—	.02	.28	—	—	.07	—	1
2	—	—	—	—	—	—	.07	.07	—	—	.33	.18	2
3	02	—	—	—	20	—	.28	.03	—	—	.01	—	3
4	23	—	—	.19	—	—	—	.44	—	—	.28	.16	4
5	—	—	.03	.22	—	.11	.38	.15	—	—	.04	—	5
6	—	.07	—	—	.08	—	—	03	—	—	.06	.4	6
7	—	.28	.40	02	.17	.01	.05	.01	—	—	—	.12	7
8	.07	—	.30	—	.05	.70	—	.09	.01	—	—	—	8
9	.21	—	.39	.24	—	.86	.05	.02	.05	—	—	—	9
10	01	.15	—	.07	.05	—	—	—	.18	—	—	—	10
11	—	.08	.36	.06	.03	.53	—	—	—	—	.31	.33	11
12	—	.20	.08	—	—	—	.02	.02	.49	—	.05	.34	12
13	01	.03	.17	—	—	—	—	—	.07	.11	.05	.31	13
14	.00	—	.29	—	—	—	.14	—	—	1.80	.15	.14	14
15	.00	01	.16	—	—	—	—	.02	.11	—	.05	.9	15
16	—	.43	.03	—	—	—	—	—	.12	—	—	—	16
17	—	—	.03	—	—	—	—	—	09	—	—	.20	17
18	—	—	.01	—	—	—	.11	—	—	—	—	.53	18
19	—	.04	.26	—	—	—	.01	—	—	—	.07	—	19
20	—	.24	.32	—	—	—	—	—	—	—	—	.24	20
21	—	.19	.04	—	—	—	—	.27	—	.09	—	.10	21
22	frost	—	—	.03	.14	06	.10	.06	—	.21	—	.02	22
23	—	07	07	—	.03	—	—	—	—	.10	—	—	23
24	—	—	04	—	.01	—	.03	+	—	.45	.17	—	24
25	.09	—	—	—	—	—	—	07	—	.38	—	.17	25
26	—	—	20	—	—	—	—	04	—	.05	.18	.37	26
27	.03	—	—	—	—	—	—	—	—	.01	—	.18	27
28	—	07	—	— cold	—	—	—	—	—	.27	.28	1.33	28
29	.03	—	.18	—	03	—	—	—	—	07	.15	—	29
30	—		—		—	.03	—	—		—	.24	20	30
31	—		.01		03	X	07	—		—		.03	31
Total	.70	1.79	3.37	87	.82	2.30	1.33	1.60	1.12	3.54	2.49	5.08	YEAR'S TOTAL 25.01
Rain Days.	9	14	20	8	11	7	13	15	8	11	17	20	153

.57
.85
.31
1.73
in 3 days overflowing

W.7,000, XI. 13 X height of rain gauge altered to 1.8½

St Bn

1100

FORM A.
BRITISH RAINFALL.

10. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Stony Stratford

in the County of Bucks 5

by Wm Hawkins

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Wolverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8½ in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.35	.09	—	—	.07	—	.06	00	.25	.08	—	.13	1
2	04	.23	.27	—		—	—	35	.19	.07	—	.07	2
3	.43	—	.01	.14	—	—	.11	.55	.13		—	.15	3
4	04	.27	—	.10	—	—	.96	.06	—	—	—	.61	4
5	02		—	—		—		.03	—	—	—	.26	5
6	.23	.01	—	—		—		—	—	—	—	.06	6
7	.03	.29	08	.22	-	—	.73	01	—	—	—	.11	7
8	.01	28	—	.01	-	—	.32	01	—	—	—	—	8
9	—	—	—	.04	—		.01	—	—	—	.22	62	9
10	35	.01	03	—	-	—		—	—	.01	03	—	10
11	—	—	02	02	07	—		—	—	—	.95	27	11
12	02	—	—	.25	.38			.15	—	—	.84	—	12
13	.13	.42	—	—	1.10	—		—	—	—	—		13
14	.17	—	—	—	—			.25	04	—	—	.52	14
15	.01	03	—		.01		.05	.34		—	.13	.15	15
16	04	.37	—		.01		.68	.15	—	—	—	.09	16
17	—	.28	—	-	.20		.04	.8	—	—	—	01	17
18	—	.07	.11	—	—		—	—	—	—	—		18
19	—	—	.02	—	—		34	—	—	—	—		19
20	.43	—	—	—	—		—	—	—	—	—	.20	20
21	.13	—	—	—	.09		.10	—	.01	-	—	.07	21
22	.24	—	.39	.02	—		.67	—	.05	03		.21	22
23	—		.11	—	—	.14	47	—	—	.30		.30	23
24	—	-	02	-	—	.03	—	—	1.06	.08		.08	24
25	—		—	—	—	01	33		—	02		.21	25
26	-	.28	10° frost	-	—	—	.13	-	—	.32		.22	26
27	-	.05	.01	-	—	—	25	-	—	7	—	.02	27
28	-	.15	.01	—	—	—	—	.05	.45	—	—	—	28
29	—		—	—	—	—	—	.13	—	—	.18	.04	29
30	.01	╳	—	-	00	35	.21	—	—	9		04	30
31	05	╳	—	╳	—	╳	—	.02	╳	.40	╳	.19	31
Total	2.63	2.78	1.08	.80	1.93	.53	5.46	2.18	2.18	1.47	2.35	4.53	YEAR'S TOTAL 27.92
Rain Days.	19	15	12	8	8	4	17	14	8	11	6	24	146

W. 8,000. X. 15.

1068

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Cond for auth Ely

REGISTER OF RAINFALL IN 1916

Kept at Stony Stratford
in the County of Bucks
by Mr Hawkins

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Wolverton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	-	·01	-	·09		·29		·01	·09	·55	-	1
2	·34	-	·16	-	·21		-		-	·55	·05	-	2
3	-	·53		-	-		-		·25	·26	·18	-	3
4	·24	·06		-	·01		·09		-	-	·02	-	4
5	·05	·01		-	·08	·25	·08		-	·06	·05	-	5
6	-	·14	·10	·31	·01	·14	·36		-	·15	·37	-	6
7	·02	·18	·16		·04	·07	-		-	·12	·12	-	7
8	-	-			·21	·09	-	-	-	-	-	·21	8
9	-	-			·25	·08	-	-	-	-	-	·01	9
10	-	·16	·09	·06	-	·25	·14	-	-	·13	-	-	10
11	·03	·07	·05	·15	·03	·09	-	-	·02	-	-	-	11
12	·04	·02	·02	·01	·29	·09	·19	·01		·14	-	-	12
13	-	·37	·14	·01	-	·02	·14	·16	-	·01	-	-	13
14	-	-		·05	·01		-		-	·02	-	·10	14
15	-	·55	·48	·02	·01		·08	·23	-		-	·01	15
16	·02	·04	·41	·20	·05		·20	·31	-	·65	-	-	16
17	·07	·07		·15	-		·05	·09		·32	-	-	17
18	-	·06	·04	·05	·18		-		-		·90		18
19	·10	·06	·20	·09	-		·27	-	·34		·84	·04	19
20	·16	·05	·28		-		-		·12		-	·58	20
21	·01	-	·70	·01 frost				-				·45	21
22	-	-	·01		-	·02				·05	-	·61	22
23	·02	·02		-	-	·03	-	·03		·01	·04	·12	23
24	-	·67		-		·30	-			·15	·01	·30	24
25	-	·62	·15	-			·15	·26		·00	·07		25
26	-	·08	·05	-	-			-		·05	-		26
27	·05	·19	snow and 2.22	-		·18	·32	·02			-		27
28	-	·36	·42	·14		·03	-	·92	·11	·03	-		28
29	-	·67	-			·19	-	·21		·22	-	·27	29
30	-	X				·09	-	·01		·08	-		30
31	-	X	-	X		X			X		X	·03	31
Total	1.16	4.28 4.28	5.63	1.25	1.47	2.09	2.36	2.25	.85	2.52	3.10	2.76	YEAR'S TOTAL 29.40 29.70
Rain Days.	14	22	19	13	14	16	13	11	6	20	12	12	172

W. 8,000, VIII. 16

W DL

1037

8 JAN 19

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Stony Stratford
in the County of Bucks
by Mr Hawkins

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Wolverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8½ in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·11

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—			Snow 09				1·20	·36	·05	·31		1
2	-							·09			09	·02	2
3	·03			·05		04		·42		·32	—	13° frost	3
4			·25					·20	·11	36	—		4
5	(·04)		—	·18		-			·06	-	·15		5
6		from heavy melted snow ·37	·06			11			02	·10	·02	·02	6
7	·28		—	(·18)					—	·31			7
8	·44		—	·10			·92	·47	—	·26	·10	·05	8
9	·06		·11	·07	·07			·10	-	—	·11		9
10	15		·35	·29	(·27)			·19	·03	—	·02		10
11	15		·24	·10	02			·13	—	·27	·01		11
12	05		—					·20	·01	·19	·01		12
13	04		-	·10			—	·44	—				13
14	04		02	09				·36	-				14
15	-						—	01	·05	·05			15
16	·01	rain ·15		·21	·01		·05	-	—	·63		·10	16
17	·02			·11	·86	·07	·26	06	-	31		8° frost	17
18	·02			·07	·05		19		·32	—			18
19	·01	·01	·11		·59				-			·01	19
20	·01	·20	07			·08			—	02	07		20
21		·09	·04		·66	·05			·01	—			21
22			·07		·18			·15	18	·18			22
23		·15			·16			·39		·09	snow blizzard		23
24		·06			·04	·44		·13		·21	12		24
25		·05	(·05)			·07				—			25
26			·11			·00		39	·01	—			26
27			·10			·59		88	·10	12° frost	·16	·02	27
28						·51		·10			—	·03	28
29			01		—	·37	·33	·35		·36	-	·35	29
30		✕			·04		·58	·14					30
31		✕	07	✕		✕	·17	·14	✕		✕		31
Total	1·35	1·08	1·56	1·61	2·95	2·33	2·50	6·17	1·26	3·65	1·17	·60	YEAR'S TOTAL 26·23
Rain Days.	15		15	13	12	10 11	7	22	12	16	12	8	142

W. 8,000. X. 14.

2·79

SWANBOURNE HSE
SCH.

BUCKS

1911 - 1912
1918 - 1920

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REG

Kept at Swanbourn
in the County of Buckin
by Thomas Ash. Gardene

…s's
5 in.
Ground 1 ft. in.
Sea Level 411 ft.
… M
Name Swanbourne
Distance 1¼ miles Direction N

IMPORTANT NOTE. … the result entered to the previous day. If an Obs… …ersal rule, he is earnestly requested to add the readi… …r in the space provided for it at the end of this … …ent of rain, the selection and placing … …tish Rainfall Organization are given in " … …pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·35	-	-	·05	-	-	-	·02	·03	1
2	·03	-	-	·32	·14	-	-	·01	-	·02	·18	·20	2
3	-	·03	-	-	·16	·03	-	-	-	-	·06	·04	3
4	·03	·03	·11	·04	-	-	-	-	-	·25	·08	·40	4
5	·02	·04	-	·03	-	-	-	·21	-	·03	·03	·02	5
6	·38	-	-	-	-	-	-	-	-	-	·01	·36	6
7	·03	-	-	-	-	-	-	-	-	-	·31	·17	7
8	·18	-	·18	-	-	-	-	-	-	·03	·08	·19	8
9	·15	-	-	·03	-	-	-	-	-	-	-	·05	9
10	·02	·10	·20	·01	-	-	-	-	-	-	·02	·44	10
11	·20	-	·05	-	-	-	-	·02	-	-	·62	·03	11
12	-	-	·45	-	·01	-	-	-	·03	·08	·32	·01	12
13	-	-	·04	-	·03	-	-	-	·22	·21	·01	·59	13
14	-	-	·03	-	·03	-	-	-	-	-	-	·25	14
15	-	·12	·10	-	-	-	-	-	-	·02	·12	·02	15
16	-	-	·02	-	-	·05	-	-	-	-	·34	·08	16
17	-	-	·02	-	-	·08	-	-	-	-	·06	·22	17
18	-	·22	-	-	-	·02	-	-	-	-	·03	·13	18
19	·01		-	-	·02	·22	-	-	·16	·05	·15	·06	19
20	·01	·08	·05	-	-	·06	-	·19	·61	·04	-	·53	20
21	·01	·07	·02	-	-	-	-	·01	-	·33	-	·07	21
22	-	·02	·10	-	-	·01	-	·01	-	·18	-	·44	22
23	-	·10	·41	-	-	·21	·05	-	·16	-	-	·17	23
24	·01	·11	·01	-	-	·26	-	·04	-	·32	-	·19	24
25	-	·08	·03	·03	·90	·20	-	·14	-	-	-	·06	25
26	-	·03	-	·16	·30	·03	-	-	-	·13	·09	·18	26
27	-	·29	·15	·05	-	-	·09	·03	·22	-	-	·16	27
28	-	·25	-	·32	·03	-	-	·17	-	-	·08	·02	28
29	-		-	·02	-	·25	·06	-	·26	·26	-	-	29
30	-		·03	·09	·11	·13	-	·11	-	·14	-	·01 Fog	30
31	-		-		·09		-	-		·04		-	31
Total	1·08	1·57	2·00	1·45	1·82	1·55	·25	·94	1·66	2·13	2·61	5·12	TOTAL for year 22·18
No. of Rain Days	13	15	18	12	11	13	4	11	7	16	19	29	168
Total to date	1·08.	2·65	4·65	6·10	7·92	9·47	9·72	10·66.	12·32	14·45	17·06	22·18	

IX. 10.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REG

Kept at Swanbourne House

in the County of Buckinghamshire

by Thomas Ash. Gardener to Lord Cottesloe

RAIN GAUGE
Pattern Symons's
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level 411 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Swanbourne
Distance 1¼ mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·35	-	-	·05	-	-	-	·02	·03	1
2	·03	-	-	·32	·14	-	-	·01	-	·02	·18	·20	2
3	-	·03	-	-	·16	·03	-	-	-	-	·06	·04	3
4	·03	·03	·11	·04	-	-	-	-	-	·25	·08	·40	4
5	·02	·04	-	·03	-	-	-	·21	-	·03	·03	·02	5
6	·38	-	-	-	-	-	-	-	-	-	·01	·36	6
7	·03	-	-	-	-	-	-	-	-	-	·31	·17	7
8	·18	-	·18	-	-	-	-	-	-	·03	·08	·19	8
9	·15	-	-	·03	-	-	-	-	-	-	-	·05	9
10	·02	·10	·20	·01	-	-	-	-	-	-	·02	·44	10
11	·20	-	·05	-	-	-	-	·02	-	-	·62	·03	11
12	-	-	·45	-	·01	-	-	-	·03	·08	·32	·01	12
13	-	-	·04	-	·03	-	-	-	·22	·21	·01	·59	13
14	-	-	·03	-	·03	-	-	-	-	-	-	·25	14
15	-	·12	·10	-	-	-	-	-	-	·02	·12	·02	15
16	-	-	·02	-	-	·05	-	-	-	-	·34	·08	16
17	-	-	·02	-	-	·08	-	-	-	-	·06	·22	17
18	-	·22	-	-	-	·02	-	-	-	-	·03	·13	18
19	·01	-	-	-	·02	·22	-	-	·16	·05	·15	·06	19
20	·01	·08	·05	-	-	·06	-	·19	·61	·04	-	·53	20
21	·01	·07	·02	-	-	-	-	·01	-	·33	-	·07	21
22	-	·02	·10	-	-	·01	-	·01	-	·18	-	·44	22
23	-	·10	·41	-	-	·21	·05	-	·16	-	-	·17	23
24	·01	·11	·01		-	·26	-	·04	-	·32	-	·19	24
25	-	·08	·03	·03	·90	·20	-	·14	-	-	-	·06	25
26	-	·03	-	·16	·30	·03	-	-	-	·13	·09	·18	26
27	-	·29	·15	·05	-	-	·09	·03	·22	-	-	·16	27
28	-	·25	-	·32	·03	-	-	·17	-	-	·08	·02	28
29	-		-	·02	-	·25	·06	-	·26	·26	-	-	29
30	-		·03	·09	·11	·13	-	·11	-	·14	-	·01 ← Fog	30
31	-		-		·09		-	-		·04		-	31
Total	1·08	1·57	2·00	1·45	1·82	1·55	·25	·94	1·66	2·13	2·61	5·12	TOTAL for year 22·18
No. of Rain Days	13	15	18	12	11	13	4	11	7	16	19	29	168
Total to date IX. 10.	1·08.	2·65	4·65	6·10	7·92	9·47	9·72	10·66.	12·32	14·45	17·06	22·18	

Ex. J.L.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

4- JAN 191

Kept at Swanbourne House

in the County of Bucking~~hamshire~~ 5

by ~~Thomas Ash. Gardener to~~ Lord Cottesloe

RAIN GAUGE { Pattern Symons's
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level 411 ·1 ft.

Time of Observation 9. a. m

Nearest Railway Station { Name Swanbourne
Distance 1¼ miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	·03	-	-	·03	·01	-	·02	·44	-	·17	1
2	-	·03	·16	·02	-	·25	·45	-	-	-	-	-	2
3	·10	·01	·02	-	·08	·02	·24	·41	·02	-	·02	·14	3
4	·23	-	·68	-	·15	·21	-	·01	-	-	·26	-	4
5	·16	·09	·13	-	·01	-	-	·27	·02	-	·06	·02	5
6	·33	·07	-	-	·01	-	-	·62	·03	-	-	·12	6
7	-	-	-	-	·04	·52	-	·10	-	-	-	·06	7
8	·34	·22	·20	-	-	-	-	·41	·02	-	-	·02	8
9	·07	·19	·06	·04	·02	·21	·03	·02	-	-	-	·32	9
10	·01	·03	-	-	-	·13	-	·29	-	-	·11	·04	10
11	·18	·09	·01	-	-	·03	-	·02	-	-	·10	·13	11
12	·10	·27	·15	-	·01	-	-	-	-	-	·09	·03	12
13	·01	·07	-	-	-	-	-	·01	-	-	·10	-	13
14	·03	-	·10	-	·13	-	-	·09	-	-	-	-	14
15	·02	·08	·18	-	·22	·29	-	·03	-	-	-	·17	15
16	·45	-	·13	-	·03	·07	-	·05	-	·05	·08	-	16
17	·70	-	·31	-	-	·10	-	·30	-	-	-	·09	17
18	·12	-	·24	-	-	-	-	·11	-	·02	·01	·06	18
19	·11	·11	·13	-	-	-	·04	·49	-	-	·02	·02	19
20	·04	-	·15	-	·01	-	·21	·34	-	·22	-	-	20
21	·02	·04	·35	-	·47	-	-	·37	-	·18	·04	-	21
22	·53	·13	-	-	·20	-	·14	·23	-	·05	-	·05	22
23	·41	·60	·35	-	-	-	·15	·37	-	-	·21	·25	23
24	·21	·02	-	-	-	-	·02	·26	-	-	-	·14	24
25	-	-	-	-	-	·27	-	·32	-	-	·30	·33	25
26	-	·02	·02	-	-	-	·31	·47	-	·40	·35	·18	26
27	-	-	·03	-	-	·05	·02	-	-	·41	-	·20	27
28	-	·04	-	-	-	-	-	·35	·08	·28	·18	·90	28
29	-	·07	·02	-	-	·33	·22	·05	1.03	·61	-	·05	29
30	-		-	-	·41	·01	-	·03	·40	·19	-	-	30
31	-		·09		·08		·43	·18		-		·01	31
Total	4·17	2.19	3.54	·06	1·87	2,52	2.27	6·20	1·62	2.85	1.93	3·50	TOTAL for year. 32·72
No. of Rain Days.	21	20	22	2	15	15	13	27	8	11	15	23	192

W. 8,000, X. '11.

Ed. E.F.E.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 7. 1. 19

Kept at Swanbourne House

in the County of Buckinghamshire

by ~~Thomas Ash. Gardener to Lord Cottesloe~~
COLONEL THE LORD COTTESLOE.

Lat. 51°36'8" Long. 50'33" W.

Time of Observation 9. a. m

Nearest Railway Station Swanbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 411 ·1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·06	-	-	-	-	-	-	·20	·04	1
2	-	·18	-	·16	-	-	-	·10	·01	-	·10	·10	2
3	-	·06	·02	-	·20	-	-	·26	·22	-	·42	·04	3
4	-	·02	·04	-	-	-	-	·02	·13	·02	·62	·03	4
5	-	·16	-	-	·13	-	-	·10	·05	·04	-	-	5
6	·10	·06	-	·23	-	-	-	-	-	-	-	·05	6
7	-	·16	-	·12	·10	-	-	-	·21	·18	·20	-	7
8	-	·02	-	-	-	-	-	-	·25	·09	·02	·08	8
9	-	·12	-	·06	-	·21	·27	-	·90	·16	-	·12	9
10	·05	-	-	·09	-	·07	·60	-	·02	·17	-	·23	10
11	-	-	-	·04	·13	-	·58	-	·08	·25	·03	·04	11
12	·03	·05	·01	-	·14	-	·42	-	-	-	-	·03	12
13	-	·03	-	·03	·29	-	·13	-	·18	·03	-	·27	13
14	·28	-	-	-	-	·18	·30	-	·45	·15	-	·18	14
15	1.15	-	-	1.05	-	·02	·19	-	·06	-	-	·18	15
16	·18	-	-	·64	-	·04	-	-	·28	·11	-	·03	16
17	·15	-	-	·05	-	-	1·24	-	·03	-	-	·15	17
18	·63	-	-	·03	-	·18	·23	-	·19	·12	-	·30	18
19	·05	·05	-	·03	-	-	·20	-	·03	·09	-	·15	19
20	·05	·14	-	·44	-	·06	-	-	·19	·18	·01	-	20
21	·06	-	-	·76	-	·07	-	-	·60	·02	-	·04	21
22	·13	-	-	-	·52	-	·04	-	·10	-	-	·26	22
23	·07	-	-	-	·55	-	·32	·02	·05	-	-	·03	23
24	-	·18	-	-	-	·05	·08	-	·03	-	·24	-	24
25	-	-	-	-	·03	·05	·10	·26	-	·03	-	-	25
26	-	·01	-	-	-	-	·29	·05	-	·03	·11	·30	26
27	-	·06	·03	-	-	-	·08	·22	·15	-	·10	·08	27
28	-	·06	·26	·08	-	-	-	·04	-	-	·19	·06	28
29	-	-	-	-	-	-	-	-	1·52	-	·02	-	29
30	-	X	·32	-	-	-	-	-	·10	-	·05	·15	30
31	-	X	·03	X	-	X	-	-	X	·10	X	·03	31
Total	2·93 ✓	1·36 ✓	·71 ✓	3·87 ✓	2·09 ✓	·93 ✓	5·07 ✓	1·07 ✓	5·83 ✓	1·77 ✓	2·31 ✓	2·97 ✓	YEAR'S TOTAL 30·91 ✓
Rain Days.	13 ✓	16 ✓	7 ✓	16 ✓	9 ✓	10 ✓	16 ✓	9 ✓	24	17	14 ✓	25 ✓	176

W. 500, IX. 17.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

972

Ent
m

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Swanbourne House.
in the County of Buckinghamshire
by The Lord Cottesloe

Lat. 51°36'8" Long. 50'30" W
Time of Observation 9.0 a.m.
Nearest Railway Station Swanbourne, L&N.W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 411·1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·06	·	·03	·03	·	·12	·	·	·05	·04	1·04	1
2	·18	·	·04	·	·03	·	·10	·	·29	·16	·21	·25	2
3	–	·	·19	·	·01		·20	·	·46	·	·04	·52	3
4	·07	·	·39	·	·	·07	·02	·09	·07	·	·09	·16	4
5	·04	·30	·37	·	·		·02	·	·67	·	·	·27	5
6	·02	·	·08	·	·34		·	·	·	·	·04	·25	6
7	·05	·	·45	·	·	·	·	·	·	·	·05	·	7
8	·11	·	·08	·18	·	·	·	·	·	·	·	·	8
9		·	·06	·11	·	·	·	·	·	·	·	·	9
10		·	·45	·03	·04	·	·	·	·	·	·	·12	10
11	12	·	·18	·12	·	·	·45	·	·	·	·	·	11
12	·	·	·36	·	·	·23	·11	·	·	·15	·09	·	12
13	·07	·03	·	·33	·	·	·	·	·	·16	·	·	13
14	·31	·03	-	·26	·	·	·12	·	·12	·13	·	·	14
15	·14	·04	·20	·16	·			·	·	·02	·15	·64	15
16	·04	·63	·	·05	·	·	·	·	·	·	·18	·	16
17	·	·38	·	·	·	·	·	·	·	·	·18	·	17
18		·17	·23	·	·	·	-	·22	·	·	·03	·18	18
19	·05	·22	1·06	·	·	·14	·37	·31	·05	·	·06	·08	19
20	·53	·06	·12	·	·	·38	·38	·44	·	·	·	·04	20
21	·12	·44	·03	·	·	·	·31	·	·	·	·05	·07	21
22		·18	·	-	·	·02	·	·	·12	·	·	·30	22
23	·	·		·	·	·02	·	·	·	·32	·	·02	23
24	·	·	·	·12	·	·	·15	·	-	·45	·	·01	24
25	·07	·	·	·05	·		·	·29	·	·	·	·	25
26	·16	·05	·17	·04	·	·	·	·12	·15	·	·	·36	26
27	75	·09	·	·91	·	·	·	·40	·	·	·	·04	27
28		·	10	·00	·	·	·	·96	-	·	·14	·26	28
29	·05		·	·66	·	·	·	·22	-	·51	·	·10	29
30			08	·27	·	·22	·	·09		·04	·33	·31	30
31	·		·		·		·	·		·07		·	31
TOTAL	3·22	2·68	4·64	3·32	·45	1·08	2·35	3·14	1·93	2·06	1·68	4·99	YEAR'S TOTAL 31·54
Days with ·01 in. or more	19	14	19	16	5	7	12	10	8	11	15	20	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1·06 in on March 19.

924

10 JAN 1921

FORM A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Swanbourne House

in the County of Buckinghamshire

by L.L.C. Evans

Lat. 51°36'8" Long. 50'33" W.

Time of Observation 9. a.m

Nearest Railway Station Swanbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ „ „ Sea Level 411 4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·–	·–	·36	·28	·–	·59	·19	·03	·16	·–	·18	1
2	–	·–	·03	·06	·–	·–	·–	·17	·11	·–	·–	·11	2
3	–	·07	·–	·–	·–	·–	·49	·–	·20	·08	·–	·–	3
4	–	·–	·04	·11	·–	·–	·04	·35	·02	·34	·–	·–	4
5	–	·–	·17	·08	·14	·–	·47	·03	·05	·–	·–	·03	5
6	–	·–	·18	·–	·21	·–	·42	·–	·–	·–	·–	·04	6
7	–	·–	·05	·07	·–	·–	·12	·–	·–	·–	·–	·–	7
8	·15	·06	·–	·40	·–	·–	·20	·–	·–	·–	·–	·–	8
9	·27	·–	·–	·16	·–	·–	·–	·02	·–	·–	·–	·–	9
10	·14	·15	·04	·04	·–	·05	·14	·–	·–	·–	·–	·06	10
11	·34	·–	·07	·36	·22	·06	·08	·–	·–	·–	·–	·–	11
12	·04	·–	·–	·16	·–	·47	·06	·02	·–	·–	·–	·–	12
13	·–	·03	·11	·18	·–	·–	·–	·–	·–	·–	·–	·07	13
14	·–	·02	·25	·35	·–	·28	·–	·–	·24	·20	·15	·–	14
15	·–	·04	·26	·15	·–	·02	·02	·–	·08	·09	·11	·–	15
16	·–	·–	·–	·10	·11	·61	·–	·–	·15	·11	·–	·–	16
17	·–	·–	·–	·05	·18	·–	·–	·–	·22	·02	·–	·09	17
18	·08	·–	·–	·10	·06	·–	·–	·26	·23	·–	·–	·26	18
19	·09	·–	·–	·37	·–	·11	·–	·09	·–	·–	·–	·08	19
20	·10	·29	·–	·28	·–	·38	·–	·–	·–	·–	·–	·02	20
21	·–	·–	·–	·–	·–	·–	·12	·06	·13	·–	·–	·10	21
22	·–	·–	·–	·21	·–	·–	·03	·06	·48	·–	·–	·16	22
23	·–	·–	·–	·–	·–	·–	·33	·04	·–	·–	·–	·26	23
24	·07	·–	·23	·–	·–	·–	·–	·03	·–	·–	·–	·04	24
25	·–	·09	·10	·02	·–	·–	·49	·–	·–	·–	·–	·–	25
26	·26	·–	·14	·02	·–	·09	·10	·–	·–	·–	·–	·05	26
27	·27	·10	·–	·22	·–	·37	·04	·–	·–	·–	·21	·12	27
28	·33	·–	·17	·–	·20	·–	·06	·–	·–	·–	·05	·–	28
29	·11	·–	·02	·–	·65	·–	·12	·–	·–	·–	·10	·28	29
30	·03	✕	·57	·04	·–	·15	·16	·–	·27	·–	·15	·23	30
31	·–	✕	·07	✕	·02	✕	·01	·–	✕	·21	✕	·13	31
TOTAL	2.28	.85	2.50	3.89	2.07	2.59	4.09	1.32	2.21	1.21	·77	2.31	YEAR'S TOTAL 26.09
Days with ·01 in. or more	14	9	17	23	10	11	21	12	13	8	6	19	163

13 9 15 21 9 10 18 8 11 7 6 17 142

Cor. for

REG 1911

TAPLOW COURT
BUCKS
1911 — 1914

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

Kept at Taplow - of top 8 in.
top above Ground 1 ft. in.
in the County of Bu „ „ Sea Level 217 ft.
n 9. a. m.
by The Lord De tation { Name Taplow
Distance 1 m. Direction S. E.

IMPORTANT NOTE.— n., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.65			0.02	0.03					1
2				0.42	0.15						0.25	0.05	2
3					0.20	0.12					0.10	0.05	3
4				Snow 0.06						0.05		0.40	4
5				Snow 0.05				0.02		0.06	0.15		5
6	0.36		0.17									0.35	6
7	0.02									0.12	0.30		7
8	0.13		0.25								0.15	0.32	8
9	0.13											0.20	9
10	0.05	0.10	0.13								0.08	0.30	10
11	0.26		0.05								0.63		11
12			0.41		0.31						0.37		12
13			0.04		0.55				0.34	0.12		0.60	13
14		0.06								0.02		0.33	14
15		0.08	0.10							0.01	0.04		15
16						0.08					0.33		16
17						0.12					0.25	0.27	17
18		0.27				0.40					0.33	0.27	18
19						0.25		~~0.25~~	0.12	0.08	0.18	0.11	19
20		0.08						0.25	0.25			0.60	20
21		0.07	0.03					0.30		0.03		0.05	21
22	0.09									0.26		0.51	22
23			0.27			0.28			0.24	0.04		0.15	23
24		0.28				0.09		0.03		0.64		0.10	24
25		0.03			0.13	0.10		0.02	0.02	0.04			25
26		0.03		0.21	0.12					0.10		0.32	26
27		0.51	0.06	0.03					0.11			0.18	27
28		0.24		0.25	0.03		0.06	0.09			0.12		28
29				0.03		0.24	0.06		0.24	0.21			29
30				0.04	0.50	0.02		0.07	0.08				30
31					0.20								31
Total	1.04	1.75	1.51	1.74	2.19	1.70	0.14	0.81	1.40	1.78	3.28 3.28	5.16	TOTAL for year 22.50
No. of Rain Days		2.79	4.30	6.04	8.23	9.93	10.07	10.88	12.28	14.06	17.53	22.50	
	7	11	10	9	9	10	3	8	8	14	14	19	122

9,000, IX. '10.

Corr. for

REG 1911

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

Kept at Taplow Court 3

in the County of Bucks

by The Lord Desborough

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 217 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Taplow
Distance 1 m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.65			0.02	0.03					1
2				0.42	0.15						0.25	0.05	2
3					0.20	0.12					0.10	0.05	3
4				Snow 0.06						0.05		0.40	4
5				Snow 0.05				0.02		0.06	0.15		5
6	0.36		0.17									0.35	6
7	0.02									0.12	0.30		7
8	0.13		0.25								0.15	0.32	8
9	0.13											0.20	9
10	0.05	0.10	0.13								0.08	0.30	10
11	0.26		0.05								0.63		11
12			0.41		0.31						0.37		12
13			0.04		0.55				0.34	0.12		0.60	13
14		0.06								0.02		0.33	14
15		0.08	0.10							0.01	0.04		15
16						0.08					0.33		16
17						0.12					0.25	0.27	17
18		0.27				0.40					0.33	0.27	18
19						0.25		~~0.25~~	0.12	0.08	0.18	0.11	19
20		0.08						0.25	0.25			0.60	20
21		0.07	0.03					0.30		0.03		0.05	21
22	0.09									0.26		0.51	22
23			0.27			0.28			0.24	0.04		0.15	23
24		0.28				0.09		0.03		0.64		0.10	24
25		0.03			0.13	0.10		0.02	0.02	0.04			25
26		0.03		0.21	0.12					0.10		0.32	26
27		0.51	0.06	0.03					0.11			0.18	27
28		0.24		0.25	0.03		0.06	0.09			0.12		28
29				0.03		0.24	0.06		0.24	0.21			29
30				0.04	0.50	0.02		0.07	0.08				30
31					0.20								31
Total	1.04	1.75	1.51	1.74	2.19	1.70	0.14	0.81	1.40	1.78	3.28 3.28	5.16	TOTAL for year 22.50
No. of Rain Days		2.79	4.30	6.04	8.23	9.93	10.07	10.88	12.28	14.06	17.33	22.50	
9,000, IX. '10. 7	11	10	9	9	10	3	8	8	14	14	19	122	

Sol off

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
17 JAN 1913

Kept at Taplow Court-Garden
in the County of Bucks 3
pp. The Lord Desborough, K.C.V.O.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 217 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Taplow
Distance 1 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						0.09		0.12	0.05	0.30		0.14	1
2			0.10			{0.00	} 0.30			0.04			2
3	0.04	Snow	0.17			{0.40}							3
4	0.23		0.72		0.08	0.31		0.26			0.34		4
5	0.20	0.14	0.09					0.05				0.10	5
6	0.51							0.22				0.10	6
7					0.13	0.60		0.45				0.08	7
8	0.46	0.20	0.23			0.07	0.05	0.50				0.20	8
9		0.20	0.07			0.60	0.03	0.03				0.18	9
10		0.04						0.54			0.10	0.13	10
11	0.14	0.25											11
12	0.06	0.12	0.12		0.12	0.28					0.15		12
13													13
14								0.11		0.04		0.27	14
15		0.02	0.20		0.20	0.57							15
16	0.32		0.13		0.11	0.13		0.08		0.03	0.10		16
17	0.53		0.15			0.06		0.06				0.12	17
18	0.07		0.13					0.14					18
19	0.08	0.09	0.12				0.03	0.35					19
20			0.15					0.16		0.35			20
21	0.04	0.07	0.33		0.65					0.05			21
22	0.25	0.14	0.17				0.08	0.30					22
23	0.22	0.33	0.30				0.13	0.35		0.05	0.26		23
24	0.30					0.16		0.10				0.36	24
25								0.37			0.31	0.58	25
26								0.27		0.45	0.45	0.20	26
27						0.08	0.03			0.22		0.18	27
28						0.08	0.02	0.18	0.15	0.52	0.49	0.42	28
29						0.28		0.26	1.50	0.14			29
30					0.31		0.10	0.15	0.75	0.31			30
31			0.41		0.11		0.09	0.10				0.08	31
Total	3.45	1.60	3.59	—	1.71	3.71	0.86	5.15	2.45	2.50	2.20	3.14	~~TOTAL for Year~~
~~No. of Rain Days.~~	15	5.05 ?12	8.64 17	—	10.35 8	14.06 15	14.92 10	20.07 23	22.52 4	25.02 12	27.22 8	30.36 15	3036

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

16 FEB 1914

REGISTER OF RAINFALL IN 1913

Essex

3

Kept at Taplow Court.
in the County of Bucks.
by The Lord Desborough.

Lat. 51½ N. Long. 0¾ W.
Time of Observation 9 a.m.
Nearest Railway Station Taplow.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·19	0·05	0·09		0·05			0·30		0·06	0·09	1
2	0·13	0·10					0·05			0·88			2
3				0·25	0·51					0·13			3
4	0·30										0·07	0·12	4
5	0·10						0·10		0·33				5
6					0·11	0·10				0·62		0·15	6
7		0·14				0·06		0·08		0·20	0·06		7
8		0·02			0·10	0·15				0·06	0·10		8
9		0·15							0·11				9
10			0·06		0·08		0·58				0·37		10
11	0·53			0·50	0·13					0·75	0·27		11
12					0·12						0·20		12
13											0·27		13
14	0·10		0·11	0·04				0·05		0·10			14
15	0·18		0·18	0·30			0·20		0·18				15
16	0·11		0·41	0·10			0·15		0·10				16
17			0·04										17
18			0·20	0·07					0·20		0·13		18
19	0·66		0·02			0·05			0·25				19
20	0·08		0·07			0·45				0·24			20
21			0·10	0·02						0·08	0·60		21
22	0·42		0·25	0·02			0·09	0·05	0·15				22
23													23
24				0·06								0·24	24
25				0·23									25
26		0·04	0·13	0·09				0·10		0·50			26
27		0·02		0·03	0·43				0·07	0·05		0·16	27
28	0·31		0·25	0·15					0·02	0·08			28
29			0·05	0·50	0·46			0·05		0·02			29
30	0·20							0·04		0·25			30
31			0·05					0·25					31
Total	3·12	0·66	1·97	2·45	1·94	0·86	1·17	0·62	1·71	3·96	2·13	0·76	YEAR'S TOTAL 21·35
Rain Days.		3·78	5·75	8·20	10·14	11·00	12·17	12·79	14·50	18·46	20·59	21·35	
↓	12	7	15	15	8	6	6	7	10	14	10	5	115

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. -9 FEB 1915

Kept at Taplow Court

in the County of Bucks 3

by Lord Desborough, K.C.V.O.

Lat. 51½ N Long. 0¾ W.

Time of Observation 9 a.m.

Nearest Railway Station Taplow

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.03								0.03		1
2							0.15	0.65			0.25	0.17	2
3			0.05		0.14			0.08			0.08		3
4				0.20				0.13			0.37	0.35	4
5			0.10	0.17	0.08	0.07	0.35	0.43					5
6		0.22				0.09						0.16	6
7		0.22	0.25	0.20	0.68	0.04	0.20	0.04				0.12	7
8		0.15	0.61	0.04		0.16	0.90	0.06	0.04				8
9	0.20		0.60	0.04		0.70						1.38	9
10		0.21		0.04	0.11				0.26				10
11		0.08	0.47			0.20						0.25	11
12		0.25	0.15				0.29		0.23			0.43	12
13		0.08	0.18						0.18	0.10	0.20	0.35	13
14			0.50							0.23	0.08	0.21	14
15							0.12		0.08		0.09		15
16													16
17		0.33	0.14									0.11	17
18			0.06									0.42	18
19		0.07	0.23				0.23						19
20		0.20	0.13					0.01				0.17	20
21		0.46						0.02					21
22		0.05	0.04		0.10	0.35		0.03		0.38			22
23			0.13		0.03		0.14			0.12			23
24			0.08							0.13	0.18		24
25			0.09					0.18		0.25		0.25	25
26							0.05			0.08	0.15		26
27								0.03				0.50	27
28		0.06								0.07	0.42	1.30	28
29			0.15		0.08					0.22			29
30		×								0.08	0.26	0.25	30
31		×		×		×	0.03		×		×		31
Total	0.20	2.58	3.99	0.69	1.22	1.61	2.46	1.66	0.79	1.66	2.11	6.42	YEAR'S TOTAL 25.19
Rain Days.	1	13	19	6	7	7	10	11	5	10	11	16	✓ 116

W. 8,000. X. 14.

TRING

BULBOURNE WORKS

BUCKS

1911 - 1912

1917 - 1919

✓

51 48 50

0 890

FORM A2. BRITISH RAINFALL.

18 MAR 1912

RE

Kept at Bulbourn

in the County of ~~Hert~~

by E Thomas

5 in.

Ground 2 ft. 3 in.

Sea Level 401 ft.

Name

Distance Direction

IMPORTANT NOTE the result entered to the previous day. If an Obse ersal rule, he is earnestly requested to add the readi ear in the space provided for it at the end of this ment of rain, the selection and placing itish Rainfall Organization are given in " application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02						.04	.03					1
2	.03			.39	.39						.12	.09	2
3				.26	.12	.02					.05	.08	3
4	.07	.09	.10	.06					.02	.04		.50	4
5	.01									.07	.09		5
6	.30							.07				.47	6
7	.11		.05							.07	.32	.22	7
8	16 ~~.15~~		.16							.02	.13	.35	8
9	.10										.02	.19	9
10	.06	.15	.16								.01	.40	10
11	.18		.04								.46		11
12			.54		.12				.15	.32	.29		12
13			.06		.21				.25	.08	.01	.60	13
14			.03		.06					.01		.37	14
15		.08	.18								.05	.03	15
16						.10					.30	.05	16
17						.08					.06	.24	17
18		.17	.05							.04	.23	.19	18
19						.28			.05		.20	.06	19
20		.08	.02			.01			.21	.05		.70	20
21		.08				.06		.25		.35		.12	21
22			.05			.06		.03		.07		.64	22
23		.14	.10			.40			.19	.39			23
24		.10	.39			.16						.14	24
25		.08	.04	.02	.13	.17		.04				.11	25
26			.05	.18		.06				.12	.05	.01	26
27		.33	.10		.02		.15		.20			.19	27
28		.27						.14			.06	.14	28
29				.32		.20	.06		.22	.21			29
30				.02	.40	.01			.03	.10			30
31					.09			.07					31
Total	1.04	1.57	2.12	1.25	1.54	1.61	.25	.63	1.32	1.94	2.45	5.89	TOTAL for year 21.61
No. of Rain Days.	10	11	17	7	9	13	3	7	9	15	17	23	141

W. 8,000, X. '11.

CM

51 48 50 N
0 39 0

FORM A2.
BRITISH RAINFALL.

18 MAR 1912

RE

Kept at Bulbourne Works

in the County of ~~Hertfordshire~~ Bucks

by E Thomas J H Atkinson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 3 in.
" " " Sea Level 401 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02						.04	.03					1
2	.03			.39	.39						.12	.09	2
3				.26	.12	.02					.05	.08	3
4	.07	.09	.10	.06					.02	.04		.50	4
5	.01									.07	.09		5
6	.30							.07				.47	6
7	.11		.05							.07	.32	.22	7
8	16 .~~[illegible]~~		.16							.02	.13	.35	8
9	.10										.02	.19	9
10	.06	.15	.16								.01	.40	10
11	.18		.04								.46		11
12			.54		.12				.15	.32	.29		12
13			.06		.21				.25	.08	.01	.60	13
14			.03		.06					.01		.37	14
15		.08	.18								.05	.03	15
16						.10					.30	.05	16
17						.08					.06	.24	17
18		.17	.05							.04	.23	.19	18
19						.28			.05		.20	.06	19
20		.08	.02			.01			.21	.05		.70	20
21		.08				.06		.25		.35		.12	21
22			.05			.06		.03		.07		.64	22
23		.14	.10			.40			.19	.39			23
24		.10	.39			.16						.14	24
25		.08	.04	.02	.13	.17		.04				.11	25
26			.05	.18		.06				.12	.05	.01	26
27		.33	.10		.02		.15		.20			.19	27
28		.27						.14			.06	.14	28
29		╳		.32		.20	.06		.22	.21			29
30		╳		.02	.40	.01			.03	.10			30
31		╳		╳	.09	╳		.07	╳		╳		31
Total	1.04	1.57	2.12	1.25	1.54	1.61	.25	.63	1.32	1.94	2.45	5.89	TOTAL for year 21.61
No. of Rain Days.	10	11	17	7	9	13	3	7	9	15	17	23	141

W. 8,000, X. '11.

CM

from Herts Nat Hi Soc

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

-6 MAR 1913

Kept at Bulbourne Works Tring

in the County of ~~Hertfordshire~~ Bucks 2

by Gordon Thomas J Hopkinson

Lat. 51° 48' 50 N Long. 0° 39. 0 W
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 401 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.05	.03		.08	.04		.10	.44		.16	1
2			.06			.09		.05	.07				2
3	.11		.05			.18	.60	.07				.09	3
4	.30		.94			.18		.32	.05				4
5	.15	.12	.26		.35	.04		.34					5
6	.31		.01			.06		.30					6
7						.73		.17			.06	.08	7
8	.46	.29	.26			.02		.05			.23		8
9	.08	.18	.03		.20	.11	.04				.12	.24	9
10		.03				.13		.35			.11	.09	10
11	.27	.11						.06			.05		11
12	.06	.23				.16					.10		12
13		.02	.12			.12			.05				13
14					.04			.04					14
15	.02	.15	.13		.48	.25		.05					15
16	.31		.06		.15	.06				.12			16
17	.25		.10			.12		.12					17
18	.25		.31					.12					18
19	.12		.20					.14					19
20		.14	.29					.48		.23			20
21	.06	.04	.32		.07		.26	.08		.22	.10	.15	21
22	.35	.12	.03		.42		.11	.17		.10		.05	22
23	.50	.63	.26				1.06	.36				.14	23
24	.23							.16			.21	.25	24
25						.16		.35			.34	.48	25
26		.02					.12	.35		.35	.36	.25	26
27							.14	.16		.26		.18	27
28						.07			.20	.40	.47		28
29		.04				.47	.10	.27	1.45	.15		.42	29
30		✗	.04		.42				.63	.17			30
31		✗	.11	✗	.10	✗	.32		✗		✗		31
Total	3.83	2.12	3.63	.03	2.23	3.03	2.79	4.56	2.55	2.44	2.15	2.58	YEAR'S TOTAL 31.94
Rain Days.	17	14	20	1	9	18	10	23	7	10	11	13	153

W. 7,500, XI. 12

CM

1002

REGISTER OF RAINFALL IN 1917

Entd

2

FORM A.
BRITISH RAINFALL.

Kept at Bulbourne Works, Tring
in the County of Buckingham
by The Grand Junction Canal Coy.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tring L+N.W. Rly.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 401 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0·10				1·48	0·09		0·02	0·06	1
2	0·01							0·18		0·02	0·07		2
3				~~snow~~ 0·22				0·72		0·66	0·03		3
4		~~snow~~ 0·17	~~snow~~ 0·14					0·37		0·53			4
5	0·20		0·06	~~snow~~ 0·17				0·07	0·11	0·06	0·04		5
6			0·10						0·07	0·02	0·08		6
7	0·26						0·24			0·37	0·04		7
8	0·40			0·10			1·54	0·32		0·30	0·10		8
9			0·01	0·03			0·12	1·00			0·04		9
10	~~snow~~ 0·14		0·27	0·24				0·12			0·03		10
11	0·12		0·61	0·23					0·06	0·36			11
12	0·07				0·05			0·20		0·22	0·01		12
13	0·13		0·05					0·22	0·04	0·02		0·01	13
14				0·06				0·23				0·04	14
15	0·02				0.03		0·05	0·03		0·04			15
16	0·01	0·25		0·42	0·10		0·01			0·85		0·24	16
17		0·05		0·13	0·83		0·27	0·07	0·40	0·31			17
18	0·09	0·05	0·04	0·15	0·03	0·20	0·34	0·03	0·73	0·05			18
19	0·02	0·13			0·26	0·02			0·26				19
20		0·16	0·07		0·55		0·04		0·09		0·12		20
21		0·02	0·01		0·03						0·02		21
22								0·09		0·12			22
23		0·04			0·03			0·10		0·02		0·12	23
24		0·02				0·20		0·06		0·26		0·03	24
25		0·04	0·10			0·08					0·10		25
26								0·46	0·09		0·17	0·01	26
27			0·06			0·12		0·74				0·02	27
28						0·87		0·13			0·13	0·06	28
29		X	0·21		0·55	0·10	0·44	0·61		0·33	0·02	0·15	29
30		X	0·03				0·85	0·05				0·01	30
31		X	0·06	X		X	0·53	0·01	X		X	0·01	31
Total	1·47	0·93	1·82	1·85	2·46	1·59	4·43	7·29	1·94	4·54	1·02	0·76	YEAR'S TOTAL 30·10
Rain Days.	12	10	15	11	10	7	11	23	10	18	16	12	155

W. 8,000, IX. 17.

CM

945

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Bulbourne Works, Tring

in the County of Buckinghamshire

by The Grand Junction Canal Company

Lat. Long.

Time of Observation 9 0 am.

Nearest Railway Station Tring, L + N. W. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft 3 in.

" " " " Sea Level 401 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·37	0·03			0·07		0·24			0·05	0·05	1·52.	1
2	0·19		0·02		0·03		0·19		0·16	0·30	0·24	0·25.	2
3	0·68		0·23				0·13		0·27		0·08	0·33	3
4	0·07	0·08 snow.	0·35			0·12	0·01	0·04	0·04		0·06	0·24	4
5	0·10	0·18	0·74				0·26		1·28			0·23.	5
6	0·05		0·08		0·19					0·01.	0·05	0·10.	6
7	0·04		0·37								0·04		7
8	0·11		0·06	0·17							0·02		8
9			0·04	0·08	0·02						0·04		9
10			0·13	0·01						0·03		0·09.	10
11	0·03		0·14	0·20			0·41					0·02.	11
12			0·26	0·10.		0·10	0·11			0·10.	0·01		12
13	0·03			0·35					0·02	0·04		0·03	13
14	0·30	0·10		0·31			0·08		0·04	0·03			14
15	0·34	0·6	0·23	0·24						0·01	0·04	0·49	15
16	0·01	0·76									0·19		16
17		0·40 snow.									0·18.		17
18		0·09	0·17					0·21	0·03		0·05	0·10.	18
19	0·04	0·11	0·60.			0·17	0·51	0·43	0·03		0·04	0·02.	19
20	0·33	0·04	0·08			0·52	0·45	0·39	0·03		0·02		20
21	0·20	0·36	0·03			0·03	0·21				0·03	0·07.	21
22		0·16				0·01	0·15		0·15			0·35	22
23						0·13		0·08		0·20	0·02		23
24				0·18			0·19.			0·39	0·02	0·06	24
25	0·06			0·02	0·01	0·01		0·34		0·06		0·03.	25
26	0·20 snow	0·22	0·15	0·08 snow.				0·16	0·15			0·40	26
27	0·53	0·06	0·03 snow.	1·10				0·35				0·06	27
28			0·12	0·07			0·01	0·83		0·01	0·27	0·24	28
29	0·07	✕		0·06				0·29		0·20	0·2	0·02	29
30		✕	0·12	0·27		0·17		0·11		0·10.	0·42	0·50.	30
31		✕	0·03	✕		✕	0·02		✕	0·03	✕	0·03	31
TOTAL	3·75	2·65	3·98	3·24	0·32	1·26	2·97	3·23	2·20	1·56	1·89	5·18.	YEAR'S TOTAL 32·23
Days with ·01 in. or more	20	14	21	15	5	9	15	11	11	15	21	22	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CM

~~AW~~ 9/22

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
101.

Kept at Bulbourne Works, Tring,

in the County of Buckingham

by The Grand Junction Canal Co.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tring L. & N.W. Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 401 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·05	0·02	0·11							0·30	03 0·~~[illegible]~~	1
2		0·09		0·23				0·28			0·15	0·11	2
3		0·03	0·06	0·01	0·41			0·10	0·10		1·08	0·02	3
4		0·04	0·07					0·04	0·82	0·02	0·48	0·01	4
5		0·08			0·19			0·12		0·04			5
6	0·15	0·06		0·19	0·03					0·01		0·06	6
7		0·09		0·19	0·16				0·05	0·14	0·20		7
8									0·18	0·05		0·02	8
9	0·02	0·04		0·05		0·23	0·23		0·51	0·08		0·10	9
10	0·06			0·05		0·04	0·27		0·02	0·04		0·10	10
11				0·03	0·04		0·08		0·13	0·38	0·10	0·03	11
12		0·06			0·15		0·08						12
13		0·01		0·01	0·19		0·11		0·13	0·01		0·13	13
14	0·25		0·02			0·16	0·13		0·25	0·12		0·16	14
15	snow 0·87			snow 1·08			0·29					0·12	15
16	snow 0·15			snow 0·83		0·07	0·01		0·59	0·15		0·02	16
17	0·23			0·19	1·13		0·84		0·03			0·09	17
18	0·39					0·18	0·21		0·25	0·03		0·42	18
19	0·03	0·02	0·02	0·01		0·02	0·09		0·03	0·08		0·15	19
20	0·03	0·04		0·74		0·03			0·09	0·26			20
21	0·07			snow 1·04					1·20	0·03		0·03	21
22	0·04				0·39		0·12		0·03			0·20	22
23	0·02				0·79		0·47	0·04	0·08			0·02	23
24		0·15				0·02			0·03		0·13		24
25						0·11	0·10	0·27			0·05		25
26							0·15	0·06			0·21 ~~0·[illegible]~~	0·18	26
27		0·03	0·01	0·05			0·24	0·22	0·12		0·11	0·04	27
28		0·07	0·12	0·05							0·21	0·20	28
29	0·02	X							1·43		0·01		29
30		X	0·35						0·10	0·04	0·07	0·10	30
31		X	0·03	X		X		0·04	X	0·07	X	0·03	31
Total	2·33 ✓	0·86 ✓	0·70 ✓	4·86 ✓	3·48 ✓	0·86	3·42 ✓	1·17 ✓	6·17 ✓ 6·21	1·55	3·10 ✓	2·37	YEAR'S TOTAL 87 30·91
Rain Days.	14	15 ✓	9 ✓	17 ✓	10 ✓	9 ✓	16 ✓	9 ✓	21 ✓	17 ✓	13 ✓	24 ✓	174 ✓

W. 8,000, IX. 17.

CM

BUCKS

WENDOVER – "LANSCOMBE"

1912 + 1914

REG 912

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

Kept at "Lanscomb

in the County of Buck

by C. Howar

Long.

9 a.m.

tion Wendover

auge 5 in.

ge above Ground 1 ft. 3 in.

„ Sea Level 540 ft.

IMPORTANT NO . and the result entered to the previous day. If an O t universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·17	·01	–	·07	·39	–	·16	1
2						·14	·55	·07	–	–	–	–	2
3						·11	–	·26	·05	–	–	·14	3
4						·29	–	·01	–	–	·24	–	4
5						·03	–	·42	–	–	·01	·03	5
6						·03	–	·49	–	–	–	·15	6
7						·44	·01	·18	–	–	–	·11	7
8						·01	– [illegible]	·09	·01	–	–	·29	8
9						·25	·02	·04	–	–	–	·10	9
10						·02	[illegible]	·42	–	–	·19	·10	10
11						·01	–	·03	–	–	·04	·16	11
12						·15	·02	–	–	–	·05	–	12
13						·03	– [illegible]	–	–	–	·09	–	13
14						–	–	·09	–	·02	–	–	14
15						·28	–	·03	–	–	–	·30	15
16						·08	–	·06	–	·08	–	–	16
17						·06	–	·21	–	–	–	–	17
18						–	–	·16	–	·02	–	·11	18
19						–	·09	·57	–	–	–	–	19
20						–	·04 [illegible]	·04	–	·21	–	–	20
21						–	– [illegible]	·14	–	·18	·04	–	21
22						–	·10 –	·21	–	·06	–	·01	22
23						–	·70	·42	–	–	·14	·14	23
24						·07	– [illegible]	·15	–	–	– [illegible]	·22	24
25						·25	–	·48	–	–	·26	·50	25
26						–	·05	·25	–	·43	·43	·29	26
27						·05	·01 [illegible]	–	–	·33	–	·16	27
28						·01	·02 [illegible]	·27	·09	·40	·39	·48	28
29						·21	·06 [illegible]	·27	1·73	·22	–	–	29
30						·02	–	–	·57	·15	–	–	30
31						–	·34	·11	–	–	–	–	31
Total						2·71	2·02	5·47	2·52	2·49	1·88	3·45	~~YEAR'S~~ TOTAL ~~20·54~~
Rain Days.						22	14	26	6	12	11	18	for 7 months

This house is situate on the Ellesborough Rd & is under the Coombe Hill or as it is sometimes called Bacombe Hill. We are really on the Princes Risboro road out of Wendover.

C.H.B.

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

REGISTER OF RAINFALL IN 1912

[illegible]

Kept at "Lanocombe" Wendover
in the County of Bucks
by C. Howard Broodbank

Lat. ✓ Long. ✓
Time of Observation 9 a.m.
Nearest Railway Station Wendover
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·17	·01	—	·07	·39	—	·16	1
2						·14	·55	·07	—	—	—	—	2
3						·11	—	·26	·05	—	—	·14	3
4						·29	—	·01	—	—	·24	—	4
5						·03	—	·42	—	—	·01	·03	5
6						·03	—	·49	—	—	—	·15	6
7						·44	·01	·18	—	—	—	·11	7
8						·01	— [illegible]	·09	·01	—	—	·29	8
9						·25	·02	·04	—	—	—	·10	9
10						·02	[illegible]	·42	—	—	·19	·10	10
11						·01	—	·03	—	—	·04	·16	11
12						·15	·02	—	—	—	·05	—	12
13						·03	— [illegible]	—	—	—	·09	—	13
14						—	—	·09	—	·02	—	—	14
15						·28	—	·03	—	—	—	·30	15
16						·08	—	·06	—	·08	—	—	16
17						·06	—	·21	—	—	—	—	17
18						—	—	·16	—	·02	—	·11	18
19						—	·09	·57	—	—	—	—	19
20						—	·04 [illegible]	·04	—	·21	—	—	20
21						—	— ~~·04~~	·14	—	·18	·04	—	21
22						—	·10 —	·21	—	·06	—	·01	22
23						—	·70	·42	—	—	·14	·14	23
24						·07	— ~~·7~~	·15	—	—	— ~~·30~~	·22	24
25						·25	—	·48	—	—	·26	·50	25
26						—	·05	·25	—	·43	·43	·29	26
27						·05	·01 ~~·05~~	—	—	·33	—	·16	27
28						·01	·02 [illegible]	·27	·09	·40	·39	·48	28
29						·21	·06 [illegible]	·27	1·73	·22	—	—	29
30						·02	—	—	·57	·15	—	—	30
31						—	·34	·11	—	—	—	—	31
Total						2·71	2·02	5·47	2·52	2·49	1·88	3·45	~~YEAR'S~~ TOTAL ~~20·54~~
Rain Days.						22	14	26	6	12	11	18	for 7 months

This house is situate on the Ellesborough Rd & is under the Coombe Hill or as it is some time called Bacombe Hill. We are really on the Princes Risboro' road out of Wendover. C.H.B.

W. 7,500, XI. 12

I made

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 JAN 1914

Kept at "Lanscombe" Wendover

in the County of Bucks Ex RR

by C. H. Broodbank

Lat. ✓ Long. ✓

Time of Observation ~~Wendover~~ 9. a.m.

Nearest Railway Station Wendover

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·20	·15	·19	·04	—	—	—	·43	—	·14	·01	1
2	—	·10	—	·01	—	—	·06	—	Trace	1·26	·05	—	2
3	·03	—	·04	·02	·78	—	—	—	—	—	—	·09	3
4	·46	—	·01	—	·02	—	·11	—	—	·23	·04	·07	4
5	·03	—	—	—	—	·05	—	—	·07	·09	—	·04	5
6	—	·09	·03	—	·27	·26	·05	—	—	·41	—	·15	6
7	—	·23	—	—	·12	·03	·10	·02	—	·41	·05	·01	7
8	—	·03	—	—	·18	·20	—	—	—	·10	·10	·01	8
9	—	·20	—	—	·01	·10	·06	—	·09	—	·04	·03	9
10	·02	—	·01	·03	—	—	·27	·03	—	—	·50	—	10
11	·69	—	—	·36	·01	—	—	·25	—	·65	·53	—	11
12	—	—	—	—	·01	—	—	—	—	—	·46	—	12
13	·05	·01	—	·01	—	—	—	—	·04	—	·23	—	13
14	·14	·01	·11	·03	—	—	·01	·07	Trace	·16	·02	—	14
15	·17	·01	·28	·33	—	—	·25	—	·26	—	—	—	15
16	·11	—	·28	·22	—	—	—	—	—	—	—	—	16
17	·05	—	·04	·10	·01	—	·15	—	—	—	·01	·03	17
18	·02	—	·25	·13	—	—	·02	—	—	—	·11	—	18
19	·70	—	·01	—	—	·01	·09	—	·43	—	—	·03	19
20	·17	—	·10	·03	—	·08	—	—	—	·52	—	—	20
21	·02	—	·22	·01	·10	—	—	—	—	·03	·45	—	21
22	·45	—	·39	·01	·01	—	—	·09	·21	—	—	—	22
23	·01	—	—	—	—	·08	—	—	·01	—	—	·08	23
24	—	—	—	·09	—	—	—	—	—	Trace	—	—	24
25	—	·01	—	·19	—	·01	—	—	—	·01	—	—	25
26	—	·01	·11	·25	—	—	—	·12	—	·40	—	·21	26
27	—	—	—	·10	—	—	—	—	—	·03	—	—	27
28	·25	—	·22	·20	—	—	—	—	—	·13	—	—	28
29	·01	}	·06	·71	·50	—	—	·08	—	·18	—	·04	29
30	·28	}	—	·02	—	—	—	·03	Trace	·28	·09	—	30
31	—	}	·04	✕	—	✕	—	·25	✕	—	✕	—	31
Total	3·70	·90	2·35	3·04	2·06	·82	1·17	·94	1·54	4·89	2·82	·80	YEAR'S TOTAL 25·03 ✓
Rain Days.	20	11	18	21	13	9	11	9	~~11~~ 8	~~17~~ 16	15	13	~~168~~ 164 ✓

W.7,000, XI. 13

Slip made 1/3-8

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at "Lanscombe" Wendover
in the County of Bucks: 2 24 R
by C. H. Broadbank

Lat. ✓ Long. ✓
Time of Observation 9 a.m.
Nearest Railway Station Wendover
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	.12	—	—	.03	.01	1
2	.01	—	—	.01	—	.01	—	.23	—	—	.29	.16	2
3	—	Trace	—	—	.24	—	.30	.53	—	—	.03	.07	3
4	.15	—	.01	.31	.02	—	.42	.17	—	—	.41	.67	4
5	.01	—	.08	.23	.06	.15	.01	.47	—	—	.07	.04	5
6	—	.12	.01	—	.01	.13	.47	.02	—	—	.07	.32	6
7	—	.36	.28	.03	.42	.02	Trace	.02	—	—	—	.30	7
8	.07	.08	.89	.02	.15	.40	.02	.11	—	—	—	.02	8
9	.23	—	.45	.25	Trace	.52	.31	Trace	.02	—	—	.81	9
10	.01	.22	Trace	.09	.05	—	—	.01	.22	—	—	.01	10
11	—	.24	.43	.05	.13	.53	—	—	Trace	—	.16	.32	11
12	—	.07	.12	—	—	Trace	.18	—	.24	—	.02	.36	12
13	.01	.33	.22	—	—	—	—	—	.24	.12	.03	.41	13
14	—	.07	.34	—	—	—	.02	—	—	.57	.19	.27	14
15	.10	Trace	.14	—	—	—	.03	.01	.03	.07	.03	.10	15
16	.01	—	Trace	—	—	—	.13	—	.02	—	.01	—	16
17	Trace	.44	.10	—	—	—	—	—	.17	—	.01	.31	17
18	—	.01	.04	—	—	—	.01	—	—	—	.01	.74	18
19	—	.04	.22	—	—	.73	.07	—	Trace	—	.15	.05	19
20	—	.33	.31	—	—	.01	—	—	—	Trace	—	.25	20
21	—	.45	.05	—	—	—	—	—	—	.09	—	.10	21
22	—	.05	—	—	.06	.08	.01	.06	—	.65	—	.01	22
23	—	.08	.10	—	.05	—	—	—	—	.16	—	—	23
24	—	Trace	.11	.01	.01	—	.02	—	—	.23	.15	.01	24
25	.04	—	.19	—	—	—	Trace	.15	Trace	.33	.01	.14	25
26	—	—	.10	—	—	—	.06	.02	—	.01	.15	.65	26
27	.04	—	—	—	—	—	—	—	—	—	Trace	.26	27
28	—	.01	Trace	—	Trace	—	—	—	—	.14	.61	.78	28
29	.03	✕	.16	—	.05	—	—	—	—	.30	.14	.01	29
30	—	✕	.02	—	—	—	—	—	—	.08	.30	.55	30
31	Trace	✕	—	✕	.05	✕	.03	—	✕	—	✕	.03	31
Total	.71 ✓	2.90 ✓	4.37 ✓	1.00 ✓	1.30 ✓	2.58 ✓	2.09 ✓	1.92 ✓	.94 ✓	2.75 ✓	2.87 ✓	7.76 ✓	YEAR'S TOTAL 31.19 ✓
Rain Days.	12 ~~14~~	16 ~~19~~	~~25~~ 22	9	~~15~~ 13	~~11~~ 10	~~18~~ 16	13 ~~14~~	~~10~~ 7	~~13~~ 12	~~22~~ 21	29 ✓	~~199~~

8,000. X. 14.

180

BUCKS
WESTON TURVILLE - YAXLEY LODGE

1912 - 1918; 1920

made

RE 1912.

Kept at Yaxley L ary F. Morris

in the County of B 5 inches

f top above Ground 13 inches

Lat. Lon. " " Sea Level 335 ft Ord: survey

NOTE.—Full instructions ts respecting the Systematic Observation and Record of the Rainfall of the Brit YMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·01	·01	·04	-	·10	·07	·02	·05	·50	-	·11	1
2	-	-	·06	-	-	·25	·47	·12	-	-	-	-	2
3	·29	-	·08	-	·12	·10	·01	·24	·03	-	·02	·06	3
4	·34	-	·07	-	·27	·20	-	·03	-	-	·20	-	4
5	·10	-	·61	-	-	·02	-	·35	-	-	·02	-	5
6	·37	-	·25	-	·02	·05	·03	·47	-	-	-	·11	6
7	-	-	·04	-	·03	·63	-	·30	-	-	-	·03	7
8	·45	-	{·28}	-	·03	·02	·01	·10	-	-	-	-	8
9	·10	-		·07	-	·28	·02	·02	·02	-	-	·23	9
10	·01	-	·03	-	-	-	-	·28	-	-	·18	·09	10
11	·26	·05	-	-	-	·02	-	·64	-	-	·06	·12	11
12	·05	·04	-	-	·02	·19	02	-	-	·02	-	-	12
13	-	-	·10	-	-	·06	-	-	-	-	·17	·01	13
14	·05	·29	05	-	·10	-	-	·08	-	·02	-	-	14
15	·01	·14	·16	-	·65	·29	-	·04	-	-	·02	·23	15
16	·28	·31	·06	-	·07	·06	-	·05	-	·08	-	-	16
17	·08	·07	·07	-	-	·07	-	·14	-	-	-	-	17
18	·43	·01	·27	-	-	-	-	·14	-	·02	-	·12	18
19	·08	-	21	-	{·46}	-	-	·05	-	-	-	·01	19
20	·05	07	16 1·06	-		-	~~·04~~ ·10	·07	-	·22	·01	-	20
21	·01	-	·34	-		-	·04	·04	-	·21	·04	-	21
22	·34	-	05	-	·07	-	·08	·18	-	·03	-	·03	22
23	·34	07	·27	-	-	-	·73	·38 38	-	-	·17	·13	23
24	·08	-	-	-	-	-	-	·29	-	-	-	·17	24
25	01	·01	-	-	-	·11	-	·27	-	-	·26	·40	25
26	-	-	-	-	-	-	·04	·46	-	-	·46	·27	26
27	-	·03	·05	-	-	·03	·10	-	-	·26	-	·18	27
28	-	·04	-	-	-	·01	-	·07	·06	·26	29	·41	28
29	-	-	·02	-	-	·35	08	·32	1-19	·25	-	·02	29
30	-		·09	-	·27	-	-	-	·58	·23	-	-	30
31	-		·04	-	·19		·28	·10		·22		-	31
Totals	3·73	1·14	3·37	·11	3·30	2·84	2·08	5·15	1·93	2·82	1·90	2·73	29·60
Total from Jan. 1		4·87	3.37 8·24	8-35	10·65	2·84 13·49	15·57	20·72	23·66	24·97	26·87	29·60	

K/3,000/10/93

EDWARD STANFORD, Cockspur Street, Charing Cross.

PRICE 3d.

21 13 25 2 15 19 15 27 6 13 13 19 188

made

REGISTER OF RAINFALL IN 1912.

Kept at Yasley Lodge Weston Turville *by* Miss Mary F. Morris

in the County of Bucks. 2

RAIN GAUGE.
Diameter 5 inches
Height of top above Ground 13 inches
Lat. Lon. Time of Observation 8·30 AM. „ „ „ Sea Level 335 ft Ord: survey

Jan 1913

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles*," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·01	·01	·04	-	·10	·07	·02	05	·50	-	·11	1
2	-	-	·06	-	-	·25	·47	·12	-	-	-	-	2
3	·29	-	·08	-	·12	·10	01	·24	·03		·02	·06	3
4	·34	-	·07	-	·27	·20	-	·03	-	-	·20	-	4
5	·10	-	·61	-	-	·02	-	·35	-	-	·02	-	5
6	·37	-	·25	-	·02	·05	·03	·47	-	-	-	·11	6
7	-	-	·04	-	·03	·63	-	·30	-	-	-	·03	7
8	·45	-	{·28}	-	·03	·02	·01	·10	-	-	-	-	8
9	·10	-		·07	-	·28	·02	·02	·02	-	-	·23	9
10	·01	-	·03	-	-	-	-	·28	-	-	·18	·09	10
11	·26	·05	-	-	-	02	-	·64	-	-	·06	·12	11
12	·05	·04	-	-	·02	·19	02	-	-	·02	-	-	12
13	-	-	·10	-	-	·06	-	-	-	-	·17	·01	13
14	·05	·29	05	-	·10	-	-	·08	-	·02	-	-	14
15	·01	·14	·16	-	·65	·29	-	·04	-	-	·02	·23	15
16	·28	·31	·06	-	·07	·06	-	·05	-	·08	-	-	16
17	·08	·07	·07	-	-	·07	-	·14	-	-	-	-	17
18	·43	·01	·27	-	-	-	-	·14	-	·02	-	·12	18
19	·08	-	21	-	{·46}	-	-	·05	-	-	-	·01	19
20	·05	07	·16 1·06	-		-	~~·04~~ ·10	·07	-	·22	·01	-	20
21	·01	-	·34	-		-	·04	·04	-	·21	·04	-	21
22	·34	-	05	-	·07	-	·08	·18	-	·03	-	·03	22
23	·34	07	·27	-	-	-	·73	·38	-	-	·17	·13	23
24	·08	-	-	-	-	-	-	·19	-	-	-	·17	24
25	01	·01	-	-	-	·11	-	·27	-	-	·26	·40	25
26	-	-	-	-	-	-	·04	·46	-	-	·46	·27	26
27	-	·03	·05	-	-	·03	·10	-	-	·26	-	·18	27
28	-	·04	-	-	-	·01	-	·07	·06	·26	29	·41	28
29	-	-	·02	-	-	·35	08	·32	1·19	·25	-	·02	29
30	-		·09	-	·27	-	-	-	·58	23	-	-	30
31	-		·04		·19		28	·10		·22		-	31
Totals	3·73	1·14	3·37	·11	2·30	2·84	2·08	5·15	1·93	2·32	1·90	2·73	29·60
Total from Jan. 1		4·87	3.37 8·24	8·35	10·65	2·84 13·49	15·57	20·72	22·66	24·97	26·87	29·60	
	21	13	25	2	15	19	15	27	6	13	13	19	188

K/3,000/10/93 EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

cnd. 25-11-14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

27 JAN 1914

Kept at Yardly Lodge Weston Turville
in the County of Bucks
by Mary F. Morris

Lat. .... Long. ....
Time of Observation 8 - 30
Nearest Railway Station Stoke Mandeville
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 335 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·23	·06	·13	·16				·68		·10	·04	1
2		·09					·07		·03	·42	·04		2
3	·01		·06	·03	·68							·03	3
4	·18				·06		·18			·32		·12	4
5	·04					·07	·01			·11			5
6		·10	·03		·24	·22	·32		·05	·16		·14	6
7		·12			·10		·14			·44	·07	·01	7
8		·01	·01		·15	·10				·27	·07		8
9		·20				·31			·08			·03	9
10			·03	·05	·04		·35	·06			·50		10
11	·47			·29				·06		·56	1·00		11
12					03						·57		12
13	·03								·03		·22		13
14	·08	·04	·09					·07		·14	·04		14
15	·14	02		·25			·27		·20		·01		15
16	·08		·25	·16									16
17	·04	03	·06	·08			·13					·01	17
18	·03		·08	·16	·05						·04	·02	18
19	·43		·08				·14		·32			·02	19
20	·21		·06							·54			20
21			·03	·05	·07	·09	·02			·05	·34		21
22	·43		·45		·02			·17	·20				22
23						·08		·07	·04		·01	·08	23
24	·02			·06				·01					24
25		·04		·18		·08				·02			25
26		02	·12	·14				·11		·38		·18	26
27			·01	·03						·02	·01		27
28	·20		·23	·21						·12			28
29			·06	·58				·09		·07			29
30	·18			·02	·43					·17	·04	·11	30
31			·03		·03			·37					31
Total	2·66 2·60	·90	1·74	2·42	2·06	·95	1·63 1·63	1·01	1·63	3·79	3·06	·79	YEAR'S TOTAL 22·58 22·58
Rain Days.	17	11	18	16	13	7	10	9	9	16	15	12	~~154~~

W.7,000, XI. 13

153

· corrd for auth 24.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Yaxley Lodge
in the County of Bucks 2
by Mary. F. Morris

RR

Lat. Long.
Time of Observation 8-30
Nearest Railway Station Stoke Mandeville
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 335. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01					·05			·03	·02	1
2				·02		·02		·09			·27	·09	2
3					·16		·58	·31			·02	{·32	3
4	·18			·20	·02			·29			·35		4
5			·08	·35	·06	·15	·52	·96			·03		5
6		·07			·04	·11		·04			·20	·25	6
7		·18	·20	·10	·29	·06	·12					·30	7
8	·08	·05	·47	·12	·08	·50	·33	·09				·02	8
9	·22		·77	·07		·46		·02				·65	9
10	·04	·16		·04	·05	·53		·03	·02				10
11		·15	·38	·06	·14				·20		·15	·27	11
12		·10	·10				·19		·02		·02	·25	12
13		·28	·18						·31	·96	·06	·36	13
14		·05	·30				·03		·25	·75	·11	·20	14
15	·07	·01	·13				·02			·07	·04	·09	15
16		~~·5~~	·02						·01				16
17		·37	·08						·11			·18	17
18		·02	·04				·01					·59	18
19		·04	·14			·13	·05		·01		·16	·09	19
20		·27	·30									·25	20
21		·38	·06			·01				·10		·12	21
22		·02	·01				·04	·06		·52		·02	22
23		·03	·05		·06					·08			23
24			·11	·02	·02			·01		·30	·12		24
25	·05		·23		·06		·12	·12		·20	·02	·12	25
26			·09					·03		·04	·09	·45	26
27	·05										·02	·12	27
28		·03								·18	·41	·88	28
29	·02		·07		·12					·22	·07		29
30		×	·09							·07	·30	·43	30
31		×		×	·06	×	·03		×		×	·04	31
Total	·71	2·21	3·91	·98	1·16	1·97	2·04	2·10	·93	2·59	2·47	6·11	YEAR'S TOTAL 27.18
Rain Days.	8	17	23	9	13	9	12	13	8	12	19	25	168

W. 8,000. X. 14.

~~W 73~~ Cord from auth 28.2.16

1062

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Yaxley Lodge. Weston Turville

in the County of Bucks

2

by Mary F. Morris

Lat.
Long.
Time of Observation 9. A. M
Nearest Railway Station Stoke Mandeville
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 335 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·09	·07		·09		·01	66	~~20~~ ·20	08	·08	·35	1
2	·05		·26	·07		·01			·16			·10	2
3	·37			·13			·10	·87	·04		·02	·14	3
4	·05	·01					·01					·51	4
5	·03	·56						·03		05		·22	5
6	·19	·11	·03	·18			·52	·02		·01		·08	6
7	·04	·28	·10				·13	·02				·33	7
8	·11	·44	·02	·03		·02	·06	·03					8
9				·13							·22	·45	9
10	·21	·03	·03	·02				·65				·03	10
11			·03								·76		11
12	·03	·07		·24	·30			·22		03	·83		12
13		·69			1·11								13
14	·01 ·01	·03					·64	·03	05			(2) ·12	14
15	·11			·03	·01			·12			·11	(1) ·46	15
16		·44					·54	·02				·16	16
17		·25			·52								17
18		·26	Snow ·11		·01		·02				·01		18
19		·03	Snow ·01		·01		·16						19
20	·35											·24	20
21	05			·09	·25		·05			·02		·10	21
22	·53	·39	·44				·42		·02			·10	22
23	·02	·31	·05	·03			·31		·09	·24		·28	23
24			·06			·03	·44		·72	·20		·24	24
25						·02	·03			·01		·23	25
26		·11					·18		03			·29	26
27		·04				05	·20			·28			27
28		·08				·04	·14	·03	1·11	·04			28
29		X					·79	·19			·04	·01	29
30		X				·04				1·19	·02	·05	30
31	·01	X		X		X		05	X		X	·17	31
Total	2·56	4·22	1·21	·95	2·30	·21	4·75	2·94	2·42	~~2·1~~ 2·15	2·09	~~4·66~~ 4·66	YEAR'S TOTAL 30·46
Rain Days.	17	19	12	10	8	7	19	14	9	12	9	22	158

W. 8,000. X. 14.

1032

FORM A. BRITISH RAINFALL.

6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Yaxley Lodge Weston Turville

in the County of Bucks

by Mary F Morris

Lat. .... Long. ....

Time of Observation 9 AM

Nearest Railway Station Stoke Mandeville

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 335 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25		·01		·11	·02	·02		·06	·05	·38		1
2	·65	·05	Snow ·15		·12				·04	·43			2
3		·83							·06	·23	·15		3
4	[illegible]	·29		·03		·3	·61		·05	·25	·29		4
5	·05	·01		·2	·06	·25				·09	·55		5
6		·06	Snow ·11		·01	·1	·38			·25	·5		6
7	·09		S ·15		·06	·03	·01			·02	·19	·03	7
8			S ·12		·31	·02				·02		·15	8
9					·25	·01						·04	9
10	·1	·14	S ·06	·10		·25					·01	·12	10
11	·03	·04	·06	·12	·05	·3			·02				11
12		·05		·10		·2	·14		·01	·17			12
13		·53	·25		·10		·2	·13		·08			13
14		·28		·04	·08			·05					14
15		·09	·26				·14	·12					15
16	·05	·02	·45	·10	·07		·21	·43					16
17	·07	·1		·15			·02	·02	·3	·55			17
18		·06	·05	·08				·57	·1	·05	·71		18
19	·02		·25	·12				·02			·62	Snow ·07	19
20	·25		·48	·08							·01	·5[illegible]	20
21	·03		·77				·1					·94	21
22		Snow ·04	·03		·10	·02				·04		·46	22
23	·05	S ·15				·18				·05	·03	·14	23
24		S ·27			·05	·28		·06		·19	·01	·24	24
25		S ·24	·13					·12			·11		25
26		S ·08	·01			·03		·07		·1	·03		26
27	·04	S ·04	·93			·03		·23	·02	·51			27
28		S ·19	·27					·08	·11	·19		·17	28
29		·1				·16		·70	·01			·24	29
30		✕				·24		·06		·29			30
31		✕		✕		✕		·02	✕	·03	✕	·04	31
Total	1·66	3·46	4·54	1·12	1·37	2·42	1·83	2·61	·78	3·59	3·59	3·14	YEAR'S TOTAL 30·11
Rain Days.	14	22	19	11	13	18	10	15	11	21	14	13	181

W. 8,000, VIII. 16

W DL and for another

1000

FORM A.
BRITISH RAINFALL
3 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Weston Turville, Yaxley Lodge

in the County of Bucks

by M F Morris

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·11				1·19	·06		·09		1
2	·01							70				·02	2
3				·01						·76			3
4		35		·01				·42	}	·47		·04	4
5	·25			·20				·01	}·05 x	·10	·07		5
6											}		6
7	·21		·05				·28			·28	}·10	·01	7
8	·41		·24	(·38)			1·03	07		·32	·13	·07	8
9			05	·07			·07	·70			·09	·01	9
10	Snow ·18		·17	{Snow				·10			~~·10~~ ·07		10
11	·09		·36	{·47}				·19					11
12	{·4}		·02		·05			·17		·29			12
13								15	·05	·30		·01	13
14	·01							·25				·01	14
15	Snow ·02				·03		02	·07		·06			15
16	·01			·32	·12		·02			·79		·35	16
17	·02	{·23}			·83		·25		·44	·32			17
18					·06	·22	·65	·08	·82	·03			18
19	{·04}	·13	·10	07			·06		·21				19
20		·14	·02		·34				·09		·10		20
21			Snow 05		07					·15			21
22			Snow ·66					·15		·01			22
23		·05			·06			·11					23
24		·01				·27		·06		·34	·05		24
25		·04	·08		·3						·04		25
26			·01					·38	·14		·24		26
27								·60					27
28			·03			·76		·27				·07	28
29			·13			·05	·35	·19		·28	·01	·15	29
30		X	05				·57	·06				·02	30
31		X	·07	X		X	·5	·04	X		X		31
Total	1·39	~~·6~~ ·95	1·49	1·34	1·86	1·30	3·80 ~~3·8~~	5·45 ~~5·52~~	1·86 ~~1·94~~	4·50	·97 ~~·96~~	·76	YEAR'S TOTAL 25·67 25·67
Rain Days.	14	8	16	10	9	4	11	22	9	15	12	11	141

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
8. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Ganley Lodge, Weston Turville
in the County of Bucks
by Mary F. Morris

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
		1st ·05		1st ·06									
1		2 ·10		2 ·13						·01	·31	·04	1
2		3 ·02	·04					·13			·13	·11	2
3			·04	·02	·19			·12	·10		·40	·01	3
4		·01							·37	·02	·34		4
5		·02			·18			·13		·05		·02	5
6	·13	·06		·17						·02			6
7		·14		·18						·12	·24		7
8		·02		·03	·35				·08	·05		·08	8
9		·05		·04		·10	·23		·21	·06			9
10	·05			·07	·0	·05	·22		·36	·10		·13	10
11				·02	·04		·05		·02	·28	·06	·07	11
12		·06			·05		·15		·15			·01	12
13		·02			·16		·20		·12	·05		·16	13
14	·18			·01		·13			·14			·12	14
15				·82		·01	·17		·29			·46	15
16	Snow 1·35			·81		·02			·01	·03			16
17				·12	·12	·02	1·30		·58			·10	17
18	·45			·01		·15	·10		·18			·32	18
19	·02			~~·57~~			·10		·01			·10	19
20	·04	·05		·57		·02	·01		·06	·13		·07	20
21	·06			·85			·02		·17	·02		·01	21
22	·07		·01		·72		·18		·05		·02	·26	22
23	·13				·52		·38		·02		·41		23
24							·01		·06		·11		24
25		·15					·42	·18					25
26								·13			·21		26
27				·07			·05	·25	·09		·18	·17	27
28		·04	·06					·01	1·08		·14	·05	28
29									·05		·01	·25	29
30		X	·38							·02	·04	·13	30
31		X	·01	X		X			X	·04	X	·02	31
Total	2·29 ✓	·88 ✓	·46 ✓	3·91 ✓	2·35 ✓	·59 ✓	3·50 ✓	·96 ✓	4·18 ✓	1·00 ✓	1·93 ✓	2·39 ✓	YEAR'S TOTAL 26·53
Rain Days.	12 ✓	14 ✓	16 ✓	17 ✓	9 ✓	8 ✓	18 ✓	7 ✓	22 ✓	15 ✓	14	22 ✓	164

W. 8,000, IX. 17.

W wRB ~~cnk~~

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Yaxley Lodge Weston Turville

in the County of Bucks.

by Mary F Morris.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Stoke Mandeville ¾ mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

Sea Level 355 ft.

ed to the previous day.

to add
e end of
gauges,
bservers,"
Camden

Jan. 1, following.

Yaxley Lodge
Weston Turville
Aylesbury

Dear Sir

I am sending my register of the rainfall for 1920, I do not know if it will be of any use, as I am not able to take it at any particular time, & sometimes I am away for 2 or 3 days, but the amount which falls during the year is entered

yours truly
Mary F. Morris

To The Supt: British Rainfall.

Jan 3rd 1921.

Date											Nov.	Dec.	Date
											in.	in.	
											'35		1
													2
													3
												'07	4
													5
													6
													7
													8
													9
													10
													11
													12
											8		13
											2		14
													15
													16
										'18			17
								'51					18
19	'11												19
20						'40							20
21			'22	'49			'24					'24	21
22								'18	'9p				22
23	'09			'14			'41		'10				23
24							'49	'05				'39	24
25													25
26	'05	'24			'74	'18							26
27						(09)	'38						27
28	'71		'13			'34	'04				'5		28
29	'08												29
30				'35			35		'34		'25	'33	30
31					'06					'05		'03	31
TOTAL	2'05	'92	5'9	3'10	1'37	3'23	3'99	1'09	2'23	'77	1'50	1'06	YEAR'S TOTAL 27'90
Days with ·01 in. or more	12	4	5	8	5	8	13	6	7	7	5	5	~~27'90~~

Taken 0'24

9 4 5 8 5 8 12 6 7 9 5 4 ?

(44,283). Wt. 958—218. 7500. 10/18. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Yeosley Lodge. Weston Turville

the County of Bucks.

Mary F Morris.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Stoke Mandeville ¾ mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. n Observer prefers not to conform to this almost universal rule, he is earnestly requested to add reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of is paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	March	Feb	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				46						·20	·35		1
2							·35	·16	·12				2
3							·09						3
4			06					·22	·17	·34		·07	4
5							·53						5
6		·22											6
7	03						·48	·05					7
8			05	43	·19		·12						8
9													9
10	·38	·16											10
11	·42			·35	·12								11
12	07			·15		·86	·54				·08		12
13	01					·36			·60				13
14						33					·32		14
15	07												15
16		·30	·13	·73		·75							16
17	·03				·30		·02		~~·18~~	·18			17
18								·51					18
19	·11												19
20						·40							20
21			·22	·49			·24					·24	21
22								·18	·90				22
23	09			·14			41		·18				23
24							·49	·05				·39	24
25													25
26	05	24			·70	·18							26
27						(·09)	·38						27
28	·71		~~·13~~			·34	·04				·50		28
29	·08												29
30		X		35			35		·34		·25	·32	30
31		X		X	06	X			X	·05	X	·03	31
TOTAL	2·05	·92	·59	3·10	1·37	3·23	3·99	1·09	2·23	·77	1·50	1·06	YEAR'S TOTAL 24·90 ~~24·90~~
Days with ·01 in. or more	12	4	5	8	5	8	13	6	7	7	5	5	
	9	4	5	8	5	8	12	6	7	9	5	4	7

Taken 0·24 X

(44,283). Wt. 958—218. 7500. 10/18. Gp. 132. A.&E.W.

987

WESTON TURVILLE.

1919-20

944

RITISH RAINFALL ORGANIZATION.

RAINFALL IN 1919.

Lat. 51°48 n. Long 0°47W
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level 320 ft.
314

measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	·05			·02		·10			·07	·02	·89	1
2	·12				·03		·14	·01	·08	·09	·11	·65	2
3	·56		·15				·11		·21		·10	·31	3
4	·05		·28			·06	·02	·01	·01			·10	4
5	·04	·21	·60				·20		·82			·19	5
6	·02		·05		·11							·08	6
7	·03		·30								·10		7
8	·15		·05	·20							·01		8
9			·03	·04							·04		9
10			·06	·02							·03		10
11			·07	·12	·01		·20			·02		·03	11
12			·15	·05		·11	·33			·08			12
13	·01			·04			·06			·08			13
14	·22			·29					·03				14
15	·19		·15	·11							·05	·38	15
16		·68		·03									16
17		·23									·28		17
18		·10	·13					·23			·02	·06	18
19	·02	·09	·42			·03	·38	·32			·02		19
20	·22	·08	·13			·60	·35	·35	·02				20
21	·08	·19	·02			·08	·09				·03	·10	21
22		·11					·20	·06	·09			·25	22
23						·03		·03	·04	·14	·03	·03	23
24				·13			·10	·10		·58		·05	24
25	·05			·01				·24				·08	25
26	·16	·10	·06	·08				·01	·11			·21	26
27	·55	·03	·05	·90								·03	27
28			·15	·20				·76			·08	·12	28
29				·05				·28		·17	·12	·02	29
30			·04	·22		·20		·11			·20	·28	30
31			·02				·01			·11		·02	31
TOTAL	2·68	1·87	2·91	2·49	·17	1·11	2·29	2·51	1·41	1·34	1·24	3·88	YEAR'S TOTAL 23·90
Days with ·01 in. or more	17	11	20	16	4	7	14	13	9	9	16	20	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

944

RITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Weston Turville

in the County of Buckinghamshire

by G. Eland

Lat. 51°48 n. Long 0°47 W

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 320 ft. 314

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	·05			·02		·10			·07	·02	·89	1
2	·12				·03		·14	·01	·08	·09	·11	·65	2
3	·56		·15				·11		·21		·10	·31	3
4	·05		·28			·06	·02	·01	·01			·10	4
5	·04	·21	·60				·20		·82			·19	5
6	·02		·05		·11							·08	6
7	·03		·30								·10		7
8	·15		·05	·20							·01		8
9			·03	·04							·04		9
10			·06	·02							·03		10
11			·07	·12	·01		·20			·02		·03	11
12			·15	·05		·11	·33			·08			12
13	·01			·04			·06			·08			13
14	·22			·29					·03				14
15	·19		·15	·11							·05	·38	15
16		·68		·03									16
17		·23									·28		17
18		·10	·13					·23			·02	·06	18
19	·02	·09	·42			·03	·38	·32			·02		19
20	·22	·08	·13			·60	·35	·35	·02				20
21	·08	·19	·02			·08	·09				·03	·10	21
22		·11					·20	·06	·09			·25	22
23						·03		·03	·04	·14	·03	·03	23
24				·13			·10	·10		·58		·05	24
25	·05			·01				·24				·08	25
26	·16	·10	·06	·08				·01	·11			·21	26
27	·55	·03	·05	·90								·03	27
28			·15	·20				·76			·08	·12	28
29				·05				·28		·17	·12	·02	29
30			·04	·22		·20		·11			·20	·28	30
31			·02				·01			·11		·02	31
TOTAL	2·68	1·87	2·91	2·49	·17	1·11	2·29	2·51	1·41	1·34	1·24	3·88	YEAR'S TOTAL 23·90
Days with ·01 in. or more	17	11	20	16	4	7	14	13	9	9	16	20	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

848

12 JAN 1921

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Weston Turville

in the County of Bucks

by G. Eland

Lat. — Long. —

Time of Observation 7.0 a.m.

Nearest Railway Station Stoke Mandeville

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·60	–	–	·32	–	–	·25	–	·24	1
2	–	–	·02	·05	–	–	·14	·12	·13	·01	–	·06	2
3	–	–	–	·03	–	–	·09	–	·14	·09	–	·02	3
4	–	–	·08	·08	·04	–	–	·14	–	·33	–	–	4
5	–	–	–	·08	·11	–	·57	·05	–	·01	–	·03	5
6	–	–	·10	–	–	–	·34	·03	–	–	–	·01	6
7	–	–	·01 S	·09	–	–	·12	–	–	–	–	–	7
8	·07	·07	–	·30	·07	–	·24	–	–	–	–	–	8
9	·10	–	–	·14	–	–	·06	·05	–	–	–	–	9
10	·24	·05	·02	·01	–	·06	·03	–	–	–	–	–	10
11	·15	–	·03	·15	·12	·06	·14	–	–	–	–	·02 S	11
12	·05	–	·01	·11	–	·70 K²	·04	–	–	–	–	–	12
13	·06	–	·06	·23	–	–	–	–	·05	–	·05	·01 S	13
14	–	–	·11	·24	–	·26 K	–	–	·12	·06	·21	·03 Sleet	14
15	–	–	·16	·16	–	–	–	–	·12	·03	·03	–	15
16	–	·01	–	·03	–	·49 K²	–	–	·15	·04	–	–	16
17	–	–	–	·03	·18	–	–	–	–	·04	–	·02	17
18	·05	–	–	–	–	–	·02	·43	·20	–	–	·05	18
19	·11	–	–	·15	–	–	–	·02	·02	–	–	–	19
20	·07	·19 S	–	·17	–	·36	·40	–	–	–	–	·01	20
21	–	–	–	–	–	–	–	·03	·24	–	–	·04	21
22	–	–	–	·13	–	–	–	·07	·59	–	–	·12	22
23	–	–	–	–	–	–	·64	·03	–	–	–	·18	23
24	·05	–	·10	–	–	–	·20	–	–	–	–	·06	24
25	–	–	·04	–	·17 K	–	·06	–	–	–	–	–	25
26	·12	–	·05	–	↓ –	·08	·02	–	–	–	–	·01	26
27	·15	–	–	·19	·29	·37	–	–	–	–	·30	·15	27
28	·41	·07	·03	·01	↓ ·11	–	·04	–	–	–	·08	·01	28
29	·05	–	·23	–	↓ –	–	·01	–	–	–	·06	·16	29
30	–	X	–	·15	–	–	·32	–	·28	–	·12	·10	30
31	·02	X	–	X	–	X	–	–	X	·32	X	·13	31
TOTAL	1·70	·39	1·05	3·16	1·09	2·38	3·86	1·00	2·04	1·18	·85	1·46	YEAR'S TOTAL 20·16
Days with ·01 in. or more	15	5	15	22	8	8	20	10	11	10	7	21	152
Days with ·04 in. or more	14	4	9	17	8	8	16	6	10	7	6	11	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

163

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

BUCKS.

WINSLOW – MARKET SQUARE

1911 + 1912 ONLY

REGI ... 11

Kept at Winslow, ... in.

...ove Ground ... ft. ... in.

in the County of Buc... , Sea Level ... ft.

by R. A. Easto...

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·39			·03				·03	·02	1
2	·03			·28	·16			·01		·03	·19	·19	2
3		·02			·18						·11	·03	3
4	·03	·02	·09	·06						·41	·14	·38	4
5	·02	·02		·03				·27		·02	·03		5
6	·36			·01							·01	·40	6
7	·04		·01								·29	·13	7
8	·19		·19							·03	·05	·17	8
9	·13			·04								·12	9
10	·02	·11	·27	·02							·02	·34	10
11	·23										·65	·02	11
12	·01		·47						·03	·09	·33	·01	12
13			·05		·08				·27	·23		·48	13
14		·02	·04		·02							·27	14
15	·01	·11	·07							·03	·13	·02	15
16			·01			·04				·01	·37	·06	16
17			·02			·09					·07	·24	17
18		·18				·02				·02	·03	·11	18
19	·01				·04	·28			·19	·04	·13	·07	19
20	·01	·09	·05			·06		·09	·46	·03		·53	20
21		·08	·02					·04		·32		·04	21
22		·02	·05	·01			·06	·01		·14	·01	·46	22
23		·11	·41			·17			·15			·21	23
24	·02	·11				·33		·02		·33		·14	24
25		·06	·03	·03	1·59	·16		·14		·01		·06	25
26		·05		·20	·16	·04	·06	·01		·12	·10	·17	26
27		·27	·17	·02				·04	·22	·01		·15	27
28		·28		·32	·01		·12	·16			·06	·01	28
29			·01	·02		·27			·25	·25	·01		29
30			·02	·07	·12	·04		·14		·14		·02	30
31					·04					·05			31
Total	1·11	1·55	1·99	1·50	2·40	1·50	·27	·93	1·57	2·31	2·76	4·85	TOTAL for year 22·74
No. of Rain Days	14	16	19	14	10	11	4	11	7	20	20	28	174

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Winslow, Market Square
in the County of Bucks 5
by R. A. Easton

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·39			·03				·03	·02	1
2	·03			·28	·16			·01		·03	·19	·19	2
3		·02			·18						·11	·03	3
4	·03	·02	·09	·06						·41	·14	·38	4
5	·02	·02		·03				·27		·02	·03		5
6	·36			·01							·01	·40	6
7	·04		·01								·29	·13	7
8	·19		·19							·03	·05	·17	8
9	·13			·04								·12	9
10	·02	·11	·27	·02							·02	·34	10
11	·23										·65	·02	11
12	·01		·47						·03	·09	·33	·01	12
13			·05		·08				·27	·23		·48	13
14		·02	·04		·02							·27	14
15	·01	·11	·07							·03	·13	·02	15
16			·01			·04				·01	·37	·06	16
17			·02			·09					·07	·24	17
18		·18				·02				·02	·03	·11	18
19	·01				·04	·28			·19	·04	·13	·07	19
20	·01	·09	·05			·06		·09	·46	·03		·53	20
21		·08	·02					·04		·32		·04	21
22		·02	·05	·01			·06	·01		·14	·01	·46	22
23		·11	·41			·17			·15			·21	23
24	·02	·11				·33		·02		·33		·14	24
25		·06	·03	·03	1·59	·16		·14		·01		·06	25
26		·05		·20	·16	·04	·06	·01		·12	·10	·17	26
27		·27	·17	·02				·04	·22	·01		·15	27
28		·28		·32	·01		·12	·16			·06	·01	28
29			·01	·02		·27			·25	·25	·01		29
30			·02	·07	·12	·04		·14		·14		·02	30
31					·04					·05			31
Total	1·11	1·55	1·99	1·50	2·40	1·50	·27	·93	1·57	2·31	2·76	4·85	TOTAL for year 22·74
No. of Rain Days	14	16	19	14	10	11	4	11	7	20	20	25	174

9,000, IX. '10.

88 [illegible] 168

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Winslow

in the County of Buckinghamshire 5

by R. A. Easton

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03										1
2		·02	·14										2
3	·09		·02		·11								3
4	·24		·71		·15								4
5	·16	·07	·17		·01								5
6	·27	·06			·01								6
7					·04								7
8	·33	·29	·27										8
9	·07	·10	·05	·04	·01								9
10		·02											10
11	·14	·06	·01										11
12	·09	·20	·14		·02								12
13		·04											13
14	·03		·09		·12								14
15	·03	·06	·12		·23								15
16	·41		·12		·02								16
17	·85		·31										17
18	·06		·22										18
19	·09	·11	·17										19
20	·04		·17										20
21	·02	·04	·32		·48								21
22	·44	·10			·16								22
23	·67	·63	·34										23
24	·28	·02											24
25													25
26		·03	·01										26
27			·02										27
28		·13											28
29		·02	·02										29
30					·38								30
31			·03		·03								31
Total	4·31	2·00	3·48	·04	1·77	✓							TOTAL for year
No. of Rain Days.	19	18	22	1	14								

W. 8,000, X. '11.

Cor. for d

REGIS

Kept at Nordew H

in the County of Bu

by Dr Vaisey

BUCKS

WINSLOW - NORDEN HOUSE

1911 - 1918

-1 MAY 1912

FORM A2.
BRITISH RAINFALL.

in.

Ground ft. in.

Sea Level ft.

9 am

Name L.N.W.R. Winslow

Distance 1/4 mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~·02.~~					03.					03	03	1
2	·02.			70			~~02~~	02			13	05	2
3	·05				30					01	15	15	3
4	·15		08.							40	02	38	4
5											10		5
6	·20			12.							02	48	6
7											23	06	7
8	·25		19								05	21	8
9											·02	11	9
10		12											10
11			19.								65	33	11
12			54						05	11	32	02	12
13	10		·03		10				27	26	02	49	13
14			10		02.						01	28	14
15		25								02	13.	02	15
16										02	35	07	16
17											07	25	17
18											02	20 ~~20~~	18
19		·19	06.			30			17	04	12.	~~[illegible]~~	19
20						07.	E	40	40	03		47	20
21		20						04		30	02	26	21
22	·14		09.							24		22	22
23			36	01		16	06		16			19	23
24	11					27						08	24
25					1·64	15		12		35		09	25
26		32.		23.	07.	05		02		16	11	16.	26
27		·52		02.			07.	07	22		02	06	27
28			13.		03.						05	07.	28
29						20.	12.		20	23	01		29
30				09.	15			27		12		03	30
31					·04	07.	01			07			31
Total	1·02	1·60	1·77	1·17	2·35	1·30	·26	·94	1·47	2·36	2·65	~~4·50~~ 4·76	TOTAL for year 21·65
No. of Rain Days.	8	6.	10	6	8	9	4	7	7	15	24	26	130

W. 8,000, X. '11.

Cov. for

FORM A2. BRITISH RAINFALL.

1 MAY 1912

REGISTER OF RAINFALL IN 1911

Kept at Norden House

in the County of Bucks Winslow 5

by Dr Vaisey

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 10 am

Nearest Railway Station
Name L.N.W.R. Winslow
Distance 1/4 mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~·02~~					03					03	03	1
2	·02			70			~~02~~	02			13	05	2
3	·05				30					01	15	15	3
4	·15		08.							40	02	38	4
5											10		5
6	·20			12.							02	48	6
7											23	06	7
8	·25		19								05	21	8
9											·02	11	9
10		12											10
11			19.								65	33	11
12			54						05	11	32	02	12
13	10		·03		10				27	26	02	49	13
14			10		02.						01	28	14
15		25								02	13.	02	15
16										02	35	07	16
17											07	25	17
18											02	20 ~~20~~	18
19		·19	06.			30			17	04	12.	~~[illegible]~~	19
20						07.	E	40	40	03		47	20
21		20						04		30	02	26	21
22	·14		09.							24		22	22
23			36	01		16	06		16			19	23
24	11					27						08	24
25					1·64	15		12		35		09	25
26		32.		23.	07.	05		02		16	11	16.	26
27		·52		02.			07.	07	22		02	06	27
28			13.		03.						05	07.	28
29						20.	12.		20.	23	01		29
30				09.	15			27		12		03	30
31					·04	07.	01			07			31
Total	1·02	1·60	1·77	1·17	2·35	1·30	·26	·94	1·47	2·36	2·65	~~[illegible]~~ 4·76	TOTAL for year 21·65
No. of Rain Days.	8	6.	10	6	8	9	4	7	7	15	24	26	130

W. 8,000, X. '11.

Cor. for aith. 8.V.13.

REGISTER OF RAINFALL ~~IN~~ 19 12

FORM A.
BRITISH RAINFALL.

8 MAY 1913

Kept at Winslow
in the County of Bucks. 5
by Dr J. T. Vaisey.

Lat. Long.
Time of Observation 9 oclock.
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·16			·04		·11	12.	~~·23~~		·15	1
2			31			·12	53.			37.			2
3	·20		57		·14	·10	11	34	05			13	3
4	·41				18.	·03		·02			27.		4
5	·22				03.	·11	21	·21					5
6	20		16.			·03		59				12.	6
7					02.	·53.		09.					7
8	32							29	04			13.	8
9	07.	49	32.			60	04	·03.			02.		9
10								30				20.	10
11	·24	·14	09					02.			15	19	11
12		20.				37.							12
13			06					·01.	~~02~~.	02			13
14					15			·07.			15	01.	14
15	07		16.		17.			·01				13.	15
16	38.	09	15		03.			·06					16
17			42.					·19			09	10.	17
18	50.	08.	12.					24		·04		07.	18
19	45						13.	22			03.		19
20			30.				21	40		21			20
21	56	20	31		53.		02.	30.		17.		05	21
22							19.	25				15	22
23	50.	69					06.	15			19		23
24			34					15			20.	24	24
25	04	02				21		39			08.	10	25
26							21.	45		46	23.	39	26
27			02.			08.	02.	~~27~~		44		36.	27
28			01					27.	12.	21	19	73.	28
29			05.				09.		1·15	35			29
30					57.	·08		04.	·23	17			30
31												16	31
Total	4·15	1·91	3·55	0	1·82	2·30	1·82	~~5·19~~ 5·20	~~1·48~~	~~2·6~~	1·60	3·41	YEAR'S TOTAL 29·91
Rain Days.	14.	8.	17.	0	9	12	12.	26.	6	10	11	18.	143

1·71 2·44

W. 7,500, XI. 12

W M.F. Ca. for auth. 1. V. 14!

FORM A. BRITISH RAINFALL.

25 APR 1914

REGISTER OF RAINFALL IN 1913

Kept at Winslow
in the County of Bucks. 5
by Dr T. F. Causey.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Winslow
Diameter of Rain Gauge in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	16.	07	14		12.				75		11	02.	1
2		05					14		17	31	02.		2
3					71	20	02			02		11	3
4	35				03.		04			49	06.	04	4
5		06					24			03		10.	5
6		07	13.		31		10			30	09	09	6
7				05	09		06.			33.			7
8		19	10		04	33.					09		8
9		40					02		17	05	60	06	9
10					08		53.	08.			30		10
11	80			50	02			40		69			11
12					14						47.		12
13					01						23.		13
14								05	12	13			14
15				39			12.					12.	15
16	29		75	12.									16
17						64	04						17
18	25		18.	25			12.		31				18
19	25.								23.			05	19
20	14		26							31	24		20
21	13.			16	09.	10							21
22	40		27				06	09	25				22
23			01					10					23
24				14							02.		24
25	06		07	11.						12.			25
26		15		12				08				16	26
27	20		20	03.						22.			27
28	10			15				01		10		20	28
29	12			39						05			29
30	09									08.			30
31	23.		12.					17			14		31
Total	3·57	·99	2·23	2·41	1·64	1·32	~~1·51~~ 1·49	·98	2·00	3·25	2·37	·94	YEAR'S TOTAL ~~23·21~~
Rain Days.	15	7	11	12.	11	4	12!	~~7~~ 8	7	15	12.	10	12~~3~~4.

23·19

W.7,000, XI. 13

6X 911

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
21 APR 1915

Kept at Winslow

in the County of Bucks 5

by Dr J. F. Vaisey

Lat. ________ Long. ________
Time of Observation 10 am.
Nearest Railway Station L. N. W. R.
Diameter of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											16.	02.	1
2				03.		01	46	03			11	26.	2
3			02		23.		30	32.			13.	03	3
4	·08.			37	03		02.	63.			20.		4
5				27	02	19	49	10			11		5
6			·08		Away for a fortnight's holiday J. F. V.	11	01	41			02.	25	6
7			41	05		02	26.	62				26	7
8		31	42	02		61		05	06.		03.		8
9	·28	〃	39	02		62		06.				16.	9
10	·07	20	06	13.				01	20		19		10
11		12.	33.			66.					02.	25	11
12			13.			02	12.	05	37.		05	26.	12
13		15	15							50		18.	13
14		20	39				16.		17.	67.	17.	15	14
15			16						19.			64	15
16	·05		01.				02		13.		04		16
17		33.										55	17
18			09						07.			22.	18
19			53.				10		03.		14		19
20												27.	20
21		50	07			03.		14		19		06.	21
22		16						06		40			22
23	·07	07	11		60		15	03		26			23
24					12.		04	02		42			24
25			26.					14		25	17	30	25
26			10				10.			07	17		26
27		11										66.	27
28			13.							05	35	98	28
29	14		10		09					39.	16		29
30		X	04		06.	07				07	32	36	30
31		X		X		X	06.		X		X		31
Total	69	2·15	3·98	·89	1·15	2·34	2·29	1·97	1·22	3·27	2·54	5·26	YEAR'S TOTAL 27·75
Rain Days.	6	10	21	7	7	10	14	15	8	11	18	19	146

W. 8,000. X. 14.

1096

FORM A.
BRITISH RAINFALL.

1916

REGISTER OF RAINFALL IN 1915.

Kept at Winslow

in the County of Bucks.

by Dr Vaisey.

Lat. Long.

Time of Observation 9am

Nearest Railway Station Winslow

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 9 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	47	20			12			02	15	03	30	25	1
2	07	18	38	11				03		02		37	2
3	27			09				55					3
4		28			07		98	53				50	4
5	70	20	14					06				62	5
6				30			74	03					6
7		38					22	02				28	7
8		20						02				09	8
9	20			12				03	~~10~~	04	31	19	9
10			03										10
11	12	24		03	04						133		11
12					40						43		12
13	05	26		32	105			26					13
14							18	27				99	14
15	14				03			07					15
16		63					61	30				19	16
17		20			40		03						17
18		08	15	07				01					18
19			05		03		32						19
20	42											27	20
21					07		18						21
22			47				75					23	22
23	10	20	19				75		10				23
24	32	~~2~~	20				30		100	55		22	24
25			04			06	35					30	25
26		28				01	16		03			32	26
27						03	18			44		02	27
28							05		70				28
29		13				05	01	22				15	29
30		X					13		12	50		05	30
31		X		X		X	08		X		X	10	31
Total	2·86	3·46	1·65	1·04	2·21	·15	6·02	2·42	2·10	1·58	2·37	5·14	YEAR'S TOTAL 31·00
Rain Days.	11	13 14	9	7	9	4	18	15	6	6	4	18	121

W. 8,000. X. 15.

1063

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 27. MAR 1917

Kept at Winslow
in the County of Bucks.
by Dr. T. V. Vausey

Lat. Long.
Time of Observation 10 am.
Nearest Railway Station Winslow
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~05~~	~~1~~	25		·12		11			·40	·33		1
2	·49	·15	30		·05		02			·15	·20		2
3	06	60			06			·13	·13	·26	·03		3
4	·10			·21	01	46	68	·09		·16	·15		4
5	·06	09	12		·05	16		·18		·15	26		5
6			10		·03		69			·12	37		6
7	04		20		·05	10				·14			7
8					·26							·24	8
9			04		·37	14							9
10		21		·10	·02	13	26						10
11				·16	·17	20				·05			11
12	12	10			·21	07	27			·12			12
13		44	23	·07		02	81			·03			13
14			66		·03		01			·02			14
15		54	16	03			31			·04		07	15
16		02		·13	·15			·58		·16			16
17				·17			04	·07	·34	·05			17
18			08					·19	·13	·05	1·21		18
19		18	24	20					·10		·78		19
20	34		35	·05							13		20
21			21	·05			27				~~1·26~~	1·26	21
22	03		10		·17			·08				·63	22
23		30	~~2·01~~			·21							23
24		27			·05	17				·22			24
25		35						·20		·21			25
26		16						·03		·04			26
27			·21			11	53	·13		·15		·75	27
28		10	2·01			03		31		·05			28
29						19		85		·18			29
30		X	03			05				25			30
31		X		X		X		·03	X	05	X	·07	31
Total	1·24	3·51	5·43	1·17	1·80	1·98	4·00	2·87	·70	3·08	3·46	3·02	YEAR'S TOTAL 32·23 32·33
Rain Days.	8	14	17	10	16	14	12	13	4	23	9	6	146

W. 8,000, VIII. 16

[illegible] [illegible] ~~W~~ [illegible]

1032

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

15 MAY 191[illegible]

Kept at Winslow.

in the County of Bucks.

by Dr Causey.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·11		15				1·22			16		1
2								·08	·10		02		2
3								42	·58		15		3
4	·05		41	04				·74		19	05		4
5								·01	05	20			5
6	·06					04				59	12		6
7	49			·09			31			26	·08		7
8				·12			86	·12	01		·07		8
9	·05			25	·05			9			02		9
10	·29			20	·07					01	·03		10
11	·45		47						05	31	·01		11
12	·10		24	10	·03			11		20			12
13	·11		05	15				15	09		·04		13
14		·19	03	14				12					14
15			04					·01		24			15
16			11		13	25	·04	·01	·01	76		25	16
17				·24	98	~~24~~ ·07	·09	08	·46	14			17
18			06	·02	06		·29		·96	10			18
19				·01	·02		·36		·05				19
20		·55		04	·49	06	·02	04	·10		·10		20
21		·31	05		·06								21
22					·01			17		·15		10	22
23			04		·06			16					23
24						31		20	·10	24	17	09	24
25			·05						·04		10		25
26			·06					(34)					26
27					·06	·05		68					27
28			·07			·70		12					28
29						·45	·42	41		·41			29
30		✕	·07				·76	18			09		30
31		✕	·05	✕		✕	·13	63	✕		✕	·21	31
Total	1·60	1·16	1·80	1·55	2·02	1·93	3·28	5·49	2·02	4·38	1·21	·65	YEAR'S TOTAL 27·09
Rain Days.	8	4	15	13	12	8	10	23	12	16	15	4	139

3·02

W. 8,000, IX. 17.

W DL Corr for auth.

34

REGISTER OF RAINFALL IN 1918

8.5.19

FORM A. BRITISH RAINFALL

Kept at Winslow

in the County of Bucks.

by Dr T. F. Causey

Lat. Long.

Time of Observation 9 Am

Nearest Railway Station Winslow LNW R.

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1/2 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·14							15		1
2		·05	·05					24			10.	15	2
3		·13	·04		·36			·09	18		44		3
4		·10	·07					10	14	·02.	56	·07	4
5					·15			·08	·05				5
6	·23.	24		·24					·03	36	29		6
7		16			·14				13.	03.			7
8				·05					28	10		11	8
9		·13		·09		·11	23.		69	16.		20	9
10				·06	05		51		·06	·06			10
11				07			29		·03				11
12					26		14					·06	12
13		·07					13.		25	13			13
14	37			·05		·02.	22.	02	43.	·02			14
15	~~3~~19			·111			13.		23.			32.	15
16	~~49~~53			69								10	16
17	57			02.			86.					·03.	17
18	98						27		17			31	18
19	·03	·08				·24	·06					·11	19
20		·13.		28.		·05			21	·23			20
21		·01		90		·03			57			27	21
22	·18			02.	·82	·04	34		14				22
23					·59	·12							23
24		16			·02.	15	12.			·07	25		24
25						·02	07	43	·05		11	21	25
26								·04	·02			10	26
27			·14					26		·05		11	27
28			16					·05	19		19	14	28
29			·05						1·55		·07		29
30		✕	·25						10				30
31		✕	·10	✕		✕		·05	✕		✕		31
Total	~~2.47~~ 3.08	1.26	·90	3.72	2.39	·78	3.37	1.36	5.50	1.23	2.16	2.29	YEAR'S TOTAL ~~27.23.~~ 28.04
Rain Days.	8	11	9	13.	8	9	13.	10	21	11	9	15	~~137~~

W, 6,500, VII. 18. W W C

✓

BUCKS.

WOLVERTON - THE SCHOOL HOUSE

1911 - 1920

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

RI 1911

Kept at The School round funnel

f top 5 in.

in the County of Bu op above Ground 1 ft. — in.

„ Sea Level 264 ft.

by Hy. J. H n 9 am

tation { Name Wolverton
Distance ¼ m. Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	19	–	–	–	–	–	–	03	01	1
2	–	–	–	29	14	–	–	02	–	–	09	09	2
3	01	02	–	–	24	11	–	01	–	–	07	01	3
4	02	03	08	03	–	–	–	–	01	40	11	40	4
5	02	–	01	–	–	–	–	18	–	01	01	–	5
6	31	–	01	–	–	–	–	–	–	01	02	43	6
7	01	–	–	–	–	–	–	–	–	–	26	10	7
8	10	–	12	–	–	–	–	–	–	02	04	16	8
9	11	–	–	01	–	–	–	–	–	–	03	11	9
10	02	13	19	–	–	–	–	–	–	–	01	27	10
11	30	–	01	02	–	–	–	–	–	–	58	02	11
12	02	–	50	–	–	–	–	–	05	02	28	01	12
13	–	–	04	–	–	–	–	–	25	08	03	44	13
14	–	–	03	–	02	–	–	–	–	01	01	31	14
15	–	11	17	–	–	–	–	–	–	02	18	01	15
16	–	–	03	–	–	03	–	–	–	01	36	09	16
17	–	–	07	–	–	06	–	–	–	01	06	20	17
18	–	33	01	–	–	03	–	–	–	01	02	09	18
19	–	–	–	–	–	16	02	–	25	03	20	04	19
20	01	04	04	–	–	–	–	18	21	05	01	49	20
21	01	12	01	–	–	–	–	02	02	19	–	10	21
22	–	–	05	–	–	04	–	01	–	29	01	47	22
23	01	08	22	–	–	18	20	–	19	01	–	16	23
24	–	09	–	–	03	28	–	03	–	42	–	11	24
25	–	17	03	02	1·04	08	–	–	–	–	–	03	25
26	–	02	–	18	1·10	03	–	–	–	17	12	11	26
27	–	19	10	20	01	–	06	03	16	01	02	09	27
28	–	22	–	05	–	01	–	18	–	–	04	–	28
29	–		01	07	–	38	09	–	32	21	02	01	29
30	–		–	–	04	04	–	03	–	12	–	01	30
31	–		–		12		–	–		05		–	31
Total	0·95	1·55 2·50	1·73 4·23	1·06 5·29	2·74 8·03	1·43 9·46	0·37 9·83	0·69 10·52	1·46 11·98	2·15 14·13	2·61 16·74	4·37 21·11	TOTAL for year 21·11 in
No. of Rain Days.	13	13 26	20 46	10 56	9 65	13 78	4 82	10 92	9 101	22 123	25 148	28 176	176 ds

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at The Schoolhouse, Wolverton
in the County of Bucks 5
by Hy. J. Hippsley.

RAIN GAUGE
Pattern round funnel
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 264 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wolverton
Distance ¼ m. Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	19	–	–	–	–	–	–	03	01	1
2	–	–	–	29	14	–	–	02	–	–	09	09	2
3	01	02	–	–	24	11	–	01	–	–	07	01	3
4	02	03	08	03	–	–	–	–	01	40	11	40	4
5	02	–	01	–	–	–	–	18	–	01	01	–	5
6	31	–	01	–	–	–	–	–	–	01	02	43	6
7	01	–	–	–	–	–	–	–	–	–	26	10	7
8	10	–	12	–	–	–	–	–	–	02	04	16	8
9	11	–	–	01	–	–	–	–	–	–	03	11	9
10	02	13	19	–	–	–	–	–	–	–	01	27	10
11	30	–	01	02	–	–	–	–	–	–	58	02	11
12	02	–	50	–	–	–	–	–	05	02	28	01	12
13	–	–	04	–	–	–	–	–	25	08	03	44	13
14	–	–	03	–	02	–	–	–	–	01	01	31	14
15	–	11	17	–	–	–	–	–	–	02	18	01	15
16	–	–	03	–	–	03	–	–	–	01	36	09	16
17	–	–	07	–	–	06	–	–	–	01	06	20	17
18	–	33	01	–	–	03	–	–	–	01	02	09	18
19	–	–	–	–	–	16	02	–	25	03	20	04	19
20	01	04	04	–	–	–	–	18	21	05	01	49	20
21	01	12	01	–	–	–	–	02	02	19	–	10	21
22	–	–	05	–	–	04	–	01	–	29	01	47	22
23	01	08	22	–	–	18	20	–	19	01	–	16	23
24	–	09	–	–	03	28	–	03	–	42	–	11	24
25	–	17	03	02	1·04	08	–	–	–	–	–	03	25
26	–	02	–	18	1·10	03	–	–	–	17	12	11	26
27	–	19	10	20	01	–	06	03	16	01	02	09	27
28	–	22	–	05	–	01	–	18	–	–	04	–	28
29	–		01	07	–	38	09	–	32	21	02	01	29
30	–		–	–	04	04	–	03	–	12	–	01	30
31	–		–		12		–	–		05		–	31
Total	0·95	1·55 2·50	1·73 4·23	1·06 5·29	2·74 8·03	1·43 9·46	0·37 9·83	0·69 10·52	1·46 11·98	2·15 14·13	2·61 16·74	4·37 21·11	TOTAL for year
No. of Rain Days.	13	13 26	20 46	10 56	9 65	13 78	4 82	10 92	9 101	22 123	25 148	28 176	21·11 in 176 dys

W. 8,000, X. '11.

10·11·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
22 JAN 1913

Kept at The Schoolhouse Wolverton
in the County of Buckingham
by H. J. Hippsley

Lat. 52°3′40″ Long. 0°49′50″
Time of Observation 9 a.m.
Nearest Railway Station Wolverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 264 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	01	–	–	02	–	02	02	–	07	30	–	11	1
2	–	–	11	–	–	17	40	–	–		–	–	2
3	03	–	–	–	09	14	02	33	04		01	06	3
4	11	–	76	–	16	46	01	–	–		14	–	4
5	14	09	16	–	01	16	–	25	03		06	01	5
6	–	08	–	–	02	–	02	45	–		01	04	6
7	–	01	–	–	02	57	–	16	03		–	03	7
8	31	19	22	–	–	01	–	05	–	02	–	–	8
9	05	16	06	06	–	38	03	–	–	01	10	31	9
10	01	02	–	–	–	04	–	28	–		–	01	10
11	12	04	–	–	–	04	–	–	–		07	19	11
12	09	39	12	–	02	05	–	–	–		08	01	12
13	–	–	–	–	–	03	–	–	–		08	01	13
14	01	–	06	–	12	–	–	11	–		–	01	14
15	01	–	14	–	15	15	–	02	–		01	11	15
16	63	–	08	–	04	08	–	06	–	07	01	–	16
17	55	–	24	–	–	06	–	30	–		–	16	17
18	10	–	19	–	–	–	–	13	–	03	02	02	18
19	16	06	02	–	–	04	02	33	–		02		19
20	02	02	15	–	04	–	24	75	–	17	–		20
21	01	–	23	–	50	–	01	48	–	28	04		21
22	55	08	02	–	07	–	21	32	01	04	–	08	22
23	09	49	39	–	–	–	65	18	–	02	14	25	23
24	26	–	–	–	–	–	01	12	–	01	–	08	24
25	–	–	–	–	–	20	–	53	–	01	25	37	25
26	–	–	–	–	–	–	21	78	–	41	25	12	26
27	–	–	02	–	–	10	02	–	–	45	–	25	27
28	–	06	–	–	–	03	12	36	06	24	18	80	28
29	–	02	–	–	–	13	33	04	91	31	–	01	29
30	–		–	–	37	07	–	–	34	20	–		30
31	–		05		22		47	13		01		02	31
Total	3·26	1·77	3·02	0·08	1·83	2·93	2·79	6·16	1·49	2·58	1·47	3·06	YEAR'S TOTAL 30·38 30·38
Rain Days.	20	14	18	2	14	21	17	22	8	17	17	23	193

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL

13 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Schoolhouse Wolverton
in the County of Bucks
by H. J. Hippsley.

5

Lat. 52° 3' 40" Long. W. 0° 48 50
Time of Observation 9 a.m
Nearest Railway Station Wolverton (L+N.W.Ry).
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 264 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	03	23	09	07	04	-	-	-	1·15	-	08	02	1
2	01	14	-	-	-	-	10	-	·56	1·22	-	-	2
3	02	01	11	-	66	-	-	-	-	-	-	02	3
4	36	-	02	-	02	-	07	-	-	47	-	21	4
5	-	-	~~0~~	-	-	01	03	-	-	33	06	14	5
6	01	03	05	-	18	11	21	-	-	13	-	04	6
7	-	19	-	-	10	13	06	-	-	53	07	-	7
8	-	01	02	-	09	03	-	-	-	30	03	-	8
9	-	21	01	-	01	08	-	06	15	-	06	02	9
10	-	01	-	05	-	-	-	01	-	-	56	-	10
11	62	01	-	38	01	-	-	11	-	30	17	-	11
12	-	-	-	-	07	-	-	-	-	-	40	-	12
13	03	-	-	02	-	-	-	02	02	01	25	-	13
14	09	-	12	-	-	-	-	06	-	12	07	-	14
15	09	02	15	26	-	-	13	-	07	-	-	-	15
16	03	-	51	31	-	-	-	-	02	01	-	-	16
17	06	-	05	06	-	-	08	-	-	-	01	03	17
18	01	-	10	14	-	-	07	-	-	-	-	02	18
19	23	-	08	-	-	-	12	-	12	-	-	03	19
20	25	-	10	01	-	07	-	-	-	34	01	-	20
21	02	-	14	06	06	-	08	[illegible]	-	01	22	-	21
22	48	-	25	04	-	-	-	08	16	-	-	-	22
23	01	-	-	-	-	-	-	02	04	-	01	04	23
24	04	-	-	07	-	-	-	-	-	-	-	-	24
25	-	02	-	15	-	09	-	-	-	02	-	02	25
26	-	04	15	09	-	-	-	06	-	33	01	12	26
27	-	-	01	11	-	-	-	-	-	-	02	-	27
28	47	-	17	11	-	-	-	-	-	07	-	02	28
29	01		09	45	14	-	-	05	01	07	-	06	29
30	20		-	01	-	-	-	-	-	08	07	01	30
31	-		-		03		-	09	-	-		-	31
Total	3·07	0·92	2·22	2·39	1·41	0·52	0·95	0·56	2·30	4·34	2·10	0·80	YEAR'S TOTAL 21·58
Rain Days.	21	12 33	19 52	18 70	12 82	7 89	10 99	10 109	10 119	17 136	17 153	15 168	

W.7,000, XI. 13

Wts DJJ Cor. for auth. 26. II. 15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
22 FEB 1915

Kept at The Schoolhouse, Wolverton
in the County of Buckingham 5
by H. J. Hippsley

Lat. 52° 3′ 40″ Long. 0° 48′ 10″
Time of Observation 9 am
Nearest Railway Station Wolverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 264 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	–	·04	–	–	·12	·33	–	–	·06	·01	1
2	–	–	–	–	–	–	·10	·04	–	–	·27	·21	2
3	–	–	–	–	·16	–	·28	·02	–	–	·04	·01	3
4	·19	–	–	·15	–	–	–	·38	–	–	·25	·18	4
5	–	·01	·02	·21	·01	·10	·34	·15	–	–	·03	·01	5
6	–	·06	–	–	·05	–	–	·03	–	–	·05	·05	6
7	–	·15	·36	·03	·15	·03	·08	–	–	–	·01	·12	7
8	·06	·04	·27	·07	·06	·80	·02	·10	·01	–	–	–	8
9	·19	·01	·40	·26	·01	·84	–	–	·07	–	–	·01	9
10	·05	·13	–	·05	·04	–	–	–	·17	–	–	–	10
11	–	·08	·30	·03	·04	·51	–	–	·02	–	·33	·34	11
12	–	·04	·07	–	–	·01	·02	–	·52	–	·02	·37	12
13	–	·18	·22	–	–	–	–	–	·08	·11	·09	·23	13
14	–	·03	·28	–	–	–	·10	–	–	2·10	·12	·17	14
15	·01	·02	·14	–	–	–	·01	·03	·10	–	·03	·16	15
16	–	–	·05	–	–	–	–	–	·08	–	–	–	16
17	·01	·37	·04	–	–	–	–	–	·11	–	–	·19	17
18	–	–	·03	–	–	–	·07	–	–	–	–	·47	18
19	–	·04	·27	–	–	–	–	–	·02	–	·10	·02	19
20	–	·30	·32	–	–	–	–	–	–	–	–	·17	20
21	–	·18	·04	–	–	–	–	·16	–	·07	·02	·13	21
22	–	·01	–	·01	·17	·08	·10	06	–	·23	–	·01	22
23	–	·03	·06	–	·04	–	–	–	–	·15	–	–	23
24	–	–	·03	02	·01	·01	·08	–	–	·50	·10	–	24
25	·07	–	·08	–		–	–	–	·01	·34	·01	·24	25
26	–	–	·05	–	–	–	·01	15	–	·05	·16	·29	26
27	·02	–	–	–	–	–	–	–	–	·02	·01	·18	27
28	–	08	·02	–	·01	–	–	–	–	·07	·33	1·47	28
29	·02		·14	–	·01	–	–	–	–	·31	·14	–	29
30	–	×	·03	–	–	·05	–	–	–	·06	·21	·21	30
31	·01	×	–	×	·04	×	–	–	×	–	×	–	31
Total	0·64	1·76	3·22	0·87	0·80	2·43	1·33	1·45	1·19	~~4·00~~ 4·01	2·38	5·19	YEAR'S TOTAL 27 ~~25·26~~ 25·27
Rain Days.	11	18	22	10	14	9	13	11	11	12	21	24	176

W. 8,000. X. 14.

C X 9ML

Col. by ms. stats 24.2.11

1102

FORM A.
BRITISH RAINFALL.

26 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Schoolhouse Wolverton

in the County of Bucks 5

by H. J. Hippsley

Lat. 52°3'40" Long. W. 0°48'10"

Time of Observation 9 am

Nearest Railway Station Wolverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 264 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	44	08	05	-	06	-	03	01	22	10	02	16	1
2	03	21	24	18	-	-	-	16	26	06	-	06	2
3	47	01	03	02	-	-	11	42	13	-	-	17	3
4	02	-	-	-	-	-	1·23	02	01	-	-	53	4
5	03	29	-	-	-	-	-	04	-	-	01	21	5
6	21	-	01	21	-	-	65	02	-	-	-	03	6
7	02	30	07	01	-	01	45	02	01	-	-	15	7
8	04	21	-	01	-	-	01	01	-	-	-	-	8
9	-	-	01	-	-	01	-	-	-	-	22	46	9
10	31	01	03	-	-	-	-	-	-	-	02	01	10
11	01	-	02	-	06	-	-	-	-	-	87	-	11
12	03	-	-	33	37	-	-	08	-	-	83	04	12
13	-	38	-	-	1·09	-	-	-	-	01	-	-	13
14	01	03	-	-	-	-	04	30	05	-	-	42	14
15	16	-	-	-	01	-	-	22	-	-	14	15	15
16	-	35	-	-	01	-	49	02	-	-	-	06	16
17	-	28		-	11	-	09	30	-	-	-	01	17
18	-	07	09	-	-	-	-	01	-	-	02	-	18
19	-	-	01	-	01	-	35	-	-	-	-	x -	19
20	43	-	-	02	-	-	-	-	-	-	-	23	20
21	07	-	-	-	13	-	06	-	-	02	-	05	21
22	26	-	37	01	-	-	74	-	01	-	-	22	22
23	01	10	04	-	-	05	40	-	06	35	-	29	23
24	-	-	10	-	-	05	34	-	1·04	08	-	07	24
25	-	-	-	02	-	01	32	-	01	03	-	18	25
26	-	14	-	-	-	-	15	-	01	-	-	21	26
27	-	04	01	-	-	01	29	-	-	31	-	02	27
28	-	15	-	-	-	-	-	04	46	07	-	-	28
29	-		-	-	-	-	-	10	-	-	07	03	29
30	-	X	-	-	-	77	-	-	-	14	01	03	30
31	08	X	-	X	-	X	-	04	X	35	X	14	31
Total	2·60	2·65	1·08	0·81	1·85	0·91	5·75	1·81	2·27	1·52	2·21	3·93	YEAR'S TOTAL 27·39 ✓
Rain Days.	18	16	14	9	9	7	17	17	12	11	10	26 ✓	166 ✓

W. 8,000. X. 15.

Ered Ete

1370

FORM A.
BRITISH RAINFALL.

29 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Schoolhouse Wolverton
in the County of Bucks
by H. J. Hippsley

Lat. 52° 3' 40" Long. W 0° 48' 10"
Time of Observation 9 a.m
Nearest Railway Station Wolverton L & N.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 264 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01	–	02	–	12	–	18	–	02	04	62	–	1
2	32	05	10	–	20	03	–	–	–	49	03	–	2
3	01	41	01	–	01	–	–	–	10	21	06	–	3
4	22	15	–	–	04	17	10	–	–	02	12	–	4
5	04	01	–	02	06	16	05	–	–	05	36	–	5
6	01	16	09	28	03	12	42	–	–	16	33	–	6
7	02	–	21	–	04	07	10	–	–	12	11	05	7
8	–	–	02	–	19	–	–	–	–	–	–	18	8
9	01	–	02	–	28	13	–	–	–	–	–	01	9
10	–	11	11	05	01	20	16	–	–	09	–	–	10
11	05	11	06	15	–	16	–	–	–	–	–	08	11
12	03	02	04	02	40	07	13	–	01	16	01	–	12
13	–	34	10	02	–	02	16	14	–	01	–	–	13
14	–	50	01	05	02	–	–	–	–	04	–	–	14
15	01	12	54	–	–	–	05	19	–	03	–	–	15
16	01	05	42	17	06	–	18	40	–	02	–	–	16
17	06	03	01	12	–	–	07	03	28	28	–	–	17
18	–	08	04	04	–	–	–	07	09	–	86	–	18
19	10	04	21	07	–	–	–	01	07	–	70	06	19
20	15	–	29	01	–	–	–	–	–	–	04	40	20
21	02	–	72	01	–	–	49	–	–	–	–	63	21
22	–	07	02	–	18	02	–	–	–	04	–	60	22
23	02	57	–	–	–	13	–	03	–	03	04	10	23
24	–	23	01	–	07	42	–	01	–	09	–	27	24
25	–	34	13	–	–	–	01	23	–	04	06	–	25
26	–	12	04	–	–	02	–	–	–	04	03	–	26
27	04	13	1·40	–	–	09	71	02	08	21	–	–	27
28	–	35	60	18	–	–	–	–	11	02	–	16	28
29	–	08	–	–	–	14	–	93	–	22	–	10	29
30	–	X	–	–	–	03	–	–	–	31	–	01	30
31	01	X	–	X	–	X	–	01	X	06	X	02	31
Total	1·14	4·07	5·22	1·19	1·71	1·98	2·81	2·07	0·76	2·78	3·37	2·67	YEAR'S TOTAL 29·77
Rain Days.	19	23	25	14	15	16	14	12	8	24	14	14	198

W. 8,000, VIII. 16

1639

FORM A.
BRITISH RAINFALL.

8. JAN 19

REGISTER OF RAINFALL IN 1917

Entd

Kept at The School House Wolverton

in the County of Buckingham

by Hy. J. Hippsley

Lat. 52° 3' 40" Long. W 0° 48' 10.9

Time of Observation 9 a.m.

Nearest Railway Station Wolverton (L. & N.W.Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 264 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	11	–	–	–	1·08	18	–	28	05	1
2	04	03	–	–	–	01	–	09	01	03	03	–	2
3	–	–	01	03	–	–	–	40	–	16	08	–	3
4	–	30	18	17	–	–	–	15	–	47	01	–	4
5	15	–	–	–	–	–	–	01	08	07	11	–	5
6	–	–	05	–	–	09	–	–	03	04	–	–	6
7	26	–	–	–	–	–	17	–	–	38	02	01	7
8	36	–	–	08	–	–	78	34	–	25	07	04	8
9	03	–	08	07	05	–	02	06	01	–	08	–	9
10	26	–	24	23	20	–	–	15	–	–	01	–	10
11	04	04	25	16	–	–	–	11	01	25	–	–	11
12	05	02	01	–	–	–	–	12	–	19	01	–	12
13	04	–	01	02	–	–	–	12	03	–	–	01	13
14	03	–	–	–	–	–	–	37	–	02	–	–	14
15	01	–	–	01	–	–	–	01	–	03	–	02	15
16	02	13	–	24	–	14	05	–	–	69	01	07	16
17	02	01	–	10	69	06	17	02	32	27	–	–	17
18	–	–	–	09	06	03	23	–	83	05	–	–	18
19	03	14	06	–	15	01	–	–	13	–	–	–	19
20	03	14	04	–	63	02	01	01	–	–	07	–	20
21	–	03	04	02	22	–	–	–	–	02	01	–	21
22	–	–	04	–	02	–	–	12	01	21	–	01	22
23	–	12	–	–	04	–	–	30	–	10	–	02	23
24	01	05	–	–	–	38	–	11	–	17	–	–	24
25	–	04	05	–	–	04	–	–	01	01	09	–	25
26	–	–	–	–	–	–	–	48	08	–	13	–	26
27	–	–	–	–	–	16	–	74	–	–	–	–	27
28	–	–	10	–	–	60	–	10	–	–	–	03	28
29	–	–	02	–	01	38	33	26	–	28	–	33	29
30	02	X	02	–	–	–	62	12	–	01	–	01	30
31	–	X	06	X	–	X	10	03	X	–	X	09	31
Total	1·40	1·05	1·26	1·33	2·07	1·92	2·48	5·30	1·73	3·70	1·01	0·69	YEAR'S TOTAL 23·94
Rain Days.	17	12	17	13	10	12	10	24	13	21	15	12	176

W. 8,000, IX. 17.

40

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at The School House, Wolverton
in the County of Bucks
by H J Hippsley

Lat. 52° 3' 40" Long. 0° 48' 10"
Time of Observation 9 a.m.
Nearest Railway Station Wolverton L&N.W.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 264 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
				04									
1	—	-	-	04	-	-	-	-	-	-	21	02	1
2	~~17~~	09	-	15	-	-	-	20	-	01	08	11	2
3	~~[illegible]~~	04	01	-	24	-	-	03	17	-	46	02	3
4	~~02~~	02	04	-	-	-	05	-	15	03	47	03	4
5	~~15~~	15	-		24	-	-	11	06	02	01	-	5
6	·03 ~~1·03~~	14	01	14	-	-	-	-	-	-	-	-	6
7	101	09	-	15	01	01	-	-	06	05	13	-	7
8	~~05~~	06	-	-	-	-	-	-	14	03	01	09	8
9	~~17~~	17	-	03	-	01	14	-	45	14	-	12	9
10	05	-	-	11	-	07	51	-	01	09	-	19	10
11	~~13~~	04	-	03	05	-	08	-	03	26	-	03	11
12	03	-	03	-	08	-	30	-	05	-	-	-	12
13	~~1~~	-	-	04	12	-	10	-	14	-	-	10	13
14	27	-	-	-	-	05	25	-	40	12	-	07	14
15	1·15	-	-	98	-	-	12	-	02	-	-	18	15
16	23	-	-	69	-	-	-	-	25	-	-	04	16
17	41	-	-	06	-	-	83	01	03	-	-	15	17
18	56	-	-	01	-	13	08	-	11	-	-	40	18
19	103	02	-	02	-	-	02	-	01	06	-	30	19
20	101	08	-	75	-	-	06	-	20	16	-	02	20
21	03	-	-	26	-	03	-	-	61	02	01	03	21
22	·11	-	-	01	-	-	03	-	06	01	-	19	22
23	03	-	-	-	43	-	10	02	09	-	04	01	23
24	~~17~~	14	-	-	65	02	15	-	03	01	11	-	24
25	-	-	-	-	-	02	16	30	-	02	01	-	25
26	-	-	-	-	-	-	21	21	-	01	05	18	26
27	~~[illegible]~~	01	01	01	-	-	06	14	12	-	07	05	27
28	~~[illegible]~~	04	14	01	-	-	-	02	-	-	26	~~05~~	28
29	01	-	-	-	-	-	-	-	1·54	-	01	01	29
30	-	X	23	-	-	-	-	-	08	-	02	27	30
31	-	X	02	X	-	X	-	02	X	06	X	01	31
Total	2·66	1·09	0·49	3·49	1·82	0·34	3·25	1·06	4·81	1·10	1·95	2·67	YEAR'S TOTAL 24·73
Rain Days.	15	14	8	18	8	8	18	10	24	17	16	25	181

W. 6,500, VII. 18. W W C

W. 9MZ [illegible] 979

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Green Lane Wolverton
in the County of Bucks
by H. J. Hippsley.

Lat. 52° 3' 40" Long. W. 0° 48' 10"
Time of Observation 9 a.m.
Nearest Railway Station Wolverton (L. & N. W)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 264 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	24.	04	03	01	02	05	19	-	-	03	-	71	1
2	17	-	-	-	03	-	15	-	12	12	20	47	2
3	91	01	13	-	-	-	05	-	25	-	13	19	3
4	07	-	37	-	-	08	46	06	04	-	-	09	4
5	05	-	33	-	-	-	07	-	73	-	-	22	5
6	-	30	05	-	49	-	-	-	-	02	02	07	6
7	03	-	21	-	01	-	-	-	01	-	-	-	7
8	08	-	07	13	-	-	-	-	-	-	-	-	8
9	02	-	02	03	01	-	-	-	-	-	02	-	9
10	01	-	36	02	-	-	-	-	-	02	-	09	10
11	04	-	25	08	-	-	50	-	-	-	02	03	11
12	-	-	47	02	-	(10)	06	-	-	17	01	-	12
13	06	-	-	28	-	-	-	-	01	11	-	01	13
14	28	02	-	17	-	-	04	-	23	01	-	-	14
15	11	04	12	16	-	-	-	-	-	03	02	44	15
16	04	63	-	01	-	-	-	-	-	-	18	-	16
17	07	48	-	01	-	-	-	-	-	-	15	-	17
18	-	03	16	-	-	-	-	23	-	-	01	15	18
19	02.	20	78	-	-	07	29	15	08	-	05	03	19
20	33	05	09	-	-	30	31	34	-	-	01	04	20
21	14	39	03	-	-	06	22	-	-	01	01	08	21
22	-	16	-	-	-	-	11	-	14	-	-	28	22
23	-	-	-	-	05	03	-	01	01	31	01	03	23
24	-	-	-	10	-	-	22	04	-	33	-	03	24
25	13	-	-	06	03	-	-	18	-	-	-	12	25
26	06	-	11	08	-	-	-	01	12	-	-	31	26
27	57	03	05	70	-	-	-	37	-	-	-	09	27
28	03	-	03	01	-	-	-	64	-	-	03	21	28
29	04		-	04	-	01	01	13	-	49	02	36	29
30	-	╳	07	25	-	24.	-	09	-	08	25	25	30
31	-	╳	05	╳	-	╳	03	-	╳	03	╳	01	31
TOTAL	3·44	2·38	3·78	2·16	0·64	0·93	2·71	2·25	1·74	1·76	1·14	4·31	YEAR'S TOTAL 27·24
Days with ·01 in. or more	23	13	21	18	7	9	15	12	11	14	17	24	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Br122 929

28 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Wolverton

in the County of Buckingham

by H. J. Hippsley

Lat. 52° 3' 40" N Long. 0° 48' 50" W

Time of Observation 9 a.m.

Nearest Railway Station Wolverton L N W

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 264 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	28	21	–	28	22	–	14	01	14	1
2	–	–	02	07	–	–	03	24	07	07	–	07	2
3	–	04	–	05	04	01	15	01	08	05	–	07	3
4	–	–	06	06	–	–	02	31	01	27	–	–	4
5	–	–	07	–	12	–	47	11	03	–	–	–	5
6	–	–	18	–	15	–	28	01	–	–	–	03	6
7	–	–	–	13	07	–	10	–	–	–	–	–	7
8	17	04	–	45	–	–	11	–	–	01	–	–	8
9	29	02	–	30	–	–	02	20	–	–	–	–	9
10	24	05	04	03	–	01	14	–	–	–	–	03	10
11	24	–	03	32	21	03	06	–	–	–	–	03	11
12	03	–	17	10	–	76	03	–	–	–	01	03	12
13	–	–	10	14	–	–	–	–	01	–	02	02	13
14	03	01	25	23	–	18	–	–	22	17	17	01	14
15	–	04	49	13	–	–	01	–	02	–	11	01	15
16	–	–	–	09	13	1·50	–	–	17	11	02	–	16
17	01	–	02	02	14	–	01	–	36	01	–	03	17
18	07	–	–	02	15	–	–	22	25	–	–	04	18
19	08	01	–	26	–	10	–	17	–	–	–	–	19
20	06	29	–	14	–	28	–	–	–	–	–	02	20
21	–	–	–	–	–	–	03	06	04	–	–	06	21
22	–	–	–	13	–	–	–	01	26	–	–	15	22
23	–	–	–	–	–	–	31	–	01	01	–	37	23
24	01	–	20	01	–	–	–	–	–	01	03	05	24
25	–	08	03	–	04	–	50	–	–	–	01	01	25
26	15	–	03	02	01	01	13	–	–	01	–	03	26
27	35	01	–	25	–	25	01	–	–	01	56	10	27
28	43	–	10	01	13	–	02	–	–	01	01	–	28
29	14	–	06	–	29	–	07	–	–	–	08	32	29
30	04		19	03	–	09	06	–	24	–	12	16	30
31	08		02		03		–	–		18		06	31
Total	2·42	·59	2·06	3·27	1·72	3·22	2·84	1·56	1·77	1·06	1·15	1·84	Year's Total 23·50
Days with ·01 in. or more	17	10	18	24	14	11	22	11	14	14	12	23	190
Days with ·04 in. or more	13	6	12	17	12	7	13	8	9	7	5	12	~~122~~ 121

WOLVERTON

BUCKS

1911 - 1920

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

REG 11

uare

Kept at Wolverto 5 in.

ve Ground 1 ft. - in.

in the County of Buck Sea Level 270 ft.

.0 a.m.

by Rev. W L Har Name Wolverton. LNWR

Distance 1/3 ml. Direction N.

IMPORTANT NOTE. d the result entered to the previous day. If an Obse iversal rule, he is earnestly requested to add the readir year in the space provided for it at the end of this rement of rain, the selection and placing British Rainfall Organization are given in ' n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
/

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01			20							03	01	1
2	02			31	14			01			11	10	2
3		02			28			01		03	08	02	3
4	02	02	07	03					01	41	13	40	4
5	01	01						17		01		01	5
6	33										01	43	6
7	01										29	09	7
8	11		12								01	12	8
9	11			02						01	02	05	9
10	02	13	02	01							02	29	10
11	30		44								51	02	11
12	02								01	01	33	-	12
13			02						27	09	03	47	13
14			01		03							30	14
15		11	16							02	19	01	15
16			03			02					35	08	16
17	01		03			04					08	21	17
18		38				02				01	04	09	18
19						19	01		26	04	20	05	19
20	01	05	02					19	22	05		48	20
21		17	01					01	01	18		08	21
22	01		03			03				30	01	45	22
23	01	09	29			19	19		19		01	15	23
24		08				29		04		43		13	24
25		17	02		1·09	09						03	25
26		03		23	1·03	04				17	12	11	26
27		20	12	02			05	01	17			09	27
28		21		21				19			06		28
29				10		40	09		33	22	01		29
30			01		04	04		02	01	15		01	30
31					12					05		01	31
Total	1·00	1·67	1·40	1·13	2·73	1·35	0·34	0·65	1·48	2·18	2·64	4·29	TOTAL for year 20.86
No. of Rain Days.	15	14	16	9	7	11	4	9	10	17	22	28	162

W. 8,000, X. '11.

REG

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Wolverton

in the County of Bucks 5

by Rev. W L Harnett.

Rain Gauge:
Pattern Square
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 270 ft.

Time of Observation 9.0 a.m.

Nearest Railway Station:
Name Wolverton. LNWR
Distance 1/3 ml. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. /

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01			20							03	01	1
2	02			31	14			01			11	10	2
3		02			28			01		03	08	02	3
4	02	02	07	03					01	41	13	40	4
5	01	01						17		01		01	5
6	33										01	43	6
7	01										29	09	7
8	11		12								01	12	8
9	11			02						01	02	05	9
10	02	13	02	01							02	29	10
11	30		44								51	02	11
12	02								01	01	33	-	12
13			02						27	09	03	47	13
14			01		03							30	14
15		11	16							02	19	01	15
16			03			02					35	08	16
17	01		03			04					08	21	17
18		38				02				01	04	09	18
19						19	01		26	04	20	05	19
20	01	05	02					19	22	05		48	20
21		17	01					01	01	18		08	21
22	01		03			03				30	01	45	22
23	01	09	29			19	19		19		01	15	23
24		08				29		04		43		13	24
25		17	02		1.09	09						03	25
26		03		23	1.03	04				17	12	11	26
27		20	12	02			05	01	17			09	27
28		21		21				19			06		28
29				10		40	09		33	22	01		29
30			01		04	04		02	01	15		01	30
31					12					05		01	31
Total	1.00	1.67	1.40	1.13	2.73	1.35	0.34	0.65	1.48	2.18	2.64	4.29	TOTAL for year 20.86
No. of Rain Days.	15	14	16	9	7	11	4	9	10	17	22	28	162

W. 8,000, X. '11.

cod by Schoolhouse 9. 10.11.13 ~~WF~~ JL

FORM A2.
BRITISH RAINFALL.
2 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Wolverton (S^t George's Vicarage)

in the County of Bucks 5

by Rev. W L Harnett.

RAIN GAUGE
Pattern Square
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 270 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wolverton
Distance 1/3 ml Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	02	02	-	03	02	-	07	30	-	11	1
2	-	-	10	-	-	18	43	-	-	-	-	01	2
3	07	-	01	-	08	15	-	32	04	-	01	06	3
4	12	-	72	01	16	42	01	01	-	-	15	01	4
5	10	11	17	-	01	17	-	26	03	-	06	02	5
6	26	07	-	-	01	-	02	46	-	-	-	02	6
7	-	-	-	-	02	57	-	16	-	-	-	03	7
8	28	19	22	-	-	-	-	07	03	-	-	01	8
9	05	15	06	06	-	39	03	-	-	-	-	32	9
10	-	01	-	-	-	05	-	29	-	-	12	01	10
11	13	06	-	-	-	05	-	-	-	-	09	21	11
12	09	36	12	-	02	05	-	-	-	-	10	01	12
13	-	02	-	-	-	-	-	-	-	-	09	01	13
14	02	-	08	-	15	03	-	12	-	01	-	01	14
15	02	04	13	-	14	16	-	03	-	-	01	16	15
16	49	-	08	-	05	06	-	06	-	06	01	-	16
17	53	-	26	-	-	07	-	32	-	-	-	16	17
18	08	-	21	-	-	-	-	13	-	03	02	02	18
19	15	07	03	-	-	-	02	35	-	-	02	-	19
20	03	-	14	-	04	03	26	76	-	19	-	-	20
21	01	01	24	-	51	-	-	49	-	29	05	-	21
22	55	08	01	-	08	-	25	24	-	01	-	09	22
23	10	50	40	-	-	-	62	25	-	-	16	26	23
24	28	01	-	-	-	01	-	14	-	-	-	15	24
25	-	-	-	-	-	19	-	53	-	-	25	33	25
26	-	02	01	-	-	-	28	79	-	40	27	17	26
27	-	-	-	-	-	10	02	-	-	45	-	26	27
28	-	04	-	-	-	-	12	37	06	25	19	80	28
29	-	03	-	-	-	16	36	03	90	33	-	01	29
30	-	-	-	-	37	07	-	-	30	22	-	-	30
31	-	-	·06	-	24	-	46	13	-	01	-	-	31
Total	3·36	1·77	3·07 ✓	0·09	1·88	2·94	2·90	6·31	1·43	2·55	1·60	3·25	TOTAL for year 31·15 ✓
No. of Rain Days.	19	17	20 ✓	3	14	20	14	23	7	13	16	25	191 ✓

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

10 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at Wolverton. (St George's Vicarage)

in the County of Bucks 5

by Rev. W L Harnett

Lat. 52° 3' 40" Long. 0° 49' 50" W.

Time of Observation 9.0 am

Nearest Railway Station Wolverton

Diameter of Rain Gauge 5 in. (square)

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	04	24	09	10	04				1·28		09		1
2	01	16					14		·43	1·27	01		2
3	02		18		67							05	3
4	35		03		02		09			41	05	31	4
5	01	01					05		01	33	02	05	5
6		04	06		18	14	17			06		05	6
7		20			12	14	03			58	10	01	7
8		01	03		11	04				32			8
9		20	01		01	10		06	16		07	02	9
10				04			01				57		10
11	49			41	02			12		30	23		11
12		01			10					01	39		12
13	03			02				03	03		30		13
14	09	01	14	04				06		13	01		14
15		01	19	28			15		08		01		15
16	15		52	30			01		02				16
17	06	02	02	07			09				01	05	17
18	02		11	15			07					02	18
19	27		11				13		12			03	19
20	24		11			03				36	03		20
21	02		14	09	07		09			02	21		21
22	50		27	03				10	18				22
23						02		02	02		01	04	23
24	06			07							01		24
25		02		16			01			02		02	25
26		05	14	12				08		34	03	14	26
27	01		01	02									27
28	41		17	12						09	01	03	28
29	01		09	47	14			06		07		07	29
30	22							01		09	10	02	30
31	01				02			11					31
Total	3·02	0·98	2·42	2·49	1·50	0·47	1·04	0·65	2·33	4·40	2·26	0·91	YEAR'S TOTAL 22·47
Rain Days.	21	13	19	17	12	6	13	10	10	16	20	15	172

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Wolverton
in the County of Bucks 5
by Rev. W. L. Harnett

Lat. 52.3'40" Long. 0°49.50"
Time of Observation 9 a.m
Nearest Railway Station Wolverton
Diameter of Rain Gauge (Square) 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				04			13	25			07		1
2			08				11	09		01	31	25	2
3	02				18		29	02			03	01	3
4	20			19				38			24	21	4
5			04	21	02	18	36	15			03		5
6		07			06			01			05	06	6
7		16	38	03	17	04	11	02			01	13	7
8	08	05	30	07	07	83	02	10	01			01	8
9	19		39	26		87		02	07			01	9
10	05	15	01	04	06				17				10
11		08	32	04	05	52			02		34	24	11
12		04	09				02		52		03	35	12
13		18	23						08	12	09	27	13
14		04	28				10			2·02	10	18	14
15	02	02	18				01	02	11		06	09	15
16			01						09				16
17	01	41	04						12			20	17
18			03				08					48	18
19		04	33								11	01	19
20		32	29					01				20	20
21		19	03					17		08	02	13	21
22		02	01		17		11	05		22			22
23		04	07		05					11		03	23
24			04	02	01	09				54	10		24
25	09		08					10		34	01	12	25
26			06				01	05		05	16	41	26
27	03		01							02	01	18	27
28			01		01					08	34	1·25	28
29	02		20		01					32	14		29
30	01	X	01			05				05	23	20	30
31	01	X		X	05	X	04		X		X	04	31
Total	0·73	1·81	3·52	0·90	0·91	2·58	1·39	1·44	1·19	3·96	2·48	5·06	YEAR'S TOTAL 25·97
Rain Days.	12	15	26	9	13	7	13	15	9	13	21	24	177

W. 8,000. X. 14.

Edh N

1101

FORM A.
BRITISH RAINFALL.
1[illegible] JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wolverton (S. George's Vicarage)

in the County of Bucks 5

by Rev W L Harnett

Lat. 52° 3′ 40″ Long. 0° 49′ 50″ W

Time of Observation 9 am

Nearest Railway Station Wolverton

Diameter of Funnel of Rain Gauge 5 in. square

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·44	·09	·05	-	·06	-	-	·01	·22	·09	·02	·16	1
2	·03	·23	·25	·12	-	-	-	·19	·22	·09	-	·07	2
3	·44	·01	·02	·08	-	-	·12	·39	·14	-	·02	·14	3
4	·03	-	-	-	-	-	1·19	·01	-	-	-	·57	4
5	·03	·26	-	-	·01	-	-	·03	-	-	·01	·23	5
6	·22	·04	·02	·23	-	-	·68	·03	-	·01	-	·03	6
7	·03	·30	·09	·01	-	·01	·45	·03	-	-	-	·16	7
8	·02	·22	·01	·01	-	-	·01	·01	-	-	·01	-	8
9	-	-	-	·02	-	·01	-	-	-	-	·22	·48	9
10	·33	·01	·03	-	-	-	-	-	-	-	·02	·01	10
11	·01	-	·02	·02	·06	-	-	-	-	-	·92	-	11
12	·03	·01	-	·28	·38	-	-	·09	-	·01	·80	·02	12
13	-	·37	-	-	1·06	-	-	-	-	-	-	-	13
14	·01	·03	-	-	-	-	·04	·30	·04	-	-	·43	14
15	·17	·01	-	-	·02	-	-	·26	-	-	·13	·14	15
16	·01	·37	-	-	·01	-	·52	·03	-	-	-	·07	16
17	-	·27	-	-	·14	-	·10	·31	-	-	-	·01	17
18	-	·08	·12	-	-	-	-	-	-	-	·03	-	18
19	-	·01	·01	-	·01	-	·36	-	-	-	-	·01	19
20	·42	-	-	·01	-	-	-	-	-	-	·01	·23	20
21	·10	-	-	-	·16	-	·10	-	-	·02	-	·06	21
22	·26	·01	·40	-	-	-	·70	-	·01	-	-	·21	22
23	·01	·10	·04	·04	-	·06	·41	-	·07	·35	-	·29	23
24	-	-	·11	-	-	·06	·34	-	1·02	·08	-	·08	24
25	-	-	-	·01	-	-	·33	-	-	·03	-	·18	25
26	-	·15	-	-	-	-	·15	-	·01	-	-	·20	26
27	-	·05	·01	-	-	·02	·28	-	-	·31	-	·03	27
28	-	·16	·02	-	-	-	-	-	·46	·06	-	-	28
29	-	-	·01	-	-		-	·14	-	-	·09	·04	29
30	·04	X	-	-	-	·82	·01	-	-	·08	·02	·03	30
31	·06	X	-	X	-	X	-	·04	X	·42	X	·13	31
Total	2·69	2·78	1·21	0.83	1·91	0·98	5·79	1·87	2·19	1.55	2·30	4.01	YEAR'S TOTAL 28·11
Rain Days.	20	21	16	11	10	6	17	15	9	12	13	26	176

W. 8,000. X. 15.

Exd [illegible]

10

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
18
20. JAN 1917

Kept at WOLVERTON
in the County of BUCKS
by REV. W. L. HARNETT.

Lat. 52° 3' 40" Long. 0° 49' 50" W
Time of Observation 9.0 a.m
Nearest Railway Station WOLVERTON
Diameter of Funnel of Rain Gauge (Square) 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	03	-	02	-	25	-	19	-	03	10	64	-	1
2	31	06	12	-	20	04	-	-	-	46	01	-	2
3	-	47	61	-	01	-	-	-	11	23	04	-	3
4	23	10	-	-	05	19	09	-	-	01	11	-	4
5	04	-	-	-	06	17	06	-	-	03	40	-	5
6	01	16	16	30	03	14	32	-	-	17	34	-	6
7	03	-	26	-	04	07	23	-	-	14	13	06	7
8	-	-	02	-	12	-	-	-	-	-	-	19	8
9	01	-	02	-	29	14	-	-	-	-	-	01	9
10	-	14	08	05	-	21	17	-	-	12	-	02	10
11	05	09	06	16	02	18	-	-	-	-	-	08	11
12	03	02	05	02	41	09	13	-	-	14	-	-	12
13	-	35	11	03	01	03	18	15	-	01	02	-	13
14	-	42	-	04	02	-	-	-	-	-	-	-	14
15	-	11	55	01	02	-	05	19	-	07	-	-	15
16	02	05	41	18	05	-	20	40	-	03	-	-	16
17	07	04	-	13	-	-	07	05	33	30	-	-	17
18	-	09	05	05	-	-	-	08	10	-	80	-	18
19	10	04	23	03	-	-	-	01	09	-	77	06	19
20	15	-	28	-	-	-	-	-	-	-	04	44	20
21	02	-	66	02	-	-	52	-	-	-	01	61	21
22	-	07	01	-	19	02	-	-	-	03	01	58	22
23	02	61	-	-	-	11	-	03	-	01	03	12	23
24	-	13	02	-	-	45	-	-	-	03	02	28	24
25	-	22	14	-	10	-	-	26	-	09	05	-	25
26	-	14	04	-	-	02	-	-	-	03	03	-	26
27	04	14	98	-	-	09	56	03	10	23	-	-	27
28	-	36	66	-	-	-	-	-	11	03	01	20	28
29	-	08	01	-	-	15	-	88	-	24	-	12	29
30	-	X	-	-	-	04	-	02	-	32	-	-	30
31	01	X	-	X	-	X	-	-	X	02	X	03	31
Total	1·17	3·89	4·95	1·02	1·87	2·14	2·77	2·10	0.87	2·84	3·46	2·80	YEAR'S TOTAL 29·88
Rain Days.	17	22	24	12	17	17	13	11	7	23	18	14	195

W. 8,000, VIII. 16

1038

FORM A.
BRITISH RAINFALL.

25. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Wolverton

in the County of Bucks

by Rev Canon Harnett

Lat. 52° 3′ 40″ Long. 0° 49′ 50″

Time of Observation 9.0 am

Nearest Railway Station Wolverton 1/3 ml. NE

Diameter of Funnel of Rain Gauge 5 in. (Square)

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	–	–	–	·11	–	–	–	·96	·18	–	·20	·01	1
2	·04	·02	–	–	–	–	–	·10	–	–	·04	–	2
3	–	–	–	·01	–	–	–	·40	–	·29	·08	–	3
4	–	·33	·20	–	–	–	–	·17	–	·40	–	–	4
5	·16	–	·02	·19	–	–	–	·01	·10	·07	·12	–	5
6	·01	–	·02	–	–	·10	–	–	·03	·04	·02	–	6
7	·26	–	–	–	–	–	·15	–	–	·38	·01	·03	7
8	·42	–	–	·09	–	–	·82	·38	–	·24	·09	·03	8
9	·04	–	·10	·03	·06	–	·01	·07	·01	–	·07	·01	9
10	·23	–	·25	·25	·19	–	–	·15	–	–	·03	–	10
11	·04	·04	·26	·16	–	–	–	·13	·01	·25	·01	–	11
12	·06	·01	·01	·02	–	–	–	·13	–	·20	·01	–	12
13	·04	–	·01	·01	–	–	–	·13	·04	–	·01	–	13
14	·03	–	–	·01	–	–	–	·40	–	–	·01	–	14
15	·01	–	–	·02	–	–	–	·01	–	·05	–	–	15
16	·03	·12	–	·03	–	·08	·05	·01	–	·71	–	·06	16
17	–	·03	–	·04	·77	·07	·25	·03	·34	·28	–	–	17
18	·03	·01	–	·01	·03	·04	·16	–	·91	·05	–	–	18
19	·02	·17	–	–	·17	·01	–	–	·08	–	–	–	19
20	·02	·14	·13	–	·63	–	·01	–	·01	–	·07	–	20
21	·01	·03	·06	·02	·24	–	–	–	–	·02	·01	–	21
22	–	–	·05	–	–	–	–	·14	·01	·22	–	–	22
23	–	·13	–	–	·03	–	–	·33	–	·11	–	–	23
24	·01	·06	–	–	–	·40	–	·12	–	·20	·01	–	24
25	–	·04	·05	–	–	·04	–	–	·01	·01	·07	–	25
26	–	–	·01	–	–	–	–	·51	·08	–	·15	·04	26
27	–	–	–	–	–	·17	–	·76	–	–	–	–	27
28	–	–	·10	–	–	·57	–	·12	–	–	–	·04	28
29	–		·02	–	·01	·38	·34	·27	–	·31	–	·33	29
30	·02	X	·02	–	–	–	·65	·14	–	·01	–	–	30
31	–	X	·06	X	–	X	·13	·01	X	–	X	·09	31
Total	1·48	1·13	1·37	1·00	2·13	1·86	2·57	5·48	1·81	3·84	1·01	0·64	YEAR'S TOTAL 24·32
Rain Days.	19	13	17	15	9	10	10	24	13	19	18	9	176

W. 8,000, IX. 17.

[illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8.1.19

Kept at WOLVERTON
in the County of BUCKS
by Rev Canon Harnett.

Lat. 52° 3′ 40″ Long. 0. 49′. 50″
Time of Observation 9 am
Nearest Railway Station WOLVERTON.
Diameter of Funnel of Rain Gauge 5 in. (square)
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·02	-	·04	-	-	-	-	-	-	·23	·01	1
2	-	·11	-	·15	-	-	-	·20	-	-	·08	·12	2
3	-	·03	·01	-	·27	-	-	·03	·21	-	·47	·03	3
4	-	·02	·04	-	-	-	·05	·03	·17	·02	·52	·03	4
5	·01	·17	·01	-	·25	-	-	·11	·05	·03	·02	-	5
6	·03	·16	-	·16	-	·01	-	-	·01	-	-	·01	6
7	·01	·09	-	·14	-	-	-	-	·05	-	·15	-	7
8	-	·07	-	-	-	-	-	-	·16	·10	·01	·10	8
9	-	·19	-	·03	-	·01	·14	-	·48	·14	-	·14	9
10	·05	-	-	·10	-	·07	·52	-	-	·11	-	·17	10
11	-	-	-	·03	·05	-	·12	-	·04	·27	·01	·04	11
12	·02	-	03	-	·10	-	·29	-	·05	-	-	-	12
13	-	·01	-	·04	·12	-	·03	-	·10	·02	-	·14	13
14	·29	-	-	·02	-	·05	·34	-	·47	·11	-	·05	14
15	1·20	-	-	1·07	-	-	·11	-	·01	-	·01	·18	15
16	·19	-	-	·61	-	-	-	-	·27	-	-	·04	16
17	·10	-	-	·05	-	-	·85	-	·03	-	-	·14	17
18	·60	-	-	·01	-	·14	·10	-	·12	-	-	·41	18
19	·03	·03	-	·02	-	-	·03	-	·01	·06	-	·30	19
20	·01	·10	-	·67	-	·03	·06	-	·22	·15	·01	·01	20
21	·04	-	-	·34	-	·02	-	-	·63	·02	-	·01	21
22	·12	-	-	-	·45	-	·04	-	·07	·01	-	·24	22
23	·04	-	-	·01	·66	-	·10	·02	·08	-	·02	·01	23
24	-	·15	-	-	-	·02	·15	-	·03	·01	·13	-	24
25	-	-	-	-	·01	·02	·17	·32	-	·03	·01	-	25
26	-	-	-	-	-	-	·22	·21	-	·01	·05	·17	26
27	-	-	·02	·02	-	-	·05	·16	·12	-	·07	·06	27
28	-	·06	·15	-	-	-	-	·03	-	-	·26	·06	28
29	-		-	-	-	-	-	-	1·57	-	-	·02	29
30	-		·25	-	-	-	-	-	·07	-	·03	·29	30
31	-		03		-		-	-		·08		-	31
Total	2·74	1·21	0·54	3·51	1·91	0·37	3·37	1·11	5·02	1·17	2·08	2·78	YEAR'S TOTAL 25·81
Rain Days.	15	14	8	18	8	9	18	9	24	16	17	25	181

W. 8,000, IX. 17.

978

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

3 JAN 20

Kept at WOLVERTON

in the County of BUCKS

by Rev Canon Harnett

Lat. 52° 3' 40" Long. 0·49·50" W

Time of Observation 9.0 a.m

Nearest Railway Station Wolverton

Diameter of Funnel of Rain Gauge 5 in. (Square)

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·04	·02	·01	·01	·05	·24	-	-	·03	·01	·91	1
2	-	·01	-	-	-	-	·14	-	·13	·12	·22	·23	2
3	·84	-	·16	-	·02	-	·06	-	·24	-	·13	·21	3
4	·07	-	·41	-	-	·08	·44	·04	·07	-	-	·09	4
5	·04	·33	·32	-	-	-	·12	-	·72	-	-	·23	5
6	·01	-	·06	-	-	-	-	-	-	-	·03	·07	6
7	·04	-	·27	-	·01	-	-	-	-	-	-	·01	7
8	·10	-	·08	·12	-	-	-	-	-	-	·01	-	8
9	·02	-	·02	·04	-	-	-	-	-	-	·02	-	9
10	·02	-	·40	·01	-	-	-	-	-	-	-	·12	10
11	·05	-	·25	·08	·07	-	·48	-	-	-	·04	·01	11
12	-	-	·42	·01	-	·12	·08	-	-	·21	·02	·01	12
13	·07	-	·01	·31	-	-	-	-	·01	·12	·01	·01	13
14	·26	·03	-	·16	-	-	·05	-	·23	·01	-	-	14
15	·12	·04	·12	·16	-	-	-	-	-	·02	·03	·47	15
16	·04	·63	-	-	-	-	-	-	-	-	·18	-	16
17	·01	·53	-	·01	-	-	-	-	-	-	·16	·02	17
18	-	·01	·19	-	-	-	-	·24	-	-	·01	·15	18
19	·04	·23	·85	-	-	·14	·30	·15	·07	-	·06	·02	19
20	·39	·05	·11	-	-	·24	·31	·36	-	-	·02	·02	20
21	·14	·37	·02	-	-	·05	·28	-	-	-	·02	·11	21
22	-	·18	-	-	-	-	·05	-	·14	-	-	·28	22
23	-	-	-	-	·06	·04	-	-	·01	·30	·01	·03	23
24	-	-	-	·11	-	-	·23	-	-	·37	-	·03	24
25	·08	-	-	·06	·03	-	-	·24	-	-	-	·11	25
26	·12	-	·11	·07	-	-	-	·01	·11	-	-	·31	26
27	·59	·01	·05	·73	-	-	-	·26	-	-	·01	·08	27
28	-	-	·02	·01	-	-	-	·78	-	·03	·10	·22	28
29	-		-	·05	-	·01	-	·13	-	·44	-	·37	29
30	-	X	·05	·25	-	·24	-	·09	-	·09	·24	·26	30
31	·07	X	·07	X	-	X	-	-	X	·03	X	·01	31
TOTAL	3·40	2·46	4·01	2·19	0·14	0·97	2·78	2·30	1·73	1·77	1·33	4·39	YEAR'S TOTAL 27·47
Days with ·01 in. or more	22	13	22	17	6	9	13	10	10	12	20	27	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

928

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wolverton
in the County of Bucks
by Rev Canon Harnett.

Lat. 53° 3' 40" Long. 0° 49' 50" W.
Time of Observation 9·0 am
Nearest Railway Station Wolverton. L&NWR.
Diameter of Funnel of Rain Gauge 5 in. (Square)
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·29	·23		·26	·22		·13		·15	1
2			·02	·07				·27	·09	·07		·09	2
3		·04		·05	·03		·16		·09	·06		·06	3
4	·01		·07	·07			·10	·31		·28			4
5			·09		·14		·41	·12	·01			·02	5
6			·20		·15		·31	·01				·02	6
7		·01	·03	·13			·08				·01		7
8	·16	·04		·46	·01		·11					·01	8
9	·29	·02		·32			·02	·20					9
10	·16	·05	·02	·03			·14					·03	10
11	·32		·03	·33	·23	·04	·06					·02	11
12	·03		·15	·11		·82	·03				·01	·02	12
13		·01	·11	·15					·01		·02	·01	13
14	·03		·31	·27		·16	·02		·21	·16	·21		14
15		·05	·25	·16					·02	·01	·08	·01	15
16			·01	·09	·13	1·68			·19	·11	·02		16
17	·01		·01	·03	·14		·01		·36	·01	·01	·05	17
18	·11			·02	·15			·23	·26			·05	18
19	·04	·01		·27		·06		·18			·01		19
20	·06	·31		·16		·33						·06	20
21							·03	·02	·04			·03	21
22		·01		·14					·28			·16	22
23	·01						·31					·39	23
24	·01		·21								·03	·06	24
25	·01	·08	·03		·05		·56	·01		·01			25
26	·16		·03	·02	·01	·01					·01	·04	26
27	·36	·01		·26		·26				·01	·57	·10	27
28	·43		·11		·13		·12			·01	·01	·01	28
29	·14		·07		·31		·01				·07	·33	29
30	·02	X	·22	·03		·15	·11		·29		·13	·14	30
31	·08	X	·01	X	·03	X			X	·23	X	·07	31
TOTAL	2·44	0·64	1·98	3·46	1·74	3·51	2·85	1·57	1·85	1·09	1·19	1·93	YEAR'S TOTAL 24·25
Days with ·01 in. or more	20	12	20	22	14	9	19	10	12	12	14	24	188
Days with ·04 in. or more	12	6	11	17	10.	8	13	7	9	7	5	14	119

1027

—

WOLVERTON BOYS SCHOOL

1912 - 20

NFALL IN 1912

FORM A.
BRITISH RAINFALL.

22 JAN 1913

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wolverton L.N.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " " Sea Level 263 ft.

easured daily at 9 a.m. and the result entered to the conform to this almost universal rule, he is earnestly anuary of the following year in the space provided structions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		—		·01	—	·19	·01		·07	·31		·11	1
2			·11	—	—		·38	Gauge has overflowed so the reading (total) is that of Mr H. Hopper	—	—	·01	—	2
3		—				·11	·01		·03	—		·06	3
4	·29		·68		·26	·39	—		—		·14	—	4
5		·09	·15			·16			·02	—	·04	·01	5
6		·07	—		·01	—	·01				—		6
7		—	—		·02				·02	—	—	·05	7
8	·28	·20			—	·90	—			·01			8
9	·04		·27	·05	—		·02		—	·01	·10	·30	9
10	—	·25				·07	—		—	—		·01	10
11	·13		—		·02	·04	—		—		·06	·17	11
12		·39	·12			·04			—	—	·05	—	12
13	·09	·02	—		—	—	—				·06		13
14		—	·07		·14				—	·01	—	·15	14
15	·02	·03		—	·11	·23	—			—			15
16	·69		·43	—	·04		—		—	·05	·01	—	16
17	·56	·01		—		·06	—		—	—		·13	17
18	·10		·20	—	—	·02	—		—		·01	·01	18
19		·06	·02			—			—	·18	·01	—	19
20	·21	—	·16	—	·03	—	·28				—		20
21		·01	·23		·50				—	·28	·03		21
22	·55	·07		—	·05	—	·25			·04			22
23	·10		·41	—			·47		—	·01	·14		23
24	·27	·52		—		·02	—		—	—		1·98	24
25	—		·01	—		·19	—		—		·21		25
26	—	·02	·01			·01			—	·84	·25		26
27	—	—	·01	—	·64	·09	·38				—		27
28	—	·04	—						·96	·25	·18		28
29	—	·01		—		·21	—			·32			29
30	—		·05	—			L		·29	·21	—		30
31	—						—			—			31
Total	3·33	1.79	2·93	0·06	1·82	2·73	1·81	(6·16)	1·39	2·52	1·30	2·98	YEAR'S TOTAL (28·82)
Rain Days.	Cannot be filled in as many of the readings are for several days												

W. 7,500, XI. 12

NFALL IN 1922.

FORM A.
BRITISH RAINFALL.
22 JAN 1923

Kept at [illegible]

in the County of Bucks. ~~4~~ 5

by

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wolverton L.N.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		–		·01	–	·19	·01	Gauge has overflowed so the reading (total) is that of Mr. R. J. Whipple	·07	·31		·11	1
2			·11	–	–		·38		–	–	·07	–	2
3		–				·11	·01		·03	–		·06	3
4	·29		·68		·26	·39	–		–		·14	–	4
5		·09	·15			·16			·02	–	·04	·01	5
6		·07	–		·01	–	·01				–		6
7		–	–		·02				·02	–	–	·05	7
8	·28	·20			–	·90	–			·01			8
9	·04		·27	·05	–		·02		–	·01	·10	·30	9
10	–	·25				·07	–		–	–		·01	10
11	·13		–		·02	·04	–		–		·06	·17	11
12		·39	·12			·04			–	–	·05	–	12
13	·09	·02	–		–	–	–				·06		13
14		–	·07		·14				–	·01	–	·15	14
15	·02	·03		–	·11	·23	–			–			15
16	·69		·43	–	·04		–		–	·05	·01	–	16
17	·56	·01		–		·06	–		–	–		·13	17
18	·10		·20	–	–	·02	–		–		·07	·01	18
19		·06	·02			–			–	·18	·01	–	19
20	·21	–	·16	–	·03	–	·28				–		20
21		·01	·23		·50				–	·28	·03		21
22	·55	·07		–	·05	–	·25			·04			22
23	·10		·41	–			·47		–	·07	·14		23
24	·27	·52		–		·02	–		–	–		1·98	24
25	–		·01	–		·19	–		–		·21		25
26	–	·02	·01			·01			–	·84	·25		26
27	–	–	·01	–	·64	·09	·38				–		27
28	–	·04	–						·96	·25	·18		28
29	–	·01		–		·21	–			·32	–		29
30	–		·05	–			L		·29	·21			30
31	–						–			–			31
Total	3·33	1·79	2·93	0·06	1·82	2·73	1·81	6·16	1·39	2·52	1·30	2·98	YEAR'S TOTAL 28·82
Rain Days.	Cannot be filled in as many of the readings are for several days												

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM BRITISH 1

To be filled up if the Observer desires to do so and returned to
DR. H. R. MILL, *Director*, BRITISH RAINFALL ORGANIZATION, 62 CAMDEN SQUARE, LONDON, N.W.

FORM E.
BRITISH RAINFALL.

13 JAN 1914

BRIEF REMARKS on the weather of the year or on any meteorological occurrences

at Boys School Wolverton *in the County of* Bucks *for the year* 1913

Several of the particulars cannot be given owing to the fact that days have tobe grouped together during the week end & during holidays

(Signed)

Please write on one side of the paper, as if the remarks are selected for publication in BRITISH RAINFALL this form will be sent to the Printer. If there is not room to describe any very remarkable phenomenon, such as a cloudburst, serious flood or disastrous drought, please continue on an additional sheet.

W.—5,000.—XI.-13.

12		01		42							[illegible]		12
13	02				17			02	02		30		13
14	09			04				06		12			14
15	11	01	76	28			13		05				15
16	02			27					02				16
17		01		05			08					04	17
18	34		10								01		18
19				15			17						19
20	22								12	35	03		20
21	01			08	05	11	09			01			21
22	51			04				08	19		19		22
23						05		02	01				23
24			1·01	07									24
25	05	01				04				33		30	25
26		05		29				06			02		26
27										01			27
28	47			09						07			28
29	01			43	14			05		05	10		29
30	19				02					08			30
31			01					09					31
Total	3·05	0·87	2·21	2·30	1·40	0·53	0·85	0·56	2·25	4·33	1·99	0·76	YEAR'S TOTAL 21·10
Rain Days.			See	remarks									

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
13 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Boys' School Wolverton

in the County of Bucks 5

by boys of Standard vii & Ex. vii
under Class Teacher's supervision

Lat. 52° 3' 40" Long. W 0° 48' 50"
Time of Observation 9.15 a.m
Nearest Railway Station Wolverton L.N.W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		39	09	05	05				1·26		07	06	1
2							09		45	1·33			2
3	·38		15		67								3
4			02							70	04	27	4
5						01	23				01		5
6	01		05		19					35		08	6
7					11	24	05			34			7
8		39	02							28	16		8
9						08		·06	13			01	9
10				04			01	01			56		10
11	62							11		31	16		11
12		01		42							34		12
13	02				17			02	02		30		13
14	09			04				06		12			14
15	11	01	76	28			13		05				15
16	02			27					02				16
17		01		05			08					04	17
18	34		10								01		18
19				15			17						19
20	22								12	35	03		20
21	01			08	05	11	09			01			21
22	51			04				08	19		19		22
23						05		02	01				23
24			1·01	07									24
25	05	01				04				33		30	25
26		05		29				06			02		26
27										01			27
28	47			09						07			28
29	01			43	14			05		05	10		29
30	19				02					08			30
31			01					09					31
Total	3·05	0·87	2·21	2·30	1·40	0·53	0·85	0·56	2·25	4·33	1·99	0·76	YEAR'S TOTAL 21·10
Rain Days.			See	remarks									

W.7,000, XI. 13

Ex DSS

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

22 FEB 1915

Kept at Wolverton Council Schools (Boys')
in the County of Buckingham 5
by The scholars under the supervision of Teacher.

Lat. 52° 3' 40" N Long. 0° 48' 50" W
Time of Observation 9 a.m.
Nearest Railway Station Wolverton (LNWR)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. – in.
" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03			·12	·33			·43		1
2					·19		·10	·04				·22	2
3	·15							·02			·02		3
4				·41		·92	·57	·38			·28		4
5			·02		·01			·15			·02	·25	5
6					·05			·03					6
7		·24	·65	·02	·16		·08				·05	·12	7
8	·07						·02	·10					8
9			·37		·10	·85			·07				9
10	·11	·14							·16				10
11		·08	·33		·04	·50	·01				·24		11
12	·02	·02	·08						·60		·03	1·08	12
13	·10									·11			13
14		·21	·64	·39			·10			1·96	·21	·17	14
15	·01						·01	·03	·10			·06	15
16			·03						·09				16
17	·01	·36	·04						·10			·18	17
18			·02				·06						18
19		·03	·30						·02		·09	·64	19
20													20
21		·53	·39					·16		·09	·01	·09	21
22				·01		·06	·09	·06		·22			22
23		·03	·06		·23								23
24	·08		·02							1·00	·09		24
25			·08				·06						25
26			·07					·15		·04	·14	1·94	26
27	·02	·07								·01			27
28			·20		·01					·07	·44		28
29	·02									·31			29
30	·01	×	·01		·04	·05				·06	·20		30
31		×		×		×			×		×		31
Total	·60	1·71	3·31	·86	·83	2·38	1·22	1·45	1·14	3·87	2·25	4·75	YEAR'S TOTAL 24·37
Rain Days.	Cannot make this entry as in many instances several days are taken together												

W. 8,000. X. 14.

C + MR D6 1103

FORM A. BRITISH RAINFALL.

26 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wolverton Boys' School

in the County of Bucks 5

by Scholars of above School.

Lat. 52° 3' 40" N Long. 0° 48' 50" W

Time of Observation 9. a.m.

Nearest Railway Station L.N.W.R. Wolverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 0 in.

" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·08	·04		·06	–	·02		·23		–	·17	1
2		·20	·25			–			·18	·15	·01	·07	2
3		–	·01		–	·01	1·26				–		3
4			–		–				·16	–	–	·94	4
5	1·48				·01	–	–			–			5
6		·61	·11		–		·66		–	–	–	·03	6
7				·71		–	·41		–	–		·14	7
8		·21	–		–	–	·07		–		–	–	8
9		–	–			·01			–	–	·21	·50	9
10		–	·03		–	–	–				–		10
11	·01	–	·01		·06				–	–	·95	·03	11
12	·02				·43	–	–			–			12
13	–	·46	–	–	1·22		–		–	–	·82	–	13
14	·01			–		–	·05	1·70	·04	–		·42	14
15		–	–	–	·02	–	–		–		·13	·13	15
16	·13	·40	–			–			–	–	–	·07	16
17		·25	–	–	·14	–	·59				–		17
18	·03	·07	·11		–				–	–	–	–	18
19	–			–	·01	–	·35			–			19
20	·39	–	·01	·02			–		–	–	–	·22	20
21	·08			–		–	·13		–	·01		·05	21
22		·01	·40	–		–	·64		–		–		22
23	·26	·06	·07			·05			–	·44	·02		23
24		–	·03	·02		·05	1·06				–		24
25	–	–	–		·14				1·07		–		25
26	–			–		·02	·15			–		1·16	26
27	–	·28	·01	–			·16		–	·32	–		27
28	–		–	–		–	–		·49	·07			28
29		–	–	–		–	–		–		·08		29
30	·07	×	·01	–		·91	–		–	·55	–		30
31		×	–	×		×	–	·04	×		×		31
Total	2·48	2·63	1·09	·75	2·09	1·05	5·55	1·74	2·17	1·54	2·22	3·93	YEAR'S TOTAL 27·24
Rain Days.	Rainfall not taken daily												

√ 1071

Exd FW

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

29 JAN 1917

Kept at Wolverton Boys' School

in the County of Bucks

by the senior boys of above school under superintendence

Lat. 52°3'40" Long. W 0° 48' 10"
Time of Observation 9 a.m.
Nearest Railway Station Wolverton LNWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		–	·01	–	12	01	23			07	66		1
2		05	14		22				12	49	02	–	2
3		46		–	01	22	–			23			3
4			–	–	05		15		–	–	59	–	4
5	62	25		–		15	06		–	06		–	5
6			14	29	12	12	38		–		34	–	6
7		–	25			06			–	26	11	05	7
8		–	06	–	20	–	18				–		8
9		–	02		27				–	–	–	19	9
10		14		05	–	51	19			09			10
11	04		25	15	01		–		–	–	–	09	11
12	02	47		01		07	14		–	13		–	12
13	–		12	02	44	02	18		–		–	–	13
14		49	–			–			–	06	–	–	14
15	01	08	61	21	01	–	26				–		15
16		03	39		05				25	04	–	–	16
17	06	04		10	–	–	04			30			17
18	–		28	03	–		–		07	–	1·86	03	18
19	09	12		–		–	–		08	–		04	19
20	14		31	–	–	–	–		–		–		20
21		–	73			–			–		–		21
22	03	07	02		18	02	43				–		22
23		51	–		–				–		03		23
24	–	28			07	53	–						24
25	–		16		–		–		–	1·08	08	2·23	25
26	–	74		29		01	–		–				26
27	04		1·39		–	08	40		06		–		27
28		46	80			–			11		–		28
29	–	08	–		–	16	–				–		29
30		X	–		–	03					–		30
31	01	X	–	X	–	X	–		X	04	X		31
Total	1·06	4·27	5·68	1·15	1·75	1·99	2·64	2·23	·69	2·85	3·69	2·63	YEAR'S TOTAL 30·63
Rain Days.	Cannot be stated as rainfall is not taken daily												

W. 8,000, VIII. 16

7040

FORM A.
BRITISH RAINFALL.

19 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Wolverton Boys' School
in the County of Bucks
by boys of above School.

Lat. 52° 3′ 40″ N Long. 0° 48′ 50″ W.
Time of Observation 9 a.m
Nearest Railway Station L.N.W.R. (Wolverton)
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		-	-	·11	-		-		-	-	·28	·01	1
2				-	-	·01	-		-	·01			2
3		·29	·21	.03	-		-		-	·27	·11	-	3
4	·88						-		-	·36		·02	4
5		-	·02		-	-	-		·07		·12	-	5
6		-	-			·09			·02	·49	·02	-	6
7		-	·03		-	-	·97				·01		7
8		-	-		-				·02	·24	·08	·03	8
9	·05			·93	·05	-	·01			-			9
10	·17	·05	·64		·10		-		-	-	·08	-	10
11	·04					-	-		·01	·25		-	11
12		·03	·01		·01	-	-		-		·01	-	12
13	·11	-	·01			-			·04	·21	-	-	13
14		-	-		-	-	-				-		14
15	·01	-	-		-				-	·02	-	·12	15
16	·02				-	·07	·03			·67		-	16
17	-	·15	-	·11	·84		·25		·31	·29	-	-	17
18	·03			·07		·03	·17		1·01	·03		-	18
19		·19	·06	-	1·10	-	-		·07		-	-	19
20	·09	·14	·06			-			-	·01	·06	-	20
21		·02	·02	·02	·05	·03	·01				-		21
22	-	-	·02		·02				·01	·20	-		22
23	-			-	·04	·38	-			·08			23
24	·01	·22	·10	-			-		-	·18	·04		24
25	-			-		·04	-		-	-		·49	25
26		-	·02	-		-	-		·07		·14		26
27	-	-	-		·01	·15			-	·28	-		27
28		-	·09	-		·59	·30				-		28
29	-	✕	·02			·39			-		-		29
30	·02	✕	·08	-			·61			·01	-		30
31	-	✕		✕		✕	·09		✕		✕		31
Total	1·43	1·09	1·39	1·27	2·22	1·78	2·44	5·30	1·63	3·60	·95	·67	YEAR'S TOTAL 23·77
Rain Days.	Not available : as rainfall was not taken daily												~~185~~

~~22 17 19 18 17 14 10 ? 13 24 15 16~~

W. 8,000, IX. 17.

CX 7162

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Wolverton
in the County of Buckingham
by Boys of Wolverton Council Sch.

Lat. 53°3' 40" N Long. 0°. 48' 50" W
Time of Observation 9. a.m.
Nearest Railway Station L.N.W.: Wolverton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					-	-	-		-	-		-	1
2		·14	·01		-		-		-	-		·10	2
3						-	-		·21	-		·02	3
4	·10	·02	·04	·51	·50	-	·06		·19			·03	4
5		·17	-			-			·05	·05		-	5
6		·15	01		-	-	-				1·41		6
7		·08	-		·01				·19	·05		·09	7
8	-				-	·02	-			·04			8
9	·01	·24	-	·04	-		·15	only the total for month available	·49	·13		·15	9
10	·03			·13		·08	·53		-	·10		·15	10
11		-	-	·03	·16	-	·11		·03		-	·04	11
12	-	·04	·03			-			·03	·25	-	-	12
13		-	-	·06	·12	-	·63				-		13
14	30	-	-		-				·57	·11	·01	·35	14
15	1·43			1·04	-	·04	·10			-			15
16	·22	-	-	·66			-		·25	-	-	·03	16
17	·14			·07		-	·80		-	-		·14	17
18		-	-	·02		·15	·09		·12		-	·38	18
19	·64	·02	-			-			-	·22	-		19
20		·09	-	1·10		·02	·07				·01		20
21	·05	·01	-		1·04				·87		-		21
22	·12			-		·02	03						22
23	·03	·14	-	-			·09		·08		·14		23
24	-			-		·01	·14		·02			1·12	24
25		-	-	-		·02	·19		-	·15	·01		25
26	-	-	-			-			-		·05		26
27		·01		·03		-	·35				·07		27
28	-	·05			-		-		1·75		·23		28
29	-	X	·41	-	-	-	-				·03		29
30	-	X		-	-		-		·06				30
31	-	X		X	-	X	-		X		X		31
Total	3·07	1·16	·50	3·69	1·83	·36	3·34	·89	4·91	1·10	1·96	2·60	YEAR'S TOTAL 25·41
Rain Days			not available										

P.T.O

W. 6,500, VII. 18. W W C

CX [illegible]

980

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 FEB 20

REGISTER OF RAINFALL IN 1919

Kept at Wolverton Council Sch.

in the County of Bucks

by Standard VII boys (under supervision)

Lat. 52° 3′ 40″ N Long. 0° 48′ 50″ W.

Time of Observation 9 a.m.

Nearest Railway Station Wolverton LNW

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft – in.

" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	06	04	01	02	06	20		-	02	21	81	1
2	·17			-			12		14	-		26	2
3	·91	-	16	-	-		03		21	11	13	18	3
4	·07	01	41			05			08	-	-	07	4
5	·05	31	34	-	-		56			-	-		5
6	-	-	06		45				73	02	02	26	6
7	·03			-	-		-			-			7
8	·10	-	37	10	-		-		-	-	02	-	8
9	·01			03			-		-	-		-	9
10		-	40	01	01		-		-		-	12	10
11	04	-	24			07			-	18	03	01	11
12		-	37	37	-		46	Holidays. Total only taken			02		12
13	09	-	-		-				23	09	-	-	13
14	26			15	-		03			-			14
15	10	75	13	12	-		-		-	02	23	49	15
16	05						-		-	-		-	16
17		59	-		-	-	-		-		15	01	17
18	04	03	19			-			-		03		18
19		23	90		-	16	48				02		19
20	34	05	11		-				04		01		20
21	13				-	18	23			65			21
22	-	50	01	94	-		04		12		01		22
23	-					01	-		01			1·78	23
24		-	01		08	-	25		-		-		24
25	17	-	-			-			-		-		25
26		01	11		-	-	-				-		26
27	55	02	04		-				08	-	-		27
28	05	-			-	20	-			-			28
29	04	✕	04	07	-		-		-	36	37		29
30	-	✕		22	-		-		-	08			30
31	-	✕	05	✕	-	✕	02		✕	03	✕		31
TOTAL	3·44	2·56	3·98	2·02	0·56	·73	2·42	2·10	1·64	1·56	1·25	3·99	YEAR'S TOTAL 26·25
Days with ·01 in. or more			Cannot be given										

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

930

28 JAN 1921

FORM A. I. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Wolverton
in the County of Buckingham
by upper Scholars of Council Boys' Sch

Lat. 52° 3' 40" N Long. 0° 48' 50" W
Time of Observation 9 a.m.
Nearest Railway Station Wolverton L.N.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-			-	25		-		01	14	1
2	-		-		21	-			06	46	-	08	2
3	-	03	-		02	01	29				-		3
4	-	-	08		-				10	27	-	06	4
5	-	-			13	-	39			-			5
6	-		27		15		27		-	-	-	02	6
7	-	03		1·81		-	07		-	-		-	7
8	·13		-		-	-	13		-		-	-	8
9		01	-			-			-	-	-		9
10	·69	04	-		-	01	18				-	-	10
11		-	03		23				-	-	-	-	11
12	·02	-			-	86	03			-			12
13	-		47	15	-		-		-	-	20	04	13
14	02	03		26		15	01		20	17		04	14
15	-		10	13	09	-	-		02		08	-	15
16		-	-			2·06		1·56	19	12	01	-	16
17	08	-	01	14	12	-	-				-		17
18		-	-		11				55	-	-	08	18
19	03	02		23	-	38	-			-	-		19
20	06		-	11	-		-		-	-	-	02	20
21	-	31		-		-	04		02	-		06	21
22	-		-	13		-	-		31		-		22
23		-	-			-			-	01	-		23
24	-	-	19	-		-	76				04		24
25		08	02		58				-	01	01		25
26	16	-		01		24	09			01			26
27	35		17	21			-		-	01	60	1·18	27
28	43	-		-		-	01		-				28
29	15			-		-	-		-	22	07		29
30	08	X	20	03		13	-		27		14		30
31		X	02	X		X			X		X		31
TOTAL	2·20	·55	1·56	3·21	1·64	3·84	2·52	1·56	1·72	1·28	1·16	1·72	YEAR'S TOTAL 22·96
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

made

FORM A2.
BRITISH RAINFALL.

11 JAN 1912

—

BUCKS

WRAYSBURY - "ELMSLEA"

1911 + 1912 ONLY

REGI 11

Kept at "Elmslea" -

in the County of Bu

by Lieutenant F

...rella + Co

5 in.

...ve Ground 1 ft. 0

Sea Level ft.

AM

Name Wraysbury

Distance ½ mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04	·	·	0·56	·	·	·	0·03	·	·	·	·	1
2	0·02	·	·	0·48	0·23	·	·	·	·	·	0·23	0·09	2
3	0·07	·	·	·	0·16	·	·	·	·	·	0·11	0·09	3
4	0·05	·	0·07	0·03	·	·	·	·	·	0·09	0·23	0·24	4
5	0·02	0·02	–	·	–	·	·	·	·	0·14	0·09	0·12	5
6	0·31	·	0·16	·	·	·	·	·	·	·	·	0·27	6
7	0·04	·	·	0·06	·	·	·	·	·	0·08	0·29	0·30	7
8	0·09	·	0·20	·	·	·	·	·	·	·	0·17	0·33	8
9	0·10	·	0·03	·	·	·	·	·	·	·	·	0·05	9
10	·	0·09	0·14	·	·	·	·	·	·	·	0·14	0·61	10
11	0·28	–	·	·	0·02	·	·	·	0·39	·	0·63	·	11
12	–	·	0·47	·	·	·	·	·	·	–	0·28	–	12
13	·	·	0·05	·	0·28	·	·	·	·	0·21	0·11	0·50	13
14	·	0·07	–	·	0·24	·	·	·	·	·	·	0·38	14
15	·	0·08	0·08	·	·	·	·	·	·	0·03	0·04	0·05	15
16	·	·	·	·	·	0·30	·	·	·	·	0·34	0·05	16
17	·	·	·	·	·	0·18	·	·	0·36	·	0·39	0·24	17
18	·	0·13	·	·	·	0·19	·	·	·	·	0·48	0·23	18
19	·	·	·	·	·	0·36	·	0·05	·	0·06	0·17	0·15	19
20	0·01	·	·	·	·	·	·	0·32	0·13	0·05	·	0·63	20
21	·	0·19	·	·	·	·	·	·	·	0·33	·	0·10	21
22	0·07	·	0·09	·	·	0·03	·	·	·	0·18	·	0·49	22
23	–	0·08	0·30	·	·	0·43	·	·	0·15	·	0·05	0·14	23
24	·	0·14	·	·	·	0·03	·	0·04	·	0·99	·	0·19	24
25	·	0·03	0·03	0·17	·	0·17	0·34	0·01	0·02	—	·	·	25
26	·	·	·	0·24	0·16	0·11	0·08	·	·	0·16	·	0·29	26
27	·	0·37	0·05	0·05	·	·	0·08	·	0·15	·	·	0·19	27
28	·	0·19	·	0·27	·	·	·	0·05	·	·	0·05	·	28
29	·	·	·	0·12	·	0·20	0·13	·	0·16	0·19	·	·	29
30	·	·	·	0·11	·	0·01	·	·	·	0·17	·	·	30
31	·	·	·	·	0·15	·	·	·	·	0·02	·	·	31
Total	1·10	1·39	1·67	2·09	1·24	2·01	0·63	0·50	1·36	2·70	3·80	5·73	TOTAL for year 24·22
No. of Rain Days.	12	11	12	10	7	11	4	6	7	14	17	23	134

W. 8,000, X. '11.

mode

FORM A2.
BRITISH RAINFALL.

11 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at "Elmslea" – Wraysbury

in the County of Bucks 4

by Lieutenant Philip C. Pearson R.N

RAIN GAUGE
Pattern Casella & Co
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level ft.

Time of Observation 9 AM

Nearest Railway Station
Name Wraysbury
Distance ½ mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04	·	·	0·56	·	·	·	0·03	·	·	·	·	1
2	0·02	·	·	0·48	0·23	·	·	·	·	·	0·23	0·09	2
3	0·07	·	·	·	0·16	·	·	·	·	·	0·11	0·09	3
4	0·05	·	0·07	0·03	·	·	·	·	·	0·09	0·23	0·24	4
5	0·02	0·02	–	·	·	·	·	·	·	0·14	0·09	0·12	5
6	0·31	·	0·16	·	·	·	·	·	·	·	·	0·27	6
7	0·04	·	·	0·06	·	·	·	·	·	0·08	0·29	0·30	7
8	0·09	·	0·20	·	·	·	·	·	·	·	0·17	0·33	8
9	0·10	·	0·03	·	·	·	·	·	·	·	·	0·05	9
10	·	0·09	0·14	·	·	·	·	·	·	·	0·14	0·61	10
11	0·28	–	·	·	0·02	·	·	·	0·39	·	0·63	·	11
12	–	·	0·47	·	·	·	·	·	·	–	0·28	–	12
13	·	·	0·05	·	0·28	·	·	·	·	0·21	0·11	0·50	13
14	·	0·07	–	·	0·24	·	·	·	·	–	·	0·38	14
15	·	0·08	0·08	·	·	·	·	·	·	0·03	0·04	0·05	15
16	·	·	·	·	·	0·30	·	·	·	·	0·34	0·05	16
17	·	·	·	·	·	0·18	·	·	0·36	·	0·39	0·24	17
18	·	0·13	·	·	·	0·19	·	·	·	·	0·48	0·23	18
19	·	·	·	·	·	0·36	·	0·05	·	0·06	0·17	0·15	19
20	0·01	·	·	·	·	·	·	0·32	0·13	0·05	·	0·63	20
21	·	0·19	·	·	·	·	·	·	·	0·33	·	0·10	21
22	0·07	·	0·09	·	·	0·03	·	·	·	0·18	·	0·49	22
23	·	0·08	0·30	·	·	0·43	·	·	0·15	·	0·05	0·14	23
24	·	0·14	·	·	·	0·03	·	0·04	·	0·99	·	0·19	24
25	·	0·03	0·03	0·17	·	0·17	0·34	0·01	0·02	·	·	·	25
26	·	·	·	0·24	0·16	0·11	0·08	·	·	0·16	·	0·29	26
27	·	0·37	0·05	0·05	·	·	0·08	·	0·15	·	·	0·19	27
28	·	0·19	·	0·27	·	·	·	0·05	·	·	0·05	·	28
29	·	·	·	0·12	·	0·20	0·13	·	0·16	0·19	·	·	29
30	·	·	·	0·11	·	0·01	·	·	·	0·17	·	·	30
31	·	·	·	·	0·15	·	·	·	·	0·02	·	·	31
Total	1.10	1.39	1.67	2.09	1.24	2.01	0.63	0.50	1.36	2.70	3.80	5.73	TOTAL for year ✓ 24.22"
No. of Rain Days.	12	11	12	10	7	11	4	6	7	14	17	23	134 ✓

W. 8,000, X. '11.

[illegible] 10·11·13 Ex F. C.

FORM A.
BRITISH RAINFALL.
8 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Elmslea - Wraysbury

in the County of Bucks 4

by Commander P. C. Pearson R.N.

Lat. 51°-27'N Long. 0°-35W

Time of Observation 8 AM

Nearest Railway Station Wraysbury L.&S.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·08	0·03	—	0·05	0·04	—	0·03	0·34	—	0·22	1
2	—	—	0·14	—	—	0·13	0·42	0·03	0·02	0·04	—	—	2
3	—	—	0·09	—	—	0·18	0·02	0·30	—	—	—	0·07	3
4	0·23	—	0·55	—	0·11	0·32	—	0·02	—	—	0·20	—	4
5	0·18	—	0·04	—	—	—	—	0·38	—	—	0·09	—	5
6	0·59	0·08	—	—	—	0·10	—	0·10	—	—	—	0·13	6
7	—	—	—	—	0·09	0·83	—	0·20	—	—	—	0·05	7
8	0·40	0·27	0·29	—	—	0·18	—	0·12	—	—	—	0·02	8
9	0·03	0·18	0·09	0·06	—	0·06	0·03	0·02	—	—	—	0·20	9
10	—	0·07	—	—	—	0·03	—	0·22	—	—	0·22	0·24	10
11	0·08	0·28	—	—	—	—	—	0·08	—	—	0·02	0·21	11
12	0·06	0·15	0·11	—	0·30	0·17	—	—	—	—	0·04	0·01	12
13	0·02	0·02	—	—	—	—	—	—	—	—	0·03	0·03	13
14	—	—	0·04	—	0·02	—	—	0·06	—	0·05	—	—	14
15	0·02	0·03	0·18	—	0·18	0·61	—	0·01	—	—	0·01	0·20	15
16	0·28	0·01	0·11	—	0·13	0·20	—	0·05	—	0·06	0·02	—	16
17	0·42	—	0·18	—	—	0·03	—	0·10	—	—	—	—	17
18	0·13	—	0·17	—	—	—	—	0·10	—	—	—	0·12	18
19	0·09	0·09	0·12	—	—	—	0·18	0·50	—	—	0·01	—	19
20	0·05	0·01	0·12	—	—	—	0·03	0·27	—	—	0·03	—	20
21	0·01	0·03	0·42	—	0·24	—	—	0·11	—	0·42	0·10	—	21
22	0·21	0·17	0·02	—	0·07	—	0·04	0·11	—	0·04	—	0·03	22
23	0·32	0·37	0·37	—	—	0·09	—	0·34	—	0·02	0·23	0·22	23
24	0·34	0·02	—	—	—	0·24	0·01	0·23	—	0·10	—	0·17	24
25	0·32	—	—	—	—	—	—	0·41	—	0·09	0·21	0·39	25
26	—	0·02	—	—	—	0·05	—	0·41	—	0·39	0·36	0·49	26
27	—	—	0·03	—	—	0·01	—	—	—	0·19	—	0·26	27
28	—	0·03	—	—	—	—	0·05	0·08	~~0·15~~	0·43	0·46	0·20	28
29	—	—	—	0·01	—	0·22	0·31	0·34	1·50	0·23	0·02	—	29
30	—		—	—	0·31	—	—	0·01	1·05	0·17	—	—	30
31	—		0·21		0·11		0·19	0·18		0·01		0·04	31
Total	3·78	1·83	3·36	0·10	1·56	3·50	1·32	4·78	2·75	2·58	2·05	3·30	YEAR'S TOTAL 30·91 30·81
Rain Days.	19	17	20	3	10	18	11	27	5	15	16	20	181

W. 7,500, XI. ·12